

Superior  
Manufacturer



# DECKING

[www.jfwpc.com](http://www.jfwpc.com)

Email: [sales@njufeng.cn](mailto:sales@njufeng.cn)

Tel: +8617714318820

























# CO-EXTRUSION DECKING

**C**o-extrusion decking has many advantages better than traditional wood plastic


- ▶ Better resist to scratch;
- ▶ Better resist to UV, better color stability;
- ▶ Better resist to moisture and termites;
- ▶ Better at resisting to mold and mildew;
- ▶ Extreme durability and reliability. less water-absorption, less rot;
- ▶ More natural surface: wooden texture, looks like real wood;
- ▶ More durable, more attractive, less fade and scratch resistant;
- ▶ Low maintenance at an excellent price.



# CO-EXTRUSION DECKING

Product	Size	Picture	Profile	Product	Size	Picture	Profile
C.XS.115S9.5	115*9.5mm			C.XS.140S23	140*23mm		
C.XS.138S20	138*20mm			C.XS.140H24	140*24mm		
C.XS.138S23	138*23mm			C.XS.142S13	142*13mm		
C.XS.138S23A	138*23mm			C.XS.150H23	150*23mm		
C.XS.138H23	138*23mm			C.XS.210S23	210*23mm		

# 3D EMBOSSEED DECKING























**3**D Embossed decking has some advantages

- ▶ More natural surface: wooden texture, looks like real wood;
- ▶ More durable, more attractive, less fade and scratch resistant;
- ▶ Better resist to scratch;
- ▶ Better resist to moisture and termites;
- ▶ Better at resisting to mold and mildew;
- ▶ Extreme durability and reliability: less water-absorption, less rot;
- ▶ Low maintenance at an excellent price.



# 3D EMBOSSEED DECKING

Product	Size	Picture	Profile	Product	Size	Picture	Profile
C.X.115S9.5	115*9.5mm			C.X.140S20D	140*20mm		
C.X.140S16	140*16mm			C.X.140H25U	140*25mm		
C.X.140S20B	140*20mm			C.X.140H25Z	140*25mm		
C.X.140S25E	140*25mm			C.X.143H22	143*22mm		
C.X.150S25E	150*25mm			C.X.148H25	148*25mm		

# TRADITIONAL WPC DECKING

**T**raditional WPC decking is made of 35% HDPE and 55% wood flour. It has many advantages better than wood:

- ▶ Natural surface: wooden texture,
- ▶ Looks like real wood;
- ▶ Better resist to moisture and termites;
- ▶ Better at resisting to mold and mildew;
- ▶ Extreme durability and reliability: less water-absorption, less rot;
- ▶ Low maintenance at an excellent price.

[www.jfwpc.com](http://www.jfwpc.com)

Email: [sales@njjufeng.cn](mailto:sales@njjufeng.cn)

Tel: +8617714318820



# TRADITIONAL WPC DECKING

Product	Size	Picture	Profile	Product	Size	Picture	Profile
C.X.135H25D	135*25mm			C.X.140S21	140*21mm		
C.X.140H25A	140*25mm			C.X.150H25	150*25mm		
C.X.140S25D	140*25mm			C.X.150S25Z	150*25mm		
C.X.140H25F	140*25mm			C.X.190H25	190*25mm		
C.X.140S30	140*30mm			C.X.345H25	345*25mm		

# Color Chart & Texture Suggestions

Popular colors and textures that can meet personal needs.

## Co-extrusion Texture Suggestions



## Traditional WPC Texture Suggestions



## 3D Embossed Texture Suggestions



















## Co-extrusion Color Chart



## 3D Embossed Color Chart&Traditional WPC Color Chart



# JOIST & COVER EDGE

Traditional Product	Size	Picture	Profile	Traditional Product	Size	Picture	Profile
C.X.140S16	140*16mm			C.X.40H30A	40*30mm		
C.X.40K25	40*25mm			C.X.50H28	50*28mm		
C.X.40H30D	40*30mm			C.X.53S41B	53*41mm		
Co-Extrusion Product	Size	Picture	Profile	Co-Extrusion Product	Size	Picture	Profile
C.XS.50S50	50*50mm			C.XS.142S13	142*13mm		

# Accessories

---



Different types of accessories are available to meet most installation requirements, with plastic and metal being the most popular




[www.jfwpc.com](http://www.jfwpc.com)

Email: [sales@njufeng.cn](mailto:sales@njufeng.cn)

Tel: +8617714318820

# Product Application

---




Hotel, Europe




Tianchi, Xinjiang, China




Phuket Hotel, Thailand



River Landscape, Japan



Nanjing, Jiangsu, China



Brisbane, Australia



Taiwan, China




Residential Directs, Singapore

[www.jfwpc.com](http://www.jfwpc.com)

Email: [sales@njjuifeng.cn](mailto:sales@njjuifeng.cn)

Tel: +8617714318820

# Our Partner





---

# GET IT IN TOUCH

---



[Sales@njufeng.cn](mailto:Sales@njufeng.cn)



Nanjing Jufeng Advanced Materials Co, Ltd.



Tel: +8617714318820

Factory 1: No.6, Chuangye Road, New & High Tech.  
Industry Development Zone, Nanjing, China.

Factory 2: No.20, Feiying Road, Binjiang New Development  
Zone, Nanjing, China.

[www.jfwpc.com](http://www.jfwpc.com)