



SOFA / CURTAIN  
/ UPHOLSTERY

**100%**

SOLUTION DYED ACRYLIC  
OUTDOOR FABRIC





品牌自成立以来，倡导“将功能性与用户使用价值融为一体”的服务理念，全力为客户的纺织品需求提供更高服务与技术支持。专注于耐日晒功能性纺织面料的研究与开发，为市场提供系统性保障，拥有德国和比利时生产的先进设备从原液纤维，纺纱，织造，后整理实现全产业链规范化生产，更好的保证产品的质量稳定。其中所提供面料具有高日晒色牢度，抗老化及耐候性等特点。被广泛用于室内室外家具，我们提供的每米面料都是一个承诺，将极具优势品质的面料带给我们每一个客户。

Since its establishment, the brand has advocated the service concept of “integrating functionality and user value”, and made every effort to provide higher service and technical support for customers’ demand. focus on the research and development of sun resistant functional fabrics, that can provide systematic guarantee for market. The company has advanced equipment imported from Germany & Belgium to realize the standardized production for the whole industrial chain from the processes solution dyed fiber, spinning, weaving and finishing, so as to better ensure the stability of product quality. The fabrics provided have the good characteristics of high sun color fastness, anti-aging and weather resistance. The fabrics are widely used in indoor and outdoor furniture. Every meter of fabric we provide is a commitment that can bring superior quality fabrics to our every customer.

## 产品用途/PRODUCT USE

产品被广泛用于：户外遮阳、户外家具、室内家居及装饰。

Products are widely used in: outdoor shade, outdoor furniture, indoor upholstery and decoration.



Shade



Umbrella



Sofa



Pillow




Drapery



Window







AD1150024-00 150cm 260g/m²



AD1150022-00 150cm 260g/m²



AD1150010-00 150cm 260g/m²




AD1150057 150cm 260g/m²



AD1150060-00 150cm 260g/m²



AD1150062-00 150cm 260g/m²



AD1150020-00 150cm 260g/m²



AD1150019-00 150cm 260g/m²



AD1150312-00 150cm 260g/m²



AD1150026-00 150cm 260g/m²



AD1150065-00 150cm 260g/m²



AD1150319-00 150cm 260g/m²



AD1150009-00 150cm 260g/m²




AD1150016-00 150cm 260g/m²



AD1150037 150cm 260g/m²



AD1150164-01 150cm 260g/m²



AD1150167-01 150cm 260g/m²





AD1150007-00 150cm 260g/m<sup>2</sup>



AD1150002-00 150cm 260g/m<sup>2</sup>




AD1150001-00 150cm 260g/m<sup>2</sup>



AD1150006-00 150cm 260g/m<sup>2</sup>



AD1150064-00 150cm 260g/m<sup>2</sup>



AD1150056-00 150cm 260g/m<sup>2</sup>



AD1150008-00 150cm 260g/m<sup>2</sup>



AD1150011-00 150cm 260g/m<sup>2</sup>



AD1150067-00 150cm 260g/m<sup>2</sup>




AD1150021-00 150cm 260g/m<sup>2</sup>







AD1150168 150cm 260g/m<sup>2</sup>




AD1150175 150cm 260g/m<sup>2</sup>




AD1150176 150cm 260g/m<sup>2</sup>




AD1150172 150cm 260g/m<sup>2</sup>




AD1150213 150cm 260g/m<sup>2</sup>



AD1150212 150cm 260g/m<sup>2</sup>




AD1150170 150cm 260g/m<sup>2</sup>




AD1150173 150cm 260g/m<sup>2</sup>



AD1150208 150cm 260g/m<sup>2</sup>




AD1150169 150cm 260g/m<sup>2</sup>




AD1150206 150cm 260g/m<sup>2</sup>




AD1150211 150cm 260g/m<sup>2</sup>



AD1150209 150cm 260g/m<sup>2</sup>



AD1150174 150cm 260g/m<sup>2</sup>



AD1150207 150cm 260g/m<sup>2</sup>




AD1150210 150cm 260g/m<sup>2</sup>



AD1150171 150cm 260g/m<sup>2</sup>




AD1150177 150cm 260g/m<sup>2</sup>




AD1150178 150cm 260g/m<sup>2</sup>






AD1150077 150cm 260g/m²



AD1150032 150cm 260g/m²




AD1150041 150cm 260g/m²




AE1150027 150cm 280g/m²




AE1150028 150cm 20g/m²



AD1150076 150cm 260g/m²




AD1150069 150cm 260g/m²




AD1150072 150cm 260g/m²



AD1150073 150cm 260g/m²



AD1150068 150cm 260g/m²



AD1150075 150cm 260g/m²




AD1150074 150cm 260g/m²



AD1150070 150cm 260g/m²



AD1150150 150cm 260g/m²



AD1150071 150cm 260g/m²



AD1150078 150cm 260g/m²




AD1150040 150cm 260g/m²






SOFA

PILLOW




AB1150080 150cm 220g/m<sup>2</sup>




AB1150079 150cm 220g/m<sup>2</sup>



AB1150097 150cm 220g/m<sup>2</sup>



AB1150101 150cm 220g/m<sup>2</sup>




AB1150081 150cm 220g/m<sup>2</sup>




AB1150088 150cm 220g/m<sup>2</sup>




AB1150102 150cm 220g/m<sup>2</sup>



AB1150082 150cm 220g/m<sup>2</sup>




AB1150085 150cm 220g/m<sup>2</sup>




AB1150098 150cm 220g/m<sup>2</sup>




AB1150103 150cm 220g/m<sup>2</sup>



AB1150083 150cm 220g/m<sup>2</sup>




AB1150086 150cm 220g/m<sup>2</sup>




AB1150100 150cm 220g/m<sup>2</sup>




AB1150104 150cm 220g/m<sup>2</sup>



AB1150084 150cm 220g/m<sup>2</sup>



AB1150087 150cm 220g/m<sup>2</sup>



AB1150099 150cm 220g/m<sup>2</sup>



AB1150105 150cm 220g/m<sup>2</sup>







AB1150196-01 150cm 220g/m<sup>2</sup>



AB1150197 150cm 220g/m<sup>2</sup>




AB1150198 150cm 220g/m<sup>2</sup>




AB1150201 150cm 220g/m<sup>2</sup>




AB1150202 150cm 220g/m<sup>2</sup>



AB1150203 150cm 220g/m<sup>2</sup>



AB1150199 150cm 220g/m<sup>2</sup>



AB1150200 150cm 220g/m<sup>2</sup>




AB1150204 150cm 220g/m<sup>2</sup>






SOFA


PILLOW




AJ3152054 152cm 380g/m²




AJ3152053 152cm 380g/m²




AJ3152057 152cm 380g/m²



AJ3152058 152cm 380g/m²



AJ3152055 152cm 380g/m²




AJ3152056 152cm 380g/m²




AJ3152059 152cm 380g/m²



AJ3152060 152cm 380g/m²



AC1150128 150cm 240g/m²




AC1150130 150cm 240g/m²




AC1150129 150cm 240g/m²



AC1150133 150cm 240g/m²




AC1150146 150cm 240g/m²



AC1150147 150cm 240g/m²



AC1150131 150cm 240g/m²



AE1150126 150cm 280g/m²



AC1150124 150cm 240g/m²




AC1150125 150cm 240g/m²






SOFA

PILLOW



AF3150016 150cm 300g/m²



AF3150013 150cm 300g/m²




AF3150014 150cm 300g/m²



AF3150008 150cm 300g/m²



AF3150012 150cm 300g/m²



AF3150006 150cm 300g/m²




AF3150015 150cm 300g/m²



AF3150009 150cm 300g/m²



AF3150004 150cm 300g/m²



AF3150007 150cm 300g/m²



AF3150017 150cm 300g/m²



AF3150010 150cm 300g/m²



AF3150005 150cm 300g/m²




AF3150011 150cm 300g/m²





SOFA


PILLOW



AE2150010 150cm 280g/m²



AE2150006 150cm 280g/m²




AE2150044 150cm 280g/m²



Ae2150022 150cm 280g/m²



AE2150046 150cm 280g/m²



AE2150054 150cm 280g/m²




AE2150045 150cm 280g/m²



AE2150012 150cm 280g/m²



AE2150018 150cm 280g/m²




AE2150053 150cm 280g/m²




AE2150035 150cm 280g/m²



Ae2150023 150cm 280g/m²




AE2150014 150cm 280g/m²



AE2150052 150cm 280g/m²





AE2150056 150cm 280g/m²



AE2150005 150cm 280g/m²



AE2150003 150cm 280g/m²



AE2150047 150cm 280g/m²



AE2150019 150cm 280g/m²



AE2150049 150cm 280g/m²



AE2150009 150cm 280g/m²




AE2150048 150cm 280g/m²



AE2150004 150cm 280g/m²



AE2150011 150cm 280g/m²



AE2150055 150cm 280g/m²



AE2150001 150cm 280g/m²



AE2150051 150cm 280g/m²



AE2150002 150cm 280g/m²



AE2150021 150cm 280g/m²




AE2150050 150cm 280g/m²






SOFA


PILLOW




AK3152062 152cm 400g/m<sup>2</sup>




AK3152065 152cm 400g/m<sup>2</sup>




AK3152063 152cm 400g/m<sup>2</sup>




AK3152064 152cm 400g/m<sup>2</sup>




AI 2150037 150cm 360g/m<sup>2</sup>




AI 2150039 150cm 360g/m<sup>2</sup>



AI 2150036 150cm 360g/m<sup>2</sup>




AI 2150038 150cm 360g/m<sup>2</sup>



AI 2150042 150cm 360g/m<sup>2</sup>




AI 2150040 150cm 360g/m<sup>2</sup>




AI 2150041 150cm 360g/m<sup>2</sup>




AI 2150043 150cm 360g/m<sup>2</sup>




AH1150089 150cm 340g/m<sup>2</sup>




AH1150092 150cm 340g/m<sup>2</sup>




AH1150090 150cm 340g/m<sup>2</sup>



AH1150091 150cm 340g/m<sup>2</sup>



AH1150093 150cm 340g/m<sup>2</sup>



AH1150094 150cm 340g/m<sup>2</sup>




AH1150095 150cm 340g/m<sup>2</sup>




AH1150096 150cm 340g/m<sup>2</sup>






AD1150045 150cm 260g/m<sup>2</sup>  
Repeat: ⇄18.75cm



AD1150044 150cm 260g/m<sup>2</sup>  
Repeat: ⇄18.75cm




AD1150043 150cm 260g/m<sup>2</sup>  
Repeat: ⇄18.75cm




AD1150054 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm




AD1150053 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm




AD1150046 150cm 260g/m<sup>2</sup>  
Repeat: ⇄25.00cm




AD1150051 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm




AD1150047 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm




AD1150050 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm



AD1150048 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm



AD1150049 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm



AD1150052 150cm 260g/m<sup>2</sup>  
Repeat: ⇄30.00cm



AK 3152051 152cm 400g/m<sup>2</sup>  
Repeat: ⇄6.6cm ⇄6.6cm




AK 3152052 152cm 400g/m<sup>2</sup>  
Repeat: ⇄11.7cm ⇄13.8cm



AI 3152029 152cm 360g/m<sup>2</sup>  
Repeat: ⇄12.66cm ⇄12cm



AI 3152031 152cm 360g/m<sup>2</sup>  
Repeat: ⇄19cm ⇄19.8cm



AI 3152030 152cm 360g/m<sup>2</sup>  
Repeat: ⇄12.67cm ⇄31cm



AI 3152041 152cm 360g/m<sup>2</sup>  
Repeat: ⇄12.66cm ⇄12cm



AI 3152043 152cm 360g/m<sup>2</sup>  
Repeat: ⇄19cm ⇄19.8cm



AI 3152042 152cm 360g/m<sup>2</sup>  
Repeat: ⇄12.67cm ⇄31cm






AI 3152039 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.67cm ∞ 31cm



AI 3152038 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.66cm ∞ 12cm



AI 3152040 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 19cm ∞ 19.8cm




AI 3152044 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.66cm ∞ 12cm



AI 3152046 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 19cm ∞ 19.8cm



AI 3152045 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.67cm ∞ 31cm



AI 3152003 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 19cm ∞ 19.8cm



AI 3152002 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.67cm ∞ 31cm



AI 3152001 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.66cm ∞ 12cm



AI 3152032 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.66cm ∞ 12cm



AI 3152034 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 19cm ∞ 19.8cm



AI 3152033 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.67cm ∞ 31cm




AI 3152035 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.66cm ∞ 12cm



AI 3152037 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 19cm ∞ 19.8cm




AI 3152036 152cm 360g/m<sup>2</sup>  
Repeat: ∞ 12.67cm ∞ 31cm




AC3150028 150cm 240g/m<sup>2</sup>  
Repeat: ∞ 20cm




AC3150050 150cm 240g/m<sup>2</sup>  
Repeat: ∞ 20cm



AC3150047 150cm 240g/m<sup>2</sup>  
Repeat: ∞ 20cm




AC3150049 150cm 240g/m<sup>2</sup>  
Repeat: ∞ 20cm



AC3150048 150cm 240g/m<sup>2</sup>  
Repeat: ∞ 20cm






AK3150356

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 65cm

Shading-Blue




AK3150358

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 65cm

Shading-Khaki




AK3150360

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 65cm

Shading-Grass Green



AK3150362

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 65cm

Shading-Red



AK3150357

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 76cm

Unreal-Blue



AK3150359

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 76cm

Unreal-Khaki



AK3150361

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 76cm

Unreal-Grass Green




AK3150363

150cm 400g/m<sup>2</sup>

Repeat: ⇔ 75cm ⇓ 76cm

Unreal-Red







AH3150586 150cm 340g/m²




AH3150574 150cm 340g/m²




AH3150575 150cm 340g/m²




AH3150583 150cm 340g/m²




AH3150584 150cm 340g/m²



AH3150587 150cm 340g/m²




AH3150582 150cm 340g/m²




AH3150576 150cm 340g/m²




AH3150578 150cm 340g/m²




AH3150581 150cm 340g/m²




AH3150580 150cm 340g/m²




AH3150579 150cm 340g/m²



AH3150577 150cm 340g/m²



AH3150585 150cm 340g/m²




AH3150588 150cm 340g/m²







AI 3150565 150cm 360g/m<sup>2</sup>




AI 3150560 150cm 360g/m<sup>2</sup>




AI 3150558 150cm 360g/m<sup>2</sup>




AI 3150561 150cm 360g/m<sup>2</sup>




AI 3150559 150cm 360g/m<sup>2</sup>




AI 3150563 150cm 360g/m<sup>2</sup>




AI 3150564 150cm 360g/m<sup>2</sup>




AI 3150566 150cm 360g/m<sup>2</sup>




AI 3150567 150cm 360g/m<sup>2</sup>




AI 3150573 150cm 360g/m<sup>2</sup>



AI 3150570 150cm 360g/m<sup>2</sup>




AI 3150562 150cm 360g/m<sup>2</sup>




AI 3150571 150cm 360g/m<sup>2</sup>




AI 3150572 150cm 360g/m<sup>2</sup>



AI 3150568 150cm 360g/m<sup>2</sup>




AI 3150569 150cm 360g/m<sup>2</sup>




AI 3140374 140cm 360g/m<sup>2</sup>







AK3137464 137cm 400g/m<sup>2</sup>




AK3137465 137cm 400g/m<sup>2</sup>




AK3137481 137cm 400g/m<sup>2</sup>




AK3137466 137cm 400g/m<sup>2</sup>




AK3137467 137cm 400g/m<sup>2</sup>




AK3137468 137cm 400g/m<sup>2</sup>




AK3137469 137cm 400g/m<sup>2</sup>




AK3137480 137cm 400g/m<sup>2</sup>




AK3137478 137cm 400g/m<sup>2</sup>




AK3137477 137cm 400g/m<sup>2</sup>




AK3137476 137cm 400g/m<sup>2</sup>




AK3137472 137cm 400g/m<sup>2</sup>



AK3137473 137cm 400g/m<sup>2</sup>



AK3137474 137cm 400g/m<sup>2</sup>




AK3137475 137cm 400g/m<sup>2</sup>



AK3137470 137cm 400g/m<sup>2</sup>



AK3137471 137cm 400g/m<sup>2</sup>




AK3137479 137cm 400g/m<sup>2</sup>







AX3138001 138cm 660g/m<sup>2</sup>



AX3138006 138cm 660g/m<sup>2</sup>




AX3138007 138cm 660g/m<sup>2</sup>




AX3138004 138cm 640g/m<sup>2</sup>




AX3138005 138cm 660g/m<sup>2</sup>




AX3138003 138cm 660g/m<sup>2</sup>



AX3138011 138cm 660g/m<sup>2</sup>




AX3138002 138cm 660g/m<sup>2</sup>




AX3138008 138cm 660g/m<sup>2</sup>




AX3138009 138cm 660g/m<sup>2</sup>




AX3138010 138cm 660g/m<sup>2</sup>




AW2138002 138cm 640g/m<sup>2</sup>




AW2138003 138cm 640g/m<sup>2</sup>




AW2138004 138cm 640g/m<sup>2</sup>



AW2138007 138cm 640g/m<sup>2</sup>




AW2138005 138cm 640g/m<sup>2</sup>



AW2138008 138cm 640g/m<sup>2</sup>



AW2138001 138cm 640g/m<sup>2</sup>




AW2138006 138cm 640g/m<sup>2</sup>



# 技术特色/TECHNICAL FEATURES

## 耐日晒色牢度

Colour fastness to light



Compare with other materials under (AATCC TM16.3:2014) — 2000小时日晒后

**Test Report** No. SL6180619045707X Date: Jan 16, 2018 Page 2 of 2


**Test Result:**  
**Color Fastness To Light**  
 (AATCC TM 16.3 -2014; Option 3; Xenon Arc Lamp)  
 After 2000 hours  
 Change in shade  
 3.0(white)3.5(wool)  
 4.0(black/orange/teal)  
 blue/yellow/green/burgundy/khaki/melon)

Remarks: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

**2000小时色牢度 (AATCC TM 16.3:2014)**  
 白色: 3级, 象牙白: 3.5级 中深色: 4级

## 耐气候色牢度

Colour fastness to artificial weathering




**Test Report** No. SL2190225175797X Date: Jun 18, 2019 Page 2 of 2

**Test Result:**  
**Colour fastness to artificial weathering: Xenon arc fading lamp test**  
 (ISO 105 B04:1994)  
 Comparison: upto blue wool reference 7  
 Grade (Blue wool 5/6) 7

The test was carried out by (SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.)


**耐气候色牢度 (ISO 105 B04: 1994)**  
 7级



蓬锦原液着色腈纶纤维显微镜下

Penggi Color acrylic fiber with brocade stock solution under microscope

纤维效果对比  
Fiber effect comparison



普通纤维染色显微镜下

ordinary fiber dyeing under microscope



## 环保认证/Environmental Certification



国际纺织环保纺织协会 (Oeko-Tex) 认证

我们拥有完整、科学的质量管理体系。  
所供面料安全、无毒、无致敏致癌等物质。

We have complete and scientific quality management system  
The fabric provided is safe, non-toxic and free of sensitizing carcinogens.

## 特氟龙/Teflon



织物经过杜邦特氟龙纳米技术处理，  
具备高度的稳定性能。

Fabrics are treated with DuPont Teflon  
Nanotechnology for a high degree of stability.

## 5 年有限质保/5 Years Limited-Warranty



我们的面料保证承诺5年有限质保。

保修范围：在正常环境下，  
因颜色性能下降导致面料褪色或失色的情况，  
白色除外。


Our fabric guarantee 5 years limited warranty. Warranty  
coverage just include fading or losing colors due to the Color  
performance degradation in normal environment.  
Except white.

## 保养与清洁/Maintenance and Cleaning



我们的织物上的污渍清洗，可用37℃左右的低温水，  
配合中性肥皂液，对污渍处进行冲洗，也可使用毛刷刷，  
冲洗污渍后，只需自然晾干（不可拧绞，以免面料变形，  
也不可使用高温熨烫，以免高温变色。

Stains on the Fabric can be cleaned with 37 °C low-temperature water,  
with neutral soap liquid, You can use a brush to brush lightly. After  
washing the stains, just dry naturally, do not twist, so as to avoid fabric  
deformation, and do not use high temperature ironing, so as to avoid  
high temperature discoloration.



## 特氟龙技术/Teflon Technology

我们的织物经过特氟龙纳米技术处理，  
使氟化物在每根纤维周围形成屏障，  
有效抵御水性，油性污渍，且不影响  
布料的透气性。

Our fabric is treated with Teflon  
nanotechnology, which makes fluoride  
form a barrier around each fiber to resist  
water and oil stains, but does not affect  
the breathability of the fabric.



# FABRIC INFORMATION




	Roll Width/幅宽	41"-86"/105 cm -220 cm
	Roll length(average)/卷长	60m
	Composition/成分	100%Solution Dyed Acrylic
	Weight/重量	200-680g/m <sup>2</sup>
	Colour Fastness To Rubbing/摩擦色牢度 Size of rubbing finger: 16mm diameter (ISO 105-X12:2016)	干磨/Dry staining 4-5 湿磨/Wet staining 4-5
	Colour Fastness To Artificial Light/光照色牢度 (ISO 105-B02:2014)	8
	Colour Fastness To Artificial Weathering/耐气候色牢度 (ISO 105 B04:1994)	7
	Colour Fastness To Light /耐日晒色牢度 After 2000 Hours Change In Shad (AATCC TM 16.3 -2014)	3-4
	Water Repellency(Spray Test)/喷雾测试 20±2°C (ISO 4920: 2012(E))	5
	Alcohol/Water Test/拒水 0.6cm 10s 45° (AATCC 193)	4
	Oil Repellency test/拒油 0.6cm 30s 45° 27.3mN/m (AATCC 118)	3
	Rated UPF /抗紫外线 (AATCC 183-2014)	50+






## 完整产业链/COMPLETE INDUSTRIAL CHAIN



### 纺纱设备/SPINNING EQUIPMENT

公司现拥有纱锭100000枚，年产腈纶纱4500吨；公司拥有资深的设计团队，可根据客户来样定制不同色彩的纱线。

The company has 100000 spindles, with an annual output of 4500 tons of acrylic yarn; The company has a senior design team, which can customize yarns of different colors according to customers' samples.



### 织造设备/WEAVING EQUIPMENT

公司拥有德国和比利时生产的先进生产设备，剑杆织机200台，另有若干进口配套设备。耐日晒产品日产量15000米，月产量450000米，年产品5000000米。

The company has advanced production equipment from Germany and Belgium, 200 rapier looms and several imported supporting equipment. The daily output of sunlight resistant products is 15000 meters, the monthly output 450000 meters, and the annual product 5000000 meters.

### 后整理设备/FINISHING EQUIPMENT

后整理是赋予面料以色彩效果、形态效果和实有效果的技术处理方式，在一定温度、时间值和助剂等条件的进行下，使面料染上坚固的颜色，并做到高效、节能和环保。

Finishing equipment: finishing is a technical treatment that gives the fabric color effect, shape effect and practical effect. Under certain conditions such as temperature, time value and additives, the fabric can be dyed with firm color, and achieve high efficiency, energy conservation and environment protection.



### 产品检验/PRODUCT INSPECTION

核对坯布品种、批次、卷号、等级、米数等，对质量严格把关，根据检验标准严格检测相关色牢度、手感、风格、涂胶、疵点、匹长、幅宽、克重等项目，使产品符合客户要求。

The company has advanced production equipment from Germany and Belgium, 200 rapier looms and several imported supporting equipment. The daily output of sunlight resistant products is 15000 meters, the monthly output 450000 meters, and the annual product 5000000 meters.



# 检测中心/ TEST CENTER



检测设备实现不同数据的检测使每米面料达到市场需求  
Different test data from the detection equipment, the fabric per meter can meet the market demand

检测中心基本测试项目 Test center basic test items

测试项目 Test items	实验项目 experience items	操作标准 operation standard
耐日晒 light resistance	日晒色牢度 Color fastness to sunlight	AATCCT TM16.3-2014
	耐气候色牢度 Color fastness to weathering	ISO 105B04:1994
	光照色牢度 color fastness to light	ISO 105B02:2016
织物强力 fabric strength	断裂强力 breaking strength	GB/T 3923.1-1997
	撕裂强力 tear strength	ISO 1974 ISO 9090
三防 three proof	防泼水 water repellent	ISO 4920 2012 AATCC 193
抗紫外线 UV proof	紫外线穿透 UV penetration	AATCC 183-2014
水压测试 hydrostatic test	静水压 hydrostatic pressure	AATCC 127
尺寸稳定性 dimensional stability	尺寸稳定性 dimensional stability	GB/T 8628-8630
耐皂洗色牢度 colour fastness to washing	耐皂洗色牢度 washing	GB/T 3921-2008
耐摩擦色牢度 color fastness to rubbing	耐摩擦色牢度 rubbing crocking	ISO 105-X12 2016
马丁代尔试样破损测定 Martindale sample breakage test	马丁代尔试样破损测定 Martindale sample breakage test	ISO 12947-2:2016
甲醛含量测定 formaldehyde content test	甲醛含量测定 formaldehyde content test	GB/T 2912.1-2009
阻燃 Flame retardant	阻燃 Flame retardant	CATB117-2013
		BS 5852

