

Leapin 绿品科技



PRODUCT CATALOGUE

AN INDUSTRY-LEADING

Fan manufacturer and commercial exhaust
system technology design supplier

行业领先风机制造商及商用排风技术供应商



GUANGDONG LEAPIN ENVIRONMENTAL TECHNOLOGY COMPANY..LTD

广东绿品环保科技有限公司

COMPANY PROFILE

MAIN PRODUCTS

- A** Environmental protection purification equipment
- B** Ventilation equipment
- C** Noise reduction equipment
- D** Ventilation valve



22+ Experience and technology accumulation

10+ More than mu of production base

1000+ The enterprise provides technical and service support

20+ Patent design

ABOUT US

Guangdong Green Goods Environmental Protection Technology Co., Ltd. is the industry's leading ventilation environmental protection equipment and intelligent ventilation. By virtue of the parent company's 22 years experience and technical product of Foshan Yuan Green Ventilation, it has provided technical and service support for thousands of enterprises across the country.

Since the introduction of lean production management concept, through the personnel structure, production organization, and organizational operation, and constantly increase research and development input, and at the same time the old work Art innovation, green technology into a new year. From production efficiency, product quality and production. The pursuit of excellence in multiple dimensions such as product performance, so that the production and R & D system can quickly adapt to the use of Household needs.

Focus

High quality

Innovation

In the future, we will continue to increase research and development input, provide more and more comprehensive environmental protection ventilation, Provide solid and reliable environmental ventilation solutions for various industries to create a global environmental protection net. The technology industry chain.

VISION

We are committed to bringing the truly perfect, environmentally friendly intelligent ventilation system to the country, providing diversified products, building a clean, green, sustainable, suitable for everyone's life environment, restore the natural breeze.

- A** We continue to invest in environmental protection technology, every detail is strictly controlled, never stop in quality;
- B** We from the R & D, production, transportation, installation of each link grinding, continued to upgrade to maintain the industry's top service
- C** We build outlets across the country, and strive to provide the most perfect solution to thousands of households, and access to the ultimate service experience;

IDEA

The business philosophy of "Quality and Virtue, Dedication and Loyalty, Lean Innovation, Cooperation and Win-win, Creating Green Products for One Hundred Years."

QUALIFICATION CERTIFICATION




- A) High -tech certification enterprise
- B) China Environmental Protection Product Certification
- C) Guangdong Famous Brand Products
- D) Quality Management System Certification
- E) Keeping contract with a credit enterprise
- F) Products have been tested by various strict testing



GLOBAL SERVICE

Based in Foshan, radiate the world



1000⁺
Guarantee of Cooperation

10,000,000⁺
Amount of cooperation

We build networks across the country and strive to provide the most complete solutions.
Provide thousands of households, and get the ultimate service experience.



CONTENTS

01 Centrifugal series
离心系列

02 Axial fan series
轴流系列

03 Accessories
配件系列

04 Cabinet fan series
柜式系列


05 Inline fan series
内置风机系列

06 Industrial fan series
工业风机系列



LT-BC(S)

Centrifugal series



01 Centrifugal series

离心系列

AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER

Product Advantages:

1. High static pressure
2. High efficiency
3. Wide product range, from 315mm-1250mm


Product Characteristic:

Model:	315,355,400,450,500,560,630,710,800,900,1000
Airflow(m ³ /h):	1500-90000
Total pressure(Pa):	300-2900
Impeller:	Backward inclined centrifugal impeller
Bearing:	Insert bearing with housing(UKP)
Transmission mode:	Belt drive
Pulley:	European-style pulley(SP)
Overall material:	Galvanized sheet



LT-FC(S)

Centrifugal series



Product Advantages:

- 1. High volume, high pressure
- 2. Low noise
- 3. Efficiency rate reaches 74%




Product Characteristic:

Model:	250,280,315,355,400,450,500,560,630,710,800,900
Airflow(m ³ /h):	1400-94000
Total pressure(Pa):	200-1700
Impeller:	Forward curved centrifugal impeller
Bearing:	Insert bearing with housing(UKP)
Transmission mode:	Belt drive
Pulley:	European-style pulley(SP)
Overall material:	Galvanized sheet

PF

Centrifugal series



Product Advantages:

- 1. High static pressure
- 2. High efficiency rate, low power consumption
- 3. Wide product range, suitable for both 50Hz/60Hz motor



Product Characteristic:

Model:	315,355,400,450,500,560,630,710,800,900,1000
Airflow(m ³ /h):	60Hz:1100-45400 50Hz:900-42200
Maximum static pressure(Pa):	60Hz:370-2500 50Hz:260-1750
Impeller:	Backward inclined centrifugal impeller
Transmission mode:	Motor direct drive
Overall material:	Carbon steel coating

FCS-E

Centrifugal series



Product Advantages:

- 1. High pressure smoke exhaust fan
- 2. Belt driven type, multiple speeds
- 3. Long product life



Product Characteristic:

Model:	500,560,630,710,800
Airflow(m ³ /h):	6000-43000
Total pressure(Pa):	600-1600
Impeller:	Forward curved centrifugal impeller
Bearing:	Insert bearing with housing(UKP)
Transmission mode:	Belt drive
Overall material:	Carbon steel coating


FCS-A

Centrifugal series



Product Advantages:

- 1. High airflow, high pressure smoke exhaust fan
- 2. Drive drive, 2/4/6 pole speed.
- 3. Convenient maintenance designed




Product Characteristic:

Model:	250,280,315,355,400,450,500,560,630
Airflow(m ³ /h):	1500-26000
Total pressure(Pa):	300-2000
Impeller:	Forward curved centrifugal impeller
Transmission mode:	Motor direct drive
Overall material:	Carbon steel coating



ABF

Axial fan series



02 Axial fan series

轴流系列

AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER

Product Advantages:

1. High airflow, medium pressure
2. Adjustable blade angle
3. High efficiency

Product Characteristic:


Model:	450,500,560,630,710,800,900,1000,1120,1250
Airflow(m ³ /h):	6600-88000
Total pressure(Pa):	240-1000
Impeller:	Aluminum alloy impeller
Transmission mode:	Motor direct drive
Overall material:	Carbon steel coating





Forward curved impeller

Accessories



03 Accessories

配件系列



AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER

Product Advantages:

1. Self developed impeller
2. Automative assembling process
3. Suitable for both ventilation and exhaust system


Product Characteristic:

Model:	250,280,315,355,400,450,500, 560,630,710,800,850,900,1000
Standard shaft hole diameter(mm):	25,30,40,50,60,65
Impeller material:	Galvanized sheet
Shaft disk material:	Carbon steel blackening
Fastening method:	Spin forming



Backward plate impeller

Accessories



Product Advantages:

- 1. High pressure, high efficiency designed
- 2. Automatic robotic welding
- 3. Low power consumption

Product Characteristic:

Model: 315,355,400,420,450,500,560,630,710,800,850,900,1000,1150,1250

Standard shaft hole diameter(mm): 35,40,45,55,60,65,75,85,105

Impeller material: Carbon steel coating

Shaft disk material: Carbon steel blackening

Fastening method: Welding



04 Cabinet fan series

柜式系列

AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER





LT-FC

Cabinet fan series



Product Advantages:

- 1. High volume, low noise
- 2. Double wall designed
- 3. Wide product range



Product Characteristic:

Model:	250,280,315,400,450,500,560,630,710,800,850,900,1000
Airflow(m ³ /h):	1700-120000
Total pressure(Pa):	200-1600
Impeller:	Forward curved centrifugal impeller
Bearing:	Insert bearing with housing(UKP)
Transmission mode:	Belt drive
Pulley:	European-style pulley(SP)
Overall material:	Galvanized sheet


LT-BC

Cabinet fan series



Product Advantages:

- 1. High pressure, high efficiency
- 2. Double wall designed
- 3. Adjustable speed, wide application scope




Product Characteristic:

Model:	315,355,400,420,450,500,560,630,710,800,850,900,1000,1150,1250
Airflow(m ³ /h):	2500-170000
Total pressure(Pa):	200-1800
Impeller:	Backward inclined centrifugal impeller
Bearing:	Insert bearing with housing(UKP)
Transmission mode:	Belt drive
Pulley:	European-style pulley(SP)
Overall material:	Galvanized sheet

PFHP

Cabinet fan series




Product Advantages:

- 1. Motor protection designed
- 2. High efficiency impeller
- 3. Water leak proof base

Product Characteristic:

Model:	315,355,400,450,500,560,630,710,800,900,1000
Airflow(m ³ /h):	60Hz:1100-45400 50Hz:900-42200
Maximum static pressure(Pa):	60Hz:370-2500 50Hz:260-1750
Impeller:	Backward inclined centrifugal impeller
Transmission mode:	Motor direct drive
Overall material:	Carbon steel coating



05 Inline fan series

内置风机系列

AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER




DPT

Inline fan series



Product Advantages:

- 1. Silent designed
- 2. Compact size
- 3. Easy maintenance



Product Characteristic:

Model:	15-A,20-A,20-B,25-A,25-B
Airflow(m ³ /h):	500-2000
Maximum static pressure(Pa):	150-300
Impeller:	Forward curved centrifugal impeller
Transmission mode:	Motor direct drive
Overall material:	Galvanized sheet



KTJ

Inline fan series



Product Advantages:

- 1. Silent designed
- 2. Compact size, high volume
- 3. Easy maintenance




Product Characteristic:

Model:	200,230,250,315,355,380,400
Airflow(m ³ /h):	2000-12000
Maximum static pressure(Pa):	390-590
Impeller:	Forward curved centrifugal impeller
Transmission mode:	Motor direct drive
Overall material:	Galvanized sheet



LP73

Industrial fan series



06 Industrial fan series

工业风机系列

AN INDUSTRY-LEADING FANS MANUFACTURER & VENTILATION SYSTEM DESIGNER

Product Advantages:

1. High efficiency impeller designed
2. Wide range of applications
3. High static pressure

Product Characteristic:

	LP73-A	LP73-C	LP73-D
Model:	500,560,630,710,800,850,900,1000,1120,1250		
Airflow(m ³ /h):	3700-93000	4400-89000	3700-93000
Total pressure(Pa):	120-4200	250-2600	120-4200
Impeller:	Backward inclined centrifugal impeller		
Transmission mode:	Motor direct drive	Coupling drive & Belt drive	Coupling drive
Overall material:	Carbon steel coating		





WhatsApp



Wechat

CONTACT US

Tel : +86 18316499216

Alibaba: [gdlvpin.en.alibaba.com](https://www.alibaba.com)

Email : willxie@leapintech.com

Company Address : No. 5 Chuangye Road, The third industrial district, Xiabai, Luocun, Shishan town, Foshan, China