


RECHARGEABLE USB LI-ION BATTERY



**GUANGZHOU TIGER HEAD
BATTERY GROUP CO., LTD.**

NO.132 North, Gongye Road,
Haizhu District, Guangzhou, China

86-20-34077039 / 85535961

<https://gztigerhead.en.alibaba.com/>
www.tigerhead-lithiumbattery.com
<https://www.tigerheadbattery.com/>
<https://www.hi-watt.com.hk/>

86-20-85539959 85524224



TigerHead | 



Tiger Head

INTRODUCTION



COMPANY PROFILE PICTURE

Guangzhou Tiger Head Battery Group Co., Ltd., with authorized self-import & export right, is the key enterprise for dry batteries in China. It realizes the annual sales over **6 billion pieces** of dry batteries, and export value over **400 million U.S. dollars**, which makes it the leading battery enterprise in China, not only in the concern of sales volume and export volume, but also of export value and main business incomes.

The Company involves 10 series of products, such as jump starters series, rechargeable USB Li-ion series, solar products series, dry batteries series, etc.

The company's brands include "Tiger Head", "HW", "555", "TIHAD", "Lighting", "funmily" and "Wivin", etc. The trademark "Tiger Head" is "Chinese Well-known Trademark" in Guangzhou as well as in Guangdong Province. Furthermore, the "555" and "Tiger Head" brands are also the "Time-honored Brand" of Guangzhou.

NCT Technology
UN38.3 检测报告
UN38.3 Test Report

Client	TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.
Address	Flat RM 705B 7/F Harbour Crystal Centre 100 Granville Road Tsimshatsui East Kowloon, HK
Sample Description	Rechargeable Li-ion Battery
Model/Type	2448-75
Testing Laboratory	Shenzhen NCT Testing Technology Co., Ltd.
Report No.	NCT22019185XMI-1
Issued Date	2022.08.17

Tested by: Michael Lin
Inspected by: Hedy Wang

Report No.: NCT22019185XMI-1
Hotline: 400-888-419

NCT Technology
MSDS Report

Prepared For:	TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.
Product Name:	Rechargeable Li-ion Battery
Model No.:	TH-ICP936C
Nominal Voltage:	9V
Typical Capacity:	400mAh, 3600mAh
Weight:	25.3g
Dimension:	48.5mm x 20.5mm x 17.5mm (L x W x T)
Prepared By:	Michael Lin
Report No.:	NCT23019185XMI-1

Written by: May Ye
Inspected by: Hedy Wang

Report No.: NCT23019185XMI-1
Hotline: 400-888-419

NCT Technology
1.2M 跌落测试报告
1.2M Drop Test Report

Client	TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.
Address	Flat RM 705B 7/F Harbour Crystal Centre 100 Granville Road Tsimshatsui East Kowloon, HK
Sample Description	Rechargeable Li-ion Battery
Model/Type	TH-ICP936C
Testing Laboratory	Shenzhen NCT Testing Technology Co., Ltd.
Report No.	NCT22019185XMI-2
Issued Date	2022.05.22

Tested by: Michael Lin
Inspected by: Hedy Wang

Report No.: NCT22019185XMI-2
Hotline: 400-888-419

CERTIFICATE OF CONFORMITY

Certificate No.: NCT23019225XE1-1

Product Name: Li-ion Battery

Model No.: TH-ICP936C

Applicant: TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.

Address: Flat RM 705B 7/F Harbour Crystal Centre 100 Granville Road Tsimshatsui East Kowloon, HK

Manufacture: Yuhuan TigerHead Power Technology Co., Ltd.

Address: Sha Ziling, Capital Town - Yunan County - Yunfu City, Guangdong Province

Trademark: N/A

Test standards	Report's Number	Issued By	Issued Date
EN IEC 60086-2:2001	NCT23019225XE1-1	NCT	May 19, 2023

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

Shenzhen NCT Testing Technology Co., Ltd.
Hotline: 400-888-419
Address: A31030272, Fuping Rd, Xixun Community, Fuhai Street, Baoan District, Shenzhen, China

CERTIFICATE OF CONFORMITY

Certificate No.: NCT23019225XE1-1

Product Name: Li-ion Battery

Model No.: TH-ICP936C

Applicant: TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.

Address: Flat RM 705B 7/F Harbour Crystal Centre 100 Granville Road Tsimshatsui East Kowloon, HK

Manufacture: Yuhuan TigerHead Power Technology Co., Ltd.

Address: Sha Ziling, Capital Town - Yunan County - Yunfu City, Guangdong Province

Trademark: N/A

Test standards	Report's Number	Issued By	Issued Date
EN IEC 60086-2:2001	NCT23019225XE1-1	NCT	May 19, 2023

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

Shenzhen NCT Testing Technology Co., Ltd.
Hotline: 400-888-419
Address: A31030272, Fuping Rd, Xixun Community, Fuhai Street, Baoan District, Shenzhen, China

CERTIFICATE OF CONFORMITY

Certificate No.: NCT23019225XE1-1

Product Name: Li-ion Battery

Model No.: TH-ICP936C

Applicant: TIGER HEAD HI-WATT BATTERY (HK) CO., LTD.

Address: Flat RM 705B 7/F Harbour Crystal Centre 100 Granville Road Tsimshatsui East Kowloon, HK

Manufacture: Yuhuan TigerHead Power Technology Co., Ltd.

Address: Sha Ziling, Capital Town - Yunan County - Yunfu City, Guangdong Province

Trademark: N/A

Test standards	Report's Number	Issued By	Issued Date
EN IEC 60086-2:2001	NCT23019225XE1-1	NCT	May 19, 2023


This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

Shenzhen NCT Testing Technology Co., Ltd.
Hotline: 400-888-419
Address: A31030272, Fuping Rd, Xixun Community, Fuhai Street, Baoan District, Shenzhen, China

COMPANY PROFILE PICTURE



Our Brand Chain



Industrial Park



Well Appointed



Global Sales



Shaping Value



CONTENTS

Company Profile	01
Micro USB Rechargeable Series	06
NSC USB AAA	07
2AM-75	08
9VM-10CV	09
NSC USB AA	10
Type C USB Rechargeable Series	11
TH-ICR175C	12
TH-ICP936C	13
TH-ICR524C	14
TH-ICR76C	15
Rechargeable Batteries with Charger	16
TH-ICR535(M7011 Charger)	17
TH-ICR712(M7011 Charger)	19
TH-ICP936(M7004 Charger)	21

RECHARGEABLE USB LI-ION BATTERY

MICRO USB RECHARGEABLE SERIES



Large Capacity



1000 Cycles



Constant Voltage Output



NSC USB AAA



USB
Charging



Capacity
600mWh



1.5V Constant
Voltage



1000
Cycles Charge

KEY SPECIFICATIONS

Model	NSC USB AAA
Charging Port	Micro-USB Type
Charging Period	1 Hour
Output Voltage	Constant 1.5V
Output	1.5V/1.0A(Max)
Input	5V 230mA
Capacity	600mWh
Battery Size	10.1*4.5±0.2mm
Net Weight	7.1g
Quantity/ctn	1040pcs/ctn
Gross Weight/ctn	15.6kg/ctn
LED Light Indicator	Charging-Green Light FLASH; Full Charged-Green Light ON.
Package	4PCS/Box With 4In 1 Cable
Carton Size	39*32*24.8cm



2AM-75



USB
Charging



Capacity
2800mWh



1.5V Constant
Voltage



1000
Cycles Charge

KEY SPECIFICATIONS

Model	2AM-75
Charging Port	Micro-USB Type
Charging Period	2.5Hours
Output Voltage	Constant 1.5V
Output	1.5V/2A(Max)
Input	5V 350mA±50mA
Capacity	2800mWh
Battery Size	14*50±0.5mm
Net Weight	20± 0.3g
Quantity/ctn	640pcs/ctn
Gross Weight/ctn	19.1kg/ctn
LED Light Indicator	Charging-Red light ON; Full Charged-Blue Light ON
Package	4PCS/Box With 4 In 1 Cable
Carton Size	39*32*24.8cm



9VM-10CV



- USB Charging
- Capacity 1000mAh
- 9V Constant Voltage
- 1000 Cycles Charge

KEY SPECIFICATIONS

Model	9VM-10CV
Rating Voltage	9V
Charging Port	Micro-USB Type
Capacity	Typical:1000mAh Min:950mAh
Impedance	150mΩ (Max)
Charging Mode	C.C/C.V.
Charging Metho	Standard Charging 0.2C
Charging Time	Standard Charging 6Hours; Fast Charging 1.5Hours
Discharge Current	Standard Discharge Current 0.2C ; Max Discharge Current 400mA
End Of Discharge Voltage	8.0±0.05V
Overcharge Voltage	4.25±0.05V
Battery Size	48.6*26.3*17.1±0.5mm
Net Weight	24.5± 0.3g
Quantity/ctn	320pcs/ctn
Gross Weight/ctn	13.5kg/ctn
LED Light Indicator	Charging-Red Light ON; Full Charged-Green Light ON.
Package	2PCS/Box With 2 In 1 Cable
Carton Size	39*32*24.8CM



NSC USB AA



- USB Charging
- Capacity 1500mWh
- 1.5V Constant Voltage
- 1000 Cycles Charge

KEY SPECIFICATIONS

Model	NSC USB AA
Charging Port	USB Directly
Charging Period	1.5Hours
Output Voltage	Constant 1.5V
Output	1.5V/1.5A(Max)
Input	5V 430mA
Capacity	1500mWh
Battery Size	14*50±0.2mm
Net Weight	14.1g
Quantity/ctn	960pcs/ctn
Weight/ctn	19.4kg/ctn
LED Light Indicator	Charging-Green Light Flash; Full Charged-Green Light ON.
Package	4PCS/Box
Carton Size	39*32*24.8CM



RECHARGEABLE USB LI-ION BATTERY

TYPE C USB RECHARGEABLE SERIES



Large Capacity



1000 Cycles



Constant Voltage Output



RECHARGEABLE USB LI-ION BATTERY

TH-ICR175C



USB Type C
Charging



Capacity
7500mWh



1.5V Constant
Voltage



1000
Cycles Charge

KEY SPECIFICATIONS

Model	TH-ICR175C
Charging Port	TYPE C
Charging Period	4.5hours
Output Voltage	Constant 1.5V
Output	Standard: 500mA 1800mA maximum(Instant current>2200mA)
Input	5V 430mA
Capacity	7500mWh
Battery Size	32*62 +/-0.2mm
Net Weight	70g
Quantity/ctn	120pcs/ctn
Gross Weight/ctn	11.8kg/ctn
LED Light Indicator	Charging-Green Light Flash Full Charged-Green Light on
Package	2pcs+2 in1 cable + box
Carton Size	39*32*24.8cm



TH-ICP936C




- USB Type C Charging
- Capacity 3600mWh
- 9V Constant Voltage
- 1000 Cycles Charge

KEY SPECIFICATIONS

Model	TH-ICP936C
Charging Port	TYPE C
Charging Period	6hours
Output Voltage	Constant 9V
Output	500mA
Input	5V 310mA
Capacity	3600mWh
Battery Size	26.5*48.5 +/-0.2mm
Net Weight	27g
Quantity/ctn	288pcs/ctn
Weight/ctn	12.4kg/ctn
LED Light Indicator	Charging-Red Light on Full Charged-Green Light on
Package	2pcs+2 in 1 cable + box
Carton Size	39*32*24.8cm



TH-ICR524C



- USB Type C Charging
- Capacity 2400mWh
- 1.5V Constant Voltage
- 1000 Cycles Charge

KEY SPECIFICATIONS

Model	TH-ICR524C
Charging Port	TYPE C
Charging Period	2hours
Output Voltage	Constant 1.5V
Output	Standard:350mA 1500mA maximum (Instant current>2500mA)
Input	5V 430mA
Capacity	2400mWh
Battery Size	14*50.2 +/-0.2mm
Net Weight	18g
Quantity/ctn	600pcs/ctn
Gross Weight/ctn	16.5kg/ctn
LED Light Indicator	Charging-Green Light Flash; Full Charged-Green Light on
Package	4pcs+4 in 1 cable + box
Carton Size	39*32*24.8cm





RECHARGEABLE USB LI-ION BATTERY

RECHARGEABLE USB LI-ION BATTERY

RECHARGEABLE USB BATTERY WITH CHARGER



Large Capacity



1000 Cycles



Constant Voltage Output



USB Type C
Charging



Capacity
600mWh



1.5V Constant
Voltage



1000
Cycles Charge



KEY SPECIFICATIONS

Model	TH-ICR76C
Charging Port	TYPE C
Charging Period	1hour
Output Voltage	Constant 1.5V
Output	Standard: 200mA 1000mA maximum (Instant current≥1500mA)
Input	250mA
Capacity	600mWh
Battery Size	10.4*4.5 +/-0.2mm
Net Weight	9g
Quantity/ctn	1040pcs/ctn
Gross Weight/ctn	16.4kg/ctn
LED Light Indicator	Charging-Green Light Flash Full Charged-Green Light on
Package	4pcs+4 in1 cable + box
Carton Size	39*32*24.8CM



TH-ICR535



RECHARGEABLE USB LI-ION BATTERY



USB Type C
Charging



Capacity
3500mWh



1.5V Constant
Voltage



1000
Cycles Charge

Model	TH-ICR535
Voltage	1.5V
Capacity	3500mWh
Dimension	14.5*50mm
Weight	30g
Charger Model	M7011
Fit For	AA/AAA Li-ion Battery
Input	DC 5V/1A
Output	DC 1.5V AA 1000mA(Max) DC 1.5V AAA 500mA(Max)
LED Light Indicator	Charging-red light on; Full charged-green light on
Package	4*batteries+ 1*charger+1*charging cable
Quantity/ctn	192pcs/ctn(4pcs/box) 256pcs/ctn(8pcs/box)
Gross Weight/ctn	9.2kg/ctn 10.7kg/ctn
Carton Size	39*32*24.8cm

TH-ICR712



RECHARGEABLE USB LI-ION BATTERY

-  USB Type C Charging
-  Capacity 1200mWh
-  1.5V Constant Voltage
-  1000 Cycles Charge

Model	TH-ICR712
Voltage	1.5V
Capacity	1200mWh
Dimension	10.5x44mm
Weight	8g
Charger Model	M7011
Fit For	AA/AAA Li-ion Battery
Input	DC 5V/1A
Output	DC 1.5V AA 1000mA(Max) DC 1.5V AAA 500mA(Max)
LED Light Indicator	Charging-red light on; Full charged-green light on
Package	4*batteries+ 1*charger+1*charging cable
Quantity/ctn	320pcs/ctn
Gross Weight/ctn	10.3kg/ctn
Carton Size	39*32*24.8cm

TH-ICP936



USB Type C
Charging



Capacity
3600mWh



9V Constant
Voltage



1000
Cycles Charge

KEY SPECIFICATIONS

Model	TH-ICP936
Voltage	9V
Capacity	3600mWh
Dimension	45.4*26.6*17.3 mm
Weight	24g±2 g
Charger Model	M7004
Fit For	9V Li-ion/Ni-MH/Ni-Cd Battery
Input	DC 5V/2A
Output	DC 8.4V 260mA DC 9V 80mA
LED Light Indicator	Charging-red light on; Full charged-green light on
Package	4*battery+1*charger+1* charging cable+2*boxes
Quantity/ctn	240pcs/ctn
Gross Weight/ctn	13.1kg/ctn
Carton Size	39*32*24.8cm



TigerHead