

A photograph of a modern glass skyscraper, likely the Baolong Center mentioned in the address, viewed from a low angle looking up. The building's facade is composed of many rectangular glass panels, reflecting the sky. A large, light gray arrow-shaped graphic points from the left towards the right, partially overlapping the building image and the contact information.

Address:

2F,Building7,Baolong Center,No.689,
Xiwang Road, Jiading District, Shanghai,
201800,China

Tel:

+86-21-31261985

Fax:

+86-21-39510185

Email:

info@tobo-group.com

1

Company Introduction



TOBO GROUP

TOBO GROUP specializing in CNC parts but also screws, bolts & nuts casting, forging etc, our products mainly used in Auto industry, railway industry, medical equipment industry etc various machinery field

- ④ With ISO9001 & ISO14001 certification, our quality can be ensured, moreover our excellent service
- ⑤ Sales of CNY 10 million RMB in 2018
- ⑥ 7000 Square meters, over 20 imported machines, Annual output value near 1000 tons
- ⑦ Number of employees 62 and keep moving



2 Factory Overview





Factory Overview

**Thread
Rolling
Machine**



**Heading
Machine**

**Cold
Forming
Machine**



**Cold
Forming
Machine**



Factory Overview

CNC machine





Factory Overview

Grinding machine




Spring Rolling Machine





Factory Overview

(AOI) Camera Sorting machine 2 sets



Salt Spray
Test Machine



Testing Lab






Factory Overview

Material Keeping



Quality Control Process






3

**Product
Description**



Product description(screw)








Weld screw dia: 1.0mm-8.0mm
Length: 2mm-700mm




Step screw dia: 5mm-30mm
Length: 10mm-200mm

Product description(screw)



Set screw dia: 1.4mm-20mm
Length: 3mm-100mm


Aluminum dia: 0.5mm-8.0mm
Length: 2mm-700mm

 **Product description(screw)**

Brass screw dia: 1.0mm-8.0mm
Length : 2mm-700mm



Camera Screw dia: 3mm-8.0mm
Length : 10mm-30mm

Product description(screw)





Tapping screw dia: 0.5mm-8.0mm
Length : 2mm-700mm

Product description(CNC part+Bolt)



CNC part dia: 0.1mm-350mm
Longest: 440mm
Smallest tolerance: 0.005mm

Bolt dia: M0.5-M48
Length: 1mm-6m

 **Product description(Bolt+Nut)**

Bolt dia: M0.5-M48
Length: 1mm-6m



Nut:(M1-M64)

 **Product description(Nut+Washer)**

Nut: M1-M64

Washer: M1 Min

Product description(Rivet)



Rivet dia: 1mm-40mm
Length: 1mm-200mm




Product description(Automotive fasteners)



Product description(Automotive fasteners)



Product description(Automotive fasteners)



Product description(Automotive fasteners)



Product description(Automotive fasteners)



Product description(Automotive fasteners)



Carbon steel: 1006、1008、1020、1022、Q235、Q195、35 Steel、45 steel、10B21、SCM435、65Mn、40Cr、42CrMo、12L15、SPCC、SK5、etc。

Stainless steel: 201、301、302、303、304、316、316L、304Cu、410、416、420、430、C276、C22、C4、B2、B3、2205、2507、S32760、GH2132、GH3128/3030/3044、GH4145/4169、MONEL400、K-500、INCONEL600、INCOLOY800

Special material: 316Ti、724L、725LN、317L、321、347、309S、310/310S、904L、1.4529、254SMO、AL6XN,etc

Brass: H60、H62、H65、C3604、H70、H90、T1、H59; tin bronze、Phosphor bronze、Silicon bronze、Aluminum bronze、Manganese bronze etc

Aluminum: 1100、2024、5050、5052、5056、5154、6061、6063、7075 etc



Surface Treatment

| Plating type | Salt Spray time(Hour) |
|---------------------|-------------------------|
| Zinc nickle plating | 1000+ hrs, 1500 hrs max |
| Dacromet | 300/500/1000/1500 hrs |
| Silver RUSPERT | 300/500/1000/1500 hrs |
| Teflon | 4000/9000 hrs |
| Magni | 300/500 hrs |



Surface Treatment

| Plating type | Salt Spray time(Hour) |
|------------------------|-------------------------|
| HDG | 96 hrs |
| Black zinc | 48/96 hrs |
| Green /Yellow/Red Zinc | 24/48 hrs |
| White/Blue/Color Zinc | 4/8/12/24/48/72/240 hrs |
| Silver/Black Nickle | 4/12/24 hrs |



Surface Treatment

| Plating type | Salt Spray time(Hour) |
|---------------------------------------|-----------------------|
| Electrophoresis | 48/72 hrs |
| Anodize | 24/48 hrs |
| Centrifugal galvanizing/Brass plating | 12/24 hrs |
| Tin Plating | 24/48 hrs |
| Silver plating | 12/24 hrs |

 **Surface Treatment**

| Plating type | Salt Spray time(Hour) |
|----------------------------|-----------------------|
| Gold Plating | 12/24 hrs |
| PVD | 96 hrs |
| Brass Plating | 2 hrs |
| Chrome plating | 4/8/24 hrs |
| Electroless nickel plating | 2 hrs |
| Black Oxide | 2 hrs |
| Painting | 12/24/48 hrs |



Market analysis

