



Micro Dc Motor

RE-140 RA

Application:

Typical Applications、 Motorized Toy、 Motorized Plastic Model。






Electrical Specification

Model	Voltage		No Load		At Maximum Efficiency					Stall		
	Operating Range	Nominal	Speed	Current	Speed	Current	Torque		Output	Torque		Current
			r/min	A	r/min	A	mN·m	g·cm	w	mN·m	g·cm	A
RE-140RA-2270	DC 1.5-3.0V	DC 1.5V	8100	0.21	6150	0.66	0.66	6.7	0.42	2.74	28	2.1
		DC 3V	14200	0.25	11320	0.98	1.04	10.6	1.24	5.15	53	3.87
RE-140RA-18100	DC 1.5-3.0V	DC 1.5V	5700	0.13	4230	0.37	0.48	4.9	0.21	1.86	19	1.07
		DC 3V	10900	0.16	8520	0.57	0.79	8.1	0.71	3.63	37	2.04
RE-140RA-12240	DC 3.0-6.0V	DC 3V	4800	0.05	3530	0.14	0.44	4.5	0.16	1.67	17	0.39

*Note:It's only typical technical data for reference, Special requirement can be customized.

Mechanical Dimensions

DIRECTION OF ROTATION



UNIT: MILLIMETERS