



Attestation of Compliance

Reference No. : LCSB12283052S

Applicant : Gotall Technology (Shenzhen) Co., Ltd.

Address : 420A, Building B1, Fuhai B3 Section, Fuyong Community, Fuyong Street, Bao'an District, Shenzhen, China

Product : LED Batten Light

Trade Mark : N/A

Model(s) : SEE ANNEX I

Parameters : 220-240V~, 50/60Hz, IP20, ta.25°C, Class I, details refer to ANNEX I

Tested according to : EN IEC 60598-2-1:2021; EN IEC 60598-1:2021+A11:2022; EN 62493:2015+A1:2022; EN IEC 62031:2020+A11:2021

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the council Directive 2014/35/EU, Referred to as the Low Voltage Directive. It confirms that the listed product complies with all essential requirements of the LVD Directive and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.



Date of issue: January 23, 2024

Manager



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.
101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,
Shenzhen, China
Tel: (86)0755-29871520 Fax: (86)0755-29871521
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com



ANNEX I:

Reference No. : LCSB12283052S

Model(s) :

Model	Rating	Size(L*W*H) mm
BA008-12C028-XXXXX	220-240V~, 50/60Hz, 28W	1212*55*62 mm
BA008-12C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA008-12C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA008-12C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA008-15C028-XXXXX	220-240V~, 50/60Hz, 28W	1512*55*62 mm
BA008-15C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA008-15C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA008-15C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA008-15C055-XXXXX	220-240V~, 50/60Hz, 55W	
BA009-12C028-XXXXX	220-240V~, 50/60Hz, 28W	1200*55*66 mm
BA009-12C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA009-12C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA009-12C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA009-15C028-XXXXX	220-240V~, 50/60Hz, 28W	1500*55*66 mm
BA009-15C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA009-15C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA009-15C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA009-15C055-XXXXX	220-240V~, 50/60Hz, 55W	





BA010-12C028-XXXXX	220-240V~, 50/60Hz, 28W	1200*57*63 mm
BA010-12C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA010-12C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA010-12C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA010-15C028-XXXXX	220-240V~, 50/60Hz, 28W	1500*57*63 mm
BA010-15C033-XXXXX	220-240V~, 50/60Hz, 33W	
BA010-15C038-XXXXX	220-240V~, 50/60Hz, 38W	
BA010-15C045-XXXXX	220-240V~, 50/60Hz, 45W	
BA010-15C055-XXXXX	220-240V~, 50/60Hz, 55W	

Remark:

The first "X" represents color temperature, it can be "W" (3000K), "N" (4000K), "P" (5000K);

The second through the fifth "X" Product serial number, It can be any combination of numbers and letters

