

## Industrial Panel PC-Android



## Product Features:

- Support HDMI display port, max resolution up to 3840 x 2160@24Hz
- Support option 3 / 4G module
- Ram and SSD are onboard
- DC12V power

## I / O interface Specification:

QY-P5104-RK3288		
CPU	RK3288	
RAM	Onboard 2G	
SSD	Onboard 16GB (support 32GB / 64GB),eMMC 5.1	
	1*TF card slot	
System	Android / Linux	Most support Andro 7.0 version
I/O	HDMI	1920*1200
	USB	4*USB
	Display port	1*HDMI
	Network interface	1*RJ45
	Serial port	2*RS232(DB9)
	WIFI	Onboard support WiFi 2.4/5 GHz

## Screen interface Specification:

LCD Screen	Screen	10.4" TFT LED	
	Reslution	1024*768	
	Brightness	350cd/m2	
	Contrast	800:1	
	Largest Colorful	16M	
Touch Screen	Type	Capacitive	Resistive
	Light transmittance	More than 95%	More than 95%
	Touch Life	50 million times	35 million times
	Response Time	<5ms	

Box	Chassis	Aluminum alloy, conductive heat dissipation
	Power	DC 12V
	Size	272mm*218mm*57mm
	Installtion	Wall mount and flush mount
Working temperature		-20 ~ 60°C
Storage temperature		-30 ~ 80°C
Correlated humidity		10 ~ 95%@40°C
Front panel protection		IP65

## Optional Fitting:

Model	Configuration
CPU	RK3288 / RK3399 / RK3568
RAM	2G / 4G / 8G (depands on CPU)
SSD	eMMC: 16GB / 32GB / 64GB (depands on CPU)
	TF card:32GB / 64GB / 128GB / 256GB
Can module	Can function
4G module	4G+GPS function

## Size Drawing:

