



BTL A/B-C-D V pulleys

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com


电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com

**T^{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

A/B-C-D

BTL



A/B-1

F=1" (25.40mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
1B34TB1210	3.00	3.40	3.75	1210	A1	11/4	-	-	1	-	2.2
1B36TB1210	3.20	3.60	3.95	1210	A1	11/4	-	-	1	-	2.6
1B38TB1610	3.40	3.80	4.15	1610	A1	15/8	-	-	1	-	2.8
1B40TB1610	3.60	4.00	4.35	1610	A1	15/8	-	-	1	-	3.0
1B42TB1610	3.80	4.20	4.55	1610	A1	15/8	-	-	1	-	3.5
1B44TB1610	4.00	4.40	4.75	1610	A1	15/8	-	-	1	-	3.8
1B46TB1610	4.20	4.60	4.95	1610	A1	15/8	-	-	1	-	4.0
1B48TB1610	4.40	4.80	5.15	1610	A1	15/8	-	-	1	-	4.5
1B50TB1610	4.60	5.00	5.35	1610	A1	15/8	-	-	1	-	4.8
1B52TB1610	4.80	5.20	5.55	1610	A1	15/8	-	-	1	-	5.0
1B54TB1610	5.00	5.40	5.75	1610	A1	15/8	-	-	1	-	5.5
1B56TB1610	5.20	5.60	5.95	1610	A1	15/8	-	-	1	-	6.0
1B58TB1610	5.40	5.80	6.15	1610	A1	15/8	-	-	1	-	6.3
1B60TB1610	5.60	6.00	6.35	1610	A1	15/8	-	-	1	-	6.7
1B62TB1610	5.80	6.20	6.55	1610	A1	15/8	-	-	1	-	7.0
1B64TB1610	6.00	6.40	6.75	1610	A1	15/8	-	-	1	-	8.0
1B66TB1610	6.20	6.60	6.95	1610	A1	15/8	-	-	1	-	8.5
1B68TB1610	6.40	6.80	7.15	1610	A1	15/8	-	-	1	-	9.0
1B74TB2517	7.00	7.40	7.75	2517	B1	21/2	-	43/4	13/4	3/4	9.4
1B86TB2517	8.20	8.60	8.95	2517	B2	21/2	-	43/4	13/4	3/4	12.0
1B94TB2517	9.00	9.40	9.75	2517	B2	21/2	-	43/4	13/4	3/4	14.0
1B110TB2517	10.60	11.00	11.35	2517	B2	21/2	-	43/4	13/4	3/4	18.0
1B124TB2517	12.00	12.40	12.75	2517	C3	21/2	1/4	43/4	13/4	1/2	18.5
1B154TB2517	15.00	15.40	15.75	2517	C3	21/2	1/4	43/4	13/4	1/2	19.0
*1B184TB2517	18.00	18.40	18.75	2517	C3	21/2	3/16	43/4	13/4	7/16	24.0

Taper B V-pulleys

Cast Iron Sheaves

A/B-C-D

BTL



A/B-2

F=1 3/4" (44.45mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
2B34TB1210	3.00	3.40	3.75	1210	A1	11/4	3/4	-	1	-	2.2
2B36TB1210	3.20	3.60	3.95	1210	A1	11/4	3/4	-	1	-	2.6
2B38TB1610	3.40	3.80	4.15	1610	A1	15/8	3/4	-	1	-	2.8
2B40TB1610	3.60	4.00	4.35	1610	A1	15/8	3/4	-	1	-	3.0
2B42TB1610	3.80	4.20	4.55	1610	A1	15/8	3/4	-	1	-	4.0
2B44TB1610	4.00	4.40	4.75	1610	A1	15/8	3/4	-	1	-	4.5
2B46TB1610	4.20	4.60	4.95	1610	A1	15/8	3/4	-	1	-	5.0
2B48TB1610	4.40	4.80	5.15	1610	A1	15/8	3/4	-	1	-	5.5
2B50TB1610	4.60	5.00	5.35	1610	A1	15/8	3/4	-	1	-	6.0
2B52TB1610	4.80	5.20	5.55	1610	A1	15/8	3/4	-	1	-	6.5
2B54TB1610	5.00	5.40	5.75	1610	A1	15/8	3/4	-	1	-	7.0
2B56TB1610	5.20	5.60	5.95	1610	A1	15/8	3/4	-	1	-	8.2
2B58TB1610	5.40	5.80	6.15	1610	A1	15/8	3/4	-	1	-	8.6
2B60TB1610	5.60	6.00	6.35	1610	A1	15/8	3/4	-	1	-	8.8
2B62TB1610	5.80	6.20	6.55	1610	A1	15/8	3/4	-	1	-	9.0
2B64TB1610	6.00	6.40	6.75	1610	A1	15/8	3/4	-	1	-	10.0
2B66TB1610	6.20	6.60	6.95	1610	A1	15/8	3/4	-	1	-	10.5
2B68TB1610	6.40	6.80	7.15	1610	A1	15/8	3/4	-	1	-	11.0
2B74TB2517	7.00	7.40	7.75	2517	A1	21/2	-	-	13/4	-	16.0
2B86TB2517	8.20	8.60	8.95	2517	A2	21/2	-	43/4	13/4	-	18.0
2B94TB2517	9.00	9.40	9.75	2517	A2	21/2	-	43/4	13/4	-	20.0
2B110TB2517	10.60	11.00	11.35	2517	A2	21/2	-	43/4	13/4	-	25.0
2B124TB2517	12.00	12.40	12.75	2517	A3	21/2	-	43/4	13/4	-	27.0
2B154TB2517	15.00	15.40	15.75	2517	A3	21/2	-	43/4	13/4	-	31.0
2B184TB2517	18.00	18.40	18.75	2517	A3	21/2	-	43/4	13/4	-	33.0
2B200TB3020	19.60	20.00	20.35	3020	C3	3	-	511/16	2	1/4	49.0
2B250TB3020	24.60	25.00	25.35	3020	C3	3	-	511/16	2	1/4	65.0
2B300TB3020	29.60	30.00	30.35	3020	C3	3	-	511/16	2	1/4	75.0
2B380TB3020	37.60	38.00	38.35	3020	C3	3	-	511/16	2	1/4	112

Taper B V-pulleys

Cast Iron Sheaves

A/B-C-D

BTL



A/B-3

F=2 1/2" (63.50mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
3B34TB1210	3.00	3.4	3.75	1210	A1	11/4	11/2	-	1	-	3.0
3B36TB1210	3.20	3.6	3.95	1210	A1	11/4	11/2	-	1	-	3.5
3B38TB1610	3.40	3.8	4.15	1610	A1	15/8	11/2	-	1	-	4.0
3B40TB1610	3.60	4	4.35	1610	A1	15/8	11/2	-	1	-	5.0
3B42TB1610	3.80	4.2	4.55	1610	A1	15/8	11/2	-	1	-	6.0
3B44TB1610	4.00	4.40	4.75	1610	A1	15/8	11/2	-	1	-	6.5
3B46TB1610	4.20	4.60	4.95	1610	A1	15/8	11/2	-	1	-	7.0
3B48TB1610	4.40	4.80	5.15	1610	A1	15/8	11/2	-	1	-	8.0
3B50TB1610	4.60	5.00	5.35	1610	A1	15/8	11/2	-	1	-	8.5
3B52TB1610	4.80	5.20	5.55	1610	A1	15/8	11/2	-	1	-	9.0
3B54TB2517	5.00	5.40	5.75	2517	A1	21/2	3/4	-	13/4	-	9.5
3B56TB2517	5.20	5.60	5.95	2517	A1	21/2	3/4	-	13/4	-	10.0
3B58TB2517	5.40	5.80	6.15	2517	A1	21/2	3/4	-	13/4	-	10.5
3B60TB2517	5.60	6.00	6.35	2517	A1	21/2	3/4	-	13/4	-	11.0
3B62TB2517	5.80	6.20	6.55	2517	A1	21/2	3/4	-	13/4	-	11.5
3B64TB2517	6.00	6.40	6.75	2517	A1	21/2	3/4	-	13/4	-	12.0
3B66TB2517	6.20	6.60	6.95	2517	A1	21/2	3/4	-	13/4	-	12.3
3B68TB2517	6.40	6.80	7.15	2517	A1	21/2	3/4	-	13/4	-	12.8
3B74TB2517	7.00	7.40	7.75	2517	A1	21/2	3/4	-	13/4	-	16.0
3B86TB2517	8.20	8.60	8.95	2517	A2	21/2	3/4	43/4	13/4	-	19.0
3B94TB2517	9.00	9.40	9.75	2517	A2	21/2	3/4	43/4	13/4	-	21.0
3B110TB2517	10.60	11.00	11.35	2517	A2	21/2	3/4	43/4	13/4	-	24.0
3B124TB2517	12.00	12.40	12.75	2517	A3	21/2	-	43/4	13/4	3/4	28.0
3B154TB2517	15.00	15.40	15.75	2517	A3	21/2	-	43/4	13/4	3/4	30.0
3B184TB2517	18.00	18.40	18.75	2518	A3	21/2	-	43/4	13/4	3/4	44.0
3B200TB3020	19.60	20.00	20.35	3020	A3	3	-	511/16	2	1/2	58.0
3B250TB3020	24.60	25.00	25.35	3020	A3	3	-	511/16	2	1/2	74.0
3B300TB3020	29.60	30.00	30.35	3020	A3	3	-	511/16	2	1/2	84.0
3B380TB3030	37.60	38.00	38.35	3030	B3	3	-	511/16	3	1/2	135

Taper B V-pulleys


Cast Iron Sheaves

A/B-C-D


BTL



A-1



A-2



A-3




COMBINATION GROOVE


A/B-4

F=3 1/4" (82.55mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
4B34TB1210	3.00	3.40	3.75	1210	A1	11/4	21/4	-	1	-	3.0
4B36TB1210	3.20	3.60	3.95	1210	A1	11/4	21/4	-	1	-	3.5
4B38TB1610	3.40	3.80	4.15	1610	A1	15/8	2114	-	1	-	4.0
4B40TB1610	3.60	4.00	4.35	1610	A1	15/8	21/4	-	1	-	5.5
4B42TB1610	3.80	4.20	4.55	1610	A1	15/8	21/4	-	1	-	
4B44TB1610	4.00	4.40	4.75	1610	A1	15/8	21/4	-	-	-	6.0
4B46TB1610	4.20	4.60	4.95	1610	A1	15/8	21/4	-	-	-	7.0
4B48TB1610	4.40	4.80	5.15	1610	A1	15/8	21/4	-	-	-	8.0
4B50TB2517	4.60	5.00	5.35	2517	A1	21/2	11/2	-	13/4	-	8.5
4B52TB2517	4.80	5.20	5.55	2517	A1	21/2	11/2	-	13/4	-	9.0
4B54TB2517	5.00	5.40	5.75	2517	A1	21/2	11/2	-	13/4	-	9.5
4B56TB2517	5.20	5.60	5.95	2517	A1	21/2	11/2	-	13/4	-	10.0
4B58TB2517	5.40	5.80	6.15	2517	A1	21/2	11/2	-	13/4	-	12.0
4B60TB2517	5.60	6.00	6.35	2517	A1	21/2	11/2	-	13/4	-	12.5
4B62TB2517	5.80	6.20	6.55	2517	A1	21/2	11/2	-	13/4	-	13.0
4B64TB2517	6.00	6.40	6.75	2517	A1	21/2	11/2	43/4	13/4	-	14.0
4B66TB2517	6.20	6.60	6.95	2517	A1	21/2	11/2	43/4	13/4	-	15.0
4B68TB2517	6.40	6.80	7.15	2517	A1	21/2	11/2	43/4	13/4	-	16.0
4B74TB2517	7.00	7.40	7.75	2517	A1	21/2	11/2	43/4	13/4	-	20.0
4B86TB2517	8.20	8.60	8.95	2517	A2	21/2	11/2	43/4	13/4	-	21.0
4B94TB2517	9.00	9.40	9.75	2517	A2	21/2	11/2	43/4	13/4	-	23.0
4B110TB2517	10.60	11.00	11.35	2517	A2	21/2	11/2	43/4	13/4	-	28.0
4B124TB2517	12.00	12.40	12.75	2517	A3	21/2	3/8	43/4	13/4	11/8	34.0
4B154TB2517	15.00	15.40	15.75	2517	A3	21/2	3/8	43/4	13/4	11/8	42.0
4B184TB2517	18.00	18.40	18.75	2517	A3	21/2	1/2	43/4	13/4	1	53.0
4B200TB3020	19.60	20.00	20.35	3020	A3	3	1/2	511/16	2	3/4	66.0
4B250TB3030	24.60	25.00	25.35	3030	A3	3	-	511/16	3	1/4	80.0
4B300TB3030	29.60	30.00	30.35	3030	A3	3	-	511/16	3	1/4	100
4B380TB3030	37.60	38.00	38.35	3030	A3	3	-	511/16	3	1/4	142



A-1



A-2



A-3

A/B-5

F=4" (101.60mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
5B34TB1215	3.00	3.40	3.75	1215	A1	11/4	21/2	-	11/2	-	5.0
5B36TB1215	3.20	3.60	3.95	1215	A1	11/4	21/2	-	11/2	-	5.5
5B38TB1615	3.40	3.80	4.15	1615	A1	15/8	21/2	-	11/2	-	6.0
5B 0TB1615	3.60	4.00	4.35	1615	A1	15/8	21/2	-	11/2	-	6.5
5B42TB1615	3.80	4.20	4.55	1615	A1	15/8	21/2	-	11/2	-	7.0
5B44TB1615	4.00	4.40	4.75	1615	A1	15/8	21/2	-	11/2	-	8.0
5B46TB1615	4.20	4.60	4.95	1615	A1	15/8	21/2	-	11/2	-	9.0
5B50TB2517	4.60	5.00	5.35	2517	A1	21/2	21/4	-	13/4	-	10.5
5B52TB2517	4.80	5.20	5.55	2517	A1	21/2	21/4	-	13/4	-	11.3
5B54TB2517	5.00	5.40	5.75	2517	A1	21/2	21/4	-	13/4	-	11.5
5B56TB2517	5.20	5.60	5.95	2517	A1	21/2	21/4	-	13/4	-	12.0
5B60TB2517	5.60	6.00	6.35	2517	A1	21/2	21/4	-	13/4	-	14.0
5B64TB2517	6.00	6.40	6.75	2517	A1	21/2	21/4	-	13/4	-	16.0
5B68TB2517	6.40	6.80	7.15	2517	A1	21/2	21/4	-	13/4	-	18.0
5B74TB2517	7.00	7.40	7.75	2517	A1	21/2	21/4	-	13/4	-	22.0
5B86TB2517	8.20	8.60	8.95	2517	A2	21/2	21/4	43/4	13/4	-	24.0
5B94TB2517	9.00	9.40	9.75	2517	A2	21/2	21/4	43/4	13/4	-	26.0
5B110TB2517	10.60	11.00	11.35	2517	A2	21/2	21/4	43/4	13/4	-	35.0
5B124TB2517	12.00	12.40	12.75	2517	A3	21/2	3/4	43/4	13/4	11/2	40.0
5B154TB2517	15.00	15.40	15.75	2517	A3	21/2	3/4	43/4	13/4	11/2	47.0
5B184TB2517	18.00	18.40	18.75	2517	A3	21/2	3/4	43/4	13/4	11/2	52.0
5B200TB3030	19.60	20.00	20.35	3030	A3	3	1/4	511/16	3	3/4	75.0
5B250TB3030	24.60	25.00	25.35	3030	A3	3	1/4	511/16	3	3/4	81.0
5B300TB3030	29.60	30.00	30.35	3030	A3	3	1/4	511/16	3	3/4	109
5B380TB3030	37.60	38.00	38.35	3030	A3	3	1/4	511/16	3	3/4	158

Taper B **V-pulleys**

Cast Iron Sheaves

A/B-C-D

BTL



A/B-6

F=4 3/4" (120.65mm)


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
6B42TB1615	3.80	4.20	4.55	1615	A1	15/8	31/4	-	11/2	-	8.0
6B44TB1615	4.00	4.40	4.75	1615	A1	15/8	31/4	-	11/2	-	9.0
6B46TB1615	4.20	4.60	4.95	1615	A1	15/8	31/4	-	11/2	-	10.0
6B50TB2517	4.60	5.00	5.35	2517	A1	21/2	3	-	13/4	-	11.9
6B52TB2517	4.80	5.20	5.55	2517	A1	21/2	3	-	13/4	-	12.8
6B54TB2517	5.00	5.40	5.75	2517	A1	21/2	3	-	13/4	-	13.7
6B56TB2517	5.20	5.60	5.95	2517	A1	21/2	3	-	13/4	-	14.6
6B60TB2517	5.60	6.00	6.35	2517	A1	21/2	3	-	13/4	-	16.0
6B64TB2517	6.00	6.40	6.75	2517	A1	21/2	3	-	13/4	-	19.5
6B68TB2517	6.40	6.80	7.15	2517	A1	21/2	3	-	13/4	-	21.0
6B74TB2517	7.00	7.40	7.75	2517	A1	21/2	3	-	13/4	-	25.0
6B86TB2517	8.20	8.60	8.95	2517	A2	21/2	3	43/4	13/4	-	27.0
6B94TB2517	9.00	9.40	9.75	2517	A2	21/2	3	43/4	13/4	-	28.0
6B110TB2517	10.60	11.00	11.35	2517	A2	21/2	3	43/4	13/4	-	34.0
6B124TB2517	12.00	12.40	12.75	2517	A3	21/2	11/8	43/4	13/4	17/8	43.0
6B154TB2517	15.00	15.40	15.75	2517	A3	21/2	11/2	43/4	13/4	11/2	52.0
6B184TB2517	18.00	18.40	18.75	2517	A3	21/2	11/2	43/4	13/4	11/2	62.0
6B200TB3030	19.60	20.00	20.35	3030	A3	3	1/2	511/16	3	11/4	85.0
6B250TB3030	24.60	25.00	25.35	3030	A3	3	1/2	511/16	3	11/4	100
6B300TB3030	29.60	30.00	30.35	3030	A3	3	1/2	511/16	3	11/4	137
6B380TB3030	37.60	38.00	38.35	3030	A3	3	1/2	511/16	3	11/4	168

T_B **V-pulleys**

Cast Iron Sheaves

A/B-C-D

BTL



Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
8B54TB2517	5.00	5.40	5.75	2517	A1	21/2	17/8	-	13/4	25/8	16
8B56TB2517	5.20	5.60	5.95	2517	A1	21/2	17/8	-	13/4	25/8	17
8B60TB2517	5.60	6.00	6.35	2517	A1	21/2	17/8	-	13/4	25/8	19
8B64TB2517	6.00	6.40	6.75	2517	A1	21/2	17/8	-	13/4	25/8	21
8B68TB2517	6.40	6.80	7.15	2517	A1	21/2	17/8	-	13/4	25/8	25
8B74TB2517	7.00	7.40	7.75	2517	A1	21/2	17/8	-	13/4	25/8	29
8B86TB3030	8.20	8.60	8.95	3030	A1	3	-	-	3	21/4	37
8B94TB3030	9.00	9.40	9.75	3030	A2	3	-	511/16	3	21/4	41
8B110TB3030	10.60	11.00	11.35	3030	A2	3	-	511/16	3	21/4	51
8B124TB3030	12.00	12.40	12.75	3030	A3	3	1	511/16	3	21/4	56
8B154TB3030	15.00	15.40	15.75	3030	A3	3	1	511/16	3	21/4	69
8B184TB3030	18.00	18.40	18.75	3030	A3	3	1	511/16	3	21/4	99
8B200TB3030	19.60	20.00	20.35	3030	A3	3	1	511/16	3	21/4	115
8B250TB3535	24.60	25.00	25.35	3535	A3	3 1/2	3/4	61/2	3 1/2	2	145
8B300TB3535	29.60	30.00	30.35	3835	A3	3 1/2	3/4	61/2	3 1/2	2	170
8B380TB4040	37.60	38.00	38.35	4040	A3	4	1 1/8	73/16	4	11/8	260


Sheave	P.D			O.D	Bush	Bush Max. Bore	Type	E	bD	L	WT Less Bush
	A Belt	B Belt									
10 B 54 TB2517	5.00	5.40	5.75	2517	A1	21/2	3	-	13/4	3	18
10 B 56 TB2517	5.20	5.60	5.95	2517	A1	21/2	3	-	13/4	3	20
10 B 60 TB2517	5.60	6.00	6.35	2517	A1	21/2	3	-	13/4	3	22
10 B 64 TB2517	6.00	6.40	6.75	2517	A1	21/2	3	-	13/4	3	25
10 B 68 TB2517	6.40	6.80	7.15	2517	A1	21/2	3	-	13/4	3	28
10 B 74 TB2517	7.00	7.40	7.75	2517	A1	21/2	3	-	13/4	3	35
10 B 86 TB3030	8.20	8.60	8.95	3030	A1	3	2	-	3	23/4	43
10 B 94 TB3030	9.00	9.40	9.75	3030	A2	3	2	511/16	3	23/4	46
10 B 110 TB3030	10.60	11.00	11.35	3030	A2	3	2	511/16	3	23/4	52

**T_{aper}
B_{ore}** **V-pulleys**


Cast Iron Sheaves

A/B-C-D


BTL




A-1



A-2



A-3



B-3

Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
2C 70 TB2517	7.00	7.40	21/2	2517	A1	-	5/8	13/4	-	15
2C 75 TB2517	7.50	7.90	21/2	2517	A1	-	5/8	13/4	-	17
2C 80 TB2517	8.00	8.40	21/2	2517	A1	-	5/8	13/4	-	20
2C 85 TB2517	8.50	8.90	21/2	2517	A2	43/4	5/8	13/4	-	22
2C 90 TB2517	9.00	9.40	21/2	2517	A2	43/4	5/8	13/4	-	23
2C 95 TB2517	9.50	9.90	21/2	2517	A2	43/4	5/8	13/4	-	24
2C 100 TB2517	10.00	10.40	21/2	2517	A2	43/4	5/8	13/4	-	25
2C 105 TB2517	10.50	10.90	21/2	2517	A2	43/4	5/8	13/4	-	26
2C 110 TB2517	11.00	11.40	21/2	2517	A2	43/4	5/8	13/4	-	27
2C 120 TB2517	12.00	12.40	21/2	2517	A2	43/4	5/8	13/4	-	33
2C 130 TB2517	13.00	13.40	21/2	2517	A3	43/4	5/8	13/4	-	35
2C 140 TB2517	14.00	14.40	21/2	2517	A3	43/4	5/8	13/4	-	36
2C 160 TB2517	16.00	16.40	21/2	2517	A3	43/4	5/8	13/4	-	42
2C180 TB3020	18.00	18.40	3	3020	A3	511/16	-	2	3/8	43
2C 200 TB3020	20.00	20.40	3	3020	A3	511/16	-	2	3/8	45
2C 240 TB3020	24.00	24.40	3	3020	A3	511/16	-	2	3/8	72

Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
3C 70 TB2517	7.00	7.40	21/2	2517	A1	-	1/4	13/4	13/8	18.0
3C 75 TB2517	7.50	7.90	21/2	2517	A1	-	1/4	13/4	13/8	20.0
3C 80 TB2517	8.00	8.40	21/2	2517	A1	-	1/4	13/4	13/8	22.0
3C 85 TB2517	8.50	8.90	21/2	2517	A2	43/4	1/4	13/4	13/8	23.0
3C 90 TB2517	9.00	9.40	21/2	2517	A2	43/4	1/4	13/4	13/8	24.0
3C 95 TB2517	9.50	9.90	21/2	2517	A2	43/4	1/4	13/4	13/8	27.0
3C 100 TB2517	10.00	10.40	21/2	2517	A2	43/4	1/4	13/4	13/8	29.0
3C 105 TB2517	10.50	10.90	21/2	2517	A2	43/4	1/4	13/4	13/8	32.0
3C 110 TB2517	11.00	11.40	21/2	2517	A2	43/4	1/4	13/4	13/8	35.0
3C 120 TB3020	12.00	12.40	3	3020	A2	511/16	-	2	13/8	44.0
3C 130 TB3020	13.00	13.40	3	3020	A3	511/16	-	2	13/8	49.0
3C 140 TB3020	14.00	14.40	3	3020	A3	511/16	-	2	13/8	50.0
3C 160 TB3020	16.00	16.40	3	3020	A3	511/16	-	2	13/8	64.0
3C 180 TB3030	18.00	18.40	3	3030	A3	511/16	-	3	3/8	70.0
3C 200 TB3030	20.00	20.40	3	3030	A3	511/16	-	3	3/8	78.0
3C 240 TB3030	24.00	24.40	3	3030	A3	511/16	-	3	3/8	96.0
3C 300 TB3535	30.00	30.40	31/2	3535	B3	61/2	-	31/2	1/8	125.0
3C 360 TB3535	36.00	36.40	31/2	3535	B3	61/2	-	31/2	1/8	175.0


**T_{aper}
B_{ore}**

V-pulleys

Cast Iron Sheaves

A/B-C-D

BTL



Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
4 C 70 TB2517	7.00	7.40	21/2	2517	A1	-	1/2	13/4	21/8	20
4 C 75 TB2517	7.50	7.90	21/2	2517	A1	-	1/2	13/4	21/8	23
4 C 80 TB2517	8.00	8.40	21/2	2517	A1	-	1/2	13/4	21/8	25
4 C 85 TB2517	8.50	8.90	21/2	2517	A2	43/4	1/2	13/4	21/8	26
4 C 90 TB2517	9.00	9.40	21/2	2517	A2	43/4	1/2	13/4	21/8	27
4 C 95 TB2517	9.50	9.90	21/2	2517	A2	43/4	1/2	13/4	21/8	36
4 C 100 TB2517	10.00	10.40	21/2	2517	A2	43/4	1/2	13/4	21/8	39
4 C 105 TB2517	10.50	10.90	21/2	2517	A2	43/4	1/2	13/4	21/8	42
4 C 110 TB2517	11.00	11.40	21/2	2517	A2	43/4	1/2	13/4	21/8	45
4 C 120 TB2517	12.00	12.40	21/2	2517	A2	43/4	1/2	13/4	21/8	47
4 C 130 TB30307	13.00	13.40	3	3030	A3	511/16	-	3	13/8	51
4 C 140 TB3030	14.00	14.40	3	3030	A3	511/16	-	3	13/8	54
4 C 160 TB3030	16.00	16.40	3	3030	A3	511/16	-	3	13/8	71
4 C 180 TB3030	18.00	18.40	3	3030	A3	511/16	-	3	13/8	81
4 C 200 TB3030	20.00	20.40	3	3030	A3	511/16	-	3	13/8	94
4 C 240 TB3030	24.00	24.40	3	3030	A3	511/16	-	3	13/8	116
4 C 300 TB3535	30.00	30.40	31/2	3535	A3	61/2	-	31/2	7/8	164
4 C 360 TB3535	36.00	36.40	31/2	3535	A3	61/2	-	31/2	7/8	192
4 C 440 TB4040	44.00	44.40	4	4040	A3	73/16	-	4	3/8	282


Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
5C 70 TB2517	7.00	7.40	21/2	2517	A1	-	11/2	13/4	21/8	23
5C 75 TB2517	7.50	7.90	21/2	2517	A1	-	11/2	13/4	21/8	26
5C 80 TB2517	8.00	8.40	21/2	2517	A1	-	11/2	13/4	21/8	30
5C 85 TB2517	8.50	8.90	21/2	2517	A1	-	11/2	13/4	21/8	34
5C 90 TB2517	9.00	9.40	21/2	2517	A2	43/4	11/2	13/4	21/8	35
5C 95 TB2517	9.50	9.9	21/2	2517	A2	43/4	11/2	13/4	21/8	36
5C 100 TB2517	10.00	10.4	21/2	2517	A2	43/4	11/2	13/4	21/8	39
5C 105 TB2517	10.50	10.9	21/2	2517	A2	43/4	11/2	13/4	21/8	42
5C 110 TB2517	11.00	11.4	21/2	2517	A2	43/4	11/2	13/4	21/8	43
5C 120 TB3030	12.00	12.4	3	3030	A2	511/16	1/2	3	17/8	58
5C 130 TB3030	13.00	13.4	3	3030	A3	511/16	1/2	3	17/8	63
5C 140 TB3030	14.00	14.4	3	3030	A3	511/16	1/2	3	17/8	65
5C 160 TB3030	16.00	16.4	3	3030	A3	511/16	1/2	3	17/8	70
5C 180 TB3030	18.00	18.4	3	3030	A3	511/16	1/2	3	17/8	83
5C 200 TB3535	20.00	20.4	31/2	3535	A3	61/2	-	31/2	17/8	110
5C 240 TB3535	24.00	24.4	31/2	3535	A3	61/2	-	31/2	17/8	138
5C 300 TB3535	30.00	30.4	31/2	3535	A3	61/2	-	31/2	17/8	176
5C 360 TB4040	36.00	36.4	4	4040	A3	73/16	1/4	4	17/8	244
5C 440 TB4040	44.00	44.4	4	4040	A3	73/16	1/4	4	17/8	288

Taper B cre V-pulleys

A/B-C-D

Cast Iron Sheaves

BTL




Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
6 C 70 TB3030	7.00	7.40	3	3030	A1	-	1	3	23/8	30
6 C 75 TB3030	7.50	7.90	3	3030	A1	-	1	3	23/8	31
6 C 80 TB3030	8.00	8.40	3	3030	A1	-	1	3	23/8	35
6 C 85 TB3030	8.50	8.90	3	3030	A1	-	1	3	23/8	40
6 C 90 TB3030	9.00	9.40	3	3030	A1	-	1	3	23/8	47
6 C 95 TB3030	9.50	9.90	3	3030	A1	-	1	3	23/8	53
6 C 100 TB3030	10.00	10.40	3	3030	A1	-	1	3	23/8	57
6 C 105 TB3030	10.50	10.90	3	3030	A2	511/16	1	3	23/8	58
6 C 110 TB3030	11.00	11.40	3	3030	A2	511/16	1	3	23/8	66
6 C 120 TB3030	12.00	12.40	3	3030	A2	511/16	1	3	23/8	70
6 C 130 TB3030	13.00	13.40	3	3030	A3	511/16	1	3	23/8	75
6 C 140 TB3535	14.00	14.40	3 1/2	3535	A3	511/16	1/2	3 1/2	23/8	80
6 C 160 TB3535	16.00	16.40	3 1/2	3535	A3	61/2	1/2	3 1/2	23/8	87
6 C 180 TB3535	18.00	18.40	3 1/2	3535	A3	61/2	1/2	3 1/2	23/8	102
6 C 200 TB3535	20.00	20.40	3 1/2	3535	A3	61/2	1/2	3 1/2	23/8	126
6 C 240 TB3535	24.00	24.40	3 1/2	3535	A3	61/2	1/2	3 1/2	23/8	150
6 C 300 TB4040	30.00	30.40	4	4040	A3	73/16	1	4	13/8	226
6 C 360 TB4040	36.00	36.40	4	4040	A3	73/16	1	4	13/8	270
6 C 440 TB4040	44.00	44.40	4	4040	A3	73/16	1	4	13/8	320

Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
8C 80 TB3030	8.00	8.40	3	3030	A1	-	2	3	33/8	45
8C 85 TB3030	8.50	8.90	3	3030	A1	-	2	3	33/8	47
8C 90 TB3535	9.00	9.40	3 1/2	3535	A1	-	11/2	3 1/2	33/8	64
8C 95 TB3535	9.50	9.90	3 1/2	3535	A1	-	11/2	3 1/2	33/8	67
8C 100 TB3535	10.00	10.40	3 1/2	3535	A1	-	11/2	3 1/2	33/8	70
8C 105 TB3535	10.50	10.90	3 1/2	3535	A1	-	11/2	3 1/2	33/8	84
8C 110 TB3535	11.00	11.40	3 1/2	3535	A1	-	11/2	3 1/2	33/8	87
8C 120 TB3535	12.00	12.40	3 1/2	3535	A2	61/2	11/2	3 1/2	33/8	90
8C 130 TB3535	13.00	13.40	3 1/2	3535	A2	61/2	11/2	3 1/2	33/8	97
8C 140 TB3535	14.00	14.40	3 1/2	3535	A2	61/2	11/2	3 1/2	33/8	105
8C 160 TB3535	16.00	16.40	3 1/2	3535	A3	61/2	11/2	3 1/2	33/8	115
8C 180 TB4040	18.00	18.40	4	4040	A3	73/16	11/2	4	27/8	137
8C 200 TB4040	20.00	20.40	4	4040	A3	73/16	11/2	4	27/8	180
8C 240 TB4040	24.00	24.40	4	4040	A3	73/16	11/2	4	27/8	205
8C 300 TB4040	30.00	30.40	4	4040	A3	73/16	11/2	4	27/8	263
8C 360 TB4545	36.00	36.40	4 1/2	4545	A3	87/16	11/4	4 1/2	25/8	343
8C 440 TB4545	44.00	44.40	4 1/2	4545	A3	87/16	11/4	4 1/2	25/8	432

**T_{aper}
B_{ore}** **V-pulleys**

A/B-C-D

Cast Iron Sheaves **BTL**



Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
10C 90 TB4040	9.00	9.40	4	4040	A1	-	2	4	43/8	57
10C 95 TB4040	9.50	9.90	4	4040	A1	-	2	4	43/E	66
10C 100 TB4040	10.00	10.40	4	4040	A1	-	2	4	43/8	77
10C 105 TB4040	10.50	10.90	4	4040	A1	-	2	4	43/8	87
10C 110 TB4040	11.00	11.40	4	4040	A1	-	2	4	43/8	98
10C 120 TB4040	12.00	12.40	4	4040	A1	-	2	4	43/8	121
10C 130 TB4545	13.00	13.40	41/2	4545	A1	-	2	41/2	3718	146
10C 140 TB4545	14.00	14.40	41/2	4545	A2	-	2	41/2	37/8	173
10C 160 TB4545	16.00	16.40	41/2	4545	A2	87/16	2	41/2	3718	233
10C 180 TB4545	18.00	18.40	41/2	4545	A2	87/16	2	41/2	37/8	276
10C 200 TB4545	20.00	20.40	41/2	4545	A3	87/16	2	41/2	3718	201
10C 240 TB4545	24.00	24.40	41/2	4545	A3	87/16	2	41/2	3718	243
10C 300 TB4545	30.00	30.40	41/2	4545	A3	87/16	2	41/2	3718	320
10C 360 TB4545	36.00	36.40	41/2	4545	A3	87/16	2	41/2	3718	464
10C 440 TB4545	44.00	44.40	41/2	4545	A3	87/16	2	41/2	3718	508


Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
12 C 90 TB4040	9.00	9.40	4	4040	A1	-	31/2	4	47/8	65
12 C 95 TB4040	9.50	9.90	4	4040	A1	-	31/2	4	47/8	75
12 C 100 TB4040	10.00	10.40	4	4040	A1	-	31/2	4	47/8	85
12 C 105 TB4040	10.50	10.90	4	4040	A1	-	31/2	4	47/8	95
12 C 110 TB4040	11.00	11.40	4	4040	A1	-	31/2	4	47/8	104
12 C 120 TB4040	12.00	12.40	4	4040	A1	-	31/2	4	47/8	126
12 C 130 TB4545	13.00	13.40	41/2	4545	A1	-	3	41/2	47/8	156
12 C 140 TB4545	14.00	14.40	41/2	4545	A1	-	3	41/2	47/8	184

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

A/B-C-D

BTL



Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
4D 120 TB3535	12.00	12.60	31/2	3535	A2	61/2	3/4	3112	113/16	63
4D 130 TB3535	13.00	13.60	31/2	3535	A2	61/2	3/4	3112	113/16	73
4D 135 TB3535	13.50	14.10	31/2	3535	A2	61/2	3/4	3112	113/16	78
4D 140 TB3535	14.00	14.60	31/2	3535	A2	61/2	3/4	3112	113/16	83
4D 145 TB3535	14.50	15.10	31/2	3535	A2	61/2	3/4	3112	113/16	94
4D 150 TB3535	15.00	15.60	31/2	3535	A2	61/2	3/4	3112	113/16	97
4D 155 TB3535	15.50	16.10	31/2	3535	A2	61/2	3/4	3112	113/16	99
4D 160 TB3535	16.00	16.60	31/2	3535	A2	61/2	3/4	3112	113/16	104
4D 180 TB3535	18.00	18.60	31/2	3535	A3	61/2	3/4	3112	113/16	109
4D 220 TB4040	22.00	22.60	4	4040	A3	73/16	3/4	1/4	15/16	142
4D 270 TB4040	27.00	27.60	4	4040	A3	73/16	3/4	1/4	15/16	182


Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
5D 120 TB4040	12.00	12.60	4	4040	A1	-	3/4	4	23/4	82
5D 130 TB4040	13.00	13.60	4	4040	A2	73/16	3/4	4	23/4	87
5D 135 TB4040	13.50	14.10	4	4040	A2	73/16	3/4	4	23/4	92
5D 140 TB4040	14.00	14.60	4	4040	A2	73/16	3/4	4	23/4	97
5D 145 TB4040	14.50	15.10	4	4040	A2	73/16	3/4	4	23/4	102
5D 150 TB4040	15.00	15.60	4	4040	A2	73/16	3/4	4	23/4	107
5D 155 TB4040	15.50	16.10	4	4040	A2	73/16	3/4	4	23/4	112
5D 160 TB4040	16.00	16.60	4	4040	A2	73/16	3/4	4	23/4	122
5D 180 TB4040	18.00	18.60	4	4040	A3	73/16	1	4	21/2	132
5D 220 TB4040	22.00	22.60	4	4040	A3	73/16	1	4	21/2	162
5D 270 TB4040	27.00	27.60	4	4040	A3	73/16	1	4	21/2	207

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

A/B-C-D

BTL



Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
6D 120 TB4040	12.00	12.60	4	4040	A1	-	1	4	315/16	100
6D 130 TB4040	13.00	13.60	4	4040	A2	73/16	11/2	4	37/16	105
6D 135 TB4040	13.50	14.10	4	4040	A2	73/16	11/2	4	37/16	107
6D 140 TB4040	14.00	14.60	4	4040	A2	73/16	11/2	4	37/16	112
6D 145 TB4040	14.50	15.10	4	4040	A2	73/16	11/2	4	37/16	117
6D 150 TB4040	15.00	15.60	4	4040	A2	73/16	11/2	4	37/16	122
6D 155 TB4040	15.50	16.10	4	4040	A2	73/16	11/2	4	37/16	127
6D 160 TB4040	16.00	16.60	4	4040	A2	73/16	11/2	4	37/16	175
6D 180 TB4040	18.00	18.60	4	4040	A2	73/16	11/2	4	37/16	185
6D 220 TB4040	22.00	22.60	4	4040	A3	73/16	11/2	4	37/16	210
6D 270 TB4545	27.00	27.60	41/2	4545	A3	87/16	13/4	41/2	211/16	260
6D 330 TB4545	33.00	33.60	41/2	4545	A3	87/16	13/4	41/2	211/16	340


Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
8D 120 TB4545	12.00	12.60	41/2	4545	A1	-	1/2	41/2	613/16	125
8D 130 TB4545	13.00	13.60	41/2	4545	A1	-	1/2	41/2	613/16	155
8D 135 TB4545	13.50	14.10	41/2	4545	A2	87/16	1	41/2	65/16	150
8D 140 TB4545	14.00	14.60	41/2	4545	A2	87/16	1	41/2	65/16	155
8D 145 TB4545	14.50	15.10	41/2	4545	A2	87/16	2	41/2	55/16	162
8D 150 TB4545	15.00	15.60	41/2	4545	A2	87/16	2	41/2	55/16	170
8D 155 TB4545	15.50	16.10	41/2	4545	A2	87/16	2	41/2	55/16	182
8D 160 TB4545	16.00	16.60	41/2	4545	A2	87/16	2	41/2	55/16	195
8D 180 TB4545	18.00	18.60	41/2	4545	A2	87/16	23/4	41/2	49/16	220
8D 220 TB4545	22.00	22.60	41/2	4545	A3	87/16	23/4	41/2	49/16	275
8D 270 TB4545	27.00	27.60	41/2	4545	A3	87/16	23/4	41/2	49/16	345
8D 330 TB4545	33.00	33.60	41/2	4545	A3	87/16	23/4	41/2	49/16	455

**T_{aper}
B_{ore}** **V-pulleys**


Cast Iron Sheaves

A/B-C-D


BTL



A-1



A-2



A-3

Sheave	P.D	O.D	Bush Max Bore	Bush	Type	bD	E	L	M	WT Less Bush
10D 120 TB4545	12.00	12.60	41/2	4545	A1	-	23/8	41/2	713/16	140
10D 130 TB4545	13.00	13.60	41/2	4545	A1	-	23/8	41/2	713/16	170
10D 135 TB4545	13.50	14.10	41/2	4545	A2	87/16	23/8	41/2	713/16	172
10D 140 TB4545	14.00	14.60	41/2	4545	A2	87/16	23/8	41/2	713/16	175
10D 145 TB4545	14.50	15.10	41/2	4545	A2	87/16	23/8	41/2	713/16	180
10D 150 TB4545	15.00	15.60	41/2	4545	A2	87/16	23/8	41/2	713/16	185
10D 155 TB4545	15.50	16.10	41/2	4545	A2	87/16	23/8	41/2	713/16	195
10D 160 TB4545	16.00	16.60	41/2	4545	A2	87/16	23/8	41/2	713/16	260
10D 180 TB4545	18.00	18.60	41/2	4545	A2	87/16	4	41/2	63/16	295
10D 220 TB4545	22.00	22.60	41/2	4545	A3	87/16	4	41/2	63/16	340
10D 270 TB4545	27.00	27.60	41/2	4545	A3	87/16	4	41/2	63/16	415
10D 330 TB4545	33.00	33.60	41/2	4545	A3	87/16	41/4	41/2	515/16	485