



SPZ BTL V pulleys

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.


Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com


**T_{aper}
B_{ore}**

V-pulleys


SPZ-1




TYPE1




TYPE2




TYPE3




TYPE4




TYPE5




TYPE6



TYPE7



TYPE8




TYPE9

Part No.	No. Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 50-01	1	50.0	54.0	9	1008	25	-	37	28	15	22	-	-
SPZ 56-01	1	56.0	60.0	9	1008	25	-	37	33	15	22	-	-
SPZ 60-01	1	60.0	64.0	9	1008	25	-	22	-	-	22	-	62
SPZ 63-01	1	63.0	67.0	1	1108	28	-	16	-	-	22	6	62
SPZ 67-01	1	67.0	71.0	1	1109	28	-	16	-	-	22	6	-
SPZ 71-01	1	71.0	75.0	1	1108	28	-	16	-	-	22	6	62
SPZ 75-01	1	75.0	79.0	1	1108	28	-	16	-	-	22	6	62
SPZ 80-01	1	80.0	84.0	1	1210	32	-	16	-	-	25	9	75
SPZ 85-01	1	85.0	89.0	1	1210	32	-	16	-	-	25	9	75
SPZ 90-01	1	90.0	94.0	1	1210	32	-	16	-	-	25	9	75
SPZ 95-01	1	95.0	99.0	1	1210	32	-	16	-	-	25	9	75
SPZ100-01	1	100.0	104.0	1	1210	32	-	16	-	-	25	9	75
SPZ106-01	1	106.0	110.0	1	1610	42	-	16	-	-	25	9	80
SPZ112-01	1	112.0	116.0	1	1610	42	-	16	-	-	25	9	80
SPZ118-01	1	118.0	122.0	1	1610	42	-	16	-	-	25	9	80
SPZ125-01	1	125.0	129.0	1	1610	42	-	16	-	-	25	9	80
SPZ132-01	1	132.0	136.0	1	1610	42	-	16	-	-	25	9	80
SPZ140-01	1	140.0	144.0	1	1610	42	-	16	-	-	25	9	80
SPZ150-01	1	150.0	154.0	1	1610	42	-	16	-	-	25	9	80
SPZ160-01	1	160.0	164.0	1	1610	42	-	16	-	-	25	9	80
SPZ170-01	1	170.0	174.0	1	1610	42	-	16	-	-	25	9	80
SPZ180-01	1	180.0	184.0	1	1610	42	-	16	-	-	25	9	80
SPZ190-01	1	190.0	194.0	7	1610	42	15	16	161	-	25	9	80
SPZ200-01	1	200.0	204.0	7	2012	50	15	16	172	-	32	16	100
SPZ224-01	1	224.0	228.0	7	2012	50	15	16	196	-	32	16	100
SPZ250-01	1	250	254	4	2012	50	-	16	222	8	32	8	100
SPZ280-01	1	280	284	4	2012	50	-	16	252	8	32	8	100
SPZ315-01	1	315	319	4	2012	50	-	16	287	8	32	8	100
SPZ355-01	1	355	359	4	2012	50	-	16	326	8	32	8	112
SPZ400-01	1	400	404	4	2012	50	-	16	371	8	32	8	112
SPZ450-01	1	450	454	4	2517	60	-	16	421	14.5	45	14.5	120


**T_{aper}
B_{ore}**

V-pulleys


SPZ-2




TYPE1




TYPE2




TYPE3




TYPE4




TYPE5




TYPE6



TYPE7



TYPE8




TYPE9

Part No.	No.Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 50-02	2	50.0	54.0	9	1008	25	-	49	28	27	22	-	-
SPZ 56-02	2	56.0	60.0	9	1008	28	-	49	35	27	22	-	-
SPZ 60-02	2	60.0	64.0	9	1008	28	-	49	36	27	22	-	-
SPZ 63-02	2	63.0	67.0	8	1108	28	-	28	40	6	22	-	-
SPZ 67-02	2	67.0	71.0	8	1109	28	-	28	42	6	22	-	-
SPZ 71-02	2	71.0	75.0	8	1108	28	-	28	42	6	22	-	-
SPZ 75-02	2	75.0	79.0	8	1108	32	-	28	51	3	22	-	-
SPZ 80-02	2	80.0	84.0	8	1210	32	-	28	51	3	25	-	-
SPZ 85-02	2	85.0	89.0	8	1210	42	-	28	60	3	25	-	-
SPZ 90-02	2	90.0	94.0	8	1210	42	-	28	61	3	25	-	-
SPZ 95-02	2	95.0	99.0	8	1210	42	-	28	66	3	25	-	-
SPZ100-02	2	100.0	104.0	8	1210	42	-	28	71	3	25	-	-
SPZ106-02	2	106.0	110.0	8	1610	42	-	28	76	3	25	-	-
SPZ112-02	2	112.0	116.0	8	1610	42	-	28	84	3	25	-	-
SPZ118-02	2	118.0	122.0	8	1610	42	-	28	90	3	25	-	-
SPZ125-02	2	125.0	129.0	8	1610	42	-	28	97	3	25	-	-
SPZ132-02	2	132.0	136.0	8	1610	42	-	28	104	3	25	-	-
SPZ140-02	2	140.0	144.0	8	1610	42	-	28	112	3	25	-	-
SPZ150-02	2	150.0	154.0	1	1610	50	-	28	-	-	32	4	100
SPZ160-02	2	160.0	164.0	1	1610	50	-	28	-	-	32	4	100
SPZ170-02	2	170.0	174.0	1	1610	50	-	28	-	-	32	4	100
SPZ180-02	2	180.0	184.0	7	1610	50	-	28	152	-	32	4	100
SPZ190-02	2	190.0	194.0	7	1610	50	10	28	161	-	32	4	100
SPZ200-02	2	200.0	204.0	7	2012	50	10	28	171	-	32	4	100
SPZ224-02	2	224.0	228.0	7	2012	50	10	28	196	-	32	4	100
SPZ250-02	2	250	254	4	2012	50	-	28	222	2	32	2	100
SPZ280-02	2	280	284	4	2012	50	-	28	252	2	32	2	100
SPZ315-02	2	315	319	4	2012	50	-	28	289	2	32	2	100
SPZ355-02	2	355	359	4	2012	50	-	28	326	2	32	2	112
SPZ400-02	2	400	404	4	2012	50	-	28	371	8.5	45	8.5	112
SPZ450-02	2	450	454	4	2517	60	-	28	421	8.5	45	8.5	120

Taper Bore V-pulleys

SPZ-3




Part No.	No. Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 63-03	3	63.0	67.0	8	1108	28	-	40	40	18	22	-	-
SPZ 67-03	3	67.0	71.0	8	1108	28	-	40	42	18	22	-	-
SPZ 71-03	3	71.0	75.0	8	1108	28	-	40	42	18	22	-	-
SPZ 75-03	3	75.0	79.0	8	1210	32	-	40	48	15	25	-	-
SPZ 80-03	3	80.0	84.0	8	1210	32	-	40	51	15	25	-	-
SPZ 85-03	3	85.0	89.0	8	1610	42	-	40	60	15	25	-	-
SPZ 90-03	3	90.0	94.0	8	1610	42	-	40	61	15	25	-	-
SPZ 95-03	3	95.0	99.0	8	1610	42	-	40	66	15	25	-	-
SPZ 100-03	3	100.0	104.0	8	1610	42	-	40	71	15	25	-	-
SPZ 106-03	3	106.0	110.0	8	1610	42	-	40	78	15	25	-	-
SPZ 112-03	3	112.0	116.0	8	2012	50	-	40	84	8	32	-	-
SPZ 118-03	3	118.0	122.0	8	2012	50	-	40	92	8	32	-	-
SPZ 125-03	3	125.0	129.0	2	2012	50	-	40	97	-	32	8	-
SPZ 132-03	3	132.0	136.0	2	2012	50	-	40	104	-	32	8	-
SPZ 140-03	3	140.0	144.0	2	2012	50	-	40	112	-	32	8	-
SPZ 150-03	3	150.0	154.0	2	2012	50	-	40	122	-	32	8	-
SPZ 160-03	3	160.0	164.0	2	2012	50	-	40	132	-	32	8	-
SPZ 170-03	3	170.0	174.0	2	2012	50	-	40	141	-	32	8	-
SPZ 180-03	3	180.0	184.0	2	2012	50	-	40	152	-	32	8	-
SPZ 190-03	3	190.0	194.0	6	2012	50	-	40	161	4	32	4	100
SPZ 200-03	3	200.0	204	6	2012	50	20	40	172	4	32	4	100
SPZ 224-03	3	224.0	228	6	2012	50	20	40	196	4	32	4	100
SPZ 250-03	3	250.0	254	5	2012	50	-	40	222	4	32	4	100
SPZ 280-03	3	280.0	284.0	4	2517	50	-	40	252	2.5	45	2.5	120
SPZ 315-03	3	315.0	319.0	4	2517	50	-	40	287	2.5	45	2.5	120
SPZ 355-03	3	355.0	359.0	4	2517	60	-	40	326	2.5	45	2.5	120
SPZ 400-03	3	400.0	404.0	4	2517	60	-	40	371	2.5	45	2.5	120
SPZ 450-03	3	450.0	454.0	4	2517	60	-	40	421	2.5	45	2.5	120
SPZ 500-03	3	500.0	504.0	4	2517	60	-	40	471	2.5	45	2.5	120
SPZ 630-03	3	630.0	634	4	2517	60	-	40	601	2.5	45	2.5	120
SPZ 800-03	3	800.0	804.0	4	3020	75	-	40	771	2.5	51	5.5	150


**T_{aper}
B_{ore}**

V-pulleys


SPZ-4




TYPE1




TYPE2




TYPE3




TYPE4




TYPE5




TYPE6



TYPE7



TYPE8




TYPE9

Part No.	No.Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 80-04	4	80.0	84.0	8	1210	32	-	52	51	27	25	-	-
SPZ 85-04	4	85.0	89.0	8	1610	42	-	52	60	27	25	-	-
SPZ 90-04	4	90.0	94.0	8	1610	42	-	52	61	27	25	-	-
SPZ 95-04	4	95.0	99.0	8	1610	42	-	52	66	27	25	-	-
SPZ100-04	4	100.0	104.0	8	1610	42	-	52	72	27	25	-	-
SPZ106-04	4	106.0	110.0	8	1610	42	-	52	80	27	25	-	-
SPZ112-04	4	112.0	116.0	8	2012	50	-	52	86	20	32	-	-
SPZ118-04	4	118.0	122.0	8	2012	50	-	52	92	20	32	-	-
SPZ125-04	4	125.0	129.0	2	2012	50	-	52	99	20	32	20	-
SPZ132-04	4	132.0	136.0	2	2012	50	-	52	104	20	32	20	-
SPZ140-04	4	140.0	144.0	2	2012	50	-	52	112	7	32	20	-
SPZ150-04	4	150.0	154.0	2	2517	60	-	52	122	7	45	7	-
SPZ160-04	4	160.0	164.0	2	2517	60	-	52	132	-	45	7	-
SPZ170-04	4	170.0	174.0	2	2517	60	-	52	141	-	45	7	-
SPZ180-04	4	180.0	184.0	2	2517	60	-	52	152	-	45	7	-
SPZ190-04	4	190.0	194.0	6	2517	60	-	52	161	3.5	45	3.5	120
SPZ200-04	4	200.0	204.0	6	2517	60	-	52	172	3.5	45	3.5	120
SPZ224-04	4	224.0	228.0	6	2517	60	10	52	196	3.5	45	3.5	120
SPZ250-04	4	250.0	254.0	5	2517	60	10	52	222	3.5	45	3.5	120
SPZ280-04	4	280.0	284.0	5	2517	60	10	52	252	3.5	45	3.5	120
SPZ315-04	4	315.0	319.0	5	2517	60	-	52	287	3.5	45	3.5	120
SPZ355-04	4	355.0	359.0	5	2517	60	-	52	326	3.5	45	3.5	120
SPZ400-04	4	400.0	404.0	5	2517	60	-	52	371	3.5	45	3.5	120
SPZ450-04	4	450.0	454.0	5	3020	75	-	52	421	0.5	51	0.5	150
SPZ500-04	4	500.0	504.0	5	3020	75	-	52	471	0.5	51	0.5	150
SPZ630-04	4	630	634.0	4	3030	75	-	52	601	12	76	12	150
SPZ800-04	4	800.0	804.0	4	3030	75	-	52	771	12	76	12	150


**T_{aper}
B_{ore}**

V-pulleys


SPZ-5




TYPE1




TYPE2




TYPE3




TYPE4




TYPE5



TYPE6



TYPE7



TYPE8




TYPE9

Part No.	No.Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 85-05	5	85.0	89.0	8	1610	42	-	64	60	39	25	-	-
SPZ 90-05	5	90.0	94.0	8	1610	42	-	64	61	39	25	-	-
SPZ 95-05	5	95.0	99.0	8	1610	42	-	64	66	39	25	-	-
SPZ100-05	5	100.0	104.0	8	2012	50	-	64	72	32	32	-	-
SPZ106-05	5	106.0	110.0	8	2012	50	-	64	78	32	32	-	-
SPZ112-05	5	112.0	116.0	8	2012	50	-	64	84	32	32	-	-
SPZ118-05	5	118.0	122.0	8	2012	50	-	64	90	32	32	-	-
SPZ125-05	5	125.0	129.0	8	2012	50	-	64	97	32	32	-	-
SPZ132-05	5	132.0	136.0	8	2517	60	-	64	104	19	45	-	-
SPZ140-05	5	140.0	144.0	2	2517	60	-	64	112	-	45	19	-
SPZ150-05	5	150.0	154.0	2	2517	60	-	64	122	-	45	19	-
SPZ160-05	5	160.0	164.0	2	2517	60	-	64	132	-	45	19	-
SPZ170-05	5	170.0	174.0	2	2517	60	-	64	141	-	45	19	-
SPZ180-05	5	180.0	184.0	2	2517	60	-	64	152	-	45	-	-
SPZ190-05	5	190.0	194.0	6	2517	60	10	64	161	9.5	45	9.5	120
SPZ200-05	5	200.0	204.0	6	2517	60	10	64	172	9.5	45	9.5	120
SPZ224-05	5	224.0	228.0	6	2517	60	10	64	196	9.5	45	9.5	120
SPZ250-05	5	250.0	254.0	5	2517	60	-	64	222	9.5	45	9.5	120
SPZ280-05	5	280.0	284.0	5	2517	60	-	64	252	9.5	45	9.5	120
SPZ315-05	5	315.0	319.0	5	2517	60	-	64	287	9.5	45	9.5	120
SPZ355-05	5	355.0	359.0	5	2517	60	-	64	326	9.5	45	9.5	120
SPZ400-05	5	400.0	404.0	5	3020	75	-	64	371	6.5	51	6.5	150
SPZ450-05	5	450.0	454.0	5	3020	75	-	64	421	6.5	51	6.5	150
SPZ500-05	5	500.0	504.0	4	3030	75	-	64	471	6	76	6	150
SPZ630-05	5	630.0	634.0	4	3030	75	-	64	601	6	76	6	150
SPZ800-05	5	800.0	804.0	4	3535	90	-	64	771	12.5	89	12.5	170


**T_{aper}
B_{ore}**

V-pulleys


SPZ-6




TYPE1




TYPE2




TYPE3




TYPE4




TYPE5




TYPE6



TYPE7



TYPE8




TYPE9

Part No.	No.Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ 90-06	6	90.0	94.0	8	1610	42	-	76	61	51	25	-	-
SPZ 95-06	6	95.0	99.0	8	1610	42	-	76	66	51	25	-	-
SPZ100-06	6	100.0	104.0	8	2012	50	-	76	72	44	32	-	-
SPZ106-06	6	106.0	110.0	8	2012	50	-	76	78	44	32	-	-
SPZ112-06	6	112.0	116.0	8	2012	50	-	76	84	44	32	-	-
SPZ118-06	6	118.0	122.0	8	2517	60	-	76	90	31	45	-	-
SPZ125-06	6	125.0	129.0	8	2517	60	-	76	97	31	45	-	-
SPZ132-06	6	132.0	136.0	8	2517	60	-	76	104	31	45	-	-
SPZ140-06	6	140.0	146.0	2	2517	60	-	76	112	-	45	31	-
SPZ150-06	6	150.0	154.0	2	2517	60	-	76	122	-	45	31	-
SPZ160-06	6	160.0	164.0	2	2517	60	-	76	132	-	45	31	-
SPZ170-06	6	170.0	174.0	2	2517	60	-	76	141	-	45	31	-
SPZ180-06	6	180.0	184.0	2	2517	60	-	76	152	-	45	31	-
SPZ190-06	6	190.0	194.0	6	2517	60	10	76	161	15.0	45	15.5	120
SPZ200-06	6	200.0	204.0	6	2517	60	10	76	172	15.0	45	15.5	120
SPZ224-06	6	224.0	228.0	6	2517	60	10	76	196	15.5	45	15.5	120
SPZ250-06	6	250.0	254.0	5	2517	60	-	76	222	15.5	45	15.5	120
SPZ280-06	6	280.0	284.0	5	2517	60	-	76	252	15.5	45	15.5	120
SPZ315-06	6	315.0	319.0	5	2517	60	-	76	287	15.5	45	15.5	120
SPZ355-06	6	355.0	359.0	5	2517	60	-	76	326	15.5	45	15.5	125
SPZ400-06	6	400.0	404.0	5	3030	75	-	76	371	-	76	-	150
SPZ450-06	6	450.0	454.0	5	3030	75	-	76	421	-	76	-	150
SPZ500-06	6	500.0	504.0	5	3030	75	-	76	471	-	76	-	150
SPZ630-06	6	630.0	634.0	4	3535	90	-	76	601	6.5	89	6.5	170
SPZ800-06	6	800.0	804.0	4	3535	90	-	76	771	6.5	89	6.5	170

**T_{aper}
B_{ore}** **V-pulleys**

SPZ-8



Part No.	No.Of grooves	P.D	O.D	Type	Bush No.	Max Bore	E	F	J	K	L	M	N
SPZ140-08	8	140.0	144.0	3	2517	60	-	100	112	27.5	45	27.5	-
SPZ150-08	8	150.0	154.0	3	2517	60	-	100	122	27.5	45	27.5	-
SPZ160-08	8	160.0	164.0	3	2517	60	-	100	132	27.5	45	27.5	-
SPZ180-08	8	180.0	184.0	3	2517	60	-	100	152	27.5	45	27.5	-
SPZ200-08	8	200.0	204.0	3	3020	75	-	100	171	24.5	51	24.5	-
SPZ224-08	8	224.0	228.0	3	3020	75	-	100	195	24.5	51	24.5	150
SPZ250-08	8	250.0	254.0	6	3020	75	-	100	221	24.5	51	24.5	150
SPZ280-08	8	280.0	284.0	5	3020	75	-	100	252	24.5	51	24.5	150
SPZ355-08	8	355.0	359.0	5	3030	75	-	100	326	12	76	12	150
SPZ400-08	8	400.0	404.0	5	3030	75	-	100	371	12	76	12	150
SPZ450-08	8	450.0	454.0	5	3535	90	-	100	421	5.5	89	5.5	170