



STL AK/BK V pulleys

杭州四海传动件有限公司

Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com


电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com




V-pulleys

CAK-H


Cast Iron Sheaves




TYPE 1



TYPE 2



TYPE 3



STL-H

"3L" Belts may be used with
These Sheaves as Indicated in
Table Below


Single Groove Sheaves for "4L" or "A" Belts													
Catalog Number	Diameter			Type	Dimensions								wt lbs Bush
	OD	PD A	PD 3L		OL	F	L	P	C	X	G	E	
CAK30H	3.05	2.80	2.46	1	113/16	3/4	11/4	7/8	-	13/16	7/16	3/16	1.1
CAK32H	3.25	3.00	2.66	1	113/16	3/4	11/4	7/8	-	13/16	7/16	3/16	1.2
CAK34H	3.45	3.20	2.86	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	1.0
CAK39H	3.75	3.50	3.16	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	1.4
CAK41H	3.95	3.70	3.36	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	1.6
CAK44H	4.25	4.00	3.66	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	1.9
CAK46H	4.45	4.20	3.86	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	1.9
CAK49H	4.75	4.50	4.16	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.1
CAK51H	4.95	4.70	4.36	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.3
CAK54H	5.25	5.00	4.66	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.0
CAK56H	5.45	5.20	4.86	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.3
CAK59H	5.75	5.50	5.16	2	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.4
CAK61H	5.95	5.70	5.36	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.5
CAK64H	6.25	6.00	5.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.7
CAK66H	6.45	6.20	5.86	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	2.8
CAK69H	6.75	6.50	6.16	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	3.2
CAK71H	6.95	6.70	6.36	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	3.1
CAK74H	7.25	7.00	6.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	3.3
CAK79H	7.75	7.50	7.16	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	3.5
CAK84H	8.25	8.00	7.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	3.6
CAK89H	8.75	8.50	8.16	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	4.0
CAK94H	9.25	9.00	8.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	4.4
CAK99H	9.75	9.50	9.16	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	4.7
CAK104H	10.25	10.00	9.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	4.5
CAK109H	10.75	10.50	10.16	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	5.1
CAK114H	11.25	11.00	10.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	5.5
CAK124H	12.25	12.00	11.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	6.1
CAK134H	13.25	13.00	12.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	7.4
CAK144H	14.25	14.00	13.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	7.8
CAK154H	15.25	15.00	14.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	8.8
CAK184H	18.25	18	17.66	3	11/2	3/4	11/4	9/16	-	7/8	7/16	3/16	11.3




V-pulleys

2CAK-H


Cast Iron Sheaves



TYPE 1D



TYPE 2D



TYPE 3D

"3L" Belts may be used with
These Sheaves as Indicated in the
table below


Double Groove Sheaves for "4L" or "A" Belts													
Catalog Number	Diameter			Type	Dimensions								Wt. lbs: Bush
	O.D	PD A	PD 3L		OL	F	L	P	C	X	G	E	
2CAK30H	3.05	2.80	2.46	1D	27/16	13/8	11/4	7/8	15/16	7/8	7/16	3/16	1.4
2CAK32H	3.25	3.00	2.66	1D	27/16	13/8	11/4	7/8	15/16	7/8	7/16	3/16	1.7
2CAK34H	3.45	3.20	2.86	1D	2	13/8	11/4	7/16	1/2	7/8	7/16	3/16	1.8
2CAK39H	3.75	3.50	3.16	1D	2	13/8	11/4	7/16	1/2	7/8	7/16	3/16	1.8
2CAK41H	3.95	3.70	3.36	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	1.9
2CAK44H	4.25	4.00	3.66	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	2.4
2CAK46H	4.45	4.20	3.86	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	2.5
2CAK49H	4.75	4.50	4.16	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.1
2CAK51H	4.95	4.70	4.36	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.2
2CAK54H	5.25	5.00	4.66	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.4
2CAK56H	5.45	5.20	4.86	2D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.6
2CAK59H	5.75	5.50	5.16	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.4
2CAK61H	5.95	5.70	5.36	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.3
2CAK64H	6.25	6.00	5.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	3.9
2CAK74H	7.25	7.00	6.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	4.9
2CAK84H	8.25	8.00	7.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	5.8
2CAK94H	9.25	9.00	8.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	6.1
2CAK104H	10.25	10.00	9.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	7.7
2CAK114H	11.25	11.00	10.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	8.5
2CAK124H	12.25	12.00	11.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	9.5
2CAK134H	13.25	13.00	12.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	11.4
2CAK144H	14.25	14.00	13.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	11.9
2CAK154H	15.25	15.00	14.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	13.3
2C AK184H	18.25	18.00	17.66	3D	11/2	13/8	11/4	1/16	-	7/8	7/16	3/16	16.8




V-pulleys

CBK-H


Cast Iron Sheaves




TYPE 1



TYPE 2



TYPE 3



STL-H

Single Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts													
Catalog Number	Diameter			Type	Dimensions								wt lbs Bush
	OD	PD A	PD 3L		OL	F	L	P	C	X	G	E	
CBK30H	3.15	2.40	2.80	1	115/16	7/8	11/4	7/8	-	15/16	7/16	3/16	1.2
CBK32H	3.35	2.60	3.00	1	115/16	7/8	11/4	7/8	-	15/16	7/16	3/16	1.4
CBK34H	3.55	2.80	3.20	1	115/16	7/8	11/4	7/8	-	15/16	7/16	3/16	1.6
CBK36H	3.75	3.00	3.40	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	1.2
CBK40H	3.95	3.20	3.60	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	1.4
CBK45H	4.25	3.50	3.90	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	1.8
CBK47H	4.45	3.70	4.10	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.2
CBK50H	4.75	4.00	4.40	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.0
CBK52H	4.95	4.20	4.60	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.1
CBK55H	5.25	4.50	4.90	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.7
CBK57H	5.45	4.70	5.10	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.7
CBK60H	5.75	5.00	5.40	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.5
CBK62H	5.95	5.20	5.60	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.6
CBK65H	6.25	5.50	5.90	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.8
CBK67H	6.45	5.70	6.10	2	11/2	7/8	11/4	7/16	-	7/8	7/16	3/16	2.9
CBK70H	6.75	6.00	6.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	2.8
CBK72H	6.95	6.20	6.60	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	3.1
CBK75H	7.25	6.50	6.90	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	3.3
CBK77H	7.45	6.70	7.10	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	3.8
CBK80H	7.75	7.00	7.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	3.4
CBK85H	8.25	7.50	7.90	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	3.8
CBK90H	8.75	8.00	8.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	4.3
CBK95H	9.25	8.50	8.90	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	5.0
CBK100H	9.75	9.00	9.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	5.2
CBK105H	10.25	9.50	9.90	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	5.5
CBK110H	10.75	10.00	10.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	6.0
CBK115H	11.25	10.50	10.90	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	6.4
CBK120H	11.75	11.00	11.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	6.9
CBK130H	12.75	12.00	12.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	6.9
CBK140H	13.75	13.00	13.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	8.5
CBK150H	14.75	14.00	14.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	9.5
CBK160H	15.75	15.00	15.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	9.8
CBK190H	18.75	18.00	18.40	3	19/16	7/8	11/4	1/2	1/16	7/8	7/16	3/16	12.8




Hangzhou Ocean Industry CO., LTD.

**T_{aper}
B_{ore}**


V-pulleys

2CBK-H


Cast Iron Sheaves




TYPE 1D



TYPE 2D



TYPE 3D



STL-H


Double Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts													
Catalog Number	Diameter			Type	Dimensions								wt less Bush
	OD	PD A	PD 3L		OL	F	L	P	C	X	G	E	
2CBK32H	3.35	2.60	3.00	1D	213/16	13/4	11/4	7/8	15/16	7/8	7/16	3/16	2.1
2CBK34H	3.55	2.80	3.20	1D	213/16	13/4	11/4	7/8	15/16	7/8	7/16	3/16	2.4
2CBK36H	3.75	3.00	3.40	1D	23/8	13/4	11/4	7/16	7/8	7/8	7/16	3/16	2.0
2CBK40H	3.95	3.20	3.60	1D	23/8	13/4	11/4	7/16	7/8	7/8	7/16	3/16	2.4
2CBK45H	4.25	3.50	3.90	1D	23/8	13/4	11/4	7/16	7/8	7/8	7/16	3/16	3.0
2CBK47H	4.45	3.70	4.10	2D	13/4	13/4	11/4	7/8	-	7/8	7/16	3/16	2.8
2CBK50H	4.75	4.00	4.40	2D	13/4	13/4	11/4	7/8	-	7/8	7/16	3/16	3.3
2CBK52H	4.95	4.20	4.60	2D	13/4	13/4	11/4	7/16	-	7/8	7/16	3/16	3.6
2CBK55H	5.25	4.50	4.90	2D	13/4	13/4	11/4	7/16	-	7/8	7/16	3/16	3.9
2CBK57H	5.45	4.70	5.10	2D	13/4	13/4	11/4	7/16	-	7/8	7/16	3/16	4.3
2CBK60H	5.75	5.00	5.40	2D	13/4	13/4	11/4	7/8	-	7/8	7/16	3/16	4.4
2CBK62H	5.95	5.20	5.60	2D	13/4	13/4	11/4	7/8	-	7/8	7/16	3/16	4.5
2CBK65H	6.25	5.50	5.90	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	5.0
2CBK67H	6.45	5.70	6.10	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	5.1
2CBK70H	6.75	6.00	6.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	6.4
2CBK80H	7.75	7.00	7.40	3D	13/4	13/4	11/4	7/8	1/4	7/8	7/16	3/16	7.6
2CBK90H	8.75	8.00	8.40	3D	13/4	13/4	11/4	7/8	1/4	7/8	7/16	3/16	8.4
2CBK100H	9.75	9.00	9.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	9.3
2CBK110H	10.75	10.00	10.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	11.0
2CBK120H	11.75	11.00	11.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	13.1
2CBK130H	12.75	12.00	12.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	14.8
2CBK140H	13.75	13.00	13.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	16.2
2CBK160H	15.75	15.00	15.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	17.5
2CBK190H	18.75	18.00	18.40	3D	13/4	13/4	11/4	7/16	1/4	7/8	7/16	3/16	21.5




V-pulleys

3CBK-H


Cast Iron Sheaves



TYPE 2T



TYPE 3T



STL-H

Single Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts													
Catalog Number	Diameter			Type	Dimensions								wt lbs! Bush
	O.D	P.D A	P.D 3L		OL	F	L	P	C	X	G	E	
3CBK4SH	4.25	3.50	3.90	2T	25/8	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	3.9
3CBK47H	4.45	3.70	4.10	2T	2 11/16	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	4.2
3CBK50H	4.75	4.00	4.40	2T	3	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	4.4
3CBK52H	4.95	4.20	4.60	2T	3 3/16	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	4.7
3CBK55H	5.25	4.50	4.90	2T	3 1/2	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	5.1
3CBK57H	5.45	4.70	5.10	2T	3 11/16	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	5.3
3CBK60H	5.75	5.00	5.40	3T	4	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	5.6
3CBK62H	5.95	5.20	5.60	3T	4 3/16	2 1/2	1 1/4	1/2	11/16	7/8	7/16	3/16	5.8
3CBK65H	6.25	5.50	5.90	3T	4 1/2	2 1/2	1 1/4	29/32	9/32	7/8	7/16	3/16	5.8
3CBK67H	6.45	5.70	6.10	3T	4 11/16	2 1/2	1 1/4	29/32	9/32	7/8	7/16	3/16	6.2
3CBK70H	6.75	6.00	6.40	3T	5	2 1/2	1 1/4	29/32	9/32	7/8	7/16	3/16	6.6
3CBK80H	7.75	7.00	7.40	3T	6	2 1/2	1 1/4	27/32	11/32	7/8	7/16	3/16	8.3
3CBK90H	8.75	8.00	8.40	3T	7	2 1/2	1 1/4	27/32	11/32	7/8	7/16	3/16	9.8
3CBK100H	9.75	9.00	9.40	3T	8	2 1/2	1 1/4	27/32	11/32	7/8	7/16	3/16	10.9
3CBK110H	10.75	10.00	10.40	3T	9	2 1/2	1 1/4	27/32	11/32	7/8	7/16	3/16	12.1
3CBK120H	11.75	11.00	11.40	3T	10	2 1/2	1 1/4	27/32	11/32	7/8	7/16	3/16	14.3
3CBK130H	12.75	12.00	12.40	3T	11	2 1/2	1 1/4	25/32	13/32	7/8	7/16	3/16	16.2
3CBK140H	13.75	13.00	13.40	3T	12	2 1/2	1 1/4	25/32	13/32	7/8	7/16	3/16	17.7
3CBK160H	15.75	15.00	15.40	3T	14	2 1/2	1 1/4	25/32	13/32	7/8	7/16	3/16	21.0
3CBK190H	18.75	18.00	18.40	3T	17	2 1/2	1 1/4	25/32	13/32	7/8	7/16	3/16	25.8