



QTL 3V-5V-8V V pulleys

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com



Hangzhou Ocean Industry CO., LTD.




V-pulleys

3V-5V-8V

Cast Iron Sheaves

QTL




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
1-3V220-JA	2.20	2.15	11/4	JA	E1	-	9/16	7/16	11/16	15/16	0.7
1-3V235-JA	2.35	2.30	11/4	JA	E1	-	9/16	7/16	11/16	15/16	0.8
1-3V250-JA	2.50	2.45	11/4	JA	E1	-	9/16	7/16	11/16	15/16	0.9
1-3V265-JA	2.65	2.60	11/4	JA	C1	-	3/8	1/8	11/16	-	0.9
1-3V280-JA	2.80	2.75	11/4	JA	C1	-	3/8	1/8	11/16	-	1.0
1-3V300-JA	3.00	2.95	11/4	JA	C1	-	3/8	1/8	11/16	-	1.0
1-3V315-JA	3.15	3.10	11/4	JA	C1	-	3/8	1/8	11/16	-	1.1
1-3V335-JA	3.35	3.30	11/4	JA	C1	-	3/8	1/8	11/16	-	1.3
1-3V365-SH	3.65	3.60	111/16	SH	D1	-	9/16	-	15/16	1/16	1.7
1-3V412-SH	4.12	4.07	111/16	SH	D1	-	9/16	-	15/16	1/16	2.1
1-3C450-SH	4.50	4.45	111/16	SH	D2	3	9/16	-	15/16	1/16	2.5
1-3V475-SH	4.75	4.70	111/16	SH	D2	3	9/16	-	15/16	1/16	2.8
1-3V500-SH	5.00	4.95	111/16	SH	D2	3	9/16	-	15/16	1/16	3.2
1-3V530-SH	5.30	5.25	111/16	SH	D2	3	9/16	-	15/16	1/16	3.2
1-3V560-SH	5.60	5.55	111/16	SH	D2	3	9/16	-	15/16	1/16	3.5
1-3V600-SH	6.00	5.95	111/16	SH	D2	3	9/16	-	15/16	1/16	3.9
1-3V650-SH	6.50	6.45	111/16	SH	D3	3	9/16	-	15/16	1/16	4.5
1-3V690-SH	6.90	6.85	111/16	SH	D3	3	9/16	-	15/16	1/16	5.5
1-3V800-SDS	8.00	7.95	2	SDS	C3	31/2	5/8	-	13/8	-	8.0
1-3V1060-SDS	10.60	10.55	2	SDS	C3	31/2	5/8	-	13/8	-	13.5
1-3V1400-SK	14.00	13.95	25/8	SK	C3	43/8	11/16	-	115/16	-	17.0
1-3V1900-SK	19.00	18.95	25/8	SK	C3	43/8	11/16	-	115/16	-	19.5

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

QTL




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
2-3V220-JA	2.20	2.15	11/4	JA	E1	-	31/32	7/16	11/16	15/16	0.9
2-3V235-JA	2.35	2.30	11/4	JA	E1	-	31/32	7/16	11/16	15/16	1.0
2-3V250-JA	2.50	2.45	11/4	JA	E1	-	31/32	7/16	11/16	15/16	1.2
2-3V265-JA	2.65	2.60	11/4	JA	D1	-	3/8	1/8	11/16	13/32	1.3
2-3V280-JA	2.80	2.75	11/4	JA	D1	-	3/8	1/8	11/16	13/32	1.4
2-3V300-JA	3.00	2.95	11/4	JA	D1	-	3/8	1/8	11/16	13/32	1.6
2-3V315-JA	3.15	3.10	11/4	JA	D1	-	3/8	1/8	11/16	13/32	1.8
2-3V335-SH	3.35	3.30	111/16	SH	D1	-	1/4	1/4	15/16	1/32	2.0
2-3V365-SH	3.65	3.60	111/16	SH	D1	-	1/4	1/4	15/16	1/32	2.4
2-3V412-SH	4.12	4.07	111/16	SH	D1	-	1/4	1/4	15/16	1/32	2.7
2-3C450-SH	4.50	4.45	111/16	SH	D1	-	1/4	1/4	15/16	1/32	2.9
2-3V475-SH	4.75	4.70	111/16	SH	D1	-	1/4	1/4	15/16	1/32	3.1
2-3V500-SH	5.00	4.95	111/16	SH	D1	-	1/4	1/4	15/16	1/32	3.6
2-3V530-SH	5.30	5.25	111/16	SH	D1	-	1/4	1/4	15/16	1/32	4.5
2-3V560-SH	5.60	5.55	111/16	SH	D1	-	1/4	1/4	15/16	1/32	5.0
2-3V600-SH	6.00	5.95	11/16	SH	D1	-	1/4	1/4	15/16	1/32	5.5
2-3V650-SDS	6.50	6.45	2	SDS	D3	31/2	5/16	5/16	13/8	1/32	5.8
2-3V690-SDS	6.90	6.85	2	SDS	D3	31/2	5/16	5/16	13/8	1/32	6.0
2-3V800-SDS	8.00	7.95	2	SDS	D3	31/2	5/16	5/16	13/8	1/32	7.0
2-3V1060-SK	10.60	10.55	25/8	SK	C3	43/8	7/16	1/4	115/16	13/32	10
2-3V1400-SK	14.00	13.95	25/8	SK	C3	43/8	7/16	1/4	115/16	13/32	16
2-3V1900-SK	19.00	18.95	25/8	SK	C3	43/8	7/16	1/4	115/16	13/32	25
2-3V2500-SF	25.00	24.95	215/16	SF	C3	5	7/16	1/4	211/16	17/32	28

**T_{aper}
B_{ore}** **V-pulleys**

3V-5V-8V

Cast Iron Sheaves

QTL





Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
3-3V250-JA	2.50	2.45	1 1/4	JA	E1	23/8	13/8	7/16	11/16	15/16	1.6
3-3V265-JA	2.65	2.60	1 1/4	JA	D1	-	3/8	1/8	11/16	13/16	1.8
3-3V280-JA	2.80	2.75	1 1/4	JA	D1	-	3/8	1/8	11/16	13/16	2.0
3-3V300-JA	3.00	2.95	1 1/16	JA	E1	-	11/16	-	115/16	9/16	2.2
3-3V315-SH	3.15	3.10	1 1/16	SH	E1	3	11/16	5/16	15/16	7/8	2.5
3-3V335-SH	3.35	3.30	1 1/16	SH	D1	-	7/16	1/8	15/16	5/8	2.8
3-3V365-SH	3.65	3.60	1 1/16	SH	D1	-	7/16	1/8	15/16	5/8	3.0
3-3V412-SH	4.12	4.07	1 1/16	SH	A1	-	1/8	11/16	15/16	1/16	3.3
3-3C450-SDS	4.50	4.45	2	SDS	A1	-	1/16	11/16	13/8	1/16	3.5
3-3V475-SDS	4.75	4.70	2	SDS	A1	-	1/16	11/16	13/8	1/16	3.7
3-3V500-SDS	5.00	4.95	2	SDS	A1	-	1/16	11/16	13/8	1/16	4.0
3-3V530-SDS	5.30	5.25	2	SDS	A1	-	1/16	11/16	13/8	1/16	4.3
3-3V560-SDS	5.60	5.55	2	SDS	A1	-	1/16	11/16	13/8	1/16	4.9
3-3V600-SDS	6.00	5.95	2	SDS	A1	-	1/16	11/16	13/8	1/16	5.9
3-3V650-SDS	6.50	6.45	2	SDS	A3	3 1/2	1/16	11/16	13/8	1/16	6.3
3-3V690-SDS	6.90	6.85	2	SDS	A3	3 1/2	1/16	11/16	13/8	1/16	6.8
3-3V800-SK	8.00	7.95	25/8	SK	C2	43/8	7/16	1/4	115/16	-	10.8
3-3V1060-SK	10.60	10.55	25/8	SK	C3	43/8	7/16	1/4	115/16	-	12.0
3-3V1400-SK	14.00	13.95	25/8	SK	C3	43/8	7/16	1/4	115/16	-	20.0
3-3V1900-SF	19.00	18.95	2 15/16	SF	C3	5	7/16	1/4	21/16	1/8	33.0
3-3V2500-SF	25.00	24.95	2 15/16	SF	C3	5	7/16	1/4	21/16	1/8	45.0
3-3V3350-SF	33.50	33.45	2 15/16	SF	C3	5	7/16	1/4	21/16	1/8	75.0

Taper Bore V-pulleys


3V-5V-8V

Cast Iron Sheaves


QTL




D-2




D-3



C-3



A-1



D-1

Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
4-3V265-JA	2.65	2.60	11/4	JA	D1	-	3/8	1/8	11/16	17/32	1.3
4-3V280-JA	2.80	2.75	11/4	JA	D1	-	3/8	1/8	11/16	17/32	1.6
4-3V300-SH	3.00	2.95	111/16	SH	E1	-	115/32	5/16	15/16	7/8	1.9
4-3V315-SH	3.15	3.10	111/16	SH	E1	3	115/32	5/16	15/16	7/8	2.2
4-3V335-SH	3.35	3.30	111/16	SH	D1	-	7/16	1/8	15/16	11/32	2.5
4-3V365-SH	3.65	3.60	111/16	SH	D1	-	7/16	1/8	15/16	11/32	2.8
4-3V412-SH	4.12	4.07	111/16	SH	A1	-	1/4	13/16	15/16	11/32	3.2
4-3C450-SDS	4.50	4.45	2	SDS	A1	-	3/16	13/16	13/8	11/32	3.5
4-3V475-SDS	4.75	4.70	2	SDS	A1	-	3/16	13/16	13/8	11/32	4.0
4-3V500-SDS	5.00	4.95	2	SDS	A1	-	3/16	13/16	13/8	11/32	4.5
4-3V530-SDS	5.30	5.25	2	SDS	A1	-	3/16	13/16	13/8	11/32	5.0
4-3V560-SDS	5.60	5.55	2	SDS	A1	-	3/16	13/16	13/8	11/32	5.7
4-3V600-SK	6.00	5.95	25/8	SK	D1	-	1/16	5/8	115/16	1/32	7.5
4-3V650-SK	6.50	6.45	25/8	SK	D2	-	1/16	5/8	115/16	1/32	8.0
4-3V690-SK	6.90	6.85	25/8	SK	D2	-	1/16	5/8	115/16	1/32	10
4-3V800-SK	8.00	7.95	25/8	SK	D2	43/8	1/16	5/8	115/16	1/32	12
4-3V1060-SK	10.60	10.55	25/8	SK	D3	43/8	1/16	5/8	115/16	1/32	16
4-3V1400-SK	14.00	13.95	25/8	SK	D3	43/8	1/16	5/8	115/16	1/32	22
4-3V1900-SF	19.00	18.95	215/16	SF	C3	5	1/16	5/8	21/16	3/32	37
4-3V2500-SF	25.00	24.95	215/16	SF	C3	5	1/16	5/8	21/16	3/32	53
4-3V3350-E	33.50	33.45	31/2	E	C3	61/4	3/8	1/2	25/8	11/32	80




Hangzhou Ocean Industry CO., LTD.

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

QTL



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
5-3V475-SDS	4.75	4.70	2	SDS	A2	31/2	3/16	13/16	13/8	3/4	4.5
5-3V500-SDS	5.00	4.95	2	SDS	A2	31/2	3/16	13/16	13/8	3/4	5.3
5-3V530-SK	5.30	5.25	25/8	SK	A1	-	1/4	15/16	115/16	1/8	5.8
5-3V560-SK	5.60	5.55	25/8	SK	A1	-	1/4	15/16	115/16	1/8	7.0
5-3V600-SK	6.00	5.95	25/8	SK	A1	-	1/4	15/16	115/16	1/8	8.3
5-3V650-SK	6.50	6.45	25/8	SK	A1	-	1/4	15/16	115/16	1/8	9.0
5-3V690-SK	6.90	6.85	25/8	SK	A1	-	1/4	15/16	115/16	1/8	12.0
5-3V800-SK	8.00	7.95	25/8	SK	A2	43/8	1/4	15/16	115/16	1/8	13.0
5-3V1060-SK	10.60	10.55	25/8	SK	A3	43/8	1/4	15/16	115/16	1/8	17.0
5-3V1400-SF	14.00	13.95	215/16	SF	A3	5	3/16	7/8	21/16	1/16	27.0
5-3V1900-SF	19.00	18.95	215/16	SF	A3	5	3/16	7/8	21/16	1/16	40.0
5-3V2500-SE	25.00	24.95	31/2	E	C3	61/4	1/4	5/8	25/8	1/16	69.0
5-3V3350-E	33.50	33.45	31/2	E	C3	61/4	1/4	5/8	25/8	1/16	97.0



Hangzhou Ocean Industry CO., LTD.




V-pulleys

3V-5V-8V

Cast Iron Sheaves

QTL



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
6-3V475-SK	4.75	4.70	2	SK	D1	-	9/16	1/8	115/16	111/32	6.0
6-3V500-SK	5.00	4.95	2	SK	D1	-	9/16	1/8	115/16	111/32	6.5
6-3V530-SK	5.30	5.25	25/8	SK	A1	-	5/8	15/16	115/16	5/32	6.8
6-3V560-SK	5.60	5.55	25/8	SK	A1	-	5/8	15/16	115/16	5/32	8.0
6-3V600-SK	6.00	5.95	25/8	SK	A1	-	5/8	15/16	115/16	5/32	9.0
6-3V650-SK	6.50	6.45	25/8	SK	A2	43/8	5/8	15/16	115/16	5/32	10.0
6-3V690-SK	6.90	6.85	25/8	SK	A2	43/8	5/8	15/16	115/16	5/32	11.5
6-3V800-SK	8.00	7.95	25/8	SK	A2	43/8	3/16	7/8	115/16	19/32	17.0
6-3V1060-SF	10.60	10.55	25/8	SF	A2	5	3/16	7/8	21/16	15/32	25.0
6-3V1400-SF	14.00	13.95	215/16	SF	A3	5	3/16	7/8	21/16	15/32	34.0
6-3V1900-E	19.00	18.95	215/16	E	B3	61/4	1/8	1	25/8	1/32	45.0
6-3V2500-E	25.00	24.95	31/2	E	B3	61/4	1/8	1	25/8	1/32	75.0
6-3V3350-E	33.50	33.45	31/2	E	B3	61/4	1/8	1	25/8	1/32	98.0


Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
8-3V475-SK	4.75	4.70	25/8	SK	D1	-	9/16	1/8	115/16	25/32	6.0
8-3V500-SK	5.00	4.95	25/8	SK	D1	-	9/16	1/8	115/16	25/32	6.9
8-3V530-SK	5.30	5.25	25/8	SK	A1	-	5/8	15/16	115/16	31/32	7.8
8-3V560-SK	5.60	5.55	25/8	SK	A1	-	5/8	15/16	115/16	31/32	9.0
8-3V600-SK	6.00	5.95	25/8	SK	A1	-	5/8	15/16	115/16	31/32	10.0
8-3V650-SK	6.50	6.45	25/8	SK	A2	43/8	5/8	15/16	115/16	31/32	12.9
8-3V690-SK	6.90	6.85	25/8	SK	A2	43/8	5/8	15/16	115/16	31/32	14.0
8-3V800-SF	8.00	7.95	215/16	SF	A1	-	7/16	11/8	21/16	11/32	20.0
8-3V1060-E	10.60	10.55	31/2	SF	A2	5	7/16	11/8	21/16	11/32	28.0
8-3V1400-E	14.00	13.95	31/2	E	A3	61/4	3/8	11/4	25/8	17/32	40.0
8-3V1900-E	19.00	18.95	31/2	E	A3	61/4	3/8	11/4	25/8	17/32	62.0
8-3V2500-E	25.00	24.95	31/2	E	A3	61/4	3/8	11/4	25/8	17/32	87.0
8-3V3350-F	33.50	33.45	315/16	F	B3	7	1/16	11/16	35/8	5/32	152

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

QTL



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
10-3V475-SK	4.75	4.70	25/8	SK	D1		9/16	1/8	115/16	231/32	7.0
10-3V500-SK	5.00	4.95	25/8	SK	D1		9/16	1/8	115/16	231/32	8.6
10-3V530-SK	5.30	5.25	25/8	SK	A1		3/4	17/16	115/16	121/32	9.0
10-3V560-SK	5.60	5.55	25/8	SK	A1		3/4	17/16	115/16	121/32	10
10-3V600-SK	6.00	5.95	25/8	SK	A1		3/4	17/16	115/16	121/32	11
10-3V650-SK	6.50	6.45	25/8	SK	A2	43/8	3/4	17/16	115/16	121/32	14
10-3V690-SK	6.90	6.85	25/6	SK	A2	43/8	3/4	17/16	115/16	121/32	16
10-3V800-SF	8.00	7.95	215/16	SF	A1	61/4	13/16	11/2	21/16	115/32	22
10-3V1060-E	10.60	10.55	31/2	E	A2	61/4	3/8	11/4	25/8	111/32	33
10-3V1400-E	14.00	13.95	312	E	A3	61/4	3/8	11/4	25/8	111/32	43
10-3V1900-E	19.00	18.95	31/2	E	A3	61/4	3/8	11/4	25/8	111/32	66
10-3V2500-F	25.00	24.95	315/16	F	A3	7	5/16	15/16	35/8	13/32	98
10-3V3350-F	33.50	33.45	315/16	F	A3	7	5/16	15/16	35/8	13/32	178



Hangzhou Ocean Industry CO., LTD.


**T_{aper}
B_{ore}**

V-pulleys

Cast Iron Sheaves

3V-5V-8V

QTL




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
2-5V440-SH	4.40	4.30	111/16	SH	A1	-	5/16	7/8	15/16	1/16	4.0
2-5V465-SDS	4.65	4.55	2	SDS	E1	-	15/16	-	13/8	5/8	4.5
2-5V490-SDS	4.90	4.80	2	SDS	A1	-	1/16	11/16	13/8	1/4	5.0
2-5V520-SDS	5.20	5.10	2	SDS	A1	-	1/16	11/16	13/8	1/4	5.5
2-5V550-SDS	5.50	5.40	2	SDS	A1	-	1/16	11/16	13/8	1/4	6.0
2-5V590-SDS	5.90	5.80	2	SDS	A1	-	1/16	11/16	13/8	1/4	7.0
2-5V630-SK	6.30	6.20	25/8	SK	C1	-	1/4	7/16	115/16	-	8.0
2-5V670-SK	6.70	6.60	25/8	SK	C1	-	1/4	7/16	115/16	-	10
2-5V710-SK	7.10	7.00	25/8	SK	C1	-	1/4	7/16	115/16	-	11
2-5V750-SK	7.50	7.40	25/8	SK	C1	-	1/4	7/16	115/16	-	13
2-5V500-SK	8.00	7.90	25/8	SK	C1	-	1/4	7/16	115/16	-	14
2-5V850-SK	8.50	8.40	25/8	SK	C1	-	1/4	7/16	115/16	-	15
2-5V900-SK	9.00	8.90	25/8	SK	C2	43/8	1/4	7/16	115/16	-	16
2-5V925-SK	9.25	9.15	25/8	SK	C2	43/8	1/4	7/16	115/16	-	16
2-5V975-SK	9.75	9.65	25/8	SK	C3	43/8	1/4	7/16	115/16	-	17
2-5V1030-SK	10.30	10.20	25/8	SK	C3	43/8	1/4	7/16	115/16	-	18
2-5V1090-SK	10.90	10.80	25/8	SK	C3	43/8	1/4	7/16	115/16	-	19
2-5V1130-SK	11.30	11.20	25/8	SK	C3	43/8	1/4	7/16	115/16	-	19
2-5V1180-SK	11.80	11.70	25/8	SK	C3	43/8	1/4	7/16	115/16	-	20
2-5V1250-SF	12.50	12.40	215/16	SF	C3	5	1/4	7/16	21/16	1/8	25
2-5V1320-SF	13.20	13.10	215/16	SF	C3	5	1/4	7/16	21/16	1/8	27
2-5V1400-SF	14.00	13.90	215/16	SF	C3	5	1/4	7/16	21/16	1/8	28
2-5V1500-SF	15.00	14.90	215/16	SF	C3	5	1/4	7/16	21/16	1/8	30
2-5V1600-SF	16.00	15.90	215/16	SF	C3	5	1/4	7/16	21/16	1/8	34
2-5V1870-SF	18.70	18.60	215/16	SF	C3	5	1/4	7/16	21/16	1/8	49
2-5V2120-SF	21.20	20.10	215/16	SF	C3	5	1/4	7/16	21/16	1/8	50
2-5V2360-E	23.60	23.50	31/2	E	C3	61/4	5/8	1/4	25/8	5/16	72
2-5V2800-E	28.00	27.90	31/2	E	C3	61/4	5/8	1/4	25/8	5/16	80

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

QTL



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
3-5V440-SDS	4.40	4.30	2	SDS	E1	31/2	15/8	-	13/8	5/8	5.5
3-5V465-SDS	4.65	4.55	2	SDS	E1	31/2	15/8	-	13/8	5/8	6.5
3-5V490-SDS	4.90	4.80	2	SDS	A1	-	7/16	11/16	13/8	9/16	7.0
3-5V520-SDS	5.20	5.10	2	SDS	A1	-	7/16	11/16	13/8	9/16	7.5
3-5V550-SDS	5.50	5.40	2	SDS	A1	-	7/16	11/16	13/8	9/16	8.0
3-5V590-SDS	5.90	5.80	2	SDS	A1	-	7/16	11/16	13/8	9/16	8.5
3-5V630-SK	6.30	6.20	25/8	SK	A1	-	3/8	11/16	115/16	1/16	11.0
3-5V670-SK	6.70	6.60	25/8	SK	A1	-	3/8	11/16	115/16	1/16	11.5
3-5V710-SF	7.10	7.00	215/16	SF	A1	-	5/16	1	21/16	-	13.0
3-5V750-SF	7.50	7.40	215/16	SF	A1	-	5/16	1	21/16	-	14.0
3-5V800-SF	8.00	7.90	215/16	SF	A1	-	5/16	1	21/16	-	15.0
3-5V850-SF	8.50	8.40	215/16	SF	A2	5	5/16	1	21/16	-	16.0
3-5V900-SF	9.00	8.90	215/16	SF	A2	5	5/16	1	21/16	-	17.0
3-5V925-SF	9.25	9.15	215/16	SF	A2	5	5/16	1	21/16	-	18.0
3-5V975-SF	9.75	9.65	215/16	SE	A2	5	5/16	1	21/16	-	19.0
3-5V1030-SF	10.30	10.20	215/16	SF	A2	5	5/16	1	21/16	-	22.0
3-5V1090-SF	10.90	10.80	215/16	SF	A2	5	5/16	1	21/16	-	25.0
3-5V1130-SF	11.30	11.20	215/16	SF	A3	5	5/16	1	21/16	-	26.0
3-5V1180-SF	11.80	11.70	215/16	SF	A3	5	5/16	1	21/16	-	28.0
3-5V1250-E	12.50	12.40	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	34.0
3-5V1320-E	13.20	13.10	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	38.0
3-5V1400-E	14.00	13.90	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	43.0
3-5V1500-E	15.00	14.90	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	44.0
3-5V1600-E	16.00	15.90	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	46.0
3-5V1870-E	18.70	18.60	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	60.0
3-5V2120-E	21.20	21.10	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	68.0
3-5V2360-E	23.60	23.50	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	80.0
3-5V2800-E	28.00	27.90	31/2	E	C3	61/4	1/8	3/4	25/8	1/8	92.0
3-5V3150-F	31.50	31.40	315/16	F	C3	7	7/16	9/16	35/8	13/16	136
3-5V3750-F	37.50	37.40	315/16	F	C3	7	7/16	9/16	35/8	13/16	156



Hangzhou Ocean Industry CO., LTD.


**T_{aper}
B_{ore}**

V-pulleys

Cast Iron Sheaves

3V-5V-8V

QTL




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
4-5V440-SD	4.40	4.30	2	SD	E1	31/2	17/8	-	113/16	5/8	5.0
4-5V465-SD	4.65	4.55	2	SD	E1	31/2	17/8	-	113/16	5/8	6.0
4-5V490-SD	4.90	4.80	2	SD	A1	-	11/16	15/16	113/16	9/16	7.0
4-5V520-SD	5.20	5.10	2	SD	A1	-	11/16	15/16	113/16	9/16	8.0
4-5V550-SD	5.50	5.40	2	SD	A1	-	11/16	15/16	113/16	9/16	9.0
4-5V590-SD	5.90	5.80	2	SD	A1	-	11/16	15/16	113/16	9/16	10.8
4-5V630-SK	6.30	6.20	25/8	SK	A1	-	5/8	15/16	115/16	1/2	12.0
4-5V670-SK	6.70	6.60	25/8	SK	A1	-	5/8	15/16	115/16	1/2	14.0
4-5V710-SF	7.10	7.00	215/16	SF	A1	-	3/8	11/16	21/16	5/8	15.0
4-5V750-SF	7.50	7.40	215/16	SF	A1	-	3/8	11/16	21/16	5/8	16.0
4-5V800-E	8.00	7.90	31/2	E	B1	-	9/16	17/16	25/8	1/8	19.0
4-5V850-E	8.50	8.40	31/2	E	B1	-	9/16	17/16	25/8	1/8	23.0
4-5V900-E	9.00	8.90	31/2	E	B1	-	9/16	17/16	25/8	1/8	25.0
4-5V925-E	9.25	9.15	31/2	E	B1	-	9/16	17/16	25/8	1/8	26.0
4-5V975-E	9.75	9.65	31/2	E	B1	-	9/16	17/16	25/8	1/8	28.0
4-5V1030-E	10.30	10.20	31/2	E	B1	-	9/16	17/16	25/8	1/8	30.0
4-5V1090-E	10.90	10.80	31/2	E	B1	-	9/16	17/16	25/8	1/8	39.0
4-5V1130-E	11.30	11.20	31/2	E	B1	-	9/16	17/16	25/8	1/8	40.0
4-5V1180-E	11.80	11.70	31/2	E	B1	-	9/16	17/16	25/8	1/8	41.0
4-5V1250-E	12.50	12.40	31/2	E	B3	61/4	9/16	17/16	25/8	1/8	43.0
4-5V1320-E	13.20	13.10	31/2	E	B3	61/4	9/16	17/16	25/8	1/8	45.0
4-5V1400-E	14.00	13.90	31/2	E	B3	61/4	9/16	17/16	25/8	1/8	46.0
4-5V1500-E	15.00	14.90	31/2	E	B3	61/4	9/16	17/16	25/8	1/8	47.0
4-5V1600-E	16.00	15.90	31/2	E	B3	61/4	9/16	17/16	25/8	1/8	49.0
4-5V1870-E	18.70	18.60	31/2	E	A3	61/4	3/8	11/4	25/8	1/16	71.0
4-5V2120-E	20.20	21.10	31/2	E	A3	61/4	3/8	11/4	25/8	1/16	72.0
4-5V2360-F	23.60	23.50	315/16	F	C3	7	1/8	7/8	35/8	7/16	111
4-5V2800-F	28.00	27.90	315/16	F	C3	7	1/8	7/8	35/8	7/16	118
4-5V3150-F	31.50	31.40	315/16	F	C3	7	1/8	7/8	35/8	7/16	147
4-5V3750-F	37.50	37.40	315/16	F	C3	7	1/8	7/8	35/8	7/16	178
4-5V5000-J	50.00	49.90	41/2	J	C3	73/4	1/2	11/16	41/2	15/16	266

**T_{aper}
B_{ore}** **V-pulleys**


3V-5V-8V

Cast Iron Sheaves


QTL




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
5-5V440-SD	4.40	4.30	2	SD	E1	31/2	29/16	-	113/16	5/8	6.0
5-5V465-SD	4.65	4.55	2	SD	E1	31/2	29/16	-	113/16	5/8	7.0
5-5V490-SD	4.90	4.80	2	SD	A1	-	11/16	15/16	113/16	11/4	8.0
5-5V520-SD	5.20	5.10	2	SD	A1	-	11/16	15/16	113/16	11/4	9.0
5-5V550-SD	5.50	5.40	2	SD	A1	-	11/16	15/16	113/16	11/4	10
5-5V590-SK	5.90	5.80	2	SK	A1	-	5/8	15/16	115/16	13/16	11
5-5V630-SK	6.30	6.20	25/8	SK	A1	-	5/8	15/16	115/16	13/16	12
5-5V670-SF	6.70	6.60	25/8	SF	A1	-	5/8	15/16	21/16	11/16	16
5-5V710-SF	7.10	7.00	215/16	SF	A1	-	11/16	13/8	21/16	-	14
5-5V750-SF	7.50	7.40	215/16	SF	A1	-	11/16	13/8	21/16	-	13
5-5V800-E	8.00	7.90	31/2	E	A1	-	7/8	13/4	25/8	1/4	19
5-5V850-E	8.50	8.40	31/2	E	A1	-	7/8	13/4	25/8	1/4	22
5-5V900-E	9.00	8.90	31/2	E	A1	-	7/8	13/4	25/8	1/4	26
5-5V925-E	9.25	9.15	31/2	E	A1	-	7/8	13/4	25/8	1/4	28
5-5V975-E	9.75	9.65	31/2	E	AL	-	7/8	13/4	25/8	1/4	30
5-5V1030-E	10.30	10.20	31/2	E	A1	-	13/4	13/4	25/8	1/4	33
5-5V1090-E	10.90	10.80	31/2	E	A1	-	13/4	13/4	25/8	1/4	41
5-5V1130-E	11.30	11.20	31/2	E	A1	-	13/4	13/4	25/8	1/4	42
5-5V1180-E	11.80	11.70	31/2	E	A1	-	13/4	13/4	25/8	1/4	44
5-5V1280-E	12.50	12.40	31/2	E	A3	61/4	13/4	13/4	25/8	1/4	45
5-5V1320-E	13.20	13.10	31/2	E	A3	61/4	7/8	13/4	25/8	1/4	46
5-5V1400-E	14.00	13.90	31/2	E	A3	61/4	7/8	13/4	25/8	1/4	47
5-5V1500-E	15.00	14.90	31/2	E	A3	61/4	7/8	13/4	25/8	1/4	53
5-5V1600-E	16.00	15.90	31/2	E	A3	61/4	7/8	13/4	25/8	1/4	56
5-5V1870-F	18.70	18.60	31/2	F	B3	7	5/16	15/16	35/8	3/16	96
5-5V2120-F	21.20	21.10	31/2	F	B3	7	5/16	15/16	35/8	3/16	98
5-5V2360-F	23.60	23.50	315/16	F	B3	7	5/16	15/16	35/8	3/16	120
5-5V2800-F	28.00	27.90	315/16	F	B3	7	5/16	15/16	35/8	3/16	135
5-5V3150-J	31.50	31.40	315/16	J	C3	73/4	3/16	1	41/2	9/16	188
5-5V3750-J	37.50	37.40	315/16	J	C3	73/4	3/16	1	41/2	9/16	224
5-SV5000-J	50.00	49.90	41/2	J	C3	73/4	3/16	-	41/2	9/16	308




Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
6-5V440-SD	4.40	4.30	2	SD	E1	31/2	31/4	-	113/16	5/8	7.0
6-5V465-SD	4.65	4.55	2	SD	E1	31/2	31/4	-	113/16	5/8	7.8
6-5V490-SD	4.90	4.80	2	SD	A1	-	11/16	15/16	113/16	115/16	9.0
6-5V520-SD	5.20	5.10	2	SD	A1	-	11/16	15/16	113/16	115/16	10.8
6-5V550-SD	5.50	5.40	2	SD	A1	-	11/16	15/16	113/16	115/16	11.3
6-5V590-SK	5.90	5.80	25/8	SK	A1	-	5/8	15/16	115/16	17/8	12.0
6-5V630-SK	6.30	6.20	25/8	SK	A1	-	5/8	15/16	115/16	17/8	13.0
6-5V670-SF	6.70	6.60	215/16	SF	A1	-	15/16	15/8	21/16	17/16	14.0
6-5V710-SF	7.10	7.00	215/16	SF	A1	-	15/16	15/8	21/16	17/16	15.0
6-5V750-SF	7.50	7.40	215/16	SF	A1	-	15/16	15/8	21/16	17/16	17.0
6-5V800-E	8.00	7.90	31/2	E	A1	-	11/8	2	25/8	11/16	20.0
6-5V850-E	8.50	8.40	31/2	E	A1	-	11/8	2	25/8	11/16	25.0
6-5V900-E	9.00	8.90	31/2	E	A1	-	11/8	2	25/8	11/16	28.0
6-5V925-E	9.25	9.15	31/2	E	A1	-	11/8	2	25/8	11/16	29.0
6-5V975-E	9.75	9.65	31/2	E	A1	-	11/8	2	25/8	11/16	31.0
6-5V1030-E	10.30	10.20	31/2	E	A1	-	11/8	2	25/8	11/16	33.0
6-5V1090-E	10.90	10.80	31/2	E	A1	-	11/8	2	25/8	11/16	38.0
6-5V1130-E	11.30	11.20	31/2	E	A1	-	11/8	2	25/8	11/16	41.0
6-5V1180-E	11.80	11.70	31/2	E	A1	-	11/8	2	25/8	11/16	43.0
6-5V1250-F	12.50	12.40	315/16	F	B3	7	11/16	21/16	35/8	1/4	45.0
6-5V1320-F	13.20	13.10	315/16	F	B3	7	11/16	21/16	35/8	1/4	48.0
6-5V1400-F	14.00	13.90	315/16	F	B3	7	11/16	21/16	35/8	1/4	59.0
6-5V1500-F	15.00	14.90	315/16	F	B3	7	11/16	21/16	35/8	1/4	64.0
6-5V1600-F	16.00	15.90	315/16	F	B3	7	11/16	21/16	35/8	1/4	68.0
6-5V1870-F	18.70	18.60	315/16	F	A3	7	5/16	15/16	35/8	1/2	84.0
6-5V2120-F	21.20	21.10	315/16	F	A3	7	5/16	15/16	35/8	1/2	110
6-5V2360-J	23.60	23.50	41/2	J	B3	73/4	1/8	15/16	41/2	3/16	148
6-5V2800-J	28.00	27.90	41/2	J	B3	73/4	1/8	15/16	41/2	3/16	169
6-5V3150-J	31.50	31.40	41/2	J	B3	73/4	1/8	15/16	41/2	3/16	206
6-5V3750-J	37.50	37.40	41/2	J	B3	73/4	1/8	15/16	41/2	3/16	241
6-5V5000-M	50.00	49.90	51/2	M	C3	91/2	1/8	1/2	63/4	13/8	388



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
8-5V710-SF	7.10	7.00	215/16	SF	A1	-	17/16	21/8	21/16	25/16	19
8-5V750-SF	7.50	7.40	215/16	SF	A1	-	17/16	21/8	21/16	25/16	20
8-5V800-E	8.00	7.90	31/2	E	A1	-	15/8	21/2	25/8	19/16	25
8-5V850-E	8.50	8.40	31/2	E	A1	-	15/8	21/2	25/8	19/16	29
8-5V900-E	9.00	8.90	31/2	E	A1	-	15/8	21/2	25/8	19/16	32
8-5V925-F	9.25	9.15	31/2	F	A1	-	19/16	29/16	35/5	5/8	39
8-5V975-F	9.75	9.65	315/16	F	A1	-	19/16	29/16	35/8	5/8	42
8-5V1030-F	10.30	10.20	315/16	F	A1	-	19/16	29/16	35/8	5/8	52
8-5V1090-F	10.90	10.80	315/16	F	A1	-	19/16	29/16	35/8	5/8	59
8-5V1130-F	11.30	11.20	315/16	F	A1	-	19/16	29/16	35/8	5/8	62
8-5V1180-F	11.80	11.70	315/16	F	A1	-	19/16	29/16	35/8	5/8	64
8-5V1250-F	12.50	12.40	315/16	F	A3	7	19/16	29/16	35/8	5/8	66
8-5V1320-F	13.20	13.10	315/16	F	A3	7	19/16	29/16	35/8	5/8	68
8-5V1400-F	14.00	13.90	315/16	F	A3	7	19/16	29/16	35/8	5/8	70
8-5V1500-F	15.00	14.90	315/16	F	A3	7	19/16	29/16	35/8	5/8	73
8-5V1600-F	16.00	15.90	315/16	F	A1	7	19/16	19/16	35/8	5/8	89
8-5V1870-J	18.70	18.60	41/2	J	A3	73/4	3/8	19/16	41/2	15/16	132
8-5V2120-J	21.20	21.10	41/2	J	A3	73/4	3/8	19/16	41/2	15/16	150
8-5V2360-J	23.60	23.50	41/2	J	A3	73/4	3/8	19/16	41/2	15/16	162
8-5V2800-J	28.00	27.90	41/2	J	A3	73/4	3/8	19/16	41/2	15/16	191
8-5V3150-M	31.50	31.40	51/2	M	B3	91/2	1/2	115/16	63/4	17/16	298
8-5V3750-M	37.50	37.40	51/2	M	B3	91/2	1/2	115/16	63/4	17/16	319
8-5V5000-M	50.00	49.90	51/2	M	B3	91/2	1/2	115/16	63/4	17/16	497



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
10-5V800-E	8.00	7.90	31/2	E	A1	-	23/8	31/4	25/8	23/16	27
10-5V850-E	8.50	8.40	31/2	E	A1	-	23/8	31/4	25/8	23/16	32
10-5V900-F	9.00	8.90	315/16	F	A1	-	25/16	35/16	35/8	11/4	41
10-5V925-F	9.25	9.15	315/16	F	A1	-	25/16	35/16	35/8	11/4	47
10-5V975-F	9.75	9.65	315/16	F	A1	-	25/16	35/16	35/8	11/4	58
10-5V1030-F	10.30	10.20	315/16	F	A1	-	25/16	35/16	35/8	11/4	66
10-5V1090-F	10.90	10.80	315/16	F	A1	-	25/16	35/16	35/8	11/4	75
10-5V1130-F	11.30	11.20	315/16	F	A1	-	25/16	35/16	35/8	11/4	79
10-5V1180-F	11.80	11.70	315/16	F	A1	-	25/16	35/16	35/8	11/4	80
10-5V1250-J	12.50	12.40	41/2	J	A1	-	23/8	39/16	41/2	5/16	82
10-5V1320-J	13.20	13.10	41/2	J	A1	-	23/8	39/16	41/2	5/16	85
10-5V1400-J	14.00	13.90	41/2	J	A2	73/4	23/8	39/16	41/2	5/16	90
10-5V1500-J	15.00	14.90	41/2	J	A2	73/4	23/8	39/16	41/2	5/16	92
10-5V1600-J	16.00	15.90	41/2	J	A2	-	23/8	39/16	41/2	5/16	102
10-5V1870-J	18.70	18.60	41/2	J	A3	73/4	3/8	19/16	41/2	23/16	150
10-5V2120-J	21.20	21.10	41/2	J	A3	73/4	3/8	19/16	41/2	23/16	164
10-5V2360-M	23.60	23.50	41/2	M	B3	91/2	1/2	115/16	63/4	1/16	258
10-5V2800-M	28.00	27.90	51/2	M	B3	91/2	1/2	115/16	63/4	1/16	278
10-5V3150-M	31.50	31.40	51/2	M	B3	91/2	1/2	115/16	63/4	1/16	318
10-5V3750-M	37.50	37.40	51/2	M	B3	91/2	1/2	115/16	63/4	1/16	340
10-5V5000-M	50.00	49.90	51/2	M	B3	91/2	1/2	1 15/16	63/4	1/16	538



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
4-8V1250-F	12.50	12.30	315/16	F	A1	-	3/16	13/16	35/8	11/16	63
4-8V1320-F	13.20	13.00	315/16	F	A2	7	3/16	13/16	35/8	11/16	66
4-8V1400-F	14.00	13.80	315/16	F	A2	7	3/16	13/16	35/8	11/16	70
4-8V1500-F	15.00	14.80	315/16	F	A2	7	3/16	13/16	35/8	11/16	74
4-8V1600-F	16.00	15.80	315/16	F	A2	7	3/16	13/16	35/8	11/16	82
4-8V1700-F	17.00	16.80	315/16	F	A3	7	3/16	13/16	35/8	11/16	94
4-8V1800-F	18.00	17.80	315/16	F	A3	7	3/16	13/16	35/8	11/16	99
4-8V1900-F	19.00	18.80	315/16	F	A3	7	3/16	13/16	35/8	11/16	105
4-8V2000-J	20.00	19.80	41/2	J	A3	73/4	1/4	17/16	41/2	1/8	141
4-8V2120-J	21.20	21.00	41/2	J	A3	73/4	1/4	17/16	41/2	1/8	150
4-8V2240-J	22.40	22.20	41/2	J	A3	73/4	1/4	17/16	41/2	1/8	177
4-8V2480-M	24.80	24.60	51/2	M	C3	91/2	5/8	13/16	63/4	11/4	223
4-8V3000-M	30.00	29.80	51/2	M	C3	91/2	5/8	13/16	63/4	11/4	285
4-8V3550-M	35.50	35.30	51/2	M	C3	91/2	5/8	13/16	63/4	11/4	305
4-8V4000-M	40.00	39.80	51/2	M	C3	91/2	5/8	13/16	63/4	11/4	355
4-8V4450-M	44.50	44.30	51/2	M	C3	91/2	5/8	13/16	63/4	11/4	369
4-8V5300-M	53.00	52.80	51/2	M	C3	91/2	3/8	13/16	63/4	11/4	478


Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
5-8V1250-F	12.50	12.30	315/16	F	A1	-	15/16	25/16	35/8	11/16	68
5-8V1320-F	13.20	13.00	315/16	F	A2	7	15/16	25/16	35/8	11/16	75
5-8V1400-F	14.00	13.80	315/16	F	A2	7	15/16	25/16	35/8	11/16	78
5-8V1500-F	15.00	14.80	315/16	F	A2	7	15/16	25/16	35/8	11/16	94
5-8V1600-F	16.00	15.80	315/16	F	A2	7	15/16	25/16	35/8	11/16	101
5-8V1700-J	17.00	16.80	41/2	J	A3	73/4	13/16	2	41/2	11/16	111
5-8V1800-J	18.00	17.80	41/2	J	A3	73/4	13/16	2	41/2	11/16	130
5-8V1900-J	19.00	18.80	41/2	J	A3	73/4	13/16	2	41/2	11/16	135
5-8V2000-J	20.00	19.80	41/2	J	A3	73/4	13/16	2	41/2	11/16	152
5-8V2120-J	21.20	21.00	41/2	J	A3	73/4	13/16	2	41/2	11/16	183
5-8V2240-M	22.40	22.20	51/2	M	B3	91/2	1/2	115/16	63/4	11/4	223
5-8V2480-M	24.80	24.60	51/2	M	B3	91/2	1/2	115/16	63/4	11/4	254
5-8V3000-M	30.00	29.80	51/2	M	B3	91/2	1/2	115/16	63/4	11/4	294
5-8V3550-M	35.50	35.30	51/2	M	B3	91/2	1/2	115/16	63/4	11/4	325
5-8V4000-M	40.00	39.80	51/2	M	B3	91/2	1/2	115/16	63/4	11/4	430
5-8V4450-N	44.50	44.30	6	N	C3	101/2	13/16	15/16	81/8	15/16	485
5-8V5300-N	53.00	52.80	6	N	C3	101/2	13/16	15/16	81/8	15/16	672

**T_{aper}
B_{ore}** **V-pulleys**

3V-5V-8V

Cast Iron Sheaves

QTL



Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
6-8V1250-F	12.50	12.30	315/16	F	A1	-	15/16	25/16	35/8	23/16	86
6-8V1320-F	13.20	13.00	315/16	F	A1	-	15/16	25/16	35/8	23/16	94
6-8V1400-F	14.00	13.80	315/16	F	A1	-	15/16	25/16	35/8	23/16	108
6-8V1500-J	15.00	14.80	41/2	J	A1	-	13/8	29/16	41/2	11/4	138
6-8V1600-J	16.00	15.80	41/2	J	A1	-	13/8	29/16	41/2	11/4	142
6-8V1700-J	17.00	16.80	41/2	J	A2	73/4	13/8	29/16	41/2	11/4	144
6-8V1800-J	18.00	17.80	41/2	J	A2	73/4	13/8	29/16	41/2	11/4	160
6-8V1900-J	19.00	18.80	41/2	J	A2	73/4	13/8	29/16	41/2	11/4	172
6-8V2000-M	20.00	19.80	51/2	M	B2	91/2	11/2	215/16	63/4	11/8	204
6-8V2120-M	21.20	21.00	51/2	M	B2	91/2	11/2	215/16	63/4	11/8	226
6-8V2240-M	22.40	22.20	51/2	M	B3	91/2	11/2	215/16	63/4	11/8	235
6-8V2480-M	24.80	24.60	51/2	M	B3	91/2	1/2	115/16	63/4	1/8	246
6-8V3000-M	30.00	29.80	51/2	M	B3	91/2	1/2	115/16	63/4	1/8	306
6-8V3550-N	35.50	35.30	6	N	C3	101/2	5/8	11/8	81/8	3/8	466
6-8V4000-N	40.00	39.80	6	N	C3	101/2	5/8	11/8	81/8	3/8	548
6-8V4450-N	44.50	44.30	6	N	C3	101/2	5/8	11/8	81/8	3/8	590
6-8V5300-N	53.00	52.80	6	N	C3	101/2	5/8	11/8	81/8	3/8	658
6-8V6300-P	63.00	62.80	63/4	P	C3	121/4	-	2	93/8	17/8	860
6-8V7100-P	71.00	70.80	63/4	P	C3	121/4	5/8	25/8	93/8	21/2	1272


Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
8-8V1250-J	12.50	12.30	41/2	J	A1	-	23/8	39/16	41/2	21/2	108
8-8V1320-J	13.20	13.00	41/2	J	A1	-	23/8	39/16	41/2	21/2	118
8-8V1400-J	14.00	13.80	41/2	J	A1	-	23/8	39/16	41/2	21/2	131
8-8V1500-J	15.00	14.80	41/2	J	A1	-	23/8	39/16	41/2	21/2	151
8-8V1600-J	16.00	15.80	41/2	J	A1	-	23/8	39/16	41/2	21/2	155
8-8V1700-M	17.00	16.80	51/2	M	A2	91/2	21/2	315/16	63/4	1/8	188
8-8V1800-M	18.00	17.80	51/2	M	A2	91/2	21/2	315/16	63/4	1/8	202
8-8V1900-M	19.00	18.80	51/2	M	A2	91/2	21/2	315/16	63/4	1/8	221
8-8V2000-M	20.00	19.80	51/2	M	A2	91/2	21/2	315/16	63/4	1/8	236
8-8V2120-M	21.20	21.00	51/2	M	A2	91/2	21/2	315/16	63/4	1/8	267
8-8V2240-M	22.40	22.20	51/2	M	A3	91/2	21/2	315/16	63/4	1/8	284
8-8V2480-M	24.80	24.60	6	N	A3	101/2	1/2	21/4	81/8	3/4	418
8-8V3000-N	30.00	29.80	6	N	A3	101/2	1/2	21/4	81/8	3/4	447
8-8V3550-N	35.50	35.30	6	N	A3	101/2	1/2	21/4	81/8	3/4	553
8-8V4000-N	40.00	39.80	6	N	A3	101/2	1/2	21/4	81/8	3/4	648
8-8V4450-P	44.50	44.30	63/4	P	B3	121/4	5/8	25/8	93/8	5/8	679
8-8V5300-P	53.00	52.80	63/4	P	B3	121/4	5/8	25/8	93/8	5/8	946
8-8V6300-P	63.00	62.80	63/4	P	B3	121/4	5/8	25/8	93/8	5/8	1372
8-8V7100-W	71.00	70.80	81/2	w	C3	16	7/8	13/8	113/8	3/4	1680

**T_{aper}
B_{ore}** **V-pulleys**


3V-5V-8V

Cast Iron Sheaves


QTL



A-1



A-2



A-3

Sheave	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT Less Bush
10-8V1250-J	12.50	12.30	41/2	J	A1	-	23/8	39/16	41/2	43/4	122
10-8V1320-J	13.20	13.00	41/2	J	A1	-	23/8	39/16	41/2	43/4	140
10-8V1400-J	14.00	13.80	41/2	J	A1	-	23/8	39/16	41/2	43/4	152
10-8V1500-M	15.00	14.80	51/2	M	A1	-	21/2	315/16	63/4	23/8	212
10-8V1600-M	16.00	15.80	51/2	M	A1	-	21/2	315/16	63/4	23/8	219
10-8V1700-M	17.00	16.80	51/2	M	A2	91/2	21/2	315/16	63/4	23/8	228
10-8V1800-M	18.00	17.80	51/2	M	A2	91/2	21/2	315/16	63/4	23/8	236
10-8V1900-M	19.00	18.80	51/2	M	A2	91/2	21/2	315/16	63/4	23/8	260
10-8V2000-M	20.00	19.80	51/2	M	A2	91/2	21/2	315/16	63/4	23/8	280
10-8V2120-M	21.20	21.00	51/2	M	A2	91/2	21/2	315/16	63/4	23/8	298
10-8V2240-N	22.40	22.20	6	N	A2	101/2	1/2	21/4	81/8	3	366
10-8V2480-N	24.80	24.60	6	N	A2	101/2	1/2	21/4	81/8	3	454
10-8V3000-N	30.00	29.80	6	N	A3	101/2	1/2	21/4	81/8	3	468
10-8V3550-P	35.50	35.30	63/4	P	A3	121/4	5/8	25/8	93/8	15/8	784
10-8V4000-P	40.00	39.80	63/4	P	A3	121/4	5/8	25/8	93/8	15/8	826
10-8V4450-P	44.50	44.30	63/4	P	A3	121/4	5/8	25/8	93/8	15/8	996
10-8V5300-W	53.00	52.80	63/4	P	A3	121/4	5/8	25/8	93/8	1/4	1010
10-8V6300-W	63.00	62.80	81/2	w	A3	16	5/8	27/8	113/8	-	1443
10-8V7100-W	71.00	70.80	81/2	w	A3	16	5/8	27/8	113/8	-	1 842

SHEAVE	De	Dp	Bush Max Bore	Bush	Type	Db	E	K	L	M	WT L ess Bush
12-8V1250-M	12.50	12.30	51/2	M	A1	-	21/2	315/16	63/4	45/8	161
12-8V1320-M	13.20	13.00	51/2	M	A1	-	21/2	315/16	63/4	45/8	185
12-8V1400-M	14.00	13.80	51/2	M	A1	-	21/2	315/16	63/4	45/8	211
12-8V1500-M	15.00	14.80	51/2	M	A1	-	21/2	315/16	63/4	45/8	234
12-8V1600-M	16.00	15.80	51/2	M	A1	-	21/2	315/16	63/4	45/8	285
12-8V1700-M	17.00	16.8	51/2	M	A1	-	21/2	315/16	63/4	45/8	324
12-8V1800-M	18.00	17.80	51/2	M	A2	-	21/2	315/16	63/4	45/8	330
12-8V1900-N	19.00	18.80	6	N	A2	101/2	1/2	21/4	81/8	51/4	338
12-8V2000-N	20.00	19.80	6	N	A2	101/2	1/2	21/4	81/8	51/4	365
12-8V2120-N	21.20	21.00	6	N	A2	101/2	1/2	21/4	81/8	51/4	387
12-8V2240-N	22.40	22.20	6	N	A2	101/2	1/2	21/4	81/8	51/4	399
12-8V2480-N	24.80	24.60	6	N	A2	101/2	1/2	21/4	81/8	51/4	454
12-8V3000-P	30.00	29.80	63/4	P	A3	1212	5/8	25/8	93/8	37/8	605
12-8V3550-P	35.50	35.30	63/4	P	A3	121/4	5/8	25/8	93/8	37/8	706
12-8V4000-P	40.00	39.80	63/4	P	A3	121/4	5/8	25/8	93/8	37/8	766
12-8V4450-P	44.50	44.30	63/4	P	A3	121/4	5/8	25/8	93/8	37/8	910
12-8V5300-W	53.00	52.80	81/2	w	A3	16	5/8	27/8	113/8	21/4	1333
12-8V6300-W	63.00	62.80	81/2	w	A3	16	5/8	27/8	113/8	21/4	1777
12-8V7100-W	71.00	70.80	81/2	w	A3	16	5/8	27/8	113/8	21/4	2002