




CSX Type Couplings

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com





NSPT CS Coupling 图纸

NSPT CS-Coupling

Catalog	Fundamental Dimensions				Bolt		Keyway	wt Lbs
	OD	B	L	C	Size	Qty		
CS-04	12	1/4	3/4	3/16	#6-32 x1/8	2	-	0.06
CS-05	5/8	5/16	1	1/4	#10-24 x3/16		-	0.06
CS-06	3/4	3/8	1	1/4	#10-24 x3/16		-	0.1
CS-08	1	1/2	1 1/2	3/8	1/4-20 x1/4		-	0.2
CS-10	1 1/4	5/8	2	1/2	1/4-20 x1/4		-	0.5
CS-10K	1 1/4	5/8	2	1/2	1/4-20 x3/16		3/16 x3/32	0.5
CS-12	1 1/2	3/4	2	1/2	5/16-18 x1/4		-	0.8
CS-12K	1 1/2	3/4	2	1/2	5/16-18 x1/4		3/16 x3/32	0.8
CS-14	1 3/4	7/8	2	1/2	5/16-18 x1/4		-	1.0
CS-14K	1 3/4	7/8	2	1/2	5/16-18 x1/4		3/16 x3/32	1.0
CS-16	2	1	3	3/4	3/8-16 x3/8		-	1.9
CS-16K	2	1	3	3/4	3/8-16 x3/8		1/4 x1/8	1.9
CS-18	2 1/8	1 1/8	3	3/4	3/8 x16 x3/8		1/4 x1/8	2.1
CS-18K	2 1/8	1 1/8	3	3/4	3/8 x16 x1/8		1/4 x1/8	2.1
CS-20	2 1/4	1 1/4	4	1	3/8 x16 x3/8		-	3.1
CS-20K	2 1/4	1 1/4	4	1	3/8 x16 x3/8		1/4 x1/8	3.1
CS-22	2 1/2	1 3/8	4 1/2	1	3/8 x16 x3/8		-	4.3
CS-22K	2 1/2	1 3/8	4 1/2	1	3/8 x16 x3/8		5/16 x5/32	4.3

NSPT CSX-Coupling 图纸

NSPT CSX-Coupling



Catalog	Bushing			Fundamental Dimensions						Max. Torque (in.Lbs)	G (Lbs)
	Size	Bore		OD	L	H	G	X	E		
		Min	Max								
CSH	H	3/8	1-1/2	2-1/8	2-7/8	2-1/8	7/16	2	3/16	1700	1.6
CSP	PI	1/2	1-3/4	3	4-1/4	3	5/8	3	1/4	5660	3.4
CSO	OL	3/4	2-11/16	4-3/8	4-1/2	4-1/8	3/4	4	9/32	14600	9.6