



Flame Cut Sprockets

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com

Flame Cut Sprockets

1.654 Flame cut sprockets for chains


1.654"

62cast-062-62Steel-62A-HF62A-62H-072-162-R362

PITCH

R432-RR432-962-LXS627-IS620-162R-US622-378R

402RS-US620



1654 plate thickness 3/4" Roller Diameter 13/16"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
1654C12	12	6.39	15/16	23/4	41/4	31/8	15.8	1654A12	15/16	6.8
1654C13	13	6.91	15/16	31/4	43/4	31/2	19.4	1654A13	15/16	8.0
1654C14	14	7.43	15/16	31/4	43/4	31/2	20.6	1654A14	15/16	9.2
1654C15	15	7.96	15/16	31/4	43/4	31/2	22.0	1654A15	15/16	10.5
1654C17	17	9.00	15/16	31/4	43/4	31/2	24.0	1654A17	15/16	12.0
1654C19	19	10.05	15/16	31/4	43/4	31/2	28.0	1654A19	15/16	16.8
1654C20	20	10.57	15/16	31/4	43/4	31/2	30.0	1654A20	15/16	18.6
1654C24	24	12.67	11/4	33/4	51/2	43/5	49.0	1654A24	11/4	26.0
1654C26	26	13.72	11/4	33/4	51/2	43/8	53.0	1654A26	11/4	30.0
1654C30	30	15.82	11/4	33/4	51/2	43/8	65.0	1654A30	11/4	42.0
1654C36	36	18.98	11/4	33/4	51/2	43/8	82.0	1654A36	11/4	59.0
1654C54	54	28.45	11/4	33/4	51/2	43/8	125.0	1654A54	11/4	135.0
1654C60	60	31.60	11/4	33/4	51/2	43/8	138.0	1654A60	11/4	169

Flame Cut Sprockets

3067 Flame cut sprockets for chains

AX1568-568-JS3011-SS568-XX568-1803A-1803AB-MXS3011

3.067"

IS3011-IS301-US3011-LXS3011-LXS3011M

PITCH

3067 plate thickness 11/4" Roller Diameter 15/8"

Catalog No	Z	P.D	Stock Bore	Max Hub	Hub Diameter	A1	wtLbs	Catalog No.	Stock Bore	wt Lbs
3067C10	10	9.92	1 1/2	3 3/4	5 1/2	4 1/4	46	3067A10	1 1/2	28
3067C12	12	11.85	1 1/2	3 3/4	5 1/2	4 1/4	58	3067A12	1 1/2	40
3067C14	14	13.78	1 1/2	3 3/4	5 1/2	4 1/4	73	3067A14	1 1/2	53
3067C30	30	29.34	1 1/2	4 1/2	6 1/2	5 3/4	217	3067A30	1 1/2	240
3067C36	36	35.19	1 1/2	5 3/8	7 1/2	5 7/8	257	3067A36	1 1/2	290
3067C42	42	41.04	1 1/2	5 1/2	8	6 1/8	407	3067A42	1 1/2	340
3067C48	48	46.89	1 1/2	5 1/2	8	6 1/8	448	3067A48	1 1/2	381

A3075 Flame cut sprockets for chains

3.075"

1030-R1033-R1035-1037-1539-SS40-LXS1031-AP13-LX1032

PITCH

SS40Hyp-IS1030-IS1031-IS1032-IS1037-US1031-1190-1190
US1032

A3075 plate thickness 11/4" Roller Diameter 11/4"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
A3075C08	8	8.05	11/4	31/4	5	37/8	31	A3075A08	11/4	17.9
A3075C09	9	8.99	11/4	31/4	5	37/8	36	A3075A09	11/4	22.4
A3075C10	10	9.95	11/4	31/4	5	37/8	40	A3075A10	11/4	28
A3075C11	11	10.91	11/2	33/4	5 1/2	4 1/4	51	A3075A11	11/2	33
A3075C12	12	11.88	11/2	33/4	5 1/2	4 1/4	57	A3075A12	11/2	39
A3075C13	13	12.85	11/2	33/4	5 1/2	4 1/4	64	A3075A13	11/2	46
A3075C15	15	14.79	11/2	4	6	5 1/8	91	A3075A15	11/2	60
A3075C17	17	16.73	11/2	4	6	5 1/8	109	A3075A17	11/2	78
A3075C19	19	18.68	11/2	4 1/2	6 1/2	5 3/4	137	A3075A19	11/2	97
A3075C21	21	20.63	11/2	4 1/2	6 1/2	5 3/4	158	A3075A21	11/2	118
A3075C24	24	23.56	11/2	4 1/2	6 1/2	5 3/4	176	A3075A24	11/2	154
A3075C25	25	24.53	11/2	5 3/8	7 1/2	5 7/8	206	A3075A25	11/2	167
A3075C28	28	27.46	11/2	5 3/8	7 1/2	5 7/8	236	A3075A28	11/2	210
A3075C30	30	29.42	11/2	5 3/8	7 1/2	5 7/8	254	A3075A30	11/2	240
A3075C35	35	34.30	11/2	5 1/2	8	6 1/8	313	A3075A35	11/2	287
A3075C40	40	39.19	11/2	5 1/2	8	6 1/8	360	A3075A40	11/2	327
A3075C42	42	41.15	11/2	5 1/2	8	6 1/8	410	A3075A42	11/2	343
A3075C48	48	47.03	11/2	6 1/2	9 1/2	6 3/4	501	A3075A48	11/2	384
A3075C54	54	52.89	11/2	6 1/2	9 1/2	6 3/4	549	A3075A54	11/2	432
A3075C60	60	58.75	11/2	7	10	7 1/2	642	A3075A60	11/2	506

Flame Cut Sprockets

3500 Flame cut sprockets for chains

RX238-IS3514J-1616A-MXS3514-US3514-LXS3514-LXS3514M **3.500"**

PITCH

3500 plate thickness 11/4" Roller Diameter 13/4"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
3500C10	10	11.33	11/2	33/4	5 1/2	4 1/4	54	3500A10	11/2	35
3500C12	12	13.52	11/2	33/4	5 1/2	4 1/4	70	3500A12	11/2	51
3500C14	14	15.73	11/2	33/4	5 1/2	4 1/4	88	3500A14	11/2	60
3500C30	30	33.48	11/2	4	6	5 1/8	312	3500A30	11/2	253
3500C36	36	40.16	11/2	4	6	5 1/8	345	3500A36	11/2	270
3500C42	42	46.84	11/2	5 1/2	8	6 1/8	446	3500A42	11/2	379
3500C48	48	53.52	11/2	5 1/2	8	6 1/8	517	3500A48	11/2	450

4063 Flame cut sprockets for chains

4.063"

1240-1244-RC1245-R1248-SS124

PITCH

LXS1245-SS124D-SS124DP-IS1242-IS1425

4063 plate thickness 13/4" Roller Diameter 13/4"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
4063C06	6	8.13	15/16	21/2	4	4	34	4063A06	15/16	26
4063C07	7	9.36	11/4	33/4	51/4	43/4	51	4063A07	11/4	34
4063C08	8	10.62	11/2	41/2	61/2	5	78	4063A08	11/2	44
4063C09	9	11.88	11/2	41/2	61/2	5	89	4063A09	11/2	55
4063C10	10	13.15	11/2	41/2	61/2	5	101	4063A10	11/2	67
4063C11	11	14.42	11/2	41/2	61/2	5	115	4063A11	11/2	81
4063C12	12	15.70	11/2	51/4	7	6	140	4063A12	11/2	96
4063C13	13	16.98	11/2	51/4	7	6	155	4063A13	11/2	111
4063C14	14	18.26	11/2	51/4	7	6	174	4063A14	11/2	130
4063C15	15	19.54	11/2	51/4	7	6	192	4063A15	11/2	148
4063C16	16	20.83	11/2	51/2	8	61/4	230	4063A16	11/2	168
4063C18	18	23.40	11/2	51/2	8	61/4	275	4063A18	11/2	213
4063C20	20	25.97	11/2	51/2	8	61/4	300	4063A20	11/2	263
4063C21	21	27.26	11/2	51/2	8	61/4	319	4063A21	11/2	289
4063C24	24	31.12	11/2	51/2	8	61/4	387	4063A24	11/2	377
4063C25	25	33.42	11/2	6	9	61/4	426	4063A25	11/2	409
4063C28	28	36.29	11/2	6	9	61/4	494	4063A28	11/2	479
4063C30	30	38.87	11/2	7	10	63/4	583	4063A30	11/2	498
4063C35	35	45.33	11/2	7	10	63/4	729	4063A35	11/2	620
4063C40	40	51.78	11/2	71/2	11	73/4	932	4063A40	11/2	721
4063C48	48	62.12	11/2	71/2	11	73/4	1078	4063A48	11/2	867

Flame Cut Sprockets

4500 Flame cut sprockets for chains

RO625-B635-X635-1350-450SX-450SXX-IS4522-1340RX

4.50"

LXS4522M

PITCH

4500 plate thickness 13/4" Roller Diameter 21/4"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
4500C 10	10	14.56	1 1/2	4	6 1/2	5	111	4500A10	1 1/2	87
4500C 12	12	17.39	1 1/2	4	6 1/2	5	148	4500A12	1 1/2	119
4500C 14	14	20.22	1 1/2	4	6 1/2	5	188	4500A14	1 1/2	159
4500C 30	30	43.05	1 1/2	5 3/8	7 1/2	5 7/8	592	4500A30	1 1/2	542
4500C 36	36	51.63	1 1/2	5 3/8	7 1/2	5 7/8	764	4500A36	1 1/2	715
4500C 42	42	60.22	1 1/2	6 1/2	9 1/2	7 1/4	884	4500A42	1 1/2	776
4500C 48	48	68.81	1 1/2	7 1/2	11	7 3/4	1174	4500A48	1 1/2	963

5000 Flame cut sprockets for chains

5.00"

RX1207-RO1205-A1302-JS5031-1510XX-1602A-1602AA

PITCH

LXS1245-SS124D-SS124DP-IS1242-IS1425

5000 plate thickness 2 1/4" Roller Diameter 2 1/2"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
5000C10	10	16.18	1 1/2	4 1/2	6 1/2	5 1/2	160	5000A10	1 1/2	131
5000C12	12	19.32	1 1/2	4 1/2	6 1/2	5 1/2	215	5000A12	1 1/2	187
5000C14	14	22.47	1 1/2	5 3/8	7 1/2	5 7/8	298	5000A14	1 1/2	254
5000C30	30	47.84	1 1/2	6	9	6 3/4	809	5000A30	1 1/2	730
5000C36	36	57.37	1 1/2	7	10	8 1/2	1161	5000A36	1 1/2	1025
5000C42	42	66.91	1 1/2	7	10	8 1/2	1245	5000A42	1 1/2	1109
5000C48	48	76.45	1 1/2	7 1/2	11	10 1/4	2005	5000A48	1 1/2	1794

Flame Cut Sprockets

2.609"

2609 Flame cut sprockets for chains


PITCH

78-H74-75-H75-H78-H78LR-H78RT-H78SR-88-188-S188

S78-R588-RR588-R778-998-IS880-81X-IS882-US881

LXS881-LXS886-LXS887-LXS882-488-XS578-SS188-C188

US278R-US882-578R-588R



2609 plate thickness 7/8" Roller Diameter 7/8"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
2609C08	8	6.82	15/16	31/4	43/4	31/8	21	2609A08	15/16	9.0
2609C09	9	7.63	11/4	37/16	51/4	37/8	29	2609A09	11/4	11.3
2609C10	10	8.44	11/4	37/16	51/4	37/8	31	2609A10	11/4	13.9
2609C11	11	9.26	11/4	37/16	51/4	37/8	34	2609A11	11/4	16.7
2609C12	12	10.08	11/4	37/16	51/4	37/8	37	2609A12	11/4	19.8
2609C13	13	10.90	11/4	33/4	51/2	41/2	46	2609A13	11/4	23.0
2609C14	14	11.72	11/4	33/4	51/2	41/2	49	2609A14	11/4	27.0
2609C15	15	12.55	11/2	33/4	51/2	41/2	53	2609A15	11/2	30.0
2609C17	17	14.20	11/2	33/4	51/2	41/2	62	2609A17	11/2	39.0
2609C19	19	15.85	11/2	41/2	61/2	53/8	90	2609A19	11/2	50.0
2609C21	21	17.51	11/2	41/2	61/2	53/8	101	2609A21	11/2	61.0
2609C24	24	19.99	11/2	41/2	61/2	53/8	119	2609A24	11/2	79.0
2609C25	25	20.82	11/2	41/2	61/2	53/8	124	2609A25	11/2	84.0
2609C28	28	23.31	11/2	41/2	61/2	53/8	132	2609A28	11/2	105.0
2609C30	30	24.96	11/2	41/2	61/2	53/8	150	2609A30	11/2	123.0
2609C35	35	29.11	11/2	41/2	61/2	53/8	170	2609A35	11/2	166.0
2609C40	40	33.25	11/2	415/16	71/4	63/4	226	2609A40	11/2	216.0
2609C42	42	34.91	11/2	415/16	71/4	63/4	240	2609A42	11/2	240.0
2609C46	46	38.31	11/2	415/16	71/4	63/4	258	2609A46	11/2	286.0
2609C54	54	44.87	11/2	415/16	71/4	63/4	368	2609A54	11/2	302.0
2609C60	60	49.85	11/2	415/16	71/4	63/4	388	2609A60	11/2	322.0

Flame Cut Sprockets


3.075"

3075 Flame cut sprockets for chains

PITCH

H82-WH82-WR82-103-131-S131-WS82-WS82H-SS131-527R
527RX-C9103-6131-4103-C131-382

B3075 plate thickness 11/8" Roller Diameter 17/32"



Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
B3075C07	7	7.09	13/16	215/16	41/2	37/8	24	B3075A07	13/16	12.6
B3075C08	8	8.04	11/4	33/4	51/4	41/8	34	B3075A08	11/4	16
B3075C09	9	8.99	11/4	33/4	51/4	41/8	38	B3075A09	11/4	20
B3075C10	10	9.95	11/4	33/4	51/4	41/8	43	B3075A10	11/4	25
B3075C11	11	10.91	11/4	315/16	53/4	43/8	54	B3075A11	11/4	30
B3075C12	12	11.88	11/4	315/16	53/4	43/8	60	B3075A12	11/4	36
B3075C13	13	12.85	11/4	315/16	53/4	43/8	66	B3075A13	11/4	42
B3075C14	14	13.82	11/4	315/16	53/4	43/8	72	B3075A14	11/4	48
B3075C15	15	14.79	11/2	41/2	61/2	55/8	94	B3075A15	11/2	54
B3075C16	16	15.76	11/2	41/2	61/2	55/8	102	B3075A16	11/2	62
B3075C17	17	16.73	11/2	41/2	61/2	55/8	110	B3075A17	11/2	70
B3075C18	18	17.71	11/2	41/2	61/2	55/8	119	B3075A18	11/2	79

Flame Cut Sprockets

4000 Flame cut sprockets for chains

4.00"

H124-W124-WS124-WR124-WH124

PITCH

4000 plate thickness 11/2" Roller Diameter 11/2"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
4000C06	6	8.00	15/16	31/4	43/4	45/8	36	4000A06	15/16	21
4000C07	7	9.22	1	315/16	53/4	43/4	52	4000A07	1	28
4000C08	8	10.45	1	315/16	53/4	43/4	61	4000A08	1	37
4000C09	9	11.70	1	315/16	53/4	43/4	70	4000A09	1	46
4000C10	10	12.94	1	315/16	53/4	43/4	79	4000A10	1	55
4000C11	11	14.20	11/2	41/4	61/4	43/4	95	4000A11	11/2	68
4000C12	12	15.45	11/2	41/4	61/4	43/4	107	4000A12	11/2	80
4000C13	13	16.72	11/2	41/4	61/4	43/4	120	4000A13	11/2	93
4000C14	14	17.98	11/2	41/4	61/4	43/4	135	4000A14	11/2	108
4000C15	15	19.24	11/2	43/8	63/4	6	168	4000A15	11/2	124
4000C16	16	20.50	11/2	43/8	63/4	6	185	4000A16	11/2	141

6050 Flame cut sprockets for chains

6.05"

C132-A132-A132WS-WS132-C132M-C132W-SX150-SXA150

PITCH

150X-6150-W157-WH157-WR157

6050 plate thickness 23/4" Roller Diameter 123/32"

Catalog No.	Z	P.D	Stock Bore	Max Bore	Hub Diameter	A1	wt Lbs.	Catalog No.	Stock Bore	wt Lbs
6050C06	6	12.10	1 1/2	4 1/2	6 1/2	6	119	6050A06	1 1/2	90
6050C07	7	13.95	1 1/2	4 1/2	6 1/2	6	149	6050A07	1 1/2	120
6050C08	8	15.81	1 1/2	4 1/2	6 1/2	6	182	6050A08	1 1/2	153
6050C09	9	17.69	1 1/2	5 3/8	7 1/2	6 3/8	236	6050A09	1 1/2	192
6050C10	10	19.58	1 1/2	5 3/8	7 1/2	6 3/8	278	6050A10	1 1/2	235
6050C11	11	21.47	1 1/2	5 3/8	7 1/2	6 3/8	326	6050A11	1 1/2	283
6050C12	12	23.38	1 1/2	5 3/8	7 1/2	6 3/8	378	6050A12	1 1/2	334