



STL 3V-5V-8V V pulleys

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com



Hangzhou Ocean Industry CO., LTD.


T_B
aper
ore

V-pulleys

3V-5V-8V

Cast Iron Sheaves

STL




Sheave	Diameters		Bushing	Type	Dimensions										wt Incl Bush
	Dp	De			I.D	OL	L	P	C	H	G	X	E		
2-G3V26	2.60	2.65	G	G2	-	119/32	1	5/16	13/32	2	7/16	31/32	3/16	0.8	
2-G3V28	2.75	2.80	G	G2	-	119/32	1	5/16	13132	2	7/16	31/32	3/16	0.9	
2-G3V30	2.95	3.00	G	G2	-	119/32	1	5/16	13/32	2	7/16	31/32	3/16	1.3	
2-H3V31	3.10	3.15	H	H2	2	119/32	11/4	3/8	7/32	21/2	7/16	13/16	3/16	0.9	
2-H3V33	3.30	3.35	H	H2	2	119/32	11/4	3/8	7/32	21/2	7/16	13/16	3/16	1.3	
2-H3V36	3.60	3.65	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	1.6	
2-P3V36	3.60	3.65	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	2.0	
2-H3V41	4.07	4.12	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	2.3	
2-P3V41	4.07	4.12	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	2.8	
2-H3V45	4.45	4.50	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	2.8	
2-P3V45	4.45	4.50	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	3.5	
2-H3V47	4.70	4.75	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	3.1	
2-P3V47	4.70	4.75	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	4.0	
2-H3V50	4.95	5.00	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	3.4	
2-P3V50	4.95	5.00	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	4.6	
2-H3V53	5.25	5.30	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	3.7	
2-P3V53	5.25	5.30	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	5.6	
2-H3V56	5.55	5.60	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	3.1	
2-P3V56	5.55	5.60	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	6.0	
2-H3V60	5.95	6.00	H	H4	-	11/2	11/4	7/32	-	21/2	7/16	7/8	3/16	3.6	
2-P3V60	5.95	6.00	P1	2	-	23/16	115/16	27/32	-	3	5/8	15/16	1/4	6.8	
2-Q3V65	6.45	6.50	Q1	7C	51/4	225/32	21/2	15/64	21/64	41/8	3/4	13/4	9/32	8.3	
2-Q3V69	6.85	6.90	Q1	7C	55/8	225/32	21/2	15/64	21/64	41/8	3/4	13/4	9/32	9.8	
2-Q3V80	7.95	8.00	Q1	7C	61/2	225/32	21/2	15/64	21/64	41/8	3/4	13/4	9/32	10.8	
2-Q3V106	10.55	10.60	Q1	7C	93/8	225/32	21/2	15/64	21/64	41/8	3/4	13/4	9/32	13.5	
2-Q3V140	13.95	14.00	Q1	7C	123/4	225/32	21/2	15/64	21/64	41/8	3/4	1 3/4	9/32	22.5	
2-Q3V190	18.95	19.00	Q1	7C	173/4	225/32	21/2	15/64	21/64	41/8	3/4	13/4	9/32	28.9	
2-Q3V250	24.95	25.00	Q1	7C	235/8	225/32	21/2	15/64	21/64	41/8	3/4	1 3/4	9/32	43.5	

**Taper
Bore V-pulleys**

3V-5V-8V

Cast Iron Sheaves

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			I.D	OL	L	P	C	H	G	X	E	
3-G3V26	2.60	2.65	G	G2	-	2	1	5/16	13/16	2	7/16	13/8	3/16	1.1
3-G3V28	2.75	2.80	G	G2	-	2	1	5/16	13/16	2	7/16	13/8	3/16	1.6
3-G3V30	2.95	3.00	G	G2	-	2	1	5/16	13/16	2	7/16	13/8	3/16	1.8
3-H3V31	3.10	3.15	H	H2	-	2	11/4	5/16	9/16	21/2	7/16	13/8	3/16	1.4
3-H3V33	3.30	3.35	H	H2	-	2	11/4	5/16	9/16	21/2	7/16	13/8	3/16	1.8
3-P3V36	3.60	3.65	P1	5	23/16	23/8	115/16	5/8	3/16	3	-	15/16	1/4	2.5
3-P3V41	4.07	4.12	P1	5	29/16	23/8	115/16	5/8	3/16	3	-	15/16	1/4	3.0
3-P3V45	4.45	4.50	P1	4A	35/16	23/16	115/16	7/16	-	3	5/8	15/16	1/4	3.9
3-P3V47	4.70	4.75	P1	4A	31/2	23/16	115/16	7/16	-	3	5/8	15/16	1/4	4.4
3-P3V50	4.95	5.00	P1	4A	313/16	23/16	115/16	7/16	-	3	5/8	15/16	1/4	4.9
3-P3V53	5.25	5.30	P1	4A	41/8	23/16	115/16	7/16	-	3	5/8	15/16	1/4	5.9
3-P3V56	5.55	5.60	P1	4A	43/8	23/16	115/16	7/16	-	3	5/8	15/16	1/4	7.5
3-P3V60	5.95	6.00	P1	4A	413/16	23/16	115/16	7/16	-	3	5/8	15/16	1/4	8.0
3-Q3V65	6.45	6.50	Q1	7A	51/4	225/32	21/2	7/8	1/8	41/8	3/4	13/4	9/32	9.9
3-Q3V69	6.85	6.90	Q1	7A	55/8	225/32	21/2	7/8	1/8	41/8	3/4	13/4	9/32	11.3
3-Q3V80	7.95	8.00	Q1	7B	61/2	225/32	21/2	7/8	1/8	41/8	3/4	13/4	9/32	11.9
3-Q3V106	10.55	10.60	Q1	7C	93/8	225/32	21/2	7/8	1/8	41/8	3/4	13/4	9/32	15.1
3-Q3V140	13.95	14.00	Q1	7C	123/4	225/32	21/2	7/8	1/8	41/8	3/4	13/4	9/32	24.5
3-R3V190	18.95	19.00	R1	7C	173/4	35/32	27/8	11/8	1/4	53/8	7/8	2	9/32	35.1
3-R3V250	24.95	25.00	R1	7C	235/8	35/32	27/8	11/8	1/4	53/8	7/8	2	9/32	55.0
3-R3V335	33.45	33.50	R1	7C	321/4	35/32	27/8	11/8	1/4	53/8	7/8	2	9/32	80.0




Hangzhou Ocean Industry CO., LTD.

Taper Bore V-pulleys


3V-5V-8V

Cast Iron Sheaves


STL




4




5




4A



4B



4C



7C

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
4-G3V26	2.60	2.65	G	4	13/8	213/32	1	5/16	17/32	2	7/16	11/2	3/16	1.4
4-G3V28	2.75	2.80	G	4	13/8	213/32	1	5/16	17/32	2	7/16	11/2	3/16	1.8
4-G3V30	2.95	3.00	G	4	13/8	213/32	-	5/16	17/32	2	7/16	11/2	3/16	2.1
4-H3V31	3.10	3.15	H	4	13/4	213/32	11/4	5/16	31/32	21/2	7/16	31/32	3/16	1.8
4-H3V33	3.30	3.35	H	4	2	213/32	11/4	5/16	31/32	21/2	7/16	31/32	3/16	2.3
4-P3V36	3.60	3.65	P1	5	23/16	225/32	115/16	5/8	19/32	3	-	15/16	1/4	2.8
4-P3V41	4.07	4.12	P1	5	29/16	225/32	115/16	5/8	19/32	3	-	15/16	1/4	3.7
4-P3V45	4.45	4.50	P1	4A	35/16	23/16	115/16	1/32	-	3	5/8	15/16	1/4	4.4
4-P3V47	4.70	4.75	P1	4A	31/2	23/16	115/16	1/32	-	3	5/8	15/16	1/4	5.1
4-P3V50	4.95	5.00	P1	4A	313/16	23/16	115/16	1/32	-	3	5/8	15/16	1/4	5.8
4-P3V53	5.25	5.30	P1	4A	41/8	23/16	115/16	1/32	-	3	5/8	15/16	1/4	6.5
4-P3V56	5.55	5.60	P1	4A	43/8	23/16	115/16	1/32	-	3	5/8	15/16	1/4	8.1
4-Q3V60	5.95	6.00	Q1	4A	43/4	225/32	21/2	19/32	-	41/8	3/4	13/4	9/32	9.0
4-Q3V65	6.45	6.50	Q1	4B	51/4	255/64	21/2	43/64	5/64	41/8	3/4	13/4	9/32	11.1
4-Q3V69	6.85	6.90	Q1	4B	55/8	255/64	21/2	43/64	5/64	41/8	3/4	13/4	9/32	12.9
4-Q3V80	7.95	8.00	Q1	4B	61/2	255/64	21/2	43/64	5/64	41/8	3/4	13/4	9/32	13.1
4-Q3V106	10.55	10.60	Q1	4C	93/8	255/64	21/2	43/64	5/64	41/8	3/4	13/4	9/32	15.9
4-Q3V140	13.95	14.00	Q1	4C	123/4	255/64	21/2	43/64	5/64	41/8	3/4	13/4	9/32	25.4
4-R3V190	18.95	19.00	R1	7C	173/4	35/32	27/8	63/64	3/64	53/8	7/8	2	9/32	37.3
4-R3V250	24.95	25.00	R1	7C	235/8	35/32	27/8	63/64	3/64	53/8	7/8	2	9/32	60.0
4-R3V335	33.45	33.50	R1	7C	321/4	35/32	27/8	63/64	3/64	53/8	7/8	2	9/32	88.0



Hangzhou Ocean Industry CO., LTD.





**T_{aper}
B_{ore}**

V-pulleys

Cast Iron Sheaves

3V-5V-8V

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			ID	OL	L	P	C	H	G	X	E	
5-P3V47	4.70	4.75	P1	4B	31/2	29/16	115/16	-	3/8	3	5/8	15/16	1/4	5.6
5-P3V50	4.95	5.00	P1	4B	313/16	29/16	115/16	-	3/8	3	5/8	15/16	1/4	6.0
5-P3V53	5.25	5.30	P1	4B	41/8	29/16	115/16	-	3/8	3	5/8	15/16	1/4	7.1
5-P3V56	5.55	5.60	P1	4B	43/8	29/16	115/16	-	3/8	3	5/8	15/16	1/4	8.1
5-Q3V60	5.95	6.00	Q1	4B	43/4	225/32	21/2	3/16	-	41/8	3/4	13/4	9/32	9.5
5-Q3V65	6.45	6.50	Q1	4B	51/4	31/16	21/2	15/32	9/32	41/8	3/4	13/4	9/32	11.6
5-Q3V69	6.85	6.90	Q1	4B	55/8	31/16	21/2	15/32	9/32	41/8	3/4	13/4	9/32	13.9
5-Q3V80	7.95	8.00	Q1	4B	61/2	31/16	21/2	15/32	9/32	41/8	3/4	13/4	9/32	14.3
5-Q3V106	10.55	10.60	Q1	4C	93/8	31/16	21/2	15/32	9/32	41/8	3/4	13/4	9/32	17.5
5-Q3V140	13.95	14.00	Q1	4C	123/4	31/16	21/2	15/32	9/32	41/8	3/4	13/4	9/32	27.5
5-R3V190	18.95	19.00	R1	4C	173/4	35/16	27/8	23/32	5/32	53/8	7/8	2	9/32	40.9
5-R3V250	24.95	25.00	R1	4C	235/8	35/16	27/8	23/32	5/32	53/8	7/8	2	9/32	64.0
5-R3V335	33.45	33.50	R1	4C	321/4	35/16	27/8	23/32	5/32	53/8	7/8	2	9/32	92.0

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			ID	OL	L	P	C	H	G	X	E	
6-Q3V47	4.70	4.75	Q1	5	31/2	33/4	21/2	3/4	31/32	41/8	3/4	13/4	9/32	5.6
6-Q3V50	4.95	5.00	Q1	5	313/16	33/4	21/2	3/4	31/32	41/8	3/4	13/4	9/32	6.1
6-Q3V53	5.25	5.30	Q1	5	41/8	33/4	21/2	3/4	31/32	41/8	3/4	13/4	9/32	7.3
6-Q3V56	5.55	5.60	Q1	4A	41/4	3	21/2	-	7/32	41/8	3/4	13/4	9/32	8.8
6-Q3V60	5.95	6.00	Q1	4B	43/4	3	21/2	-	7/32	41/8	3/4	13/4	9/32	10.1
6-Q3V65	6.45	6.50	Q1	4B	51/4	317/64	21/2	17/64	31/64	41/8	3/4	13/4	9/32	12.9
6-Q3V69	6.85	6.90	Q1	4B	55/8	317/64	21/2	17/64	31/64	41/8	3/4	13/4	9/32	14.4
6-Q3V80	7.95	8.00	Q1	4B	61/2	317/64	21/2	17/64	31/64	41/8	3/4	13/4	9/32	16.1
6-R3V106	10.55	10.60	R1	4C	93/8	333/64	27/8	33/64	23/64	53/8	7/8	2	9/32	22.4
6-R3V140	13.95	14.00	R1	4C	123/4	333/64	27/8	33/64	23/64	53/8	7/8	2	9/32	32.1
6-R3V190	18.95	19.00	R1	4C	173/4	333/64	27/8	33/64	23/64	53/8	7/8	2	9/32	42.8
6-R3V250	24.95	25.00	R1	4C	235/8	333/64	27/8	33/64	23/64	53/8	7/8	2	9/32	64.0
6-R3V335	33.45	33.50	R1	4C	321/4	333/64	27/8	33/64	23/64	53/8	7/8	2	9/32	99.0



Hangzhou Ocean Industry CO., LTD.


**T_{aper}
B_{ore}**

V-pulleys

Cast Iron Sheaves

3V-5V-8V

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
8-Q3V47	4.70	4.75	Q2	5	31/2	49/16	31/2	3/4	25/32	41/8	3/4	23/4	9/32	7.3
8-Q3V50	4.95	5.00	Q2	5	313/16	49/16	31/2	3/4	25/32	41/8	3/4	23/4	9/32	8.6
8-Q3V53	5.25	5.30	Q2	5	41/8	49/16	31/2	3/4	25/32	41/8	3/4	23/4	9/32	10.3
8-Q3V56	5.55	5.60	Q2	6A	41/4	325/32	31/2	1/32	-	41/8	3/4	23/4	9/32	12.3
8-Q3V60	5.95	6.00	Q2	6A	43/4	325/32	31/2	1/32	-	41/8	3/4	23/4	9/32	15.1
8-Q3V65	6.45	6.50	Q2	4B	51/4	411/64	31/2	23/64	25/64	41/8	3/4	23/4	9/32	18.3
8-Q3V69	6.85	6.90	Q2	4B	55/8	411/64	31/2	23/64	25/64	41/8	3/4	23/4	9/32	21.4
8-R3V80	7.95	8.00	R1	4B	61/2	359/64	27/8	7/64	49/64	53/8	7/8	2	9/32	23.2
8-R3V106	10.55	10.60	R1	4C	93/8	359/64	27/8	7/64	49/64	53/8	7/8	2	9/32	24.5
8-R3V140	13.95	14.00	R1	4C	123/4	359/64	27/8	7/64	49/64	53/8	7/8	2	9/32	39.0
8-R3V190	18.95	19.00	R1	4C	173/4	359/64	27/8	7/64	49/64	53/8	7/8	2	9/32	49.0
8-R3V250	24.95	25.00	R1	4C	235/8	359/64	27/8	7/64	49/64	53/8	7/8	2	9/32	76.0
8-S3V335	33.45	33.50	S1	4C	321/4	455/64	43/8	61/64	7/64	63/8	11/16	35/16	3/8	126


Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
10-Q3V47	4.70	4.75	Q2	5	31/2	53/8	31/2	3/4	119/32	41/8	3/4	23/4	9/32	8.4
10-Q3V50	4.95	5.00	Q2	5	313/16	53/8	31/2	3/4	119/32	41/8	3/4	23/4	9/32	9.9
10-Q3V53	5.25	5.30	Q2	5	41/8	53/8	31/2	3/4	119/32	41/8	3/4	23/4	9/32	11.4
10-Q3V56	5.55	5.60	Q2	4B	41/4	45/8	31/2	-	27/32	41/8	3/4	23/4	9/32	13.8
10-Q3V60	5.95	6.00	Q2	4B	43/4	45/8	31/2	-	27/32	41/8	3/4	23/4	9/32	16.5
10-Q3V65	6.45	6.50	Q2	6B	51/4	437/64	31/2	3/64	51/64	41/8	3/4	23/4	9/32	20.4
10-Q3V69	6.85	6.90	Q2	6B	55/8	437/64	31/2	3/64	51/64	41/8	3/4	23/4	9/32	23.4
10-R3V80	7.95	8.00	R1	6B	61/2	411/32	27/8	19/64	111/64	53/8	7/8	2	9/32	26.0
10-R3V106	10.55	10.60	R1	6C	93/8	411/32	27/8	19/64	111/64	53/8	7/8	2	9/32	28.4
10-R3V140	13.95	14.00	R1	6C	123/4	411/32	27/8	19/64	111/64	53/8	7/8	2	9/32	42.3
10-R3V190	18.95	19.00	R1	6C	173/4	411/32	27/8	19/64	111/64	53/8	7/8	2	9/32	54.0
10-S3V250	24.95	25.00	S1	4C	235/8	517/64	43/8	35/64	33/64	63/8	11/16	35/16	3/8	103
10-S3V335	33.45	33.50	S1	4C	321/4	517/64	43/8	35/64	33/64	63/8	11/16	35/16	3/8	138

**T_{aper}
B_{ore}** **V-pulleys**

3V-5V-8V

Cast Iron Sheaves

STL




Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
2-P5V44	4.30	4.40	P1	4A	33/16	23/16	115/16	1/4	-	3	5/8	15/16	1/4	3.8
2-Q5V46	4.50	4.60	Q1	5	27/8	37/8	21/2	3/4	13/32	41/8	-	13/4	9/32	6.6
2-Q5V49	4.80	4.90	Q1	5	31/8	35/16	21/2	3/4	17/32	41/8	-	13/4	9/32	6.2
2-Q5V52	5.10	5.20	Q1	7A	-	225/32	21/2	3/4	1/16	41/8	3/4	13/4	9/32	5.6
2-Q5V55	5.40	5.50	Q1	7A	-	225/32	21/2	3/4	1/16	41/8	3/4	13/4	9/32	6.6
2-Q5V59	5.80	5.90	Q1	7A	-	225/32	21/2	3/4	1/16	41/8	3/4	13/4	9/32	7.6
2-Q5V63	6.20	6.30	Q1	7A	-	225/32	21/2	3/4	1/16	41/8	3/4	13/4	9/32	9.4
2-Q5V67	6.60	6.70	Q1	7A	-	225/32	21/2	3/4	1/16	41/8	3/4	13/4	9/32	11.0
2-Q5V71	7.00	7.10	Q1	7A	-	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	12.3
2-Q5V75	7.40	7.50	Q1	7A	-	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	14.1
2-Q5V80	7.90	8.00	Q1	7B	61/4	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	11.6
2-Q5V85	8.40	8.50	Q1	7B	63/4	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	12.9
2-Q5V90	8.90	9.00	Q1	7B	71/4	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	16.3
2-Q5V92	9.15	9.25	Q1	7C	73/8	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	15.1
2-Q5V97	9.65	9.75	Q1	7C	7/8	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	16.1
2-Q5V103	10.20	10.30	Q1	7C	87/16	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	18.8
2-Q5V109	10.80	10.90	Q1	7C	9	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	19.3
2-Q5V118	11.70	11.80	Q1	7C	10	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	21.4
2-Q5V125	12.40	12.50	Q1	7C	103/4	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	23.8
2-Q5V132	13.10	13.20	Q1	7C	117/16	225/32	21/2	25/32	1/32	41/8	3/4	13/4	9/32	25.5
2-R5V140	13.90	14.00	R1	7C	121/4	35/32	27/8	11/32	5/32	53/8	7/8	2	9/32	27.6
2-R5V150	14.90	15.00	R1	7C	131/4	35/32	27/8	11/32	5/32	53/8	7/8	2	9/32	30.9
2-R5V160	15.90	16.00	R1	7C	141/4	35/32	27/8	11/32	5/32	53/8	7/8	2	9/32	33.3
2-R5V212	21.10	21.20	R1	7C	193/8	35/32	27/8	11/32	5/32	53/8	7/8	2	9/32	47.5
2-R5V280	27.90	28.00	R1	7C	261/4	35/32	27/8	11/32	5/32	53/8	7/8	2	9/32	71.0

Taper B V-pulleys

Cast Iron Sheaves

3V-5V-8V

STL




Sheave	Diameters		Bushing	Type	Dimensions										wt Incl Bush
	Dp	De			I.D	OL	L	P	C	H	G	X	E		
3-P5V44	4.30	4.40	P1	4A	33/16	223/32	115/16	3/32	17/32	3	5/8	15/16	1/4	5.1	
3-Q5V46	4.50	4.60	Q1	5	27/8	43/4	21/2	3/4	125/32	41/8	-	13/4	9/32	7.6	
3-Q5V49	4.80	4.90	Q1	5	31/8	313/32	21/2	3/4	5/8	41/8	-	13/4	9/32	7.3	
3-Q5V52	5.10	5.20	Q1	5	31/2	313/32	21/2	3/4	5/8	41/8	-	13/4	9/32	5.8	
3-Q5V55	5.40	5.50	Q1	5	33/4	313/32	21/2	3/4	5/8	41/8	-	13/4	9/32	7.5	
3-Q5V59	5.80	5.90	Q1	4A	43/16	231/32	21/2	5/16	3/16	41/8	3/4	13/4	9/32	8.6	
3-Q5V63	6.20	6.30	Q1	4A	49/16	231/32	21/2	5/16	3/16	41/8	3/4	13/4	9/32	10.3	
3-Q5V67	6.60	6.70	Q1	4A	5	231/32	21/2	5/16	3/16	41/8	3/4	13/4	9/32	12.0	
3-Q5V71	7.00	7.10	Q1	4B	53/8	231/32	21/2	5/16	3/16	41/8	3/4	13/4	9/32	13.9	
3-Q5V75	7.40	7.50	Q1	4B	53/4	231/32	21/2	5/16	3/16	41/8	3/4	13/4	9/32	16.0	
3-R5V80	7.90	8.00	R1	4B	61/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	17.2	
3-R5V85	8.40	8.50	R1	4B	63/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	20.5	
3-R5V90	8.90	9.00	R1	4B	71/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	22.2	
3-R5V92	9.15	9.25	R1	4B	73/8	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	24.1	
3-R5V97	9.65	9.75	R1	4B	77/8	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	24.8	
3-R5V103	10.20	10.30	R1	4B	87/16	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	26.4	
3-R5V109	10.80	10.90	R1	4B	9	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	28.0	
3-R5V118	11.70	11.80	R1	4B	10	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	31.9	
3-R5V125	12.40	12.50	R1	4C	103/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	35.1	
3-R5V132	13.10	13.20	R1	4C	117/16	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	39.0	
3-R5V140	13.90	14.00	R1	4C	121/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	42.3	
3-R5V150	14.90	15.00	R1	4C	131/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	45.3	
3-R5V160	15.90	16.00	R1	4C	141/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	48.7	
3-R5V212	21.10	21.20	R1	4C	193/8	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	52.0	
3-R5V280	27.90	28.00	R1	4C	261/4	311/32	27/8	11/16	3/16	53/8	7/8	2	9/32	147.0	
3-S5V375	37.40	37.50	S1	7C	353/4	43/4	43/8	117/32	15/32	63/8	11/16	35/16	3/8	147.0	
3-U5V500	49.90	50.00	U0	7C	481/4	513/32	415/16	17/8	11/16	83/8	13/16	33/4	15/32	216.0	

**T_{aper}
B_{ore}** **V-pulleys**

3V-5V-8V

Cast Iron Sheaves

STL




Sheave	Diameters		Bushing	Type	Dimensions										wt Incl Bush
	Dp	De			1.D	OL	L	P	C	H	G	X	E		
4-P5V44	4.30	4.40	P1	4A	3	33/16	115/32	1/8	7/8	3	5/8	15/16	1/4	7.2	
4-Q5V46	4.50	4.60	Q2	5	27/8	51/4	31/2	3/4	115/32	41/8	-	23/4	9/32	8.6	
4-Q5V49	4.80	4.90	Q1	5	31/8	43/32	21/2	3/4	15/16	41/8	-	13/4	9/32	8.5	
4-Q5V52	5.10	5.20	Q1	5	31/2	43/32	21/2	3/4	15/16	41/8	-	13/4	9/32	9.8	
4-Q5V55	5.40	5.50	Q1	5	33/4	43/32	21/2	3/4	15/16	41/8	3/4	13/4	9/32	10.3	
4-Q5V59	5.80	5.90	Q1	4A	43/16	43/32	21/2	-	9/16	41/8	3/4	13/4	9/32	11.1	
4-Q5V63	6.20	6.30	Q1	4A	49/16	43/32	21/2	-	9/16	41/8	3/4	13/4	9/32	11.8	
4-Q5V67	6.60	6.70	Q1	4A	5	43/32	21/2	-	9/16	41/8	3/4	13/4	9/32	13.6	
4-Q5V71	7.00	7.10	Q1	4B	53/8	311/32	21/2	-	9/16	41/8	3/4	13/4	9/32	15.9	
4-Q5V75	7.40	7.50	Q1	4B	53/4	311/32	21/2	-	9/16	41/8	3/4	13/4	9/32	18.4	
4-R5V80	7.90	8.00	R1	4B	61/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	19.4	
4-R5V85	8.40	8.50	R1	4B	63/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	22.8	
4-R5V90	8.90	9.00	R1	4B	71/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	24.5	
4-R5V92	9.15	9.25	Rr	4B	73/8	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	26.6	
4-R5V97	9.65	9.75	Rr	4B	77/8	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	28.0	
4-R5V103	10.20	10.30	Rr	4B	87/16	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	30.8	
4-R5V109	10.80	10.90	Rr	4B	9	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	31.7	
4-R5V118	11.70	11.80	Rr	4B	10	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	35.3	
4-R5V125	12.40	12.50	Rr	4B	103/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	37.9	
4-R5V132	13.10	13.20	Rr	4C	117/16	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	33.3	
4-R5V140	13.90	14.00	Rr	4C	121/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	36.5	
4-R5V150	14.90	15.00	Rr	4C	131/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	40.9	
4-R5V 160	15.90	16.00	R1	4C	141/4	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	43.3	
4-R5V212	21.10	21.20	Rr	4C	193/8	311/16	27/8	11/32	17/32	53/8	7/8	2	9/32	59.0	
4-S 5V280	27.90	28.00	S1	7C	261/4	43/4	43/8	13/16	1/8	63/8	11/16	35/16	3/8	135	
4-S5V375	37.40	37.50	S1	7C	353/4	43/4	43/8	13/16	1/8	63/8	11/16	35/16	3/8	157	
4-U5V500	49.90	50.00	Uo	7C	481/4	513/32	415/16	117/32	11/32	83/8	13/16	33/4	15/32	239	

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
5-QSV46	4.50	4.60	Q2	5	27/8	515/16	31/2	3/4	25/16	41/8	-	23/4	9/32	8.9
5-QSV49	4.80	4.90	Q2	5	31/8	53/8	31/2	3/4	—	41/8	-	23/4	9/32	9.2
5-QSV52	5.10	5.20	Q2	5	31/2	425/32	31/2	3/4	—	41/8	3/4	23/4	9/32	9.0
5-QSV55	5.40	5.50	Q2	5	33/4	425/32	31/2	3/4	—	41/8	3/4	23/4	9/32	10.8
5-QSV59	5.80	5.90	Q2	4A	43/16	43/32	31/2	-	1/4	41/8	3/4	23/4	9/32	13.2
5-QSV63	6.20	6.30	Q2	4A	49/16	43/32	31/2	-	1/4	41/8	3/4	23/4	9/32	15.9
5-QSV67	6.60	6.70	Q2	4A	5	43/32	31/2	-	1/4	41/8	3/4	23/4	9/32	18.6
5-QSV71	7.00	7.10	Q2	4B	53/8	41/32	31/2	-	1/4	41/8	3/4	23/4	9/32	22.0
5-QSV75	7.40	7.50	Q2	4B	53/4	41/32	31/2	-	1/4	41/8	3/4	23/4	9/32	25.0
5-RSV80	7.90	8.00	R1	6B	61/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	21.7
5-RSV85	8.40	8.50	R1	6B	63/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	25.1
5-RSV90	8.90	9.00	R1	6B	71/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	25.4
5-RSV92	9.15	9.25	R1	6B	73/8	41/32	27/8	-	7/8	53/8	7/8	2	9/32	28.4
5-RSV97	9.65	9.75	R1	6B	77/8	41/32	27/8	-	7/8	53/8	7/8	2	9/32	31.8
5-RSV103	10.20	10.30	R1	6B	87/16	41/32	27/8	-	7/8	53/8	7/8	2	9/32	32.5
5-RSV109	10.80	10.90	R1	6B	9	41/32	27/8	-	7/8	53/8	7/8	2	9/32	35.1
5-RSV118	11.70	11.80	R1	6B	10	41/32	27/8	-	7/8	53/8	7/8	2	9/32	38.8
5-RSV125	12.40	12.50	R1	6B	103/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	41.8
5-RSV132	13.10	13.20	R1	6C	117/16	41/32	27/8	-	7/8	53/8	7/8	2	9/32	37.1
5-RSV140	13.90	14.00	R1	6C	121/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	41.6
5-RSV150	14.90	15.00	R1	6C	131/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	45.0
5-RSV160	15.90	16.00	R1	6C	141/4	41/32	27/8	-	7/8	53/8	7/8	2	9/32	48.0
5-RSV212	21.10	21.20	S1	4C	193/8	431/32	43/8	27/32	7/32	63/8	11/16	35/16	3/8	90.0
5-RSV250	24.90	25.00	S1	4C	231/4	431/32	43/8	27/32	7/32	63/8	11/16	35/16	3/8	105
5-RSV280	27.90	28.00	S1	4C	261/4	431/32	43/8	27/32	7/32	63/8	11/16	35/16	3/8	120
5-USV375	37.40	37.50	Uo	4C	353/4	513/32	415/16	13/16	-	83/8	13/16	33/4	15/32	185
5-USV500	49.90	50.00	Uo	4C	481/4	513/32	415/16	13/16	-	83/8	13/16	33/4	15/32	244




V-pulleys

3V-5V-8V

Cast Iron Sheaves

STL







Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			1.D	OL	L	P	C	H	G	X	E	
6-QSV71	7.00	7.10	Q2	6B	53/8	47/16	31/2	1/2	7/16	41/8	3/4	23/4	9/32	23.6
6-QSV75	7.40	7.50	Q2	6B	53/4	47/16	31/2	1/2	7/16	41/8	3/4	23/4	9/32	27.3
6-RSV80	7.90	8.00	R1	6B	61/4	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	23.3
6-RSV85	8.40	8.50	R1	6B	63/4	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	27.3
6-RSV90	8.90	9.00	R1	6B	71/4	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	28.8
6-RSV92	9.15	9.25	R1	6B	73/8	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	31.1
6-RSV97	9.65	9.75	R1	6B	77/8	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	34.5
6-RSV103	10.20	10.30	R1	6B	87/16	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	36.8
6-RSV109	10.80	10.90	R1	6B	9	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	39.6
6-RSV118	11.70	11.80	R1	6B	10	47/16	27/8	11/32	17/32	53/8	7/8	2	9/32	42.5
6-S5V125	12.40	12.50	S1	4C	103/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	65.0
6-S5V132	13.10	13.20	S1	4C	117/16	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	71.0
6-S5V140	13.90	14.00	S1	4C	121/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	70.0
6-S5V150	14.90	15.00	S1	4C	131/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	69.0
6-S5V160	15.90	16.00	S1	4C	141/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	79.0
6-S5V212	21.10	21.20	S1	4C	193/8	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	97.0
6-S5V250	24.90	25.00	S1	4C	231/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	113
6-S5V280	27.90	28.00	S1	4C	261/4	55/16	43/8	1/2	9/16	63/8	11/16	35/16	3/8	128
6-U5V375	37.40	37.50	Uo	4C	353/4	53/4	415/16	27/32	11/32	83/8	13/16	33/4	15/32	206
6-U5V500	49.90	50.00	Uo	4C	481/4	53/4	415/16	27/32	11/32	83/8	13/16	33/4	15/32	271

**T_{aper}
B_{ore}** **V-pulleys**

3V-5V-8V

Cast Iron Sheaves

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
8-Q5V71	7.00	7.10	Q2	6B	53/8	513/16	31/2	-	15/16	41/8	3/4	23/4	9/32	27.9
8-Q5V75	7.40	7.50	Q2	6B	53/4	513/16	31/2	-	15/16	41/8	3/4	23/4	9/32	32.1
8-R5V80	7.90	8.00	R2	6B	61/4	61/16	47/8	1/32	29/32	53/8	7/8	4	9/32	45.3
8-R5V85	8.40	8.50	R2	6B	63/4	61/16	47/8	1/32	29/32	53/8	7/8	4	9/32	45.5
8-R5V90	8.90	9.00	R2	6B	71/4	61/16	47/8	1/32	29/32	53/8	7/8	4	9/32	50.1
8-S5V92	9.15	9.25	S1	6B	73/8	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	47.3
8-S5V97	9.65	9.75	S1	6B	7/8	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	50.0
8-S5V103	10.20	10.30	S1	6B	87/16	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	63.0
8-S5V109	10.80	10.90	S1	6B	9	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	71.0
8-S5V118	11.70	11.80	S1	6B	10	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	85.0
8-S5V125	12.40	12.50	S1	6C	103/4	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	76.0
8-S5V132	13.10	13.20	S1	6C	117/16	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	79.0
8-S5V140	13.90	14.00	S1	6C	121/4	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	77.0
8-S5V150	14.90	15.00	S1	6C	131/4	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	83.0
8-S5V160	15.90	16.00	S1	6C	141/4	6	43/8	3/16	11/4	63/8	11/16	35/16	3/8	90.0
8-U5V212	21.10	21.20	U1	4C	193/8	711/16	71/8	113/32	3/32	83/8	11/2	55/8	15/32	175
8-USV250	24.90	25.00	U1	4C	231/4	711/16	71/8	113/32	3/32	83/8	11/2	55/8	15/32	190
8-USV280	27.90	28.00	U1	4C	261/4	711/16	71/8	113/32	3/32	83/8	11/2	55/8	15/32	222
8-USV375	37.40	37.50	U1	4C	353/4	711/16	71/8	113/32	3/32	83/8	11/2	55/8	15/32	264
8-USV500	49.90	50.00	U1	4C	481/4	711/16	71/8	113/32	3/32	83/8	11/2	55/8	15/32	393

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
10-R5V80	7.90	8.00	R2	6B	61/4	73/16	47/8	23/32	119/32	53/8	7/8	4	9/32	43.8
10-R5V85	8.40	8.50	R2	6B	63/4	73/16	47/8	23/32	119/32	53/8	7/8	4	9/32	53.0
10-R5V90	8.90	9.00	R2	6B	71/4	73/16	47/8	23/32	119/32	53/8	7/8	4	9/32	59.0
10-S5V92	9.15	9.25	S1	6B	73/8	73/16	43/8	7/8	115/16	63/8	11/16	35/16	3/8	53.0
10-S5V97	9.65	9.75	S1	6B	7/8	73/16	43/8	7/8	115/16	63/8	11/16	35/16	3/8	60.0
10-S5V103	10.20	10.30	S1	6B	87/16	73/16	43/8	7/8	115/16	63/8	11/16	35/16	3/8	69.0
10-S5V109	10.80	10.90	S1	6B	9	73/16	43/8	7/8	115/16	63/8	11/16	35/16	3/8	78.0
10-S5V118	11.70	11.80	S1	6B	10	73/16	43/8	7/8	115/16	63/8	11/16	35/16	3/8	93.0
10-USV125	12.40	12.50	U1	4B	103/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	132
10-USV132	13.10	13.20	U1	4B	117/16	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	151
10-USV140	13.90	14.00	U1	4B	121/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	177
10-USV150	14.90	15.00	U1	4B	131/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	164
10-USV160	15.90	16.00	U1	4B	141/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	178
10-USV212	21.10	21.20	U1	4C	193/8	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	188
10-USV250	24.90	25.00	U1	4C	231/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	213
10-USV280	27.90	28.00	U1	4C	261/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	238
10-USV375	37.40	37.50	U1	4C	353/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	293
10-USV500	49.90	50.00	U1	4C	481/4	83/8	71/8	23/32	25/32	83/8	11/2	55/8	15/32	428




V-pulleys


3V-5V-8V

Cast Iron Sheaves


STL



4C



6A



6B

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
4-S8V125	12.30	12.50	S1	6A	91/2	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	94
4-S8V132	13.00	13.20	S1	6A	101/4	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	99
4-S8V140	13.80	14.00	S1	6A	11	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	114
4-S8V150	14.80	15.00	S1	6B	12	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	107
4-S8V160	15.80	16.00	S1	6B	13	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	113
4-S8V170	16.80	17.00	S1	6B	14	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	115
4-S8V180	17.80	18.00	S1	6B	15	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	123
4-S8V190	18.80	19.00	S1	6B	16	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	132
4-S8V200	19.80	20.00	S1	6B	17	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	147
4-S8V212	21.00	21.20	S1	6B	181/4	47/8	43/8	1/2	-	63/8	11/16	35/16	3/8	159
4-U8V224	22.20	22.40	Uo	4C	193/8	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	179
4-U8V300	29.80	30.00	Uo	4C	27	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	218
4-U8V400	39.80	40.00	Uo	4C	37	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	296
4-U8V480	47.80	48.00	Uo	4C	45	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	405
4-U8V530	52.80	53.00	Uo	4C	493/4	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	450
4-U8V580	57.80	58.00	Uo	4C	543/4	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	495
4-U8V640	63.80	64.00	Uo	4C	603/4	531/32	415/16	5/8	9/16	83/8	13/16	33/4	15/32	520

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
5-S8V125	12.30	12.50	S1	6B	91/2	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	100
5-S8V132	13.00	13.20	S1	6B	101/4	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	109
5-S8V140	13.80	14.00	S1	6B	11	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	127
5-S8V150	14.80	15.00	S1	6B	12	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	120
5-S8V160	15.80	16.00	S1	6B	13	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	127
5-S8V170	16.80	17.00	S1	6B	14	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	133
5-S8V180	17.80	18.00	S1	6B	15	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	140
5-S8V190	18.80	19.00	S1	6B	16	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	158
5-S8V200	19.80	20.00	S1	6B	17	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	166
5-S8V212	21.00	21.20	S1	6B	181/4	6	43/8	7/8	3/4	63/8	11/16	35/16	3/8	174
5-U8V224	22.20	22.40	Uo	4C	193/8	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	197
5-U8V300	29.80	30.00	Uo	4C	27	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	243
5-U8V400	39.80	40.00	Uo	4C	37	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	325
5-U8V480	47.80	48.00	Uo	4C	45	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	440
5-U8V530	52.80	53.00	Uo	4C	493/4	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	480
5-U8V580	57.80	58.00	Uo	4C	543/4	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	525
5-U8V640	63.80	64.00	Uo	4C	603/4	617/32	415/16	1/16	11/8	83/8	13/16	33/4	15/32	555




V-pulleys


3V-5V-8V

STL


Cast Iron Sheaves



4C



6B



6C

Sheave	Diameters		Bushing	Type	Dimensions								wt Incl Bush	
	Dp	De			1.D	OL	L	P	C	H	G	X		E
6-S8V125	12.30	12.50	S1	6B	91/2	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	109
6-S8V132	13.00	13.20	S1	6B	101/4	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	119
6-S8V140	13.80	14.00	S1	6B	11	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	135
6-S8V150	14.80	15.00	S1	6B	12	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	139
6-S8V160	15.80	16.00	S1	6B	13	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	143
6-S8V170	16.80	17.00	S1	6B	14	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	147
6-S8V180	17.80	18.00	S1	6B	15	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	154
6-S8V190	18.80	19.00	S1	6B	16	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	167
6-S8V200	19.80	20.00	S1	6B	17	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	178
6-S8V212	21.00	21.20	S1	6B	181/4	71/8	43/8	2	3/4	63/8	11/16	35/16	3/8	186
6-U8V224	22.20	22.40	Uo	6C	193/8	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	195
6-U8V300	29.80	30.00	Uo	6C	27	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	263
6-U8V400	39.80	40.00	Uo	6C	37	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	368
6-U8V480	47.80	48.00	Uo	6C	45	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	478
6-U8V530	52.80	53.00	Uo	6C	493/4	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	510
6-U8V580	57.80	58.00	Uo	6C	543/4	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	555
6-U8V640	63.80	64.00	Uo	6C	603/4	71/8	415/16	1/2	111/16	83/8	13/16	33/4	15/32	585


Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			1.D	OL	L	P	C	H	G	X	E	
8-S8V125	12.30	12.50	S2	6B	91/2	93/8	63/4	17/8	3/4	63/8	11/16	511/16	3/8	140
8-S8V132	13.00	13.20	S2	6B	101/4	93/8	63/4	17/8	3/4	63/8	11/16	511/16	3/8	176
8-S8V140	13.80	14.00	S2	6B	11	93/8	63/4	17/8	3/4	63/8	11/16	511/16	3/8	205
8-S8V150	14.80	15.00	S2	6B	12	93/8	63/4	17/8	3/4	63/8	11/16	511/16	3/8	211
8-S8V160	15.80	16.00	S2	6B	13	93/8	63/4	17/8	3/4	63/8	11/16	511/16	3/8	220
8-U8V170	16.80	17.00	U1	6B	14	93/8	71/8	11/4	1	83/8	11/2	55/8	15/32	248
8-U8V180	17.80	18.00	U1	6B	15	93/8	71/8	11/4	1	83/8	11/2	55/8	15/32	249
8-U8V190	18.80	19.00	U1	6B	16	93/8	71/8	11/4	1	83/8	11/2	55/8	15/32	251
8-U8V200	19.80	20.00	U1	6B	17	93/8	71/8	11/4	1	83/8	11/2	55/8	15/32	255
8-U8V212	21.00	21.20	U1	6B	181/4	93/8	71/8	11/4	1	83/8	11/2	55/8	15/32	268
8-U8V224	22.20	22.40	U1	6C	193/8	915/32	71/8	3/8	17/8	83/8	11/2	55/8	15/32	295
8-U8V300	29.80	30.00	U1	6C	27	915/32	71/8	3/8	17/8	83/8	11/2	55/8	15/32	358
8-W8V400	39.80	40.00	W1	4C	37	105/16	81/4	3/8	11/2	121/2	17/8	63/8	9/16	567
8-W8V480	47.80	48.00	W1	4C	45	105/16	81/4	3/8	11/2	121/2	17/8	63/8	9/16	715
8-W8V530	52.80	53.00	W1	4C	493/4	105/16	81/4	3/8	11/2	121/2	17/8	63/8	9/16	762
8-W8V580	57.80	58.00	W1	4C	543/4	105/16	81/4	3/8	11/2	121/2	17/8	63/8	9/16	914
8-W8V640	63.80	64.00	W1	4C	603/4	105/16	81/4	3/8	11/2	121/2	17/8	63/8	9/16	970

Taper B V-pulleys

3V-5V-8V

Cast Iron Sheaves

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
10-U8V125	12.30	12.50	U1	6B	91/2	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	156
10-U8V132	13.00	13.20	U1	6B	101/4	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	182
10-U8V140	13.80	14.00	U1	6B	11	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	207
10-U8V150	14.80	15.00	U1	6B	12	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	240
10-U8V160	15.80	16.00	U1	6B	13	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	274
10-U8V170	16.80	17.00	U1	6B	14	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	283
10-U8V180	17.80	18.00	U1	6B	15	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	292
10-U8V190	18.80	19.00	U1	6B	16	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	304
10-U8V200	19.80	20.00	U1	6B	17	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	319
10-U8V212	21.00	21.20	U1	6B	181/4	115/8	71/8	31/2	1	83/8	11/2	55/8	15/32	326
10-U8V224	22.20	22.40	U1	6C	193/8	115/8	71/8	11/2	3	83/8	11/2	55/8	15/32	368
10-U8V300	29.80	30.00	U1	6C	27	115/8	71/8	11/2	3	83/8	11/2	55/8	15/32	410
10-W8V400	39.80	40.00	W1	6C	37	115/8	81/4	3/4	25/8	121/2	17/8	63/8	9/16	625
10-W8V480	47.80	48.00	W1	6C	45	115/8	81/4	3/4	25/8	121/2	17/8	63/8	9/16	811
10-W8V530	52.80	53.00	W1	6C	493/4	115/8	81/4	3/4	25/8	121/2	17/8	63/8	9/16	955
10-W8V580	57.80	58.00	W1	6C	543/4	115/8	81/4	3/4	25/8	121/2	17/8	63/8	9/16	1060
10-W8V640	63.80	64.00	W1	6C	603/4	115/8	81/4	3/4	25/8	121/2	17/8	63/8	9/16	1170


Sheave	Diameters		Bushing	Type	Dimensions										wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E		
12-U8V125	12.30	12.50	U2	6B	91/2	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	200	
12-U8V132	13.00	13.20	U2	6B	101/4	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	243	
12-U8V140	13.80	14.00	U2	6B	11	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	282	
12-U8V150	14.80	15.00	U2	6B	12	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	331	
12-U8V160	15.80	16.00	U2	6B	13	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	387	
12-U8V170	16.80	17.00	U2	6B	14	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	395	
12-U8V180	17.80	18.00	U2	6B	15	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	408	
12-U8V190	18.80	19.00	U2	6B	16	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	435	
12-U8V200	19.80	20.00	U2	6B	17	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	458	
12-U8V212	21.00	21.20	U2	6B	181/4	137/8	101/8	23/4	1	83/8	11/2	85/8	15/32	471	
12-U8V224	22.20	22.40	U2	6C	193/8	137/8	101/8	11/8	25/8	83/8	11/2	85/8	15/32	489	
12-U8V300	29.80	30.00	U2	6C	27	137/8	101/8	11/8	25/8	83/8	11/2	85/8	15/32	509	
12-W8V400	39.80	40.00	W2	6C	37	141/16	111/4	3/8	21/4	121/2	17/8	93/8	9/16	764	
12-W8V480	47.80	48.00	W2	6C	45	141/16	111/4	3/8	21/4	121/2	17/8	93/8	9/16	1000	
12-W8V530	52.80	53.00	W2	6C	493/4	141/16	111/4	3/8	21/4	121/2	17/8	93/8	9/16	1160	
12-W8V580	57.80	58.00	W2	6C	543/4	141/16	111/4	3/8	21/4	121/2	17/8	93/8	9/16	1330	
12-W8V640	63.80	64.00	W2	6C	603/4	141/16	111/4	3/8	21/4	121/2	17/8	93/8	9/16	1460	

**T_{aper}
B_{ore}** **V-pulleys**

Cast Iron Sheaves

3V-5V-8V

STL



Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
14-U8V125	12.30	12.50	U2	6B	91/2	161/8	101/8	5	1	83/8	11/2	85/8	15/32	220
14-U8V132	13.00	13.20	U2	6B	101/4	161/8	101/8	5	1	83/8	11/2	85/8	15/32	261
14-U8V140	13.80	14.00	U2	6B	11	161/8	101/8	5	1	83/8	11/2	85/8	15/32	300
14-U8V150	14.80	15.00	U2	6B	12	161/8	101/8	5	1	83/8	11/2	85/8	15/32	370
14-U8V160	15.80	16.00	U2	6B	13	161/8	101/8	5	1	83/8	11/2	85/8	15/32	415
14-U8V170	16.80	17.00	U2	6B	14	161/8	101/8	5	1	83/8	11/2	85/8	15/32	440
14-U8V180	17.80	18.00	U2	6B	15	161/8	101/8	5	1	83/8	11/2	85/8	15/32	450
14-U8V190	18.80	19.00	U2	6B	16	161/8	101/8	5	1	83/8	11/2	85/8	15/32	470
14-U8V200	19.80	20.00	U2	6B	17	161/8	101/8	5	1	83/8	11/2	85/8	15/32	490
14-U8V212	21.00	21.20	U2	6B	18 1/4	161/8	101/8	5	1	83/8	11/2	85/8	15/32	510
14-U8V224	22.20	22.40	U2	6C	19 3/8	161/8	101/8	21/4	33/4	83/8	11/2	85/8	15/32	659
14-U8V300	29.80	30.00	U2	6C	27	161/8	101/8	21/4	33/4	83/8	11/2	85/8	15/32	710
14-W8V400	39.80	40.00	W2	6C	37	161/8	111/4	11/2	33/8	121/2	17/8	93/8	9/16	840
14-W8V480	47.80	48.00	W2	6C	45	161/8	111/4	11/2	33/8	121/2	17/8	93/8	9/16	1140
14-W8V530	52.80	53.00	W2	6C	49 3/4	161/8	111/4	11/2	33/8	121/2	17/8	93/8	9/16	1234
14-W8V580	57.80	58.00	W2	6C	54 3/4	161/8	111/4	11/2	33/8	121/2	17/8	93/8	9/16	1450
14-W8V640	63.80	64.00	W2	6C	60 3/4	161/8	111/4	11/2	33/8	121/2	17/8	93/8	9/16	1550

Sheave	Diameters		Bushing	Type	Dimensions									wt Incl Bush
	Dp	De			LD	OL	L	P	C	H	G	X	E	
16-U8V125	12.30	12.50	U2	6B	91/2	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	270
16-U8V132	13.00	13.20	U2	6B	101/4	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	280
16-U8V140	13.80	14.00	U2	6B	11	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	323
16-U8V150	14.80	15.00	U2	6B	12	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	430
16-U8V160	15.80	16.00	U2	6B	13	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	445
16-U8V170	16.80	17.00	U2	6B	14	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	467
16-U8V180	17.80	18.00	U2	6B	15	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	480
16-U8V190	18.80	19.00	U2	6B	16	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	494
16-U8V200	19.80	20.00	U2	6B	17	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	520
16-U8V212	21.00	21.20	U2	6B	18 1/4	183/8	101/8	71/4	1	83/8	11/2	85/8	15/32	538
16-U8V224	22.20	22.40	U2	6C	19 3/8	183/8	101/8	33/8	47/8	83/8	11/2	85/8	15/32	722
16-W8V300	29.80	30.00	W2	6C	27	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	990
16-W8V400	39.80	40.00	W2	6C	37	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	1071
16-W8V480	47.80	48.00	W2	6C	45	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	1360
16-W8V530	52.80	53.00	W2	6C	49 3/4	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	1490
16-W8V580	57.80	58.00	W2	6C	54 3/4	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	1620
16-W8V640	63.80	64.00	W2	6C	60 3/4	183/8	111/4	25/8	41/2	121/2	17/8	93/8	9/16	1790