




BTL Multi Wedged PolyV pulleys

杭州四海传动件有限公司 Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceanindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceanindustry@vip.163.com

M^{ulti}-W^{edged} Pulleys **J3 Poly-V sheaves**







Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
3J08S	-	0.79	1S	5/8	-	7/16	1	-	9/16	-	0.11
3J10S	-	1.00	1S	7/8	-	7/16	1	-	9/16	-	0.15
3J11S	-	1.10	1S	1	-	7/16	1	-	9/16	-	0.19
3J13S	-	1.26	1S	11/8	-	7/16	1	-	9/16	-	0.25
3J14S	-	1.42	1S	11/4	-	7/16	1	-	9/16	-	0.34
3J16S	-	1.58	1S	13/8	-	7/16	1	-	9/16	-	0.40
3J18S	-	1.77	1S	18/16	-	7/16	1	-	9/16	-	0.53
3J20S	-	2.00	1S	13/4	-	7/16	1	-	9/16	-	0.65
3J22S	-	2.24	1S	2	-	7/16	1	-	9/16	-	0.84
3J25TB	C1108	2.50	1S	23/8	-	7/16	7/8	-	7/16	-	0.63
3J28TB	C1108	2.80	1	23/8	-	7/16	7/8	-	7/16	-	0.88
3J30TB	C1108	3.00	1	23/8	-	7/16	7/8	-	7/16	-	0.90
3J31TB	C1108	3.15	1	23/8	-	7/16	7/8	-	7/16	-	0.95
3J33TB	C1108	3.35	1	23/8	-	7/16	7/8	-	7/16	-	1.07
3J35TB	C1108	3.55	1	23/8	-	7/16	7/8	-	7/16	-	1.18
3J37TB	C1108	3.75	1	23/8	-	7/16	7/8	-	7/16	-	1.32
3J40TB	C1108	4.00	1	23/8	-	7/16	7/8	-	7/16	-	1.43
3J45TB	C1310	4.50	1	21/8	-	7/16	1	-	9/16	-	2.02
3J50TB	C1310	5.00	1	21/8	-	7/16	1	-	9/16	-	2.41
3J55TB	C1310	5.50	1	21/8	-	7/16	1	-	9/16	-	2.94
3J60TB	C1610	6.00	1	33/8	-	7/16	1	-	9/16	-	3.66
3J80TB	C2012	8.00	1	41/8	-	7/16	11/4	-	13/16	-	6.32







Pulleys

J4

Poly-V sheaves



Part No.	Bushing	O.D	Type	N	J	F	L	E	S1	S2	wt Lbs.
4J08S	-	0.79	1S	5/8	-	1/2	1	-	1/2	-	0.01
4J10S	-	1.00	1S	7/8	-	1/2	1	-	1/2	-	0.15
4J11S	-	1.10	1S	1	-	1/2	1	-	1/2	-	0.19
4J13S	-	1.26	1S	1 1/8	-	1/2	1	-	1/2	-	0.25
4J14S	-	1.42	1S	1 1/4	-	1/2	1	-	1/2	-	0.34
4J16S	-	1.58	1S	1 3/8	-	1/2	1	-	1/2	-	0.40
4J18S	-	1.77	1S	1 7/8	-	1/2	1	-	1/2	-	0.53
4J20S	-	2.00	1S	1 3/4	-	1/2	1	-	1/2	-	0.67
4J22S	-	2.24	1S	2	-	1/2	1	-	1/2	-	0.84
4J25TB	C1108	2.50	1S	2 3/8	-	1/2	7/8	-	3/8	-	0.63
4J28TB	C1108	2.80	1	2 3/8	-	1/2	7/8	-	3/8	-	0.88
4J30TB	C1108	3.00	1	2 3/8	-	1/2	7/8	-	3/8	-	0.97
4J31TB	C1108	3.15	1	2 3/8	-	1/2	7/8	-	3/8	-	1.03
4J33TB	C1108	3.35	1	2 3/8	-	1/2	7/8	-	3/8	-	1.20
4J35TB	C1108	3.55	1	2 3/8	-	1/2	7/8	-	3/8	-	1.28
4J37TB	C1108	3.75	1	2 3/8	-	1/2	7/8	-	3/8	-	1.60
4J40TB	C1108	4.00	1	2 3/8	-	1/2	7/8	-	3/8	-	1.66
4J45TB	C1310	4.50	1	3 1/8	-	1/2	1	-	1/2	-	2.16
4J50TB	C1310	5.00	1	3 1/8	-	1/2	1	-	1/2	-	2.66
4J55TB	C1310	5.50	1	3 1/8	-	1/2	1	-	1/2	-	3.29
4J60TB	C1610	6.00	1	3 3/8	-	1/2	1	-	1/2	-	4.16
4J80TB	C2012	8.00	5A	4 1/8	7 1/4	1/2	1 1/4	5/16	3/4	-	5.53
4J106TB	C2012	10.60	5A	4 1/8	9 1/4	1/2	1 1/4	5/16	3/4	-	7.60
4J124TB	C2012	12.40	5B	4 1/8	11 1/2	1/2	1 1/4	5/16	3/4	-	9.36




Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
5J08S	-	0.79	1S	5/8	-	5/8	13/8	-	3/4	-	0.17
5J10S	-	1.00	1S	7/8	-	5/8	13/8	-	3/4	-	0.19
5J11S	-	1.10	1S	-	-	5/8	13/8	-	3/4	-	0.26
5J13S	-	1.26	1S	11/8	-	5/8	13/8	-	3/4	-	0.30
5J14S	-	1.42	1S	1/4	-	5/8	13/8	-	3/4	-	0.41
5J16S	-	1.58	1S	13/8	-	5/8	13/8	-	3/4	-	0.49
5J18S	-	1.77	1S	19/16	-	5/8	13/8	-	3/4	-	0.81
5J20S	-	2.00	1S	13/4	-	5/8	13/8	-	3/4	-	0.87
5J22S	-	2.24	1S	2	-	5/8	13/8	-	3/4	-	1.03
5J25TB	1108	2.50	1	23/8	-	5/8	7/8	-	1/4	-	0.64
5J28TB	1108	2.80	1	23/8	-	5/8	7/8	-	1/4	-	0.92
5J30TB	1108	3.00	1	23/8	-	5/8	7/8	-	1/4	-	1.03
5J31TB	1108	3.15	1	23/8	-	5/8	7/8	-	1/4	-	1.11
5J33TB	1108	3.35	1	23/8	-	5/8	7/8	-	1/4	-	1.35
5J35TB	1108	3.55	1	23/8	-	5/8	7/8	-	1/4	-	1.44
5J37TB	1108	3.75	1	23/8	-	5/8	7/8	-	1/4	-	0.54
5J40TB	1108	4.00	1	23/8	-	5/8	7/8	-	1/4	-	1.80
5J45TB	1310	4.50	1	31/8	-	5/8	1	-	3/8	-	2.38
5J50TB	1310	5.00	1	31/8	-	5/8	1	-	3/8	-	2.97
5J55TB	1310	5.50	1	31/8	-	5/8	1	-	3/8	-	2.67
5J60TB	1610	6.00	1	33/8	-	3/8	1	-	3/8	-	4.78
5J80TB	2012	8.00	5A	41/8	184	5/8	11/4	3/8	5/8	-	5.85
5J106TB	2012	10.60	5A	41/8	234	5/8	11/4	3/8	5/8	-	8.00
5J124TB	2012	12.40	5B	41/8	293	5/8	11/4	3/8	5/8	-	9.93



Pulleys

J6 Poly-V sheaves









Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
6J08S	-	0.79	1S	5/8	-	3/4	13/8	-	5/8	-	0.19
6J10S	-	1.00	1S	7/8	-	3/4	13/8	-	5/8	-	0.21
6J11S	-	1.10	1S	1	-	3/4	13/8	-	5/8	-	0.28
6J13S	-	1.26	1S	1 1/8	-	3/4	13/8	-	5/8	-	0.30
6J14S	-	1.42	1S	1 1/4	-	3/4	13/8	-	5/8	-	0.41
6J16S	-	1.58	1S	1 3/8	-	3/4	13/8	-	5/8	-	0.49
6J18S	-	1.77	1S	1 9/16	-	3/4	13/8	-	5/8	-	0.64
6J20S	-	2.00	1S	1 3/4	-	3/4	13/8	-	5/8	-	0.81
6J22S	-	2.24	1S	2	-	3/4	13/8	-	5/8	-	1.05
6J25TB	1108	2.50	1	2 3/8	-	3/4	7/8	-	1/8	-	0.66
6J28TB	1108	2.80	1	2 3/8	-	3/4	7/8	-	1/8	-	0.92
6J30TB	1108	3.00	1	2 3/8	-	3/4	7/8	-	1/8	-	1.05
6J31TB	1108	3.15	1	2 3/8	-	3/4	7/8	-	1/8	-	1.20
6J33TB	1108	3.35	1	2 3/8	-	3/4	7/8	-	1/8	-	1.46
6J35TB	1108	3.55	1	2 3/8	-	3/4	7/8	-	1/8	-	1.58
6J37TB	1108	3.75	1	2 3/8	-	3/4	7/8	-	1/8	-	1.86
6J40TB	1108	4.00	1	2 3/8	-	3/4	7/8	-	1/8	-	1.99
6J45TB	1310	4.50	1	3 1/8	-	3/4	1	-	1/4	-	2.57
6J50TB	1310	5.00	1	3 1/8	-	3/4	1	-	1/4	-	3.26
6J55TB	1310	5.50	1	3 1/8	-	3/4	1	-	1/4	-	4.19
6J60TB	1610	6.00	1	3 3/8	-	3/4	1	-	1/4	-	5.35
6J80TB	2012	8.00	5A	4 1/8	7 1/4	3/4	1 1/4	3/8	1/2	-	6.04
6J106TB	2012	10.60	5A	4 1/8	9 1/4	3/4	1 1/4	3/8	1/2	-	8.26
6J124TB	2012	12.40	5B	4 1/8	11 1/2	3/4	1 1/4	3/8	1/2	-	10.02



Pulleys

Poly-V sheaves

J8




Part No.	Bushing	O.D	Type	N	J	F	L	E	S1	S2	wt Lbs.
8J08S	-	0.79	1S	5/8	-	7/8	13/8	-	1/2	-	0.05
8J10S	-	1.00	1S	7/8	-	7/8	13/8	-	1/2	-	0.06
8J11S	-	1.10	1S	1	-	7/8	13/8	-	1/2	-	0.11
8J13S	-	1.26	1S	11/8	-	7/8	13/8	-	1/2	-	0.13
8J14S	-	1.42	1S	11/4	-	7/8	13/8	-	1/2	-	0.07
8J16S	-	1.58	1S	13/8	-	7/8	13/8	-	1/2	-	0.22
8J18S	-	1.77	1S	19/16	-	7/8	13/8	-	1/2	-	0.27
8J20S	-	2.00	1S	13/4	-	7/8	13/8	-	1/2	-	0.34
8J22S	-	2.24	1S	2	-	7/8	13/8	-	1/2	-	0.62
8J25TB	1108	2.50	3A	-	-	7/8	7/8	-	-	-	0.86
8J28TB	1210	2.80	1	21/2	-	7/8	1	-	1/8	-	1.03
8J30TB	1210	3.00	1	23/4	-	7/8	1	-	1/8	-	1.25
8J31TB	1210	3.15	1	23/4	-	7/8	1	-	1/8	-	1.48
8J33TB	1210	3.35	1	3	-	7/8	1	-	1/8	-	1.50
8J35TB	1210	3.55	1	3	-	7/8	1	-	1/8	-	1.67
8J37TB	1610	3.75	1	33/8	-	7/8	1	-	1/8	-	1.95
8J40TB	1610	4.00	1	33/8	-	7/8	1	-	1/8	-	2.26
8J42TB	1610	4.20	1	33/8	-	7/8	1	-	1/8	-	2.78
8J44TB	1610	4.40	1	33/8	-	7/8	1	-	1/8	-	3.15
8J46TB	1610	4.65	1	33/8	-	7/8	1	-	1/8	-	3.53
8J50TB	1610	5.00	1	33/8	-	7/8	1	-	1/8	-	3.64
8J52TB	1610	5.20	1	33/8	-	7/8	1	-	1/8	-	3.85
8J55TB	1610	5.50	1	33/8	-	7/8	1	-	1/8	-	4.13
8J63TB	2012	6.30	1	41/8	-	7/8	11/4	-	3/8	-	4.18
8J71TB	2012	7.10	5A	41/8	61/2	7/8	11/4	1/2	3/8	-	4.93
8J80TB	2012	8.00	5A	41/8	71/4	7/8	11/4	1/2	3/8	-	5.18
8J88TB	2012	8.80	5A	41/8	81/8	7/8	11/4	1/2	3/8	-	5.69
8J106TB	2012	10.60	5A	41/8	91/4	7/8	11/4	1/2	3/8	-	6.98
8J110TB	2012	11.00	5B	41/8	103/8	7/8	11/4	1/2	3/8	-	11.13
8J124TB	2517	12.40	5B	43/4	111/2	7/8	13/4	5/8	7/8	-	12.40
8J140TB	2517	14.00	5C	43/4	133/8	7/8	13/4	9/16	7/8	-	12.85
8J160TB	2517	15.80	5C	43/4	141/2	7/8	13/4	9/16	7/8	-	13.92


**M^{ulti}
W^{edges}**

Pulleys


J12
Poly-V sheaves




1S




3A




6A




3B



5A



5B



5C

Part No.	Bushing	O.D	Type	N	J	F	L	E	S1	S2	kg
12J13S	-	1.26	1S	11/8	-	11/4	19/16	-	5/16	-	0.13
12J14S	-	1.42	1S	11/4	-	11/4	19/16	-	5/16	-	0.19
12J16J	-	1.58	1S	15/8	-	11/4	19/16	-	5/16	-	0.22
12J18S	-	1.77	1S	19/16	-	11/4	19/16	-	5/16	-	0.28
12J20S	-	2.00	1S	13/4	-	11/4	19/16	-	5/16	-	0.36
12J22S	-	2.24	1S	2	-	11/4	19/16	-	5/16	-	0.46
12J25TB	1108	2.50	3B	-	17/8	11/4	7/8	-	-	3/8	0.71
12J28TB	1210	2.80	3B	-	21/4	11/4	1	-	-	1/4	0.94
12J30TB	1210	3.00	3B	-	23/8	11/4	1	-	-	1/4	1.16
12J31TB	1210	3.15	3B	-	21/2	11/4	1	-	-	1/4	1.50
12J33TB	1210	3.35	3B	-	23/4	11/4	1	-	-	1/4	1.63
12J35TB	1610	3.55	3B	-	3	11/4	1	-	-	1/4	1.88
12J37TB	1610	3.75	3B	-	31/8	11/4	1	-	-	1/4	2.06
12J40TB	1610	4.00	3B	-	33/8	11/4	1	-	-	1/4	2.14
12J42TB	1610	4.20	3B	-	31/2	11/4	1	-	-	1/4	2.57
12J44TB	1610	4.40	3B	-	33/4	11/4	1	-	-	1/4	2.94
12J46TB	1610	4.65	3B	-	4	11/4	1	-	-	1/4	3.10
12J50TB	1610	5.00	3B	-	41/4	11/4	1	-	-	1/4	3.75
12J52TB	2012	5.20	3B	-	41/2	11/4	11/4	-	-	-	3.96
12J55TB	2012	5.50	3B	-	5	11/4	11/4	-	-	-	4.60
12J63TB	2012	6.30	3B	-	59/16	11/4	11/4	-	-	-	5.14
12J71TB	2012	7.10	6A	41/8	61/2	11/4	11/4	1/2	-	-	5.61
12J80TB	2517	8.00	6A	43/4	71/4	11/4	13/4	1/2	-	-	7.58
12J88TB	2517	8.80	5A	43/4	81/8	11/4	13/4	1/2	1/2	-	8.25
12J106TB	2517	10.60	5A	43/4	91/4	11/4	1314	1/2	1/2	-	8.56
12J110TB	2517	11.00	5B	43/4	103/8	11/4	13/4	1/2	1/2	-	10.06
12J124TB	2517	12.40	5B	43/4	111/2	11/4	13/4	1/2	1/2	-	11.14
12J140TB	2517	14.00	5C	43/4	131/8	11/4	13/4	9/16	1/2	-	12.85
12J160TB	2517	15.80	5C	43/4	147/8	11/4	13/4	9/16	1/2	-	15.00




Hangzhou Ocean Industry CO., LTD.


**M^{ulti}
-W^{edged}**

Pulleys


J16
Poly-V sheaves




1S




4




3B



5A



5B



5C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
16J18S	-	1.77	1S	19/16	-	111/16	17/8	-	1/4	-	0.39
16J20S	-	2.00	1S	13/4	-	111/16	17/8	-	1/4	-	0.45
16J22S	-	2.24	1S	2	-	111/16	17/8	-	1/4	-	0.56
16J25TB	1108	2.50	4	-	17/8	111/16	7/8	-	13/32	13/32	0.86
16J28TB	1210	2.80	4	-	21/4	111/16	1	-	11/32	11/32	1.07
16J30TB	1210	3.00	4	-	23/8	111/16	1	-	11/32	11/32	1.33
16J31TB	1210	3.15	4	-	21/2	111/16	1	-	11/32	11/32	0.51
16J33TB	1210	3.35	4	-	23/4	111/16	1	-	11/32	11/32	1.86
16J35TB	1610	3.55	4	-	3	111/16	1	-	11/32	11/32	2.11
16J37TB	1610	3.75	4	-	31/8	111/16	1	-	11/32	11/32	2.14
16J40TB	1610	4.00	4	-	33/8	111/16	1	-	11/32	11/32	2.14
16J42TB	1610	4.20	4	-	31/2	111/16	1	-	11/32	11/32	2.78
16J44TB	2012	4.40	3B	-	33/4	111/16	11/4	-	-	7/6	3.21
16J46TB	2012	4.65	3B	-	4	111/16	11/4	-	-	7/6	3.85
16J50TB	2012	5.00	3B	-	41/4	111/16	11/4	-	-	7/6	4.28
16J52TB	2012	5.20	3B	-	41/2	111/16	11/4	-	-	-	4.93
16J55TB	2012	5.50	3B	-	5	111/16	11/4	-	-	7/6	5.56
16J63TB	2012	6.30	3B	-	59/16	111/16	11/4	-	-	7/6	7.49
16J71TB	2517	7.10	5A	43/4	61/2	111/16	13/4	1/2	1/16	7/6	9.42
16J80TB	2517	8.00	5A	43/4	71/4	111/16	13/4	1/2	1/16	-	10.27
16J88TB	2517	8.80	5A	43/4	71/8	111/16	13/4	1/2	1/16	-	10.61
16J106TB	2517	10.60	5A	43/4	91/4	111/16	13/4	1/2	1/16	-	10.92
16J110TB	2517	11.00	5B	43/4	103/8	111/16	13/4	1/2	1/16	-	11.35
16J124TB	2517	12.40	5B	43/4	111/2	111/16	13/4	1/2	1/16	-	12.85
16J140TB	2517	14.00	5C	43/4	131/8	111/16	13/4	9/16	1/16	-	15.20
16J160TB	2517	15.80	5C	43/4	147/8	111/16	13/4	9/16	1/16	-	18.63




**M^{ulti}
-W^{edged}**


Pulleys

J20


Poly-V sheaves




1S




3B




4



7A



7B




7C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
20J18S	-	1.77	1S	19/16	-	2	25/16	-	5/16	-	0.43
20J20S	-	2.00	1S	13/4	-	2	25/16	-	5/16	-	0.56
20J22S	-	2.24	1S	2	-	2	25/16	-	5/16	-	0.71
20J25S	-	2.50	1S	23/16	-	2	25/16	-	5/16	-	0.88
20J28TB	1210	2.80	4	-	21/4	2	1	-	1/2	1/2	1.35
20J30TB	1210	3.00	4	-	23/8	2	1	-	1/2	1/2	1.52
20J31TB	1210	3.15	4	-	21/2	2	1	-	1/2	1/2	1.78
20J33TB	1210	3.35	4	-	23/4	2	1	-	1/2	1/2	2.14
20J35TB	1210	3.55	4	-	3	2	1	-	1/2	1/2	2.36
20J37TB	1610	3.75	4	-	31/8	2	1	-	1/2	1/2	2.78
20J40TB	1610	4.00	4	-	33/8	2	1	-	1/2	1/2	3.22
20J42TB	1610	4.20	4	-	31/2	2	1	-	1/2	1/2	3.64
20J44TB	2012	4.40	4	-	33/4	2	11/4	-	3/8	3/8	4.07
20J46TB	2012	4.65	4	-	4	2	11/4	-	3/8	3/8	4.50
20J50TB	2517	5.00	3B	-	41/4	3	13/4	-	-	1/4	5.78
20J52TB	2517	5.20	3B	-	41/2	2	13/4	-	-	1/4	6.85
20J55TB	2517	5.50	3B	-	5	2	13/4	-	-	1/4	9.85
20J63TB	2517	6.30	3B	-	59/16	2	13/4	-	-	1/4	10.70
20J71TB	2517	7.10	3B	-	61/2	2	13/4	-	-	1/4	11.56
20J80TB	2517	8.00	7A	43/4	71/4	2	13/4	1/2	-	1/4	15.42
20J88TB	3020	8.8	7A	53/4	81/8	2	2	1/2	-	0	16.71
20J100TB	3020	10.60	7A	53/4	91/4	2	2	1/2	-	0	17.77
20J110TB	3020	11.00	7B	53/4	103/8	2	2	1/2	-	0	20.35
20J124TB	3020	12.40	7B	53/4	111/2	2	2	1/2	-	0	24.44
20J140TB	3020	14.00	7C	53/4	131/8	2	2	5/8	-	0	28.27
20J160TB	3020	15.80	7C	53/4	147/8	2	2	5/8	-	0	32.76


**M^{ulti}
-W^{edged}**

Pulleys


L5
Poly-V sheaves




3A




3B



7A



5B



5C


Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
5L31TB	1210	3.15	3A	-	25/16	19/16	1	-	-	9/16	1.62
5L33TB	1210	3.35	3A	-	25/16	19/16	1	-	-	9/16	1.88
5L35TB	1610	3.55	3A	-	25/8	19/16	1	-	-	9/16	2.02
5L37TB	1610	3.75	3A	-	23/4	19/16	1	-	-	9/16	2.46
5L40TB	1610	4.00	3A	-	23/4	19/16	1	-	-	9/16	2.66
5L42TB	1610	4.20	3B	-	27/8	19/16	1	-	-	9/16	3.06
5L44TB	1610	4.40	3B	-	31/8	19/16	1	-	-	9/16	3.58
5L46TB	1610	4.65	3B	-	31/2	19/16	1	-	-	9/16	4.03
5L50TB	1610	5.00	3B	-	31/2	19/16	1	-	-	9/16	4.58
5L52TB	2012	5.20	3B	-	41/8	19/16	11/4	-	-	5/16	6.32
5L55TB	2012	5.50	3B	-	43/8	19/16	11/4	-	-	5/16	8.07
5L63TB	2012	6.30	3B	-	5	19/16	11/4	-	-	5/16	8.60
5L71TB	2012	7.10	3B	-	53/4	19/16	11/4	-	-	5/16	8.85
5L80TB	2012	8.00	7A	41/8	61/2	19/16	11/4	1/2	-	5/16	9.01
5L88TB	2012	8.80	7A	41/8	71/2	19/16	11/4	1/2	-	5/16	11.48
5L106TB	2012	10.60	7A	41/8	81/2	19/16	11/4	1/2	-	5/16	12.59
5L110TB	2517	11.00	5B	43/4	93/4	19/16	13/4	1/2	3/16	-	14.88
5L124TB	2517	12.40	5B	43/4	107/8	19/16	13/4	9/16	3/16	-	17.17
5L140TB	3020	14.00	5C	53/4	121/2	19/16	2	9/16	7/16	-	22.48
5L160TB	3020	15.80	5C	53/4	141/4	19/16	2	9/16	7/16	-	24.83

**M^{ulti}
-W^{edges}**


Pulleys

L6


Poly-V sheaves




3A




3B



7A



5B



5C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs.
6L31TB	1210	3.15	3A	-	25/16	111/16	1	-	-	11/16	1.78
6L33TB	1210	3.35	3A	-	25/16	111/16	1	-	-	11/16	2.03
6L35TB	1610	3.55	3A	-	25/8	111/16	1	-	-	11/16	2.18
6L37TB	1610	3.75	3A	-	23/4	111/16	1	-	-	11/16	2.74
6L40TB	1610	4.00	3A	-	23/4	111/16	1	-	-	11/16	2.87
6L42TB	1610	4.20	3B	-	27/8	111/16	1	-	-	11/16	3.55
6L44TB	1610	4.40	3B	-	31/8	111/16	1	-	-	11/16	4.06
6L46TB	1610	4.65	3B	-	31/2	111/16	1	-	-	11/16	4.52
6L50TB	1610	5.00	3B	-	31/2	111/16	1	-	-	11/16	4.84
6L52TB	2012	5.20	3B	-	41/8	111/16	11/4	-	-	7/16	6.70
6L55TB	2012	5.50	3B	-	43/8	111/16	11/4	-	-	7/16	7.82
6L63TB	2012	6.30	3B	-	5	111/16	11/4	-	-	7/16	9.02
6L71TB	2012	7.10	3B	-	53/4	111/16	11/4	-	-	7/16	9.25
6L80TB	2012	8.00	7A	41/8	61/2	111/16	11/4	9/16	-	7/16	9.44
6L88TB	2012	8.80	7A	41/8	71/2	111/16	11/4	9/16	-	7/16	12.10
6L106TB	2012	10.60	7A	41/8	81/2	111/16	11/4	9/16	-	7/16	13.16
6L110TB	2517	11.00	5B	43/4	93/4	111/16	13/4	9/16	1/16	-	16.48
6L124TB	2517	12.40	5B	43/4	107/8	111/16	13/4	5/8	1/16	-	17.86
6L140TB	3020	14.00	5C	53/4	121/2	111/16	2	5/8	5/16	-	22.61
6L160TB	3020	15.80	5C	53/4	141/4	111/16	2	5/8	5/16	-	25.69


**M^{ulti}
-W^{edged}**

Pulleys




L8


Poly-V sheaves




3A




3B




4



7A



5B




5C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	kg
8L30TB	1108	3.05	3A	-	17/8	21/16	7/8	-	-	13/16	1.37
8L31TB	1210	3.15	3A	-	25/16	21/16	1	-	-	11/16	1.44
8L33TB	1210	3.35	3A	-	25/16	21/16	1	-	-	11/16	1.65
8L35TB	1610	3.55	3A	-	25/8	21/16	1	-	-	11/16	2.14
8L37TB	1610	3.75	3A	-	23/4	21/16	1	-	-	11/16	2.78
8L40TB	1610	4.00	3A	-	23/4	21/16	1	-	-	11/16	2.36
8L42TB	1610	4.20	4	-	27/8	21/16	1	-	17/32	17/32	2.57
8L44TB	2012	4.40	4	-	31/8	21/16	1	-	13/32	13/32	2.57
8L46TB	2012	4.65	4	-	31/2	21/16	11/4	-	13/32	13/32	3.26
8L50TB	2012	5.00	4	-	31/2	21/16	11/4	-	13/32	13/32	3.85
8L52TB	2012	5.20	4	-	41/8	21/16	11/4	-	13/32	13/32	4.29
8L55TB	2012	5.50	4	-	43/8	21/16	11/4	-	13/32	13/32	5.35
8L63TB	2012	6.30	4	-	5	21/16	11/4	-	13/32	13/32	6.21
8L71TB	2517	7.10	3B	-	53/4	21/16	13/4	-	-	5/16	8.78
8L80TB	2517	8.00	3B	-	61/2	21/16	13/4	-	-	5/16	10.06
8L88TB	2517	8.80	7A	43/4	71/2	21/16	13/4	1/2	-	5/16	10.93
8L106TB	2517	10.60	7A	43/4	81/2	21/16	13/4	1/2	-	5/16	13.92
8L110TB	3020	11.00	7B	53/4	93/4	21/16	2	9/16	1/16	-	14.15
8L124TB	3020	12.40	7B	53/4	107/8	21/16	2	9/16	1/16	-	14.65
8L140TB	3020	14.00	7C	53/4	121/2	21/16	2	9/16	1/16	-	17.13
8L160TB	3525	15.80	5C	65/8	141/4	21/16	21/2	5/8	7/16	-	19.70
8L180TB	3525	17.80	5C	65/8	161/8	21/16	21/2	13/16	7/16	-	26.98
8L200TB	4030	19.80	5C	81/2	181/8	21/16	3	13/16	15/16	-	27.84
8L220TB	4030	22.00	5C	81/2	201/2	21/16	3	13/16	15/16	-	34.26
8L250TB	4030	24.80	5C	81/2	231/4	21/16	3	13/16	15/16	-	37.70




Pulleys


L10 Poly-V sheaves




3A




3B




4




7A



7B



7C









5C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	kg
10L 30TB	1108	3.05	3A	-	17/8	27/16	7/8	-	-	19/16	1.38
10L 31TB	1210	3.15	3A	-	25/16	27/16	1	-	-	17/16	1.51
10L 33TB	1210	3.35	3A	-	25/16	27/16	1	-	-	17/16	1.54
10L 35TB	1615	3.55	3A	-	25/8	27/16	11/2	-	-	15/16	1.66
10L 37TB	1615	3.75	3A	-	23/4	27/16	11/2	-	-	15/16	1.79
10L 40TB	1615	4.00	3A	-	23/4	27/16	11/2	-	-	15/16	1.92
10L 42TB	1615	4.20	4	-	27/8	27/16	11/2	-	15/32	15/32	2.15
10L 44TB	2012	4.40	4	-	31/8	27/16	11/4	-	19/32	19/32	2.38
10L 46TB	2012	4.65	4	-	31/2	27/16	11/4	-	19/32	19/32	2.58
10L 50TB	2012	5.00	4	-	31/2	27/16	11/4	-	19/32	19/32	2.25
10L 52TB	2012	5.20	4	-	41/8	27/16	11/4	-	19/32	19/32	3.18
10L 55TB	2012	5.50	4	-	43/8	27/16	11/4	-	19/32	19/32	3.95
10L 63TB	2012	6.30	4	-	5	27/16	11/4	-	19/32	19/32	4.84
10L 71TB	2517	7.10	3B	-	53/4	27/16	13/4	-	-	11/16	6.95
10L 80TB	2517	8.00	3B	-	61/2	27/16	13/4	-	-	11/16	9.22
10L 88TB	2517	8.80	7A	43/4	71/2	27/16	13/4	1/2	-	11/16	7.16
10L 106TB	2517	10.60	7A	43/4	81/2	27/16	13/4	1/2	-	11/16	7.75
10L 110TB	3020	11.00	7B	53/4	93/4	27/16	2	9/16	-	7/16	9.8
10L 124TB	3020	12.40	7B	53/4	107/8	27/16	2	9/16	-	7/16	11.7
10L 140TB	3020	14.00	7C	53/4	121/2	27/16	2	5/8	-	7/16	15.2
10L 160TB	3525	15.80	5C	65/8	141/4	27/16	21/2	5/8	1/16	-	16.3
10L 180TB	3525	17.80	5C	65/8	161/8	27/16	21/2	13/16	1/16	-	21.5
10L 200TB	4030	19.80	5C	81/2	181/8	27/16	3	13/16	9/16	-	25.8
10L 220TB	4030	22.00	5C	81/2	201/2	27/16	3	7/8	9/16	-	28.8
10L 250TB	4030	24.80	5C	81/2	231/4	27/16	3	7/8	9/16	-	32.9

**M^{ulti}
-W^{edged}**

Pulleys

L12
Poly-V sheaves









Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs
12L 30TB	1108	3.05	3A	-	17/8	23/4	7/8	-	-	17/8	2.14
12L 31TB	1310	3.15	3A	-	25/16	23/4	1	-	-	13/4	2.46
12L 33TB	1310	3.35	3A	-	25/16	23/4	1	-	-	13/4	2.53
12L 35TB	1615	3.55	3A	-	25/8	23/4	11/2	-	-	11/4	2.78
12L 37TB	1615	3.75	3A	-	23/4	23/4	11/2	-	-	11/4	3.32
12L 40TB	1615	4.00	3A	-	23/4	23/4	11/2	-	-	11/4	3.00
12L 42TB	1615	4.20	3A	-	27/8	23/4	11/2	-	-	11/4	3.86
12L 44TB	2012	4.40	4	-	31/8	23/4	11/4	-	3/4	3/4	4.43
12L 46TB	2012	4.65	4	-	31/2	23/4	11/4	-	3/4	3/4	4.93
12L 50TB	2012	5.00	4	-	31/2	23/4	11/4	-	3/4	3/4	5.35
12L 52TB	2517	5.20	4	-	41/8	23/4	13/4	-	1/2	1/2	6.00
12L 55TB	2517	5.50	4	-	43/8	23/4	13/4	-	1/2	1/2	7.28
12L 63TB	2517	6.30	4	-	5	23/4	13/4	-	1/2	1/2	10.50
12L 71TB	2517	7.10	4	-	53/4	23/4	13/4	-	1/2	1/2	13.27
12L 80TB	2517	8.00	4	-	61/2	23/4	13/4	-	1/2	1/2	13.92
12L 88TB	3030	8.80	5A	5	71/2	23/4	3	9/16	1/4	-	16.06
12L 106TB	3030	10.60	5A	5	81/2	23/4	3	9/16	1/4	-	17.14
12L 110TB	3030	11.00	5B	53/4	93/4	23/4	3	5/8	1/4	-	18.85
12L 124TB	3030	12.40	5B	53/4	107/8	23/4	3	5/8	1/4	-	23.12
12L 140TB	3535	14.00	5C	65/8	121/2	23/4	31/2	13/16	3/4	-	27.20
12L 160TB	3535	15.80	5C	65/8	141/4	23/4	31/2	13/16	3/4	-	28.47
12L 180TB	3535	17.80	5C	65/8	161/8	23/4	31/2	7/8	3/4	-	40.68
12L 200TB	4030	19.80	5C	81/2	181/8	23/4	3	7/8	1/4	-	42.83
12L 220TB	4030	22.00	5C	81/2	201/2	23/4	3	1	1/4	-	53.53
12L 250TB	4030	24.80	5C	81/2	231/4	23/4	3	1	1/4	-	64.25


**M^{ulti}
-W^{edged}**

Pulleys


L16
Poly-V sheaves




Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	kg
16L 33TB	1615	3.35	4	-	25/8	31/2	11/2	-	1	1	2.57
16L 35TB	1615	3.55	4	-	25/8	31/2	11/2	-	1	1	3.42
16L 37TB	1615	3.75	4	-	23/4	31/2	11/2	-	1	1	3.64
16L 40TB	1615	4.00	4	-	23/4	31/2	11/2	-	1	1	3.85
16L 42TB	1615	4.20	4	-	27/8	31/2	11/2	-	1	1	4.93
16L 44TB	2012	4.40	4	-	31/8	31/2	11/4	-	11/8	11/8	5.35
16L 46TB	2012	4.65	4	-	31/2	31/2	11/4	-	11/8	11/8	5.56
16L 50TB	2012	5.00	4	-	31/2	31/2	11/4	-	11/8	11/8	6.00
16L 52TB	2517	5.20	4	-	41/8	31/2	13/4	-	7/8	7/8	6.85
16L 55TB	2517	5.50	4	-	43/8	31/2	13/4	-	7/8	7/8	7.78
16L 63TB	2517	6.30	4	-	5	31/2	13/4	-	7/8	7/8	11.78
16L 71TB	2517	7.10	4	-	53/4	31/2	13/4	-	7/8	7/8	15.85
16L 80TB	2517	8.00	4	-	61/2	31/2	13/4	-	7/8	7/8	20.12
16L 88TB	3030	8.80	7B	53/4	71/2	31/2	3	13/16	1/2	-	22.91
16L 106TB	3030	10.60	7B	53/4	81/2	31/2	3	13/16	1/2	-	25.60
16L 110TB	3030	11.00	7B	53/4	93/4	31/2	3	7/8	1/2	-	26.12
16L 124TB	3535	12.40	7B	65/8	107/8	31/2	31/2	7/8	0	0	29.55
16L 140TB	3535	14.00	7C	65/8	121/2	31/2	31/2	1	0	0	35.80
16L 160TB	3535	15.80	7C	65/8	141/4	31/2	31/2	1	0	0	41.11
16L 180TB	4040	17.80	5C	81/2	161/8	31/2	4	1	1/2	-	47.11
16L 200TB	4040	19.80	5C	81/2	181/8	31/2	4	11/8	1/2	-	60.38
16L 220TB	4040	22.00	5C	81/2	201/2	31/2	4	11/8	1/2	-	66.30
16L 250TB	4040	24.80	5C	81/2	231/4	31/2	4	11/8	1/2	-	75.68




4



7A




7B




7C


Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs
20L 52TB	2517	5.20	4	-	41/8	41/4	13/4	-	11/4	11/4	8.56
20L 55TB	2517	5.50	4	-	43/8	41/4	13/4	-	11/4	11/4	9.42
20L 63TB	2517	6.30	4	-	5	41/4	13/4	-	11/4	11/4	12.41
20L 71TB	2517	7.10	4	-	53/4	41/4	13/4	-	11/4	11/4	17.13
20L 80TB	3030	8.00	4	-	61/2	41/4	3	-	11/4	11/4	23.55
20L 88TB	3030	8.80	7A	53/4	71/2	41/4	3	13/16	5/8	5/8	32.98
20L 106TB	3030	10.60	7A	53/4	81/2	41/4	3	13/16	5/8	5/8	44.96
20L 110TB	3535	11.00	7B	65/8	93/4	41/4	31/2	7/8	-	3/4	48.80
20L 124TB	3535	12.40	7B	65/8	107/8	41/4	31/2	7/8	-	3/4	54.82
20L 140TB	3535	14.00	7C	65/8	121/2	41/4	31/2	11/8	-	3/4	60.38
20L 160TB	4040	15.80	7C	81/2	141/4	41/4	4	11/8	-	1/4	63.81
20L 180TB	4040	17.80	7C	81/2	161/8	41/4	4	13/16	-	1/4	76.23
20L 200TB	4040	19.80	7C	81/2	181/8	41/4	4	13/16	-	1/4	80.50
20L 220TB	4040	22.00	7C	81/2	201/2	41/4	4	13/16	-	1/4	100.60
20L 250TB	4040	24.80	7C	81/2	231/4	41/4	4	13/16	-	1/4	113.50




4



7A



5B








5C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs
6M71TB	2517	7.10	4	-	51/8	215/16	13/4	-	19/32	19/32	14.56
6M75TB	2517	7.50	4	-	51/2	215/16	13/4	-	19/32	19/32	15.85
6M80TB	3020	8.00	4	-	65/16	215/16	2	-	15/32	15/32	16.27
6M84TB	3020	8.40	4	-	611/16	215/16	2	-	15/32	15/32	16.92
6M88TB	3020	8.80	4	-	71/8	215/16	2	-	15/32	15/32	17.98
6M106TB	3020	10.60	7A	53/4	81/16	215/16	2	7/8	15/32	15/32	19.28
6M110TB	3020	11.00	7A	53/4	9	215/16	2	7/8	15/32	15/32	21.41
6M124TB	3535	12.40	5B	65/8	103/4	215/16	31/2	1	9/16	-	25.27
6M140TB	3535	14.00	5B	65/8	12	215/16	31/2	1	9/16	-	37.68
6M160TB	4040	15.80	5C	81/2	133/4	215/16	4	11/8	11/16	-	43.25
6M180TB	4040	17.80	5C	81/2	153/4	215/16	4	13/16	11/16	-	49.46
6M200TB	4040	19.80	5C	81/2	173/4	215/16	4	13/16	11/16	-	55.45
6M220TB	4040	22.00	5C	81/2	20	215/16	4	13/16	11/16	-	62.75
6M250TB	4040	24.80	5C	81/2	26	215/16	4	13/16	11/16	-	94.22



Pulleys

M10 Poly-V sheaves




Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	wt Lbs
10M71TB	3030	7.10	4	-	51/8	47/16	3	-	23/32	23/32	19.28
10M75TB	3030	7.50	4	-	51/2	47/16	3	-	23/32	23/32	22.48
10M80TB	3030	8.00	4	-	6	47/16	3	-	23/32	23/32	23.55
10M84TB	3535	8.40	4	-	61/2	47/16	3 1/2	-	15/32	15/32	34.48
10M88TB	3535	8.80	4	-	7	47/16	3 1/2	-	15/32	15/32	36.62
10M106TB	3535	10.60	4	-	8	47/16	3 1/2	-	15/32	15/32	40.68
10M110TB	3535	11.00	7A	65/8	91/8	47/16	3 1/2	11/8	15/32	15/32	45.60
10M124TB	3535	12.40	7B	65/8	101/2	47/16	3 1/2	11/8	15/32	15/32	55.67
10M140TB	4040	14.00	7B	81/2	12	47/16	4	11/8	-	7/16	62.51
10M160TB	4040	15.80	7C	81/2	133/4	47/16	4	13/8	-	7/16	70.45
10M180TB	4040	17.80	7C	81/2	153/4	47/16	4	13/8	-	7/16	79.44
10M200TB	4040	19.80	7C	81/2	173/4	47/16	4	13/8	-	7/16	88.00
10M220TB	4545	22.00	5C	10	20	47/16	4 1/2	19/16	1/16	-	119.90
10M250TB	4545	24.80	5C	10	227/8	47/16	4 1/2	19/16	1/16	-	134.90
10M280TB	4545	28.00	5C	10	26	47/16	4 1/2	19/16	1/16	-	152.00




Pulleys


M16
Poly-V sheaves



4



7B




7C

Part No.	Bushing	0.D	Type	N	J	F	L	E	S1	S2	kg
16M71TB	3030	7.10	4	-	51/8	65/8	3	-	113/16	113/16	19.27
16M75TB	3030	7.50	4	-	51/2	65/8	3	-	113/16	113/16	21.84
16M80TB	3535	8.00	4	-	6	65/8	31/2	-	19/16	19/16	27.83
16M84TB	3535	8.40	4	-	61/2	65/8	31/2	-	19/16	19/16	35.98
16M88TB	3535	8.80	4	-	7	65/8	31/2	-	19/16	19/16	38.11
16M106TB	3535	10.60	4	-	71/2	65/8	31/2	-	19/16	19/16	53.53
16M110TB	3535	11.00	4	-	91/8	65/8	31/2	-	19/16	19/16	69.38
16M124TB	4040	12.40	4	-	101/2	65/8	4	-	15/16	15/16	91.22
16M140TB	4040	14.00	7B	81/2	12	65/8	4	13/8	15/16	15/16	100.60
16M160TB	4040	15.80	7B	81/2	133/4	65/8	4	13/8	15/16	15/16	110.40
16M180TB	4040	17.80	7C	81/2	153/4	65/8	4	13/4	15/16	15/16	121.00
16M200TB	4040	19.80	7C	81/2	173/4	65/8	4	23/16	15/16	15/16	133.40
16M220TB	4545	22.00	7C	10	20	65/8	41/2	23/16	11/16	11/16	154.18
16M250TB	4545	24.80	7C	10	237/8	65/8	41/2	23/8	11/16	11/16	173.40
16M280TB	4545	28.00	7C	10	26	65/8	41/2	23/8	11/16	11/16	195.50




Pulleys


M20
Poly-V sheaves



4



7B



7C

Part No.	Bushing	O.D.	Type	N	J	F	L	E	S1	S2	kg
20M71TB	3030	7.10	4		51/8	81/16	3		217/32	217/32	21.84
20M75TB	3030	7.50	4		51/2	81/16	3		217/32	217/32	24.62
20M80TB	3535	8.00	4		6	81/16	31/2		29/32	29/32	27.82
20M84TB	3535	8.40	4		61/2	81/16	31/2		29/32	29/32	33.20
20M88TB	3535	8.80	4		7	81/16	31/2		29/32	29/32	42.18
20M106TB	3535	10.60	4		71/2	81/16	31/2		29/32	29/32	61.24
20M110TB	3535	11.00	4		91/8	81/16	31/2		29/32	29/32	84.88
20M124TB	4040	12.40	4		101/2	81/16	4		21/32	21/32	89.90
20M160TB	4040	15.80	7B	81/2	133/4	81/16	4	19/16	21/32	21/32	122.50
20M180TB	4040	17.80	7C	81/2	153/4	81/16	4	2	21/32	21/32	125.90
20M200TB	4545	19.80	7C	10	173/4	81/16	41/2	23/8	125/32	125/32	139.60
20M220TB	4545	22.00	7C	10	20	81/16	41/2	23/8	125/32	125/32	156.30
20M250TB	4545	24.80	7C	10	207/8	81/16	41/2	29/16	125/32	125/32	175.50
20M280TB	5050	28.00	7C	101/2	26	81/16	5	29/16	117/32	117/32	210.70