







HALOGEN AIRFIELD LAMPS
WITH MR16/MR11 REFLECTOR




Order Code	Current A	Wattage W	Base	Connector	Average life hrs	Main Application	Cross Reference
LT05147A	6.6	30	Cable	Female	1000	Airfield Lighting	Osram 64331 SP-A
LT05147C	6.6	30	Cable	Male	1000	Airfield Lighting	Osram 64331 FL-C
LT05146A	6.6	40	Cable	Female	1000-1500	Airfield Lighting	Osram 64333A MR11
LT05146B	6.6	40	Cable	Female Round	1000-1500	Airfield Lighting	Osram 64333B MR11
LT05146C	6.6	40	Cable	Male	1000-1500	Airfield Lighting	Osram 64333C MR11
LT05148A	6.6	45	Cable	Female	1000-1500	Airfield Lighting	Osram 64337A
LT05148B	6.6	45	Cable	Female Round	1000-1500	Airfield Lighting	Osram 64337B
LT05149A	6.6	48	Cable	Female	1000-1500	Airfield Lighting	Osram 64337 A
LT05149B	6.6	48	Cable	Female Round	1000-1500	Airfield Lighting	Osram 64337B
LT05149C	6.6	48	Cable	Male	1000-1500	Airfield Lighting	Osram 64337 C
LT05149A	6.6	48	Cable	Female	1000-1500	Airfield Lighting	Osram 64338 A
LT05149C	6.6	48	Cable	Male	1000-1500	Airfield Lighting	Osram 64338 C
LT05145A	6.6	62	Cable	Female	1000-1500	Airfield Lighting	Osram 64336A
LT05144A	6.6	105	Cable	Female	1000	Airfield Lighting	Osram 64339 A
LT05144B	6.6	105	Cable	Female Round	1000	Airfield Lighting	Osram 64339 B
LT05144C	6.6	105	Cable	Male	1000	Airfield Lighting	Osram 64339 C
LT05143C	6.6	150	Cable	Male	1000	Airfield Lighting	6.6A150W MR16
LT05143A	6.6	150	Cable	Female	1000	Airfield Lighting	6.6A150W MR16




HALOGEN AIRFIELD LAMPS
BI-PIN



Order Code	Current A	Wattage W	Base	Average life hrs	Main Application	Cross Reference
LT03194	6.6	30	GZ/GY9.5	1000-1500	Airfield Lighting	OSRAM 64322, EXL
LT03196	6.6	45	GZ/GY9.5	1000-1500	Airfield Lighting	OSRAM 64320, EXM
LT03192	6.6	120	GZ/GY9.5	1000-1500	Airfield Lighting	OSRAM 58798, EVV
LT03195	6.6	150	GZ/GY9.5	1000-1500	Airfield Lighting	OSRAM 64354, EWR
LT03199	6.6	200	GZ/GY9.5	1000-1500	Airfield Lighting	OSRAM 58750, EZL




HALOGEN AIRFIELD LAMPS
PK30D



Order Code	Current A	Wattage W	Base	Connector	Average life hrs	Main Application	Cross Reference
LT03186C	6.6	30	PK30D	Male	1000-1500	Airfield Lighting	6.6A30W PK30D
LT03186A	6.6	30	PK30D	Female	1000-1500	Airfield Lighting	6.6A30W PK30D
LT03198A	6.6	40	PK30D	Female	1000-1500	Airfield Lighting	6.6A40W PK30D
LT03198C	6.6	40	PK30D	Male	1000-1500	Airfield Lighting	6.6A40W PK30D
LT03187C	6.6	45	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64317 C
LT03187C	6.6	45	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64318 Z/C
LT03187A	6.6	45	PK30D	Female	1000-1500	Airfield Lighting	OSRAM 64319 A
LT03187C	6.6	45	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64319 Z/C
LT03188A	6.6	50	PK30D	Female	1000-1500	Airfield Lighting	6.6A50W PK30D
LT03188C	6.6	50	PK30D	Male	1000-1500	Airfield Lighting	6.6A50W PK30D
LT03189C	6.6	65	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64328 HLX-Z
LT03189A	6.6	65	PK30D	Female	1000-1500	Airfield Lighting	OSRAM 64328 HLX-A
LT03190A	6.6	100	PK30D	Female	1000-1500	Airfield Lighting	OSRAM 64341 HLX-A
LT03190C	6.6	100	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64341 HLX-Z/C
LT03190C	6.6	100	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64342 HLX-C
LT03191A	6.6	150	PK30D	Female	1000-1500	Airfield Lighting	OSRAM 64361 HLX-A
LT03191C	6.6	150	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64361 HLX-Z/C
LT03192A	6.6	200	PK30D	Female	1000-1500	Airfield Lighting	OSRAM 64382 HLX-A
LT03192C	6.6	200	PK30D	Male	1000-1500	Airfield Lighting	OSRAM 64382 HLX-C



HALOGEN AIRFIELD LAMPS
BI-PIN



Order Code	Current A	Wattage W	Base	Average life hrs	Main Application	Cross Reference
LT03200	6.6	36	G6.35	1000-1500	Airfield Lighting	OSRAM 64311
LT03201	6.6	45	G6.35	1000-1500	Airfield Lighting	OSRAM 64321
LT03202	6.6	100	G6.35	1000-1500	Airfield Lighting	OSRAM 64346
LT03203	6.6	200	G6.35	1000-1500	Airfield Lighting	OSRAM 64386



PAR LAMPS
PAR 64

Order Code	Volts	Watts	Base	Average Life hrs	Diameter (mm)	Lenth (mm)
PAR 64	120	1000	GX16D	800	204	150
	120	1000	GX16D	800	204	150
	120	1000	GX16D	800	204	150
	120	1000	GX16D	800	204	150



PAR LAMPS
PAR 56

Order Code	Volts	Watts	Base	Average Life hrs	Diameter (mm)	Lenth (mm)
PAR56	120/240	300	GX16D	300	178	127
	120/240	300	GX16D	300	178	127
	120/240	300	GX16D	300	178	127
	120/230	500	GX16D	300	178	127
	120/230	500	GX16D	300	178	127
	120/230	500	GX16D	300	178	127

AIRPORT RUNWAY HALOEGN LAMPS

Specifications:
 6.6A 36w 6.6A 65w
 6.6A 45w 6.6A 100w
 6.6A 48w 6.6A 105w
 6.6A 150w 6.6A 200w

Base/type:
 G6.35, PK30D, MR16

Ends:
 Male, Female, Round



PAR LAMPS
PAR 38

Order Code	Volts	Watts	Base	Average Life hrs	Diameter (mm)	Lenth (mm)
PAR 38	120	60	E26/E27	1100	120	135
	120	200	E26/E27	1100	120	135



PAR LAMPS
PAR 36

Order Code	Volts	Watts	Base	Average Life hrs	Diameter (mm)	Lenth (mm)
PAR 36	120	650	Screw Terminals	100	114	70

