

# YJ-U218V2 Veterinary Handheld Ultrasound Scanner







### **Applications:**

Ovine, Bovine, Equine, Swine, Alpaca, Feline, Canine, Rabbit, Fish, Snake and etc.

#### **Brief introduction:**

This equipment is high resolution linear/convex ultrasound scanning diagnostic equipment. It adopts micro-computer control and digital scan converter (DSC), digital beam-forming (DBF), real time dynamic aperture (RDA), real time dynamic receiving apodization, real time Dynamic receiving focusing (DRF), Digital frequency Scan (DFS), frame correlation technologies to endue its image with clarity, stability and high resolution.

#### **Specifications:**

Detect Depth(mm): ≥140

Blind zone(mm): ≤3 Monitor size: 5 inch

Display mode: B, B+B, B+M, M, 4B

Image gray scale: 256 Image storage: 128 Cine loop: ≥400 frame

Scan depth: 120mm-220mm Image flip: up/down, left/right Focus position: Adjustable

Posture mark: 15

Image process: Histogram, color encode, gama, image smooth

Probe frequency: Adjustable (3 point each probe)

Frame correction: Adjustable

Measurement: distance, circumference, heart rate, EDD, area, volume, GA and etc.

Notation: date, time, name, sex, age, full screen words edit and etc.

Output report: regular

Output: USB2.0, VIDEO( PALD, NTSC) Charging method: adapter, battery

Adapter rating: 100-240V~, 50-60Hz, 70VA
Battery: 2600mAh, continuous work: ≥3 hours
Machine size: 230mm(L)x120mm(W)x38mm(H)

Net weight: 700g

#### **Standard Configuration:**

Scanner Body: 1pcLi-ion Battery: 1pc

3.5MHz Convex Probe: 1pcCharger with a Set of Wires: 1set

Wrap Bag: 1pc

∘ CD: 1pc

Bottle of USG gel: 1pc

Email: Julianne@yjcompany.com Whatsapp/TEL.:86-18638789724 www.forermedchina.com



Transportation Case: 1pc

∘ User Manual: 1pc

## Optional:

- ∘ 5.0MHz Micro-convex Probe
- ∘ 6.5MHz Rectal Probe
- 6.5Mhz Rectal Probe with Rod
- 7.5MHz Linear Probe
- Video Printer
- Li-ion Battery
- Rod of Rectal Probe
- Car Charger
- Charging Adaptation Wire(containing power cord)