

YJ-A1 Dental Chair



Standard configuration:

- The patient seat is shaped by the human body with a high degree of flexibility designed to open multi-angle seating
- Fully computer programmed control
- Three spray guns (one hot and one cold) 2 units
- All-directional LED oral light adopts intensity adjustment and setting without auroral intensity, which can be used both sensitiously and manually
- Strong and weak aspirator (optional central negative pressure system)
- 24V low voltage silent all imported DC motor
- Tap water one-click conversion
- External water bottle, can be easily removed from the side box to add water and clean
- Automatic constant temperature water supply system
- 1 set of 24V low pressure viewing light, can clearly view X-ray images without leaving the treatment table
- Air lock balance arm device
- 3-digit mobile phone automatic control function system

- Gargling quantitative water supply automatic control system
- Double-articular headrest, which can satisfy both adults and children, can provide a comfortable position for children patients, especially for wheelchair patients. Only one positioning can ensure the stable support of the patient's head and save operation time
- Doctor's chair



Specification:

- Supply voltage 110V60HZ, 220V 50HZ
- Air source pressure > 0.55 Mpa
- Water pressure 0.2Mpa-.04Mpa
- Dental chair lowest 440mm
- Dental chair highest 860mm
- Minimum dental chair back Angle 5°
- Dental chair back Angle maximum 85°
- The dental chair has a net weight of 200KG
- The maximum width of the dental chair is 52cm
- The longest dimension of the dental chair is 185cm

Optional accessories:

- 2 high-speed gas turbine mobile phones
- Low speed air motor mobile phone 1
- High-speed optical fiber mobile phone system 1 set

- Two high-speed fiber optic mobile phones
- Built-in light curing machine 1 set
- Built-in ultrasonic dental cleaning machine with oral endoscope system 1 set
- 1 oil-free medical compressor

