




京澎机械设备(上海)有限公司  
Jingpeng Machinery & Equipment (Shanghai) Co., Ltd.



## 圆柱滚子轴承 产品手册

Cylindrical Roller Bearing Product Manual

## 公司简介

### COMPANY PROFILE

Jingpeng Machinery & Equipment (Shanghai) Co., Ltd. was established in 2003. The company is committed to the R&D and manufacturing of "imported bearing replacement" and is determined to completely replace imported bearings in terms of appearance, precision and service life.

The company has a professional technical and service team with a technical staff ratio of more than 30%. It can produce an inner diameter of  $\Phi 15\text{mm} - \Phi 2000\text{mm}$  and undertake OEM and OEM production. The company adopts fully automatic CNC production line, and at the same time establishes perfect inspection means Complete tracking, system inspection, and establishes perfect testing equipment including metallographic inspection, contour detector, roundness meter, roughness meter and high-precision measurement center. Strictly control the production process to ensure the stability and consistency of the bearing quality. And analyze the bearing usage under various environmental conditions to better meet the needs of customers. The company's partners include the world's top 500 companies, the products sell well all over the world, exported to the United States, Spain, Turkey, Italy, Austria, Brazil, etc. More than a dozen countries.

The company adheres to the quality policy of "excellence, perfection, 0.01% of the product is 100% waste!", determined to completely replace imported bearings from appearance, precision and service life. The company has its own physical and chemical laboratory and measurement and testing center. The products are strictly controlled from the first step to each step. Each batch of products has a detailed quality file with a retrospective period of up to five years.



## 圆柱滚子轴承——带保持架的圆柱滚子轴承

**特性** 带保持架的单列圆柱滚子轴承由内圈、外圈、圆柱滚子及保持架组件构成。外圈两侧带有刚性挡边或没有挡边，内圈带有一个或两个刚性挡边或没有挡边。保持架防止滚子在滚动过程中相互接触。带保持的圆柱滚子轴承具有良好的刚性，可以承受高的径向载荷，并且因为带有保持架，与满装设计的轴承相比，此类轴承更适用于高速场合。带后缀 E 的轴承经过优化承载能力更高，因而适于更高载荷的工况。此类轴承的一个套圈可拆分，便于安装和拆卸。内、外圈均可紧配合。带保持架的单列圆柱滚子轴承可用作非定位、半定位及定位轴承。与标准轴承相比，KMR 轴承的滚道具有更小的表面粗糙度 Ra 和更高的几何精度。因此，相同尺寸的轴承中 KMR 轴承具有更高的承载能力和更长的寿命。在某些应用中，这就意味着可以使用尺寸更小的轴承。

**容许的倾斜角度** 如果内、外圈相对倾斜角度不超过下列值，轴承的额定寿命不会显著降低。10、19、2、3、4 系列的轴承为  $4'$ ，22、23 系列的轴承为  $3'$ 。



图 1 圆柱滚子轴承 M1 型  
Figure 1 Cylindrical roller bearing M1




图 2 圆柱滚子轴承 M 型  
Figure 2 Cylindrical roller bearing M

## Cylindrical roller bearings Cylindrical roller bearings with cages

**Features** Single row cylindrical roller bearings with cages are units comprising solid inner and outer rings and cylindrical roller and cage assemblies. The outer rings have rigid ribs or are designed without ribs. The cage prevents the cylindrical rollers from coming into contact with each other during rolling. The cylindrical roller bearings have high rigidity, high radial load carrying capacity and due to the cage, are suitable for higher speeds compared to full complement design. Bearings with the suffix E have a higher capacity roller set and are thus designed for very high load carrying capacity. The bearings are separable and are therefore easier to fit and dismantle. Both bearing rings can be given a tight fit by this process. Single row cylindrical roller bearings with cage are available as non-locating, semi-locating and locating bearings. Compared with standard bearings, KME Bearings have lower roughness Ra and higher geometrical accuracy of the raceways. As a result, these bearings have higher load carrying capacity and longer life for the same dimensioning. In certain applications, this means that a smaller bearing arrangement can be designed.


**Allowable incline angle** If the inner and outer rings relative inclination angle does not exceed the following values, The bearings rated life will not reduced greatly, 10,19,2,3,4 series bearings are  $4'$  , 22,23 series bearings are  $3'$  .

## 现有设计

后缀	说明	设计
C3	内部径向游隙大于 CN 组	标准设计
C4	内部径向游隙大于 C3 组	
E or EC	加强型设计	
EX	加强型设计, 根据标准设计变更 (轴零件不能与同尺寸的 E 型设计的轴承互换)	
M1 or M	实体黄铜保持架, 双片、滚子引导	
TVP2	玻璃纤维增强尼龙 66 实体窗式保持架	
M1A or MA	实体黄铜保持架, 双片、外圈挡边引导	
M1B or MB	实体黄铜保持架, 双片、内圈挡边引导	
C2	径向游隙小于普通组	
C5	适合振动载荷, 直径公差带变窄, 径向游隙大于 C4	

注释: KMR 可提供两种“实体黄铜, 双片、滚子引导”类型的保持架, 后缀分别为 M1、M, 请见前页图 1、图 2。应用“M”型保持架的圆柱滚子轴承具有更高的保持架加工精度及更优的保持架平衡设计, 如有需要“M”型保持架, 请与 KMR 联系。

 带保持架的  
圆柱滚子轴承


 Cylindrical roller bearings  
with cages


型号范围 The model range	内径范围 Diameter range (mm)	派生结构
NU202~NU264	Φ20~Φ110	N、NJ、NUP
NU2203~NU2276	Φ25~Φ320	NJ、NUP
NU303~NU356	Φ40~Φ280	N、NJ、NUP
NU2304~NU2356	Φ90~Φ480	NJ、NUP
NU1005~NU10/560	Φ100~Φ600	N
NU406~NU424	Φ110~Φ800	NJ
NU1992~NU19/710	Φ110~Φ710	

## Available designs

Suffix	Instructions	design
C3	The radial clearance is greater than normal	Standard design
C4	The radial clearance is greater than C3	
E or EC	Reinforced design	
EX	reinforced design, According to the standard design change, bearing parts can not with the same size of the bearing on the design of E swaps	
M1 or M	entity brass cages, two pieces, leading by rollers	
TVP2	Glass fiber reinforced nylon 66 entity window retainer	
M1A or MA	entity brass cages, two pieces, leading by outer flange	
M1B or MB	entity brass cages, two pieces, leading by inner flange	
C2	The radial clearance is less than normal	
C5	The radial clearance is greater than C4	

KMR can provide two kinds of cages, including entity brass, two pieces, leading by rollers, the suffix is M1, M, Page 24-25, Picture 1 and picture 2. Cylindrical roller bearings with M shape cages has high precision and high design cages. If you need M type cages, please contact with KMR.



## 圆柱滚子轴承——高承载力圆柱滚子轴承

**特性** 满滚子轴承未配备将滚子隔开的保持架，因此，满滚子轴承可以安装最多的滚子。

与配备了保持架的扁尺寸轴承相比，满滚子轴承的优势在于其能够承受更高的负荷。

但是，满滚子轴承中滚子和滚子之间的接触增大了摩擦、发热和磨损的风险。

所以，为降低此类风险，允许的转速不得不下降。在极其恶劣的工况下，这些缺点就会大大缩短轴承的使用寿命。

为同时实现满滚子轴承的最大载荷能力以及带保持架轴承的卓越性能，KMR 开发了高承载力圆柱滚子轴承。该轴承同时兼备这两种轴承的优点。专门为工业齿轮箱、风机齿轮箱或采矿设备等应用场合设计开发。

新型 KMR 高承载力圆柱滚子轴承配备了比 EC 设计圆柱滚子轴承更多的滚子，不仅保持了原有的 ISO 基本尺寸，而且还保持了 EC 设计的内部几何形状，从而增加了动态和静态载荷能力并延长了轴承的使用寿命。



### 滚子滑动的风险降低

KMR 高承载力圆柱滚子轴承专为满足风力发电机的要求以及需要高载荷能力的应用场合而设计。在这些应用场合中，轴承须经常在低于所需最小负荷的工况下运行。在这些情况下，滚子和保持架之间的惯性力以及润滑剂的摩擦可能对轴承的滚动条件具有决定性影响，并可能导致滚子和滚道之间发生破坏性的滑动。

KMR 的内圈引导保持架的高承载力圆柱滚子轴承可降低这种风险。当轴承在低于推荐的最小径向负荷下运行时，与相同尺寸的配备了保持架的传统圆柱滚子轴承相比，配备了内圈引导保持架的轴承的滑动率大大降低。对于 22 尺寸系列的轴承而言，滑动损坏的风险比 23 系列轴承更低。22 系列轴承横截面更小、滚子更小，所以惯性力也更低。对滚子进行发黑处理，能进一步降低初始启动时轴承内部滑动损坏的风险。

## Cylindrical roller bearings High carrying capacity Cylindrical roller bearings

**Features** Full complement bearings don't have the cage which separated rollers, so, the most rollers are fitted to the bearing.

So, compared with the same size bearings which have cage, the advantage of full complement bearings is high load carrying capacity.

But, the direct contact of rollers of full complement bearings increases the risk of friction, heating and wearing. In order to reduce the risk of these, the allowable speed have to be decreased. Under the extremely worst working conditions, these disadvantages can shorten the servicing life of bearings.

In order to realize the highest load carrying capacity of full complement bearings and excellent performance of bearings with cage, KMR studied and developed high load carrying capacity cylindrical roller bearings, these bearings have the advantages of two types bearing.

The new KMR high load carrying capacity have more rollers than EC design, it not only retains the original ISO basic dimensions but also have the internal geometrical shape of EC design, so the dynamic and static load carrying capacity is enhanced and servicing life was prolonged.

### Reduce the risk of roller sliding

KMR high load carrying capacity cylindrical roller bearings are designed for satisfying the requirement of wind generators and applications of high load carrying capacity. During these applications, the bearings have to be worked in the conditions under the minimum load ratings.

The inertial force between the rollers and cages and friction of lubricants have the key influences to the rolling conditions, further leads to destructive slippage between the rollers and raceway.

KMR cylindrical roller bearings whose cages are guided by rollers can reduce these risk. When bearings work in the conditions under the minimum radial forces, compared with the traditional same size cylindrical roller bearings with cage, the sliding ratio reduce greatly of cylindrical roller bearings whose cage guided by rollers. To the bearings series 22..., the sliding damage is lower than the series 23.... The cross section is smaller and rollers are smaller of series 22..., so the inertial force is smaller too.

The black treatment of rollers can further reduces the risk of internal sliding damage when starting.


### 现有设计

后缀	说明	设计
EC	整体式窗式钢保持架，内圈引导	标准设计
JB	整体式窗式钢保持架，内圈引导	
JA	整体式窗式钢保持架，内圈引导	
L4B	套圈及滚子经发黑处理	
L6B	滚子经发黑处理	
L7B	滚子和内圈经发黑处理	
PEX	KMR 加强型轴承，仅当相同尺寸的传统轴承和 KMR 加强型轴承均有供货时使用。	
DR	由两个配对轴承组成的轴承组	
TR	由三个配对轴承组成的轴承组	
QR	由四个配对轴承组成的轴承组	


### Available designs

Suffix	Description	Design
EC	Integral window type steel cage, inner guidance	Standard Design
JB	Integral window type steel cage, inner guidance	
JA	Integral window type steel cage, inner guidance	
L4B	Rings and rollers by blackening	
L5B	Roller after blackening treatment	
L7B	Roller and an inner ring by blackening	
PEX	KMR reinforced bearings, it can be used when both the same size traditional bearings and KMR reinforced bearings have stock.	
DR	Bearing group consists of two pairs of bearings	
TR	Bearing group consists of three pairs of bearings	
QR	Bearing group consists of four pairs of bearings	

### 高承载力 圆柱滚子轴承



### High carrying capacity Cylindrical roller bearings



型号范围	内径范围
NCF2326~NCF2348	Φ 130~Φ 240
NCF2228~NCF2244	Φ 140~Φ 220

The model range	Diameter range ( mm )
NCF2326~NCF2348	Φ 130~Φ 240
NCF2228~NCF2244	Φ 140~Φ 220

## 圆柱滚子轴承——单列满装圆柱滚子轴承

**特性** 单列满装圆柱滚子轴承由内圈、外圈以及挡边引导的圆柱滚子组成。由于具有尽可能多的滚动体，因此该轴承具有极高的径向承载能力和刚性，特别适用于紧凑的结构设计。然而受运动学条件的限制，这类轴承无法达到带保持架的圆柱滚子轴承那样高的极限转速。

单列满装圆柱滚子轴承为半定位轴承。与标准轴承相比，KMR 轴承的滚道具有更小的表面粗糙度 Ra 和更高的几何精度。因此，相同尺寸的轴承中 KMR 轴承具有更高的承载能力和更长的寿命。



**容许的倾斜角度** 如果内、外圈相对倾斜角度不超过下列值，轴承的额定寿命不会显著降低：SL1818 系列的轴承为  $4'$ 、SL1923、SL1822、SL1829 和 SL1830 系列的轴承为  $3'$ 。

**轴向承载能力** 半定位向心圆柱滚子轴承可以承受径向力和单向轴向力。

轴向承载能力取决于：

- 挡边与滚子端面间的滑动接触表面的尺寸
- 挡边处的滑动速度
- 接触表面的润滑
- 轴承的倾斜。

载荷比  $F_a/F_r$  不应超过 0.4。对于 TB 设计的轴承，不应超过 0.6。不允许轴承在没有径向载荷的情况下承受持续的轴向载荷。

## Cylindrical roller bearings Single row full complement cylindrical roller bearing

**Features** Single row full complement cylindrical roller bearing consist of inner ring, outside ring and roller guided by wall .

Because of the rolling elements as much, so that the radial bearing has a high load capacity and rigidity, especially suitable for compact design. However, subject to conditions designed kinematics, These bearings can not reach high limit speed as cylindrical roller bearings with cage .

Single row full complement cylindrical roller bearing is semi-locating bearing.

Compared with standard bearing ,the raceway of KMR bearing has little surface roughness Ra and higher geometric precision .Therefore, the same size KMR bearings have higher load carrying capacity and longer life.


**Allowable incline angle** If the inner and outer rings relative inclination angle does not exceed the following values, bearing not significantly reduce the rated life: SL1818 series bearings is  $4'$  SL1923,SL1822,SL1829 and SL 1830 series bearing is  $3'$  .

**Axial loading capacity** Semi-locating centripetal cylindrical roller bearings can withstand radial and axial forces.Axial load capacity depends on sliding contact surface size between the roller end and the wall ,the wall sliding speed,the contract surface lubrication ,the incline of bearing. Load ratio  $F_a / F_r$  not more than 0.4 For the TB design bearings, not more than 0.6., shouldn' t withstand axial load bearing continuous without radial load.

### 现有设计

后缀	说明	设计
C3	内部径向游隙大于 CN 组	协议供货
C4	内部径向游隙大于 C3 组	
C5	内部径向游隙大于 C4 组	
E	加强型设计	标准, 与轴承系列有关。
TB	提高了轴向承载能力的轴承	标准, 与轴承系列有关。

### 单列满装 圆柱滚子轴承 半定位轴承




型号范围 The model range	内径范围 Diameter range (mm)
SL183004~ SL183080	Φ20~ Φ400
SL182204~SL182240	Φ20~ Φ200
SL192305~SL192360	Φ80~ Φ300
SL182912~SL1829/500	Φ60~ Φ500
SL181840~SL1818/1120	Φ200~ Φ1120

### Available designs

Suffix	Description	Design
C3	Internal radial clearance is greater than CN group	Supply agreement
C4	Internal radial clearance is greater than C3 group	
C5	Internal radial clearance is greater than C4 group	
E	Enhanced design	Standard, related to bearing series
TB	Improved axial load bearing capacity	Standard, related to bearing series

### Single row full complement cylindrical roller bearing Semic-locating bearing



The model range	Diameter range (mm)
SL183004~ SL183080	Φ20~ Φ400
SL182204~SL182240	Φ20~ Φ200
SL192305~SL192360	Φ80~ Φ300
SL182912~SL1829/500	Φ60~ Φ500
SL181840~SL1818/1120	Φ200~ Φ1120

## 圆柱滚子轴承——双列满装圆柱滚子轴承

**特性** 这类轴承包括外圈、内圈及挡边引导的圆柱滚子。由于具有最多数量的滚动体，这类轴承具有极高的径向承载能力和刚性，特别适用于紧凑结构的设计。然而受运动学条件的限制，这类轴承无法达到带保持架的圆柱滚子轴承那样高的极限转速。

双列满装圆柱滚子轴承包括非定位、半定位及定位轴承。内、外圈不允许发生相对偏转。

与标准轴承相比，KMR 轴承的滚道具有更小的表面粗糙度 Ra 和更高的几何精度。因此，相同尺寸的 KMR 轴承具有更高的承载能力和更长的寿命。



**索轮轴承** 索轮轴承（外圈带止动槽的圆柱滚子轴承）为定位轴承。

这类轴承的刚性非常好，可承受很高的径向力和中等大小的双向轴向力。轴承包括带挡边的内圈和外圈，由挡边引导的圆柱滚子以及密封圈。

外圈带有止动槽，用于安装止动环。内圈为轴向剖分式结构，并通过刚性件联接在一起，轴承的内圈比外圈宽 1mm。

外圈带止动槽的圆柱滚子轴承包括 SL04...PP 的轻系列轴承和 SL0450...PP 的 50 尺寸系列的轴承。

**密封** 索轮轴承两侧的密封可防止外界污染物与水气进入轴承内部。

**润滑** 对于无密封的定位轴承，可以通过外圈上的润滑油槽和润滑油孔进行润滑油和脂润滑。

索轮轴承带有复合锂基润滑脂，并能通过外圈或内圈进行再润滑。

## Cylindrical roller bearings Double row full complement cylindrical roller bearing

**Features** Full complement cylindrical roller bearings have solid outer and inner rings and rib-guided cylindrical rollers. Since they have the maximum possible number of rolling elements, these bearings have extremely high radial load carrying capacity and high rigidity and are suitable for particularly compact designs. Due to the kinematic conditions, however, they do not achieve the high speeds that are possible when using cylindrical roller bearings with cage. Full complement cylindrical roller bearings are available as non-locating semi-locating and locating bearings as well as in single and double row designs.

Compared with standard bearings, KMR bearings have lower roughness Ra and higher geometrical accuracy of raceways. As a result, they have higher load carrying capacity and longer life for the same dimension.

**Cable wheel bearing** Cylindrical roller bearings with snap ring grooves are locating bearings. These bearings are very rigid and can support axial forces in both directions as well as high radial forces.

Cylindrical roller bearings with snap ring grooves are full complement, double row units comprising solid outer and inner rings with ribs, rib-guided cylindrical rollers and sealing rings.

The outer rings have grooves for retaining rings,

The inner rings are axially split, 1 mm wider than the outer rings and held together by a rolled-in steel strip.

The bearings are available as a light series SL04...PP and in the dimension series 50 as SL0450...PP.

**Seal** Sealing rings on both sides protect the running system against contamination and moisture.

**Lubrication** For locating bearing without sealing ring, the bearings can be lubricated by oil groove and oil hole.

Sauron bearing have lithium grease by itself, so the bearings can be lubricated again through inner ring or outer ring.



## 现有设计

后缀	说明	设计
BR	黑色氧化涂层	协议供货
C3	内部径向游隙大于 CN 组	
C4	内部径向游隙大于 C3 组	
C5	内部径向游隙大于 C4 组	
TB	提高了轴向承载能力的轴承	

## 索轮轴承的现有设计

后缀	说明	设计
C3	内部径向游隙大于 CN 组	协议供货
C4	内部径向游隙大于 C3 组	
C5	内部径向游隙大于 C4 组	
RR	防腐蚀设计, 带 Corrotect 涂层	
2NR	索轮轴承带有两个散装的止动环 WRE	
-	不带密封	标准设计
P	单侧密封	
PP	双侧密封, 用于索轮轴承	


## Available designs

Suffix	Explanation	Design
BR	Black oxide layer	Supply agreement
C3	Internal radial clearance is greater than CN group	
C4	Internal radial clearancis greater than C3 group	
C5	Internal radial clearancis greater than C4 group	
TB	Improved axial load bearing capacity	


## Existing cable wheel bearing design

Suffix	Explanation	Design
C3	Internal radial clearance than CN group	Supply agreement
C4	Internal radial clearance than C3 group	
C5	Internal radial clearance than C4 group	
RR	Corrosion resistant design with corrotect	
2NR	Cable wheel bearing with two snap ring	
-	Without seal	Standard Design
P	Seal with single side	
PP	Both side seal for Cable Wheel bearings	


双列满装  
圆柱滚子轴承  
半定位轴承、定位轴承  
和浮动轴承



SL1850  
半定位轴承




SL0148, SL0149  
定位轴承




SL0248, SL0249  
浮动轴承

型号范围	内径范围
SL185004~SL185076	$\Phi 20\sim\Phi 380$
SL045004~SL045060	$\Phi 20\sim\Phi 300$
SL04130~SL04300	$\Phi 130\sim\Phi 300$
SL185004~SL185076	$\Phi 20\sim\Phi 380$

索环轴承  
带止动槽的圆柱滚子轴  
承满装、带密封、定位  
轴承




SL0450..PP  
SL04..PP




安装尺寸

型号范围	内径范围
SL045004~SL045060	$\Phi 20\sim\Phi 300$
SL04130~SL04300	$\Phi 130\sim\Phi 300$


Double row full complement cylindrical roller  
bearing  
Semic-locating bearing、position bearing  
floating bearing



SL1850  
Half a locating bearing




SL0148, SL0149  
locating bearing




SL0248, SL0249  
floating bearings

The model range	Diameter range ( mm )
SL185004~SL185076	$\Phi 20\sim\Phi 380$
SL045004~SL045060	$\Phi 20\sim\Phi 300$
SL04130~SL04300	$\Phi 130\sim\Phi 300$
SL185004~SL185076	$\Phi 20\sim\Phi 380$

Cylindrical roller bearings with  
snap ring groove  
Full complement , seal ring ,  
position bearing



SL0450..PP  
SL04..PP



installation size

The model range	Diameter range ( mm )
SL045004~SL045060	$\Phi 20\sim\Phi 300$
SL04130~SL04300	$\Phi 130\sim\Phi 300$



Brand	Type	d (mm)	D (mm)	B (mm)	dynamic C (kN)	static C <sub>0</sub> (kN)	Fatigue load limit (kN)	Reference speed (r/min)	Limiting speed (r/min)	Mass (kg)
YOSO	NJ 304 ECP	20	52	15	35,5	26	3,25	15000	18000	0,17
YOSO	NUP 2304	20	52	21	47,5	38	4,8	15000	18000	0,22
YOSO	NU 2304 ECP	20	52	21	47,5	38	4,8	15000	18000	0,21
YOSO	NJ 2304 ECP	20	52	21	47,5	38	4,8	15000	18000	0,22
YOSO	NU 1005	25	47	12	14,2	13,2	1,4	18000	18000	0,084
YOSO	N 205 ECP	25	52	15	32,5	27	3,35	14000	16000	0,13
YOSO	NUP 205	25	52	15	32,5	27	3,35	14000	16000	0,14
YOSO	NUP 205 ECP	25	52	15	32,5	27	3,35	14000	16000	0,14
YOSO	NU 205 ECJ	25	52	15	32,5	27	3,35	14000	16000	0,14
YOSO	NU 205 ECP	25	52	15	32,5	27	3,35	14000	16000	0,14
YOSO	NU 205 ECML	25	52	15	32,5	27	3,35	14000	26000	0,14
YOSO	NU 205	25	52	15	32,5	27	3,35	14000	22000	0,14
YOSO	NJ 205 ECJ	25	52	15	32,5	27	3,35	14000	16000	0,15
YOSO	NJ 205 ECP	25	52	15	32,5	27	3,35	14000	16000	0,15
YOSO	NJ 205 ECML	25	52	15	32,5	27	3,35	14000	26000	0,15
YOSO	NJ 2205 ECP	25	52	18	39	34	4,25	14000	16000	0,18
YOSO	NU 2205	25	52	18	39	34	4,25	14000	26000	0,17
YOSO	NU 2205 ECP	25	52	18	39	34	4,25	14000	16000	0,17
YOSO	NUP 2205	25	52	18	39	34	4,25	14000	16000	0,17
YOSO	NU 305 ECP	25	62	17	46,5	36,5	4,55	12000	15000	0,28
YOSO	NU 305 ECJ	25	62	17	46,5	36,5	4,55	12000	15000	0,28
YOSO	NJ 305 ECP	25	62	17	46,5	36,5	4,55	12000	15000	0,29
YOSO	NJ 305 ECJ	25	62	17	46,5	36,5	4,55	12000	15000	0,29
YOSO	NJ 305 ECML	25	62	17	46,5	36,5	4,55	12000	22000	0,29
YOSO	NU 305 ECML	25	62	17	46,5	36,5	4,55	12000	22000	0,28
YOSO	NUP 305	25	62	17	46,5	36,5	4,55	12000	15000	0,25
YOSO	NUP 305 ECJ	25	62	17	46,5	36,5	4,55	12000	15000	0,25
YOSO	NUP 305	25	62	17	46,5	36,5	4,55	12000	22000	0,25
YOSO	N 305 ECP	25	62	17	46,5	36,5	4,55	12000	15000	0,24
YOSO	NUP 305 ECP	25	62	17	46,5	36,5	4,55	12000	15000	0,25
YOSO	NUP 2305	25	62	24	64	55	6,95	12000	15000	0,38
YOSO	NUP 2305	25	62	24	64	55	6,95	12000	22000	0,41
YOSO	NU 2305 ECJ	25	62	24	64	55	6,95	12000	15000	0,38
YOSO	NU 2305	25	62	24	64	55	6,95	12000	22000	0,41
YOSO	NJ 2305 ECP	25	62	24	64	55	6,95	12000	15000	0,39
YOSO	NU 2305 ECP	25	62	24	64	55	6,95	12000	15000	0,38

YOSO	NJ 2305	25	62	24	64	55	6,95	12000	15000	0,42
YOSO	NU 1006	30	55	13	17,9	17,3	1,86	15000	15000	0,12
YOSO	NUP 206	30	62	16	44	36,5	4,5	13000	22000	0,22
YOSO	NUP 206 ECP	30	62	16	44	36,5	4,5	13000	14000	0,22
YOSO	N 206 ECM	30	62	16	44	36,5	4,5	13000	14000	0,2
YOSO	N 206 ECP	30	62	16	44	36,5	4,5	13000	14000	0,2
YOSO	NU 206 ECKP	30	62	16	44	36,5	4,5	13000	14000	0,23
YOSO	NU 206 ECKJ	30	62	16	44	36,5	4,55	13000	14000	0,23
YOSO	NU 206 ECJ	30	62	16	44	36,5	4,5	13000	14000	0,23
YOSO	NU 206 ECP	30	62	16	44	36,5	4,5	13000	14000	0,23
YOSO	NJ 206 ECJ	30	62	16	44	36,5	4,55	13000	14000	0,24
YOSO	NJ 206 ECP	30	62	16	44	36,5	4,5	13000	14000	0,24
YOSO	NJ 206 ECML	30	62	16	44	36,5	4,55	13000	22000	0,24
YOSO	NU 206 ECML	30	62	16	44	36,5	4,5	13000	22000	0,23
YOSO	NJ 2206 ECP	30	62	20	55	49	6,1	13000	14000	0,27
YOSO	NU 2206	30	62	20	55	49	6,1	13000	22000	0,29
YOSO	NU 2206 ECP	30	62	20	55	49	6,1	13000	14000	0,26
YOSO	NU 2206 ECJ	30	62	20	55	49	6,1	13000	14000	0,26
YOSO	NJ 2206 ECJ	30	62	20	55	49	6,1	13000	14000	0,27
YOSO	NUP 2206	30	62	20	55	49	6,1	13000	14000	0,27
YOSO	NUP 306 ECP	30	72	19	58,5	48	6,2	11000	12000	0,38
YOSO	NUP 306 ECM	30	72	19	58,5	48	6,2	11000	12000	0,38
YOSO	N 306 ECP	30	72	19	58,5	48	6,2	11000	12000	0,36
YOSO	NUP 306 ECJ	30	72	19	58,5	48	6,2	11000	12000	0,38
YOSO	NU 202 ECP	15	35	11	12,5	10,2	1,22	22000	26000	0,047
YOSO	NU 202	15	35	11	12,5	10,2	1,22	22000	34000	0,047
YOSO	NJ 202 ECP	15	35	11	12,5	10,2	1,22	22000	26000	0,049
YOSO	NJ 203 ECP	17	40	12	17,2	14,3	1,73	19000	22000	0,07
YOSO	NU 203 ECML	17	40	12	17,2	14,3	1,73	19000	34000	0,068
YOSO	NJ 203 ECML	17	40	12	17,2	14,3	1,73	19000	34000	0,07
YOSO	NUP 203 ECP	17	40	12	17,2	14,3	1,73	19000	22000	0,073
YOSO	NU 203 ECP	17	40	12	17,2	14,3	1,73	19000	22000	0,068
YOSO	N 203 ECP	17	40	12	17,2	14,3	1,73	19000	22000	0,066
YOSO	NU 2203 ECP	17	40	16	23,8	21,6	2,65	19000	22000	0,092
YOSO	NUP 2203	17	40	16	23,8	21,6	2,65	19000	22000	0,097
YOSO	NJ 2203 ECP	17	40	16	23,8	21,6	2,65	19000	22000	0,095
YOSO	NJ 303 ECP	17	47	14	28,5	20,4	2,55	15000	20000	0,12
YOSO	NU 303 ECP	17	47	14	28,5	20,4	2,55	15000	20000	0,12
YOSO	N 303 ECP	17	47	14	28,5	20,4	2,55	15000	20000	0,12
YOSO	N 204 ECP	20	47	14	28,5	22	2,75	16000	19000	0,11
YOSO	NU 204 ECP	20	47	14	28,5	22	2,75	16000	19000	0,11
YOSO	NJ 204 ECP	20	47	14	28,5	22	2,75	16000	19000	0,11
YOSO	NU 204 ECML	20	47	14	28,5	22	2,75	16000	30000	0,11
YOSO	NU 204	20	47	14	28,5	22	2,75	16000	24000	0,11
YOSO	NUP 204 ECP	20	47	14	28,5	22	2,75	16000	19000	0,12
YOSO	NJ 204 ECML	20	47	14	28,5	22	2,75	16000	30000	0,11
YOSO	NUP 204	20	47	14	28,5	22	2,75	16000	30000	0,12
YOSO	NUP 204	20	47	14	28,5	22	2,75	16000	24000	0,12
YOSO	NF 204 ECP	20	47	14	25,1	22	2,75	16000	19000	0,12
YOSO	NJ 2204 ECP	20	47	18	34,5	27,5	3,45	16000	19000	0,14
YOSO	NU 2204 ECP	20	47	18	34,5	27,5	3,45	16000	19000	0,14
YOSO	N 304 ECP	20	52	15	35,5	26	3,25	15000	18000	0,15
YOSO	NUP 304 ECP	20	52	15	35,5	26	3,25	15000	18000	0,16

YOSO	NU 304 ECP	20	52	15	35,5	26	3,25	15000	18000	0,17
YOSO	NUP 306	30	72	19	58,5	48	6,2	11000	19000	0,38
YOSO	NUP 306	30	72	19	58,5	48	6,2	11000	12000	0,38
YOSO	NU 306 ECML	30	72	19	58,5	48	6,2	11000	19000	0,44
YOSO	NJ 306 ECM	30	72	19	58,5	48	6,2	11000	12000	0,41
YOSO	NJ 306 ECML	30	72	19	58,5	48	6,2	11000	19000	0,41
YOSO	NJ 306 ECJ	30	72	19	58,5	48	6,2	11000	12000	0,41
YOSO	NJ 306 ECP	30	72	19	58,5	48	6,2	11000	12000	0,41
YOSO	NU 306 ECM	30	72	19	58,5	48	6,2	11000	12000	0,44
YOSO	NU 306 ECJ	30	72	19	58,5	48	6,2	11000	12000	0,4
YOSO	NU 306 ECP	30	72	19	58,5	48	6,2	11000	12000	0,4
YOSO	NUP 2306	30	72	27	83	75	9,65	11000	19000	0,55
YOSO	NU 2306 ECP	30	72	27	83	75	9,65	11000	12000	0,53
YOSO	NJ 2306 ECP	30	72	27	83	75	9,65	11000	12000	0,54
YOSO	NU 2306	30	72	27	83	75	9,65	11000	19000	0,57
YOSO	NJ 2306	30	72	27	83	75	9,65	11000	19000	0,58
YOSO	NUP 2306	30	72	27	83	75	9,65	11000	12000	0,55
YOSO	NU 406 MA	30	90	23	60,5	53	6,8	9000	14000	0,81
YOSO	NU 406	30	90	23	60,5	53	6,8	9000	11000	0,75
YOSO	NJ 406	30	90	23	60,5	53	6,8	9000	11000	0,77
YOSO	NJ 406 MA	30	90	23	60,5	53	6,8	9000	14000	0,83
YOSO	CRL 10 A	31,75	69,85	174625	44,6	40	5,1	19000	22000	0,28
YOSO	NU 1007	35	62	14	35,8	38	4,55	12000	20000	0,16
YOSO	NU 1007 ECP	35	62	14	35,8	38	4,55	12000	13000	0,16
YOSO	NUP 207	35	72	17	56	48	6,1	11000	18000	0,36
YOSO	NUP 207 ECJ	35	72	17	56	48	6,1	11000	12000	0,33
YOSO	NUP 207 ECP	35	72	17	56	48	6,1	11000	12000	0,32
YOSO	NUP 207 ECM	35	72	17	56	48	6,1	11000	12000	0,36
YOSO	NU 207 ECKP	35	72	17	56	48	6,1	11000	12000	0,3
YOSO	NU 207 ECKJ	35	72	17	56	48	6,1	11000	12000	0,31
YOSO	N 207 ECM	35	72	17	56	48	6,1	11000	12000	0,33
YOSO	N 207 ECP	35	72	17	56	48	6,1	11000	12000	0,3
YOSO	NU 207 ECJ	35	72	17	56	48	6,1	11000	12000	0,31
YOSO	NU 207 ECM	35	72	17	56	48	6,1	11000	12000	0,33
YOSO	NU 207 ECP	35	72	17	56	48	6,1	11000	12000	0,3
YOSO	NJ 207 ECP	35	72	17	56	48	6,1	11000	12000	0,31
YOSO	NJ 207 ECJ	35	72	17	56	48	6,1	11000	12000	0,32
YOSO	NJ 207 ECML	35	72	17	56	48	6,1	11000	18000	0,34
YOSO	NU 207 ECPH	35	72	17	56	48	6,1	11000	12000	0,3
YOSO	NJ 207 ECM	35	72	17	56	48	6,1	11000	12000	0,34
YOSO	NU 207 ECML	35	72	17	56	48	6,1	11000	18000	0,33
YOSO	NJ 207 ECPH	35	72	17	56	48	6,1	11000	12000	0,31
YOSO	N 2207 ECM	35	72	23	69,5	63	8,15	11000	12000	0,4
YOSO	NJ 2207 ECP	35	72	23	69,5	63	8,15	11000	12000	0,41
YOSO	NU 2207	35	72	23	69,5	63	8,15	11000	18000	0,4
YOSO	NU 2207 ECJ	35	72	23	69,5	63	8,15	11000	12000	0,4
YOSO	NU 2207 ECP	35	72	23	69,5	63	8,15	11000	12000	0,4
YOSO	NJ 2207 ECJ	35	72	23	69,5	63	8,15	11000	12000	0,41
YOSO	NJ 2207	35	72	23	69,5	63	8,15	11000	18000	0,44
YOSO	NJ 2207	35	72	23	69,5	63	8,15	11000	12000	0,41
YOSO	NJ 2207 ECNJ	35	72	23	69,5	63	8,15	11000	12000	0,41
YOSO	NUP 2207	35	72	23	69,5	63	8,15	11000	12000	0,42
YOSO	NUP 307 ECP	35	80	21	75	63	8,15	9500	11000	0,51

YOSO	NUP 307 ECM	35	80	21	75	63	8,15	9500	11000	0,57
YOSO	N 307 ECP	35	80	21	75	63	8,15	9500	11000	0,48
YOSO	N 307 ECM	35	80	21	75	63	8,15	9500	11000	0,55
YOSO	NUP 307 ECJ	35	80	21	75	63	8,15	9500	11000	0,51
YOSO	NUP 307	35	80	21	75	63	8,15	9500	17000	0,57
YOSO	NF 307 ECP	35	80	21	75	63	8,15	9500	11000	0,51
YOSO	NU 307 ECML	35	80	21	75	63	8,15	9500	11000	0,58
YOSO	NJ 307 ECM	35	80	21	75	63	8,15	9500	11000	0,59
YOSO	NJ 307 ECML	35	80	21	75	63	8,15	9500	17000	0,59
YOSO	NJ 307 ECJ	35	80	21	75	63	8,15	9500	11000	0,55
YOSO	NJ 307 ECP	35	80	21	75	63	8,15	9500	11000	0,55
YOSO	NU 307 ECM	35	80	21	75	63	8,15	9500	17000	0,58
YOSO	NU 307 ECJ	35	80	21	75	63	8,15	9500	11000	0,54
YOSO	NU 307 ECP	35	80	21	75	63	8,15	9500	11000	0,54
YOSO	NU 2307 ECP	35	80	31	106	98	12,7	9500	11000	0,72
YOSO	NU 2307 ECJ	35	80	31	106	98	12,7	9500	11000	0,72
YOSO	NJ 2307 ECP	35	80	31	106	98	12,7	9500	11000	0,73
YOSO	NUP 2307	35	80	31	106	98	12,7	9500	11000	0,75
YOSO	N 407	35	100	25	76,5	69,5	9	8000	9500	1,05
YOSO	NU 407	35	100	25	76,5	69,5	9	8000	9500	1
YOSO	NJ 407 TN9	35	100	25	76,5	69,5	9	8000	9500	1,05
YOSO	NJ 407	35	100	25	76,5	69,5	9	8000	9500	1,05
YOSO	NU 1008 ML	40	68	15	25,1	26	3	12000	18000	0,22
YOSO	NU 208 ECJ	40	80	18	62	53	6,7	9500	11000	0,42
YOSO	NU 208 ECM	40	80	18	62	53	6,7	9500	11000	0,4
YOSO	NU 208 ECP	40	80	18	62	53	6,7	9500	11000	0,42
YOSO	NJ 208 ECP	40	80	18	62	53	6,7	9500	11000	0,43
YOSO	NJ 208 ECJ	40	80	18	62	53	6,7	9500	11000	0,43
YOSO	NJ 208 ECML	40	80	18	62	53	6,7	9500	16000	0,43
YOSO	NJ 208 ECM	40	80	18	62	53	6,7	9500	11000	0,43
YOSO	NU 208 ECML	40	80	18	62	53	6,7	9500	16000	0,4
YOSO	NF 208 ECP	40	80	18	62	53	6,7	9500	11000	0,4
YOSO	NUP 208	40	80	18	62	53	6,7	9500	16000	0,44
YOSO	NUP 208 ECJ	40	80	18	62	53	6,7	9500	11000	0,4
YOSO	NUP 208 ECP	40	80	18	62	53	6,7	9500	11000	0,4
YOSO	NUP 208 ECM	40	80	18	62	53	6,7	9500	11000	0,44
YOSO	NU 208 ECKJ	40	80	18	62	53	6,7	9500	11000	0,37
YOSO	NU 208 ECKP	40	80	18	62	53	6,7	9500	11000	0,37
YOSO	N 208 ECMB	40	80	18	62	53	6,7	9500	14000	0,41
YOSO	N 208 ECP	40	80	18	62	53	6,7	9500	11000	0,37
YOSO	NUP 2208	40	80	23	81,5	75	9,65	9500	11000	0,56
YOSO	NUP 2208	40	80	23	81,5	75	9,65	9500	11000	0,56
YOSO	NU 2208 ECJ	40	80	23	81,5	75	9,65	9500	11000	0,54
YOSO	NU 2208	40	80	23	81,5	75	9,65	9500	16000	0,58
YOSO	NJ 2208 ECJ	40	80	23	81,5	75	9,65	9500	11000	0,55
YOSO	NJ 2208 ECP	40	80	23	81,5	75	9,65	9500	11000	0,55
YOSO	NU 2208 ECP	40	80	23	81,5	75	9,65	9500	11000	0,54
YOSO	NJ 2208	40	80	23	81,5	75	9,65	9500	16000	0,58
YOSO	NU 308 ECP	40	90	23	93	78	10,2	8000	9500	0,73
YOSO	NU 308 ECJ	40	90	23	93	78	10,2	8000	9500	0,73
YOSO	NU 308 ECM	40	90	23	93	78	10,2	8000	9500	0,79
YOSO	NJ 308 ECP	40	90	23	93	78	10,2	8000	9500	0,75
YOSO	NJ 308 ECJ	40	90	23	93	78	10,2	8000	9500	0,75

YOSO	NJ 308 ECML	40	90	23	93	78	10,2	8000	15000	0,81
YOSO	NU 308 ECML	40	90	23	93	78	10,2	8000	15000	0,79
YOSO	NJ 308 ECM	40	90	23	93	78	10,2	8000	9500	0,81
YOSO	NUP 308	40	90	23	93	78	10,2	8000	15000	0,68
YOSO	NF 308 ECP	40	90	23	93	78	10,2	8000	9500	0,68
YOSO	NUP 308 ECP	40	90	23	93	78	10,2	8000	9500	0,68
YOSO	NUP 308 ECM	40	90	23	93	78	10,2	8000	9500	0,68
YOSO	N 308 ECM	40	90	23	93	78	10,2	8000	9500	0,64
YOSO	N 308 ECP	40	90	23	93	78	10,2	8000	9500	0,64
YOSO	NU 2308 ECJ	40	90	33	129	120	15,3	8000	9500	0,94
YOSO	NU 2308 ECP	40	90	33	129	120	15,3	8000	9500	0,94
YOSO	NU 2308	40	90	33	129	120	15,3	8000	15000	1,02
YOSO	NJ 2308 ECP	40	90	33	129	120	15,3	8000	9500	0,96
YOSO	NU 2308	40	90	33	129	120	15,3	8000	15000	1,02
YOSO	NJ 2308	40	90	33	129	120	15,3	8000	15000	1,04
YOSO	NJ 2308 ECJ	40	90	33	129	120	15,3	8000	9500	0,96
YOSO	NUP 2308	40	90	33	129	120	15,3	8000	9500	0,98
YOSO	NUP 2308	40	90	33	129	120	15,3	8000	9500	0,98
YOSO	NUP 2308	40	90	33	129	120	15,3	8000	15000	0,98
YOSO	NU 408	40	110	27	96,8	90	11,6	7000	8500	1,3
YOSO	NU 408 M	40	110	27	96,8	90	11,6	7000	11000	1,4
YOSO	NJ 408	40	110	27	96,8	90	11,6	7000	8500	1,35
YOSO	NJ 408 MA	40	110	27	96,8	90	11,6	7000	11000	1,45
YOSO	NJ 1009 ECP	45	75	16	44,6	52	6,3	9500	11000	0,27
YOSO	NU 1009 ECP	45	75	16	44,6	52	6,3	9500	11000	0,26
YOSO	NJ 2009 ECP	45	75	19	52,8	64	7,8	9000	11000	0,34
YOSO	NU 209 ECM	45	85	19	69,5	64	8,15	9000	9500	0,46
YOSO	NU 209 ECP	45	85	19	69,5	64	8,15	9000	9500	0,48
YOSO	NU 209 ECJ	45	85	19	69,5	64	8,15	9000	9500	0,48
YOSO	NJ 209 ECM	45	85	19	69,5	64	8,15	9000	9500	0,49
YOSO	NU 209 ECKP	45	85	19	69,5	64	8,15	9000	9500	0,48
YOSO	NU 209 ECML	45	85	19	69,5	64	8,15	9000	15000	0,46
YOSO	NJ 209 ECML	45	85	19	69,5	64	8,15	9000	15000	0,49
YOSO	NJ 209 ECP	45	85	19	69,5	64	8,15	9000	9500	0,49
YOSO	NJ 209 ECJ	45	85	19	69,5	64	8,15	9000	9500	0,49
YOSO	NUP 209	45	85	19	69,5	64	8,15	9000	15000	0,45
YOSO	NUPJ 209	45	85	19	69,5	64	8,15	9000	9500	0,45
YOSO	NUP 209 ECJ	45	85	19	69,5	64	8,15	9000	9500	0,45
YOSO	NUP 209 ECM	45	85	19	69,5	64	8,15	9000	9500	0,45
YOSO	NUP 209 ECP	45	85	19	69,5	64	8,15	9000	9500	0,45
YOSO	N 209 ECM	45	85	19	69,5	64	8,15	9000	9500	0,43
YOSO	N 209 ECP	45	85	19	69,5	64	8,15	9000	9500	0,43
YOSO	N 2209 ECJ	45	85	23	85	81,5	10,6	9000	9500	0,55
YOSO	NJ 2209 ECP	45	85	23	85	81,5	10,6	9000	9500	0,54
YOSO	NU 2209 ECP	45	85	23	85	81,5	10,6	9000	9500	0,52
YOSO	NU 2209 ECJ	45	85	23	85	81,5	10,6	9000	9500	0,52
YOSO	NJ 2209 ECJ	45	85	23	85	81,5	10,6	9000	9500	0,54
YOSO	NJ 2209 ECNJ	45	85	23	85	81,5	10,6	9000	9500	0,54
YOSO	NUP 2209	45	85	23	85	81,5	10,6	9000	9500	0,55
YOSO	NUB 209 ECJ	45	85	23	69,5	64	8,15	9000	9500	0,46
YOSO	NU 309 ECJ	45	100	25	112	100	12,9	7500	8500	1
YOSO	NU 309 ECP	45	100	25	112	100	12,9	7500	8500	1
YOSO	NU 309 ECM	45	100	25	112	100	12,9	7500	8500	1,08

YOSO	NJ 309 ECP	45	100	25	112	100	12,9	7500	8500	1,05
YOSO	NJ 309 ECML	45	100	25	112	100	12,9	7500	13000	1,13
YOSO	NJ 309 ECJ	45	100	25	112	100	12,9	7500	8500	1,05
YOSO	NU 309 ECML	45	100	25	112	100	12,9	7500	13000	1,08
YOSO	NJ 309 ECM	45	100	25	112	100	12,9	7500	8500	1,13
YOSO	NU 309 ECNP	45	100	25	112	100	12,9	7500	8500	1
YOSO	NUP 309 ECP	45	100	25	112	100	12,9	7500	8500	0,95
YOSO	N 309 ECP	45	100	25	112	100	12,9	7500	8500	0,88
YOSO	NUPJ 309	45	100	25	112	100	12,9	7500	8500	0,95
YOSO	NUP 309	45	100	25	112	100	12,9	7500	8500	0,95
YOSO	NUP 309 ECJ	45	100	25	112	100	12,9	7500	8500	0,95
YOSO	NUP 309	45	100	25	106	91,5	11,8	7500	13000	0,95
YOSO	NUP 2309	45	100	36	160	153	20	7500	13000	1,35
YOSO	NU 2309 ECP	45	100	36	160	153	20	7500	8500	1,3
YOSO	NJ 2309 ECP	45	100	36	160	153	20	7500	8500	1,35
YOSO	NU 2309	45	100	36	160	153	20	7500	13000	1,4
YOSO	NUP 2309	45	100	36	160	153	20	7500	8500	1,35
YOSO	NJ 2309	45	100	36	160	153	20	7500	13000	1,45
YOSO	NU 409	45	120	29	106	102	13,4	6700	7500	1,65
YOSO	NJ 409 MAS	45	120	29	114	112	14,6	6700	10000	1,83
YOSO	NJ 409	45	120	29	106	102	13,4	6700	7500	1,7
YOSO	NU 1010 ECP	50	80	16	46,8	56	6,7	9000	9500	0,35
YOSO	NU 1010 ML	50	80	16	31,9	36	4,25	10000	15000	0,31
YOSO	NU 210 ECM	50	90	20	73,5	69,5	8,8	8500	9000	0,57
YOSO	NU 210 ECP	50	90	20	73,5	69,5	8,8	8500	9000	0,49
YOSO	NU 210 ECJ	50	90	20	73,5	69,5	8,8	8500	9000	0,49
YOSO	NJ 210 ECM	50	90	20	73,5	69,5	8,8	8500	9000	0,5
YOSO	NU 210 ECML	50	90	20	73,5	69,5	8,8	8500	14000	0,57
YOSO	NJ 210 ECML	50	90	20	73,5	69,5	8,8	8500	14000	0,5
YOSO	NJ 210 ECP	50	90	20	73,5	69,5	8,8	8500	9000	0,5
YOSO	NJ 210 ECJ	50	90	20	73,5	69,5	8,8	8500	9000	0,5
YOSO	NUP 210	50	90	20	73,5	69,5	8,8	8500	14000	0,51
YOSO	NUP 210 ECP	50	90	20	73,5	69,5	8,8	8500	9000	0,51
YOSO	NUP 210 ECJ	50	90	20	73,5	69,5	8,8	8500	9000	0,51
YOSO	NU 210 ECKP	50	90	20	73,5	69,5	8,8	8500	9000	0,49
YOSO	NU 210 ECKJ	50	90	20	73,5	69,5	8,8	8500	9000	0,49
YOSO	N 210 ECP	50	90	20	73,5	69,5	8,8	8500	9000	0,48
YOSO	NU 2210 ECM	50	90	23	90	88	11,4	8500	9000	0,6
YOSO	NJ 2210 ECP	50	90	23	90	88	11,4	8500	9000	0,59
YOSO	NU 2210	50	90	23	90	88	11,4	8500	14000	0,6
YOSO	NU 2210 ECJ	50	90	23	90	88	11,4	8500	9000	0,56
YOSO	NU 2210 ECP	50	90	23	90	88	11,4	8500	9000	0,56
YOSO	NUP 2210	50	90	23	90	88	11,4	8500	9000	0,59
YOSO	NJ 2210	50	90	23	90	88	11,4	8500	9000	0,59
YOSO	NJ 2210 ECJ	50	90	23	90	88	11,4	8500	9000	0,61
YOSO	NJ 2210	50	90	23	90	88	11,4	8500	14000	0,62
YOSO	NUP 2210	50	90	23	90	88	11,4	8500	9000	0,59
YOSO	NUP 2210	50	90	23	90	88	11,4	8500	14000	0,63
YOSO	NUP 2210	50	90	23	90	88	11,4	8500	9000	0,59
YOSO	NUB 210 ECP	50	90	23	73,5	69,5	8,8	8500	9000	0,49
YOSO	NU 310 ECJ	50	110	27	127	112	15	6700	8000	1,16
YOSO	NU 310 ECP	50	110	27	127	112	15	6700	8000	1,15
YOSO	NU 310 ECM	50	110	27	127	112	15	6700	8000	1,24



YOSO	NJ 310 ECP	50	110	27	127	112	15	6700	8000	1,15
YOSO	NJ 310 ECML	50	110	27	127	112	15	6700	12000	1,26
YOSO	NJ 310 ECJ	50	110	27	127	112	15	6700	8000	1,16
YOSO	NU 310 ECML	50	110	27	127	112	15	6700	12000	1,24
YOSO	NJ 310 ECM	50	110	27	127	112	15	6700	8000	1,26
YOSO	NF 310 ECP	50	110	27	127	112	15	6700	8000	1,2
YOSO	NUP 310	50	110	27	127	112	15	6700	12000	1,2
YOSO	NUP 310 ECJ	50	110	27	127	112	15	6700	8000	1,2
YOSO	NUP 310 ECM	50	110	27	127	112	15	6700	8000	1,2
YOSO	NUP 310 ECP	50	110	27	127	112	15	6700	8000	1,2
YOSO	N 310 ECP	50	110	27	127	112	15	6700	8000	1,15
YOSO	N 310 ECM	50	110	27	127	112	15	6700	8000	1,15
YOSO	NJ 310 ECPH	50	110	27	127	112	15	6700	8000	1,15
YOSO	NU 2310 ECP	50	110	40	186	186	24,5	6700	8000	1,7
YOSO	NJ 2310 ECP	50	110	40	186	186	24,5	6700	8000	1,75
YOSO	NU 2310	50	110	40	186	186	24,5	6700	12000	2
YOSO	NUP 2310	50	110	40	186	186	24,5	6700	8000	1,8
YOSO	NJ 2310	50	110	40	186	186	24,5	6700	12000	2,05
YOSO	NUP 2310	50	110	40	186	186	24,5	6700	12000	1,8
YOSO	NU 410	50	130	31	130	127	16,6	6000	7000	2
YOSO	NJ 410	50	130	31	130	127	16,6	6000	7000	2,05
YOSO	NU 1011 ECP	55	90	18	57,2	69,5	8,3	8000	8500	0,4
YOSO	NJ 1011 ECP	55	90	18	57,2	69,5	8,3	8000	8500	0,42
YOSO	NU 211 ECM	55	100	21	96,5	95	12,2	7500	8000	0,72
YOSO	NU 211 ECP	55	100	21	96,5	95	12,2	7500	8000	0,67
YOSO	NU 211 ECJ	55	100	21	96,5	95	12,2	7500	8000	0,69
YOSO	NJ 211 ECM	55	100	21	96,5	95	12,2	7500	8000	0,73
YOSO	NU 211 ECML	55	100	21	96,5	95	12,2	7500	13000	0,72
YOSO	NJ 211 ECML	55	100	21	96,5	95	12,2	7500	8000	0,73
YOSO	NJ 211 ECP	55	100	21	96,5	95	12,2	7500	8000	0,67
YOSO	NJ 211 ECJ	55	100	21	96,5	95	12,2	7500	8000	0,69
YOSO	NUP 211	55	100	21	96,5	95	12,2	7500	13000	0,69
YOSO	NF 211 ECMB	55	100	21	96,5	95	12,2	7500	8000	0,73
YOSO	NUP 211 ECP	55	100	21	96,5	95	12,2	7500	8000	0,69
YOSO	NUP 211 ECM	55	100	21	96,5	95	12,2	7500	8000	0,69
YOSO	NUP 211 ECJ	55	100	21	96,5	95	12,2	7500	8000	0,69
YOSO	NU 211 ECKJ	55	100	21	96,5	95	12,2	7500	8000	0,66
YOSO	N 211 ECP	55	100	21	96,5	95	12,2	7500	8000	0,66
YOSO	N 211 ECM	55	100	21	96,5	95	12,2	7500	8000	0,66
YOSO	NUP 2211	55	100	25	114	118	15,3	7500	8000	0,82
YOSO	NUP 2211	55	100	25	114	118	15,3	7500	8000	0,82
YOSO	NUP 2211	55	100	25	114	118	15,3	7500	13000	0,82
YOSO	NJ 2211 ECP	55	100	25	114	118	15,3	7500	8000	0,81
YOSO	NJ 2211 ECJ	55	100	25	114	118	15,3	7500	8000	0,81
YOSO	NU 2211 ECJ	55	100	25	114	118	15,3	7500	8000	0,79
YOSO	NU 2211	55	100	25	114	118	15,3	7500	13000	0,85
YOSO	NJ 2211 ECM	55	100	25	114	118	15,3	7500	8000	0,87
YOSO	NU 2211 ECP	55	100	25	114	118	15,3	7500	8000	0,79
YOSO	NUB 211 ECJ	55	100	25	96,5	95	12,2	7500	8000	0,68
YOSO	NJ 2211	55	100	25	114	118	15,3	7500	13000	0,87
YOSO	NU 311 ECP	55	120	29	156	143	18,6	6000	7000	1,45
YOSO	NU 311 ECJ	55	120	29	156	143	18,6	6000	7000	1,45
YOSO	NU 311 ECM	55	120	29	156	143	18,6	6000	7000	1,57

YOSO	NU 311 ECNJ	55	120	29	156	143	18,6	6000	7000	1,45
YOSO	NJ 311 ECM	55	120	29	156	143	18,6	6000	7000	1,58
YOSO	NU 311 ECML	55	120	29	156	143	18,6	6000	11000	1,55
YOSO	NJ 311 ECJ	55	120	29	156	143	18,6	6000	7000	1,5
YOSO	NJ 311 ECML	55	120	29	156	143	18,6	6000	11000	1,58
YOSO	NJ 311 ECP	55	120	29	156	143	18,6	6000	7000	1,5
YOSO	NUP 311	55	120	29	156	143	18,6	6000	11000	1,55
YOSO	NUP 311 ECJ	55	120	29	156	143	18,6	6000	7000	1,55
YOSO	NUP 311 ECP	55	120	29	156	143	18,6	6000	7000	1,55
YOSO	NUP 311 ECM	55	120	29	156	143	18,6	6000	7000	1,55
YOSO	N 311 ECP	55	120	29	156	143	18,6	6000	7000	1,45
YOSO	N 311 ECM	55	120	29	156	143	18,6	6000	7000	1,57
YOSO	N 311 ECMB	55	120	29	156	143	18,6	6000	9500	1,57
YOSO	NUP 2311	55	120	43	232	232	30,5	6000	7000	2,35
YOSO	NUP 2311	55	120	43	232	232	30,5	6000	11000	2,43
YOSO	NJ 2311 ECP	55	120	43	232	232	30,5	6000	7000	2,3
YOSO	NU 2311	55	120	43	232	232	30,5	6000	11000	2,43
YOSO	NU 2311	55	120	43	232	232	30,5	6000	11000	2,43
YOSO	NU 2311 ECP	55	120	43	232	232	30,5	6000	7000	2,25
YOSO	NJ 2311	55	120	43	232	232	30,5	6000	11000	2,48
YOSO	NJ 411	55	140	33	142	140	18,6	5600	6300	2,55
YOSO	NU 411	55	140	33	142	140	18,6	5600	6300	2,5
YOSO	CRM 18 A	57,15	127	31,75	138	137	18	6000	7000	1,7
YOSO	NU 1012 ML	60	95	18	37,4	44	5,3	8000	13000	0,48
YOSO	NU 212 ECP	60	110	22	108	102	13,4	6700	7500	0,81
YOSO	NU 212 ECM	60	110	22	108	102	13,4	6700	7500	0,87
YOSO	NU 212 ECJ	60	110	22	108	102	13,4	6700	7500	0,83
YOSO	NJ 212 ECM	60	110	22	108	102	13,4	6700	7500	0,83
YOSO	NU 212 ECML	60	110	22	108	102	13,4	6700	11000	0,87
YOSO	NJ 212 ECJ	60	110	22	108	102	13,4	6700	7500	0,82
YOSO	NJ 212 ECP	60	110	22	108	102	13,4	6700	7500	0,83
YOSO	NJ 212 ECML	60	110	22	108	102	13,4	6700	11000	0,83
YOSO	NUP 212	60	110	22	108	102	13,4	6700	11000	0,86
YOSO	NUP 212 ECJ	60	110	22	108	102	13,4	6700	7500	0,88
YOSO	NUP 212 ECP	60	110	22	108	102	13,4	6700	7500	0,86
YOSO	NUP 212 ECM	60	110	22	108	102	13,4	6700	7500	0,86
YOSO	N 212 ECP	60	110	22	108	102	13,4	6700	7500	0,81
YOSO	N 212 ECM	60	110	22	108	102	13,4	6700	7500	0,81
YOSO	NUP 2212	60	110	28	146	153	20	6700	7500	1,15
YOSO	NUP 2212	60	110	28	146	153	20	6700	7500	1,15
YOSO	NUP 2212	60	110	28	146	153	20	6700	7500	1,15
YOSO	NUP 2212	60	110	28	146	153	20	6700	11000	1,15
YOSO	NJ 2212 ECJ	60	110	28	146	153	20	6700	7500	1,15
YOSO	NJ 2212 ECP	60	110	28	146	153	20	6700	7500	1,15
YOSO	NU 2212 ECJ	60	110	28	146	153	20	6700	7500	1,1
YOSO	NU 2212	60	110	28	146	153	20	6700	11000	1,1
YOSO	NJ 2212 ECM	60	110	28	146	153	20	6700	7500	1,15
YOSO	NU 2212 ECP	60	110	28	146	153	20	6700	7500	1,1
YOSO	NU 2212 ECM	60	110	28	146	153	20	6700	7500	1,1
YOSO	NJ 2212	60	110	28	146	153	20	6700	11000	1,2
YOSO	NU 312 ECM	60	130	31	173	160	21,2	5600	6700	1,95
YOSO	NU 312 ECP	60	130	31	173	160	21,2	5600	6700	1,8
YOSO	NU 312 ECJ	60	130	31	173	160	21,2	5600	6700	1,8

YOSO	NJ 312 ECM	60	130	31	173	160	21,2	5600	6700	2
YOSO	NU 312 ECML	60	130	31	173	160	21,2	5600	10000	1,95
YOSO	NJ 312 ECP	60	130	31	173	160	21,2	5600	6700	1,9
YOSO	NJ 312 ECJ	60	130	31	173	160	21,2	5600	6700	1,9
YOSO	NJ 312 ECML	60	130	31	173	160	21,2	5600	10000	2
YOSO	NUP 312	60	130	31	173	160	21,2	5600	10000	1,95
YOSO	NUP 312 ECJ	60	130	31	173	160	21,2	5600	6700	1,95
YOSO	NUP 312 ECP	60	130	31	173	160	21,2	5600	6700	1,95
YOSO	NUP 312 ECM	60	130	31	173	160	21,2	5600	6700	1,95
YOSO	N 312 ECJ	60	130	31	173	160	21,2	5600	6700	1,8
YOSO	N 312 ECP	60	130	31	173	160	21,2	5600	6700	1,8
YOSO	N 312 ECM	60	130	31	173	160	21,2	5600	6700	1,8
YOSO	NJ 2312	60	130	46	260	265	34,5	5600	10000	3,2
YOSO	NUP 2312	60	130	46	260	265	34,5	5600	6700	2,85
YOSO	NUP 2312	60	130	46	260	265	34,5	5600	10000	2,85
YOSO	NJ 2312 ECP	60	130	46	260	265	34,5	5600	6700	2,8
YOSO	NJ 2312 ECM	60	130	46	260	265	34,5	5600	6700	2,8
YOSO	NU 2312	60	130	46	260	265	34,5	5600	10000	3,15
YOSO	NU 2312 ECP	60	130	46	260	265	34,5	5600	6700	2,75
YOSO	NU 2312 ECM	60	130	46	260	265	34,5	5600	6700	3,15
YOSO	NJ 2312	60	130	46	260	265	34,5	5600	10000	3,2
YOSO	NJ 412	60	150	35	168	173	22	5000	6000	3,1
YOSO	NU 412	60	150	35	168	173	22	5000	6000	3
YOSO	CRM 20 A	63,5	139,7	31,75	138	143	18,3	5300	6300	2,15
YOSO	NU 1013 ML	65	100	18	38	46,5	5,5	7500	12000	0,51
YOSO	NU 1013 ECP	65	100	18	62,7	81,5	9,8	7000	7500	0,45
YOSO	NJ 3013 ECP	65	100	26	105	146	18,3	6300	7500	0,7
YOSO	NU 213 ECP	65	120	23	122	118	15,6	6300	6700	1,05
YOSO	NU 213 ECM	65	120	23	122	118	15,6	6300	6700	1,16
YOSO	NU 213 ECJ	65	120	23	122	118	15,6	6300	6700	1,1
YOSO	NJ 213 ECM	65	120	23	122	118	15,6	6300	6700	1,07
YOSO	NU 213 ECML	65	120	23	122	118	15,6	6300	10000	1,16
YOSO	NJ 213 ECJ	65	120	23	122	118	15,6	6300	6700	1,07
YOSO	NJ 213 ECP	65	120	23	122	118	15,6	6300	6700	1,07
YOSO	NJ 213 ECML	65	120	23	122	118	15,6	6300	10000	1,07
YOSO	NUP 213	65	120	23	122	118	15,6	6300	10000	1,1
YOSO	NUP 213 ECJ	65	120	23	122	118	15,6	6300	6700	1,1
YOSO	NUP 213 ECP	65	120	23	122	118	15,6	6300	6700	1,1
YOSO	N 213 ECP	65	120	23	122	118	15,6	6300	6700	1,05
YOSO	NUP 2213	65	120	31	170	180	24	6300	6700	1,5
YOSO	NJ 2213 ECJ	65	120	31	170	180	24	6300	6700	1,45
YOSO	NJ 2213 ECP	65	120	31	170	180	24	6300	6700	1,45
YOSO	NU 2213 ECJ	65	120	31	170	180	24	6300	6700	1,4
YOSO	NU 2213	65	120	31	170	180	24	6300	10000	1,4
YOSO	NU 2213 ECP	65	120	31	170	180	24	6300	6700	1,4
YOSO	NUB 213 ECJ	65	120	31	122	118	15,6	6300	6700	1,15
YOSO	NJ 2213	65	120	31	170	180	24	6300	10000	1,45
YOSO	NU 313 ECP	65	140	33	212	196	25,5	5300	6000	2,25
YOSO	NU 313 ECJ	65	140	33	212	196	25,5	5300	6000	2,28
YOSO	NU 313 ECM	65	140	33	212	196	25,5	5300	6000	2,43
YOSO	NU 313 ECML	65	140	33	212	196	25,5	5300	9500	2,43
YOSO	NJ 313 ECM	65	140	33	212	196	25,5	5300	6000	2,5
YOSO	NJ 313 ECP	65	140	33	212	196	25,5	5300	6000	2,3

YOSO	NJ 313 ECJ	65	140	33	212	196	25,5	5300	6000	2,33
YOSO	NJ 313 ECML	65	140	33	212	196	25,5	5300	9500	2,5
YOSO	NUP 313 ECP	65	140	33	212	196	25,5	5300	6000	2,35
YOSO	N 313 ECM	65	140	33	212	196	25,5	5300	6000	2,25
YOSO	N 313 ECP	65	140	33	212	196	25,5	5300	6000	2,25
YOSO	NUP 313 ECJ	65	140	33	212	196	25,5	5300	6000	2,35
YOSO	NUP 313	65	140	33	212	196	25,5	5300	9500	2,35
YOSO	NUP 2313	65	140	48	285	290	38	5300	9500	3,45
YOSO	NUP 2313	65	140	48	285	290	38	5300	6000	3,45
YOSO	NJ 2313 ECP	65	140	48	285	290	38	5300	6000	3,35
YOSO	NU 2313	65	140	48	285	290	38	5300	9500	3,4
YOSO	NU 2313 ECP	65	140	48	285	290	38	5300	6000	3,3
YOSO	NJ 2313	65	140	48	212	196	25,5	5300	9500	3,6
YOSO	NU 413	65	160	37	183	190	24	4800	5600	3,6
YOSO	NJ 413	65	160	37	183	190	24	4800	5600	3,65
YOSO	NJ 413 M	65	160	37	183	190	24	4800	5600	3,95
YOSO	CRM 22 A	69,85	158,75	34925	212	224	28	4800	5600	3,15
YOSO	NU 1014 ML	70	110	20	56,1	67	8	7000	11000	0,8
YOSO	NU 1014 ECP	70	110	20	76,5	93	12	6300	7000	0,62
YOSO	NU 214 ECP	70	125	24	137	137	18	6000	6300	1,15
YOSO	NU 214 ECM	70	125	24	137	137	18	6000	6300	1,25
YOSO	NU 214 ECJ	70	125	24	137	137	18	6000	6300	1,2
YOSO	NJ 214 ECM	70	125	24	137	137	18	6000	6300	1,25
YOSO	NU 214 ECML	70	125	24	137	137	18	6000	10000	1,25
YOSO	NJ 214 ECJ	70	125	24	137	137	18	6000	6300	1,2
YOSO	NJ 214 ECP	70	125	24	137	137	18	6000	6300	1,15
YOSO	NJ 214 ECML	70	125	24	137	137	18	6000	10000	1,25
YOSO	NUP 214 ECP	70	125	24	137	137	18	6000	6300	1,2
YOSO	NUP 214 ECM	70	125	24	137	137	18	6000	6300	1,2
YOSO	N 214 ECP	70	125	24	137	137	18	6000	6300	1,15
YOSO	NUP 214	70	125	24	137	137	18	6000	10000	1,2
YOSO	NUP 2214	70	125	31	180	193	25,5	6000	10000	1,75
YOSO	NUP 2214	70	125	31	180	193	25,5	6000	6300	1,75
YOSO	NUP 2214	70	125	31	180	193	25,5	6000	6300	1,75
YOSO	NUP 2214	70	125	31	180	193	25,5	6000	6300	1,55
YOSO	NJ 2214 ECP	70	125	31	180	193	25,5	6000	6300	1,55
YOSO	NU 2214 ECJ	70	125	31	180	193	25,5	6000	6300	1,55
YOSO	NU 2214	70	125	31	180	193	25,5	6000	10000	1,55
YOSO	NJ 2214 ECM	70	125	31	180	193	25,5	6000	6300	1,7
YOSO	NU 2214 ECP	70	125	31	180	193	25,5	6000	6300	1,5
YOSO	NU 2214 ECM	70	125	31	180	193	25,5	6000	6300	1,55
YOSO	NJ 2214	70	125	31	180	193	25,5	6000	10000	1,7
YOSO	NU 314 ECM	70	150	35	236	228	29	4800	5600	3
YOSO	NU 314 ECP	70	150	35	236	228	29	4800	5600	2,75
YOSO	NU 314 ECJ	70	150	35	236	228	29	4800	5600	2,75
YOSO	NJ 314 ECM	70	150	35	236	228	29	4800	5600	3,05
YOSO	NU 314 ECML	70	150	35	236	228	29	4800	8500	2,75
YOSO	NJ 314 ECP	70	150	35	236	228	29	4800	5600	2,8
YOSO	NJ 314 ECML	70	150	35	236	228	29	4800	8500	3,05
YOSO	NJ 314 ECJ	70	150	35	236	228	29	4800	5600	2,8
YOSO	NUP 314 ECP	70	150	35	236	228	29	4800	5600	2,85
YOSO	NUP 314 ECM	70	150	35	236	228	29	4800	5600	2,85
YOSO	N 314 ECM	70	150	35	236	228	29	4800	5600	2,75

YOSO	N 314 ECP	70	150	35	236	228	29	4800	5600	2,75
YOSO	N 314 ECNJ	70	150	35	236	228	29	4800	5600	2,75
YOSO	NUP 314	70	150	35	236	228	29	4800	5600	2,85
YOSO	NUP 314	70	150	35	236	228	29	4800	8500	2,85
YOSO	NUP 2314	70	150	51	315	325	41,5	4800	8500	4,15
YOSO	NUP 2314	70	150	51	315	325	41,5	4800	5600	4,15
YOSO	NJ 2314 ECP	70	150	51	315	325	41,5	4800	5600	4,05
YOSO	NU 2314	70	150	51	315	325	41,5	4800	8500	4,35
YOSO	NU 2314 ECP	70	150	51	315	325	41,5	4800	5600	4
YOSO	NJ 2314	70	150	51	315	325	41,5	4800	8500	4,4
YOSO	NU 414 MA	70	180	42	229	240	30	4300	5000	5,25
YOSO	NU 414	70	180	42	229	240	30	4300	5000	5,25
YOSO	NJ 414	70	180	42	229	240	30	4300	5000	5,35
YOSO	N 414	70	180	42	229	240	30	4300	5000	5,2
YOSO	NU 1015 ML	75	115	20	58,3	71	8,5	6700	10000	0,74
YOSO	NU 215 ECJ	75	130	25	150	156	20,4	5600	6000	1,27
YOSO	NU 215 ECM	75	130	25	150	156	20,4	5600	6000	1,35
YOSO	NU 215 ECP	75	130	25	150	156	20,4	5600	6000	1,25
YOSO	NJ 215 ECM	75	130	25	150	156	20,4	5600	6000	1,3
YOSO	NU 215 ECML	75	130	25	150	156	20,4	5600	9500	1,35
YOSO	NJ 215 ECJ	75	130	25	150	156	20,4	5600	6000	1,4
YOSO	NJ 215 ECP	75	130	25	150	156	20,4	5600	6000	1,3
YOSO	NJ 215 ECML	75	130	25	150	156	20,4	5600	9500	1,4
YOSO	NUP 215	75	130	25	150	156	20,4	5600	9500	1,3
YOSO	NUP 215 ECJ	75	130	25	150	156	20,4	5600	6000	1,3
YOSO	NUP 215 ECP	75	130	25	150	156	20,4	5600	6000	1,3
YOSO	NUP 215 ECM	75	130	25	150	156	20,4	5600	6000	1,3
YOSO	N 215 ECP	75	130	25	150	156	20,4	5600	6000	1,25
YOSO	NU 2215	75	130	31	186	208	27	5600	9500	1,6
YOSO	NU 2215 ECP	75	130	31	186	208	27	5600	6000	1,6
YOSO	NU 2215 ECJ	75	130	31	186	208	27	5600	6000	1,6
YOSO	NJ 2215 ECP	75	130	31	186	208	27	5600	6000	1,6
YOSO	NJ 2215	75	130	31	186	208	27	5600	6000	1,6
YOSO	NJ 2215 ECJ	75	130	31	186	208	27	5600	9500	1,6
YOSO	NUP 2215	75	130	31	186	208	27	5600	6000	1,65
YOSO	NUP 2215	75	130	31	186	208	27	5600	6000	1,65
YOSO	NUP 2215	75	130	31	186	208	27	5600	9500	1,65
YOSO	NUB 215 ECJ	75	130	31	150	156	20,4	5600	6000	1,35
YOSO	NU 315 ECM	75	160	37	280	265	33,5	4500	5300	3,6
YOSO	NU 315 ECJ	75	160	37	280	265	33,5	4500	5300	3,3
YOSO	NU 315 ECP	75	160	37	280	265	33,5	4500	5300	3,3
YOSO	NJ 315 ECML	75	160	37	280	265	33,5	4500	8000	3,65
YOSO	NJ 315 ECJ	75	160	37	280	265	33,5	4500	5300	3,35
YOSO	NJ 315 ECP	75	160	37	280	265	33,5	4500	5300	3,35
YOSO	NU 315 ECML	75	160	37	280	265	33,5	4500	8000	3,6
YOSO	NJ 315 ECM	75	160	37	280	265	33,5	4500	5300	3,65
YOSO	NUP 315	75	160	37	280	265	33,5	4500	8000	3,45
YOSO	NUP 315 ECP	75	160	37	280	265	33,5	4500	5300	3,45
YOSO	NUP 315 ECM	75	160	37	280	265	33,5	4500	5300	3,45
YOSO	N 315 ECM	75	160	37	280	265	33,5	4500	5300	3,3
YOSO	N 315 ECP	75	160	37	280	265	33,5	4500	5300	3,3
YOSO	NUP 2315	75	160	55	380	400	50	4500	5300	5,1
YOSO	NUP 2315	75	160	55	380	400	50	4500	8000	5,1

YOSO	NU 2315	75	160	55	380	400	50	4500	8000	4,93
YOSO	NU 2315 ECJ	75	160	55	380	400	50	4500	5300	4,93
YOSO	NJ 2315 ECP	75	160	55	380	400	50	4500	5300	5
YOSO	NU 2315 ECP	75	160	55	380	400	50	4500	5300	4,9
YOSO	NJ 2315	75	160	55	380	400	50	4500	8000	5,4
YOSO	NJ 2315	75	160	55	380	400	50	4500	8000	5,4
YOSO	NU 415	75	190	45	264	280	34	4000	4800	6,25
YOSO	NU 415 MA	75	190	45	264	280	34	4000	6300	6,75
YOSO	NJ 415	75	190	45	264	280	34	4000	4800	6,9
YOSO	CRL 24 A	76,2	146,05	269875	145	163	20,8	5300	5600	1,9
YOSO	CRM 24 A	76,2	177,8	396875	281	305	37,5	4000	4800	4,55
YOSO	NJ 1016	80	125	22	99	127	16,3	5600	9500	1,1
YOSO	NU 1016	80	125	22	64,4	78	9,8	6300	6300	1
YOSO	NU 1016 ECM	80	125	22	99	127	16,3	5600	6000	1,1
YOSO	NUP 216	80	140	26	160	166	21,2	5300	8500	1,65
YOSO	NUP 216 ECP	80	140	26	160	166	21,2	5300	5600	1,65
YOSO	N 216 ECP	80	140	26	160	166	21,2	5300	5600	1,5
YOSO	NU 216 ECP	80	140	26	160	166	21,2	5300	5600	1,5
YOSO	NU 216 ECM	80	140	26	160	166	21,2	5300	5600	1,65
YOSO	NU 216 ECJ	80	140	26	160	166	21,2	5300	5600	1,5
YOSO	NJ 216 ECJ	80	140	26	160	166	21,2	5300	5600	1,6
YOSO	NJ 216 ECP	80	140	26	160	166	21,2	5300	5600	1,55
YOSO	NJ 216 ECML	80	140	26	160	166	21,2	5300	8500	1,6
YOSO	NU 216 ECML	80	140	26	160	166	21,2	5300	8500	1,65
YOSO	NJ 216 ECM	80	140	26	160	166	21,2	5300	5600	1,6
YOSO	NJ 2216 ECM	80	140	33	212	245	31	5300	5600	2,05
YOSO	NU 2216 ECJ	80	140	33	212	245	31	5300	5600	2
YOSO	NU 2216	80	140	33	212	245	31	5300	8500	2,2
YOSO	NJ 2216 ECJ	80	140	33	212	245	31	5300	5600	2,05
YOSO	NJ 2216 ECP	80	140	33	212	245	31	5300	5600	2,05
YOSO	NU 2216 ECM	80	140	33	212	245	31	5300	5600	2
YOSO	NU 2216 ECP	80	140	33	212	245	31	5300	5600	2
YOSO	NUP 2216	80	140	33	212	245	31	5300	5600	2,1
YOSO	NUP 2216	80	140	33	212	245	31	5300	5600	2,1
YOSO	NUP 2216	80	140	33	212	245	31	5300	5600	2,1
YOSO	NUP 2216	80	140	33	212	245	31	5300	8500	2,1
YOSO	NJ 2216	80	140	33	212	245	31	5300	8500	2,05
YOSO	NUP 316	80	170	39	300	290	36	4300	7500	4,1
YOSO	NUP 316 ECP	80	170	39	300	290	36	4300	5000	4,1
YOSO	NUP 316 ECM	80	170	39	300	290	36	4300	5000	4,1
YOSO	N 316 ECM	80	170	39	300	290	36	4300	5000	3,9
YOSO	N 316 ECP	80	170	39	300	290	36	4300	5000	3,9
YOSO	NU 316 ECM	80	170	39	300	290	36	4300	5000	4,65
YOSO	NU 316 ECJ	80	170	39	300	290	36	4300	5000	3,95
YOSO	NU 316 ECP	80	170	39	300	290	36	4300	5000	3,95
YOSO	NJ 316 ECP	80	170	39	300	290	36	4300	5000	4
YOSO	NJ 316 ECJ	80	170	39	300	290	36	4300	5000	4,05
YOSO	NJ 316 ECML	80	170	39	300	290	36	4300	7500	4,7
YOSO	NU 316 ECML	80	170	39	300	290	36	4300	7500	4,65
YOSO	NJ 316 ECM	80	170	39	300	290	36	4300	5000	4,7
YOSO	NJ 2316 ECM	80	170	58	415	440	55	4300	5000	6
YOSO	NU 2316	80	170	58	415	440	55	4300	7500	6,5
YOSO	NJ 2316 ECP	80	170	58	415	440	55	4300	5000	6

YOSO	NU 2316 ECP	80	170	58	415	440	55	4300	5000	5,95
YOSO	NU 2316 ECM	80	170	58	415	440	55	4300	5000	5,95
YOSO	NUP 2316	80	170	58	415	440	55	4300	5000	6,6
YOSO	NUP 2316	80	170	58	415	440	55	4300	7500	6,6
YOSO	NJ 2316	80	170	58	415	440	55	4300	7500	6,6
YOSO	NU 416 M	80	200	48	303	320	39	3800	4500	7,9
YOSO	NJ 416	80	200	48	303	320	39	3800	4500	7,45
YOSO	NJ 416 M	80	200	48	303	320	39	3800	4500	8,05
YOSO	NU 1017 M	85	130	22	68,2	86,5	10,8	6000	6000	1,05
YOSO	NJ 1017 ML	85	130	22	68,2	86,5	10,8	6000	9000	1,1
YOSO	NU 1017 ML	85	130	22	68,2	86,5	10,8	6000	9000	1,05
YOSO	NU 217 ECP	85	150	28	190	200	25	4800	5300	1,9
YOSO	NU 217 ECM	85	150	28	190	200	25	4800	5300	2,05
YOSO	NU 217 ECJ	85	150	28	190	200	25	4800	5300	1,95
YOSO	NJ 217 ECJ	85	150	28	190	200	25	4800	5300	1,95
YOSO	NJ 217 ECP	85	150	28	190	200	25	4800	5300	1,95
YOSO	NJ 217 ECML	85	150	28	190	200	25	4800	8000	2,15
YOSO	NJ 217 ECM	85	150	28	190	200	25	4800	5300	2,15
YOSO	NU 217 ECML	85	150	28	190	200	25	4800	8000	2,05
YOSO	NUP 217	85	150	28	190	200	25	4800	8000	2
YOSO	NUP 217 ECJ	85	150	28	190	200	25	4800	5300	2
YOSO	NUP 217 ECP	85	150	28	190	200	25	4800	5300	2
YOSO	N 217 ECM	85	150	28	190	200	25	4800	5300	1,9
YOSO	N 217 ECP	85	150	28	190	200	25	4800	5300	1,9
YOSO	NU 2217 ECM	85	150	36	250	280	34,5	4800	5300	2,45
YOSO	NU 2217 ECP	85	150	36	250	280	34,5	4800	5300	2,45
YOSO	NU 2217 ECJ	85	150	36	250	280	34,5	4800	5300	2,45
YOSO	NU 2217	85	150	36	250	280	34,5	4800	8000	2,7
YOSO	NJ 2217 ECP	85	150	36	250	280	34,5	4800	5300	2,55
YOSO	NJ 2217 ECJ	85	150	36	250	280	34,5	4800	5300	2,55
YOSO	NJ 2217	85	150	36	250	280	34,5	4800	8000	2,55
YOSO	NJ 2217 ECM	85	150	36	250	280	34,5	4800	5300	2,55
YOSO	NUP 2217	85	150	36	250	280	34,5	4800	5300	2,65
YOSO	NUP 2217	85	150	36	250	280	34,5	4800	8000	2,65
YOSO	NUB 217 ECJ	85	150	36	190	200	25	4800	5300	2,05
YOSO	NU 317 ECJ	85	180	41	340	335	41,5	4000	4800	4,7
YOSO	NU 317 ECP	85	180	41	340	335	41,5	4000	4800	4,7
YOSO	NU 317 ECM	85	180	41	340	335	41,5	4000	4800	5,1
YOSO	NJ 317 ECM	85	180	41	340	335	41,5	4000	4800	5,2
YOSO	NJ 317 ECJ	85	180	41	340	335	41,5	4000	4800	4,8
YOSO	NJ 317 ECP	85	180	41	340	335	41,5	4000	4800	4,8
YOSO	NUP 317 ECJ	85	180	41	340	335	41,5	4000	4800	4,9
YOSO	NUP 317 ECP	85	180	41	340	335	41,5	4000	4800	4,9
YOSO	NUP 317 ECM	85	180	41	340	335	41,5	4000	4800	4,9
YOSO	N 317 ECP	85	180	41	340	335	41,5	4000	4800	4,7
YOSO	N 317 ECM	85	180	41	340	335	41,5	4000	4800	5,1
YOSO	NU 2317	85	180	60	455	490	60	4000	4800	6,8
YOSO	NUP 2317	85	180	60	455	490	60	4000	4800	7
YOSO	NUP 2317	85	180	60	455	490	60	4000	7000	7
YOSO	NUP 2317	85	180	60	455	490	60	4000	4800	7
YOSO	NJ 2317 ECP	85	180	60	455	490	60	4000	4800	7
YOSO	NJ 2317 ECM	85	180	60	455	490	60	4000	4800	7
YOSO	NU 2317	85	180	60	455	490	60	4000	7000	6,85

YOSO	NU 2317 ECJ	85	180	60	455	490	60	4000	4800	6,85
YOSO	NU 2317 ECM	85	180	60	455	490	60	4000	4800	6,85
YOSO	NU 2317 ECP	85	180	60	455	490	60	4000	4800	6,85
YOSO	NJ 2317	85	180	60	455	490	60	4000	7000	7,6
YOSO	NU 417 M	85	210	52	341	365	43	3600	4300	9,7
YOSO	NU 417	85	210	52	319	335	39	3600	4300	9,7
YOSO	NJ 417 M	85	210	52	319	335	39	3600	4300	8,9
YOSO	NJ 417	85	210	52	319	335	39	3600	4300	8,9
YOSO	CRL 28 A	88,9	165,1	28575	165	193	24	4500	5000	2,5
YOSO	NU 1018 ML	90	140	24	80,9	104	12,7	5600	8500	1,35
YOSO	NU 218 ECJ	90	160	30	208	220	27	4500	5000	2,35
YOSO	NU 218 ECP	90	160	30	208	220	27	4500	5000	2,35
YOSO	NU 218 ECM	90	160	30	208	220	27	4500	5000	2,55
YOSO	NU 218 ECML	90	160	30	208	220	27	4500	7500	2,55
YOSO	NJ 218 ECM	90	160	30	208	220	27	4500	5000	2,6
YOSO	NJ 218 ECJ	90	160	30	208	220	27	4500	5000	2,4
YOSO	NJ 218 ECP	90	160	30	208	220	27	4500	5000	2,4
YOSO	NJ 218 ECML	90	160	30	208	220	27	4500	7500	2,6
YOSO	NUP 218	90	160	30	208	220	27	4500	7500	2,45
YOSO	NUP 218 ECP	90	160	30	208	220	27	4500	5000	2,45
YOSO	NUP 218 ECM	90	160	30	208	220	27	4500	5000	2,45
YOSO	N 218 ECP	90	160	30	208	220	27	4500	5000	2,35
YOSO	N 218 ECM	90	160	30	208	220	27	4500	5000	2,35
YOSO	NJ 2218	90	160	40	280	315	39	4500	7500	3,5
YOSO	NUP 2218	90	160	40	280	315	39	4500	5000	3,3
YOSO	NJ 2218 ECJ	90	160	40	280	315	39	4500	5000	3,2
YOSO	NJ 2218 ECP	90	160	40	280	315	39	4500	5000	3,2
YOSO	NJ 2218 ECM	90	160	40	280	315	39	4500	5000	3,5
YOSO	NU 2218 ECJ	90	160	40	280	315	39	4500	5000	3,15
YOSO	NU 2218	90	160	40	280	315	39	4500	7500	3,15
YOSO	NU 2218 ECM	90	160	40	280	315	39	4500	5000	3,15
YOSO	NU 2218 ECP	90	160	40	280	315	39	4500	5000	3,15
YOSO	NJ 2218	90	160	40	280	315	39	4500	7500	3,5
YOSO	NU 318 ECP	90	190	43	365	360	43	3800	4500	5,45
YOSO	NU 318 ECJ	90	190	43	365	360	43	3800	4500	5,45
YOSO	NU 318 ECM	90	190	43	365	360	43	3800	4500	5,9
YOSO	NU 318 ECML	90	190	43	365	360	43	3800	6700	5,9
YOSO	NJ 318 ECM	90	190	43	365	360	43	3800	4500	6
YOSO	NJ 318 ECP	90	190	43	365	360	43	3800	4500	5,55
YOSO	NJ 318 ECJ	90	190	43	365	360	43	3800	4500	5,55
YOSO	NJ 318 ECML	90	190	43	365	360	43	3800	6700	6
YOSO	NUP 318 ECM	90	190	43	365	360	43	3800	4500	5,65
YOSO	N 318 ECP	90	190	43	365	360	43	3800	4500	5,4
YOSO	N 318 ECM	90	190	43	365	360	43	3800	4500	5,85
YOSO	NUP 318 ECJ	90	190	43	365	360	43	3800	4500	5,65
YOSO	NUP 318	90	190	43	365	360	43	3800	6700	5,65
YOSO	NUP 2318	90	190	64	500	540	65,5	3800	6700	8,15
YOSO	NUP 2318	90	190	64	500	540	65,5	3800	4500	8,15
YOSO	NJ 2318 ECJ	90	190	64	500	540	65,5	3800	4500	8,15
YOSO	NJ 2318 ECP	90	190	64	500	540	65,5	3800	4500	8,15
YOSO	NJ 2318 ECM	90	190	64	500	540	65,5	3800	4500	8,15
YOSO	NU 2318	90	190	64	500	540	65,5	3800	6700	8,65
YOSO	NU 2318 ECJ	90	190	64	500	540	65,5	3800	4500	8



YOSO	NU 2318 ECM	90	190	64	500	540	65,5	3800	4500	8
YOSO	NU 2318 ECP	90	190	64	500	540	65,5	3800	4500	8
YOSO	NJ 2318	90	190	64	500	540	65,5	3800	6700	8,8
YOSO	NU 418 M	90	225	54	380	415	48	3400	4000	11,5
YOSO	NU 418	90	225	54	380	415	48	3400	4000	10,5
YOSO	NU 1019 ML	95	145	24	84,2	110	13,2	5300	8000	1,4
YOSO	NU 219 ECJ	95	170	32	255	265	32,5	4300	4800	2,85
YOSO	NU 219 ECP	95	170	32	255	265	32,5	4300	4800	2,85
YOSO	NU 219 ECM	95	170	32	255	265	32,5	4300	4800	3,1
YOSO	NU 219 ECML	95	170	32	255	265	32,5	4300	7000	3,1
YOSO	NJ 219 ECM	95	170	32	255	265	32,5	4300	4800	2,9
YOSO	NJ 219 ECJ	95	170	32	255	265	32,5	4300	4800	2,9
YOSO	NJ 219 ECP	95	170	32	255	265	32,5	4300	4800	2,9
YOSO	NJ 219 ECML	95	170	32	255	265	32,5	4300	7000	2,9
YOSO	NUP 219	95	170	32	255	265	32,5	4300	7000	3
YOSO	NUP 219 ECP	95	170	32	255	265	32,5	4300	4800	3
YOSO	NUP 219 ECM	95	170	32	255	265	32,5	4300	4800	3
YOSO	N 219 ECP	95	170	32	255	265	32,5	4300	4800	2,85
YOSO	NU 2219 ECM	95	170	43	325	375	45,5	4300	4800	3,85
YOSO	NJ 2219 ECP	95	170	43	325	375	45,5	4300	4800	3,95
YOSO	NU 2219 ECJ	95	170	43	325	375	45,5	4300	4800	3,85
YOSO	NU 2219 ECP	95	170	43	325	375	45,5	4300	4800	3,85
YOSO	NJ 2219 ECM	95	170	43	325	375	45,5	4300	4800	3,95
YOSO	NJ 2219 ECJ	95	170	43	325	375	45,5	4300	4800	3,95
YOSO	NUP 2219	95	170	43	325	375	45,5	4300	4800	4
YOSO	NUP 319 ECP	95	200	45	390	390	46,5	3600	4300	6,25
YOSO	NUP 319 ECM	95	200	45	390	390	46,5	3600	4300	7,3
YOSO	N 319 ECP	95	200	45	390	390	46,5	3600	4300	6,25
YOSO	N 319 ECM	95	200	45	390	390	46,5	3600	4300	6,25
YOSO	NUP 319	95	200	45	390	390	46,5	3600	6300	7,3
YOSO	NJ 319 ECML	95	200	45	390	390	46,5	3600	6300	7,5
YOSO	NJ 319 ECJ	95	200	45	390	390	46,5	3600	4300	6,45
YOSO	NJ 319 ECP	95	200	45	390	390	46,5	3600	4300	6,45
YOSO	NJ 319 ECM	95	200	45	390	390	46,5	3600	4300	7,5
YOSO	NU 319 ECML	95	200	45	390	390	46,5	3600	6300	7,3
YOSO	NU 319 ECM	95	200	45	390	390	46,5	3600	4300	7,3
YOSO	NU 319 ECJ	95	200	45	390	390	46,5	3600	4300	6,25
YOSO	NU 319 ECP	95	200	45	390	390	46,5	3600	4300	6,25
YOSO	NJ 319	95	200	45	390	390	46,5	3600	6300	7,5
YOSO	NJ 2319	95	200	67	530	585	69,5	3600	6300	10,7
YOSO	NU 2319 ECP	95	200	67	530	585	69,5	3600	4300	9,65
YOSO	NU 2319 ECJ	95	200	67	530	585	69,5	3600	4300	9,65
YOSO	NU 2319	95	200	67	530	585	69,5	3600	6300	10,5
YOSO	NJ 2319 ECP	95	200	67	530	585	69,5	3600	4300	10,7
YOSO	NJ 2319 ECJ	95	200	67	530	585	69,5	3600	4300	10,7
YOSO	NUP 2319	95	200	67	530	585	69,5	3600	6300	9,75
YOSO	NUP 2319	95	200	67	530	585	69,5	3600	4300	9,75
YOSO	NU 2319	95	200	67	530	585	69,5	3600	4300	9,65
YOSO	NUP 2319	95	200	67	530	585	69,5	3600	4300	9,75
YOSO	NU 419 M	95	240	55	413	455	52	3200	3600	13,5
YOSO	NU 1020 M	100	150	24	85,8	114	13,7	5000	5000	1,45
YOSO	NU 1020 ML	100	150	24	85,8	114	13,7	5000	7500	1,45
YOSO	NU 220 ECJ	100	180	34	285	305	36,5	4000	4500	3,45

YOSO	NU 220 ECM	100	180	34	285	305	36,5	4000	4500	3,75
YOSO	NU 220 ECP	100	180	34	285	305	36,5	4000	4500	3,45
YOSO	NJ 220 ECML	100	180	34	285	305	36,5	4000	6700	3,8
YOSO	NJ 220 ECJ	100	180	34	285	305	36,5	4000	4500	3,55
YOSO	NJ 220 ECP	100	180	34	285	305	36,5	4000	4500	3,5
YOSO	NJ 220 ECM	100	180	34	285	305	36,5	4000	4500	3,8
YOSO	NU 220 ECML	100	180	34	285	305	36,5	4000	6700	3,75
YOSO	NUP 220	100	180	34	285	305	36,5	4000	6700	3,6
YOSO	NUP 220 ECP	100	180	34	285	305	36,5	4000	4500	3,6
YOSO	N 220 ECP	100	180	34	285	305	36,5	4000	4500	3,45
YOSO	NUP 2220	100	180	46	380	450	54	4000	4500	4,9
YOSO	NUP 2220	100	180	46	380	450	54	4000	6700	4,9
YOSO	NU 2220 ECJ	100	180	46	380	450	54	4000	4500	4,75
YOSO	NU 2220	100	180	46	380	450	54	4000	6700	5,15
YOSO	NJ 2220 ECM	100	180	46	380	450	54	4000	4500	5,2
YOSO	NJ 2220 ECP	100	180	46	380	450	54	4000	4500	4,8
YOSO	NJ 2220 ECJ	100	180	46	380	450	54	4000	4500	4,8
YOSO	NU 2220 ECM	100	180	46	380	450	54	4000	4500	4,75
YOSO	NU 2220 ECP	100	180	46	380	450	54	4000	4500	4,75
YOSO	NUB 220 ECJ	100	180	46	285	305	36,5	4000	4500	3,75
YOSO	NJ 2220	100	180	46	380	450	54	4000	6700	5,2
YOSO	NU 2220	100	180	46	380	450	54	4000	6700	5,15
YOSO	NU 320 ECP	100	215	47	450	440	51	3200	3800	7,8
YOSO	NU 320 ECJ	100	215	47	450	440	51	3200	3800	7,85
YOSO	NU 320 ECM	100	215	47	450	440	51	3200	3800	8,95
YOSO	NJ 320 ECJ	100	215	47	450	440	51	3200	3800	7,8
YOSO	NJ 320 ECML	100	215	47	450	440	51	3200	6000	9
YOSO	NJ 320 ECP	100	215	47	450	440	51	3200	3800	7,65
YOSO	NU 320	100	215	47	450	440	51	3200	3800	8,95
YOSO	NJ 320 ECM	100	215	47	450	440	51	3200	3800	9
YOSO	NU 320 ECML	100	215	47	450	440	51	3200	6000	8,95
YOSO	NUP 320	100	215	47	450	440	51	3200	6000	9
YOSO	NUP 320 ECJ	100	215	47	450	440	51	3200	3800	8
YOSO	NF 320 ECM	100	215	47	450	440	51	3200	3800	9
YOSO	N 320 ECM	100	215	47	450	440	51	3200	3800	8,85
YOSO	N 320 ECP	100	215	47	450	440	51	3200	3800	7,55
YOSO	NUP 2320	100	215	73	670	735	85	3200	3800	12,5
YOSO	NUP 2320	100	215	73	670	735	85	3200	3800	12,5
YOSO	NUP 2320	100	215	73	670	735	85	3200	6000	12,5
YOSO	NU 2320 ECJ	100	215	73	670	735	85	3200	3800	12
YOSO	NU 2320	100	215	73	670	735	85	3200	6000	13
YOSO	NJ 2320 ECM	100	215	73	670	735	85	3200	3800	13,2
YOSO	NU 2320	100	215	73	670	735	85	3200	6000	13
YOSO	NU 2320	100	215	73	670	735	85	3200	6000	13
YOSO	NJ 2320 ECP	100	215	73	670	735	85	3200	3800	12,2
YOSO	NJ 2320 ECJ	100	215	73	670	735	85	3200	3800	12,2
YOSO	NU 2320 ECM	100	215	73	670	735	85	3200	3800	13
YOSO	NU 2320 ECP	100	215	73	670	735	85	3200	3800	12
YOSO	NJ 2320	100	215	73	670	735	85	3200	6000	13,2
YOSO	NU 420	100	250	58	429	475	53	3000	3600	14
YOSO	NU 420 M	100	250	58	457	520	58,5	3000	3600	14
YOSO	CRL 32 AMB	101,6	184,15	31,75	233	280	33,5	4000	4300	3,7
YOSO	CRM 32 AMB	101,6	215,9	44,45	391	440	51	3200	3800	8

YOSO	NU 1021 ML	105	160	26	101	137	16	4800	7500	1,85
YOSO	NU 1021 M	105	160	26	101	137	16	4800	4800	1,85
YOSO	NUP 221	105	190	36	300	315	36,5	3800	6300	4
YOSO	NJ 221	105	190	36	300	315	36,5	3800	6300	4,1
YOSO	NUP 221 ECP	105	190	36	300	315	36,5	3800	4300	4
YOSO	N 221 ECP	105	190	36	300	315	36,5	3800	4300	3,95
YOSO	NU 221 ECP	105	190	36	300	315	36,5	3800	4300	4
YOSO	NU 221 ECJ	105	190	36	300	315	36,5	3800	4300	4,1
YOSO	NU 221 ECML	105	190	36	300	315	36,5	3800	6300	4
YOSO	NJ 221 ECML	105	190	36	300	315	36,5	3800	6300	4,1
YOSO	NJ 221 ECJ	105	190	36	300	315	36,5	3800	4300	4,1
YOSO	NJ 221 ECP	105	190	36	300	315	36,5	3800	4300	4,1
YOSO	N 321 ECP	105	225	49	500	500	57	3200	3800	8,65
YOSO	NJ 321 ECJ	105	225	49	500	500	57	3200	3800	9
YOSO	NU 321 ECP	105	225	49	500	500	57	3200	3800	8,75
YOSO	NU 321 ECJ	105	225	49	500	500	57	3200	3800	8,9
YOSO	NU 321 ECML	105	225	49	500	500	57	3200	5600	8,9
YOSO	NJ 321 ECP	105	225	49	500	500	57	3200	3800	9
YOSO	NJ 321 ECML	105	225	49	500	500	57	3200	5600	9
YOSO	NU 421 M	105	260	60	501	570	64	2800	3400	19
YOSO	NU 1022 M	110	170	28	128	166	19,3	4500	4500	2,3
YOSO	NU 1022 ML	110	170	28	128	166	19,3	4500	7000	2,3
YOSO	NU 222 ECJ	110	200	38	335	365	42,5	3600	4000	4,85
YOSO	NU 222 ECP	110	200	38	335	365	42,5	3600	4000	4,8
YOSO	NU 222 ECM	110	200	38	335	365	42,5	3600	4000	5,4
YOSO	NJ 222 ECP	110	200	38	335	365	42,5	3600	4000	4,9
YOSO	NJ 222 ECJ	110	200	38	335	365	42,5	3600	4000	4,95
YOSO	NJ 222 ECML	110	200	38	335	365	42,5	3600	4000	5,7
YOSO	NU 222 ECML	110	200	38	335	365	42,5	3600	6000	5,4
YOSO	NJ 222 ECM	110	200	38	335	365	42,5	3600	4000	5,7
YOSO	NUP 222	110	200	38	335	365	42,5	3600	6000	5
YOSO	NUP 222 ECP	110	200	38	335	365	42,5	3600	4000	5
YOSO	N 222 ECM	110	200	38	335	365	42,5	3600	4000	5,4
YOSO	N 222 ECP	110	200	38	335	365	42,5	3600	4000	4,8
YOSO	NU 2222	110	200	53	440	520	61	3600	6000	7,4
YOSO	NU 2222 ECP	110	200	53	440	520	61	3600	4000	6,7
YOSO	NU 2222 ECJ	110	200	53	440	520	61	3600	4000	7
YOSO	NU 2222	110	200	53	440	520	61	3600	6000	7,4
YOSO	NU 2222	110	200	53	440	520	61	3600	6000	7,4
YOSO	NJ 2222 ECP	110	200	53	440	520	61	3600	4000	6,85
YOSO	NJ 2222	110	200	53	440	520	61	3600	6000	7,15
YOSO	NJ 2222 ECJ	110	200	53	440	520	61	3600	4000	7,15
YOSO	NUP 2222	110	200	53	440	520	61	3600	4000	7
YOSO	NUP 2222	110	200	53	440	520	61	3600	6000	7,7
YOSO	NUB 222 ECJ	110	200	53	335	365	42,5	3600	4000	5,2
YOSO	NU 322 ECM	110	240	50	530	540	61	3000	3400	12
YOSO	NU 322 ECJ	110	240	50	530	540	61	3000	3400	11,2
YOSO	NU 322 ECP	110	240	50	530	540	61	3000	3400	10,8
YOSO	NU 322	110	240	50	530	540	61	3000	5300	12
YOSO	NJ 322 ECM	110	240	50	530	540	61	3000	3400	12,3
YOSO	NU 322 ECML	110	240	50	530	540	61	3000	5300	12
YOSO	NJ 322 ECML	110	240	50	530	540	61	3000	5300	12,3
YOSO	NJ 322 ECJ	110	240	50	530	540	61	3000	3400	11,1

YOSO	NJ 322 ECP	110	240	50	530	540	61	3000	3400	11,1
YOSO	NUP 322	110	240	50	530	540	61	3000	5300	11,2
YOSO	NUP 322 ECJ	110	240	50	530	540	61	3000	3400	11,2
YOSO	NUP 322 ECP	110	240	50	530	540	61	3000	3400	11,2
YOSO	N 322 ECM	110	240	50	530	540	61	3000	3400	11,7
YOSO	N 322 ECP	110	240	50	530	540	61	3000	3400	10,5
YOSO	NU 2322	110	240	80	780	900	102	3000	4500	18,5
YOSO	NJ 2322 ECP	110	240	80	780	900	102	3000	3400	18,9
YOSO	NU 2322	110	240	80	780	900	102	3000	4500	18,7
YOSO	NU 2322 ECP	110	240	80	780	900	102	3000	3400	17
YOSO	NJ 2322	110	240	80	780	900	102	3000	4500	18,9
YOSO	NU 422 M	110	280	65	532	585	64	2600	3200	20
YOSO	NU 422	110	280	65	523	585	64	2600	3200	20
YOSO	NJ 422 M	110	280	65	550	630	69,5	2600	3200	24
YOSO	NJ 422	110	280	65	523	585	64	2600	3200	20,3
YOSO	CRL 36 AMB	114,3	203,2	333375	264	325	38	3600	4000	4,65
YOSO	CRM 36 AMB	114,3	238125	50,8	468	540	61	3000	3400	11
YOSO	NJ 1024 ML	120	180	28	134	183	20,8	4000	6300	2,5
YOSO	NU 1024 ML	120	180	28	134	183	20,8	4000	6300	2,45
YOSO	NU 1024 M	120	180	28	134	183	20,8	4000	4000	2,45
YOSO	NUP 224	120	215	40	390	430	49	3400	5600	6
YOSO	N 224 ECM	120	215	40	390	430	49	3400	3600	6,6
YOSO	N 224 ECP	120	215	40	390	430	49	3400	3600	5,75
YOSO	NUP 224 ECJ	120	215	40	390	430	49	3400	3600	6
YOSO	NUP 224 ECP	120	215	40	390	430	49	3400	3600	6
YOSO	NU 224 ECP	120	215	40	390	430	49	3400	3600	5,75
YOSO	NU 224 ECM	120	215	40	390	430	49	3400	3600	6,4
YOSO	NU 224 ECJ	120	215	40	390	430	49	3400	3600	5,85
YOSO	NU 224 ECML	120	215	40	390	430	49	3400	5600	6,4
YOSO	NJ 224 ECM	120	215	40	390	430	49	3400	3600	6,5
YOSO	NJ 224 ECJ	120	215	40	390	430	49	3400	3600	5,95
YOSO	NJ 224 ECP	120	215	40	390	430	49	3400	3600	5,85
YOSO	NJ 224 ECML	120	215	40	390	430	49	3400	5600	6,5
YOSO	NJ 2224 ECJ	120	215	58	520	630	72	3400	3600	8,85
YOSO	NJ 2224 ECP	120	215	58	520	630	72	3400	3600	8,5
YOSO	NJ 2224 ECM	120	215	58	520	630	72	3400	3600	8,85
YOSO	NU 2224 ECJ	120	215	58	520	630	72	3400	3600	8,8
YOSO	NU 2224	120	215	58	520	630	72	3400	5600	9,7
YOSO	NU 2224 ECP	120	215	58	520	630	72	3400	3600	8,3
YOSO	NU 2224 ECM	120	215	58	520	630	72	3400	3600	9,7
YOSO	NUP 2224	120	215	58	520	630	72	3400	3600	10,1
YOSO	NUP 2224	120	215	58	520	630	72	3400	3600	9
YOSO	NU 2224	120	215	58	520	630	72	3400	5600	9,4
YOSO	NUP 2224	120	215	58	520	630	72	3400	3600	9
YOSO	NUP 2224	120	215	58	520	630	72	3400	5600	9
YOSO	NU 2224	120	215	58	520	630	72	3400	5600	9,7
YOSO	NJ 2224	120	215	58	520	630	72	3400	5600	8,85
YOSO	NUP 324	120	260	55	610	620	69,5	2800	5000	13,7
YOSO	NUP 324 ECJ	120	260	55	610	620	69,5	2800	3200	13,7
YOSO	N 324 ECM	120	260	55	610	620	69,5	2800	3200	15
YOSO	N 324 ECP	120	260	55	610	620	69,5	2800	3200	13,2
YOSO	NUP 324 ECP	120	260	55	610	620	69,5	2800	3200	13,7
YOSO	NU 324 ECM	120	260	55	610	620	69,5	2800	3200	15,2

YOSO	NU 324 ECP	120	260	55	610	620	69,5	2800	3200	13,3
YOSO	NU 324 ECJ	120	260	55	610	620	69,5	2800	3200	13,6
YOSO	NU 324 ECML	120	260	55	610	620	69,5	2800	5000	15,2
YOSO	NJ 324 ECM	120	260	55	610	620	69,5	2800	3200	15,1
YOSO	NU 324	120	260	55	610	620	69,5	2800	5000	15,2
YOSO	NU 324 ECPH	120	260	55	610	620	69,5	2800	3200	13,3
YOSO	NJ 324 ECP	120	260	55	610	620	69,5	2800	3200	13,5
YOSO	NJ 324 ECJ	120	260	55	610	620	69,5	2800	3200	13,5
YOSO	NJ 324 ECML	120	260	55	610	620	69,5	2800	5000	15,1
YOSO	NJ 2324 ECM	120	260	86	915	1040	116	2800	3200	24,3
YOSO	NU 2324	120	260	86	915	1040	116	2800	4300	24
YOSO	NU 2324 ECM	120	260	86	915	1040	116	2800	3200	24
YOSO	NUP 2324	120	260	86	915	1040	116	2800	4300	24,3
YOSO	NJ 2324	120	260	86	915	1040	116	2800	4300	24,3
YOSO	NU 424	120	310	72	644	735	78	2400	2800	28
YOSO	NU 424 M	120	310	72	693	800	85	2400	2800	30,4
YOSO	CRL 40 AMB	127	228,6	34925	297	380	42,5	3200	3400	6,5
YOSO	CRM 40 AMB	127	254	50,8	484	585	65,5	2800	3200	12
YOSO	NU 1026 ML	130	200	33	165	224	25	3800	5600	3,8
YOSO	NJ 1026 M	130	200	33	165	224	25	3800	3800	3,8
YOSO	NU 1026 M	130	200	33	165	224	25	3800	3800	3,8
YOSO	NU 2026	130	200	42	297	440	51	3200	4800	4,6
YOSO	NUP 226	130	230	40	415	455	51	3200	5300	7
YOSO	NUP 226 ECJ	130	230	40	415	455	51	3200	3400	7
YOSO	NUP 226 ECP	130	230	40	415	455	51	3200	3400	6,75
YOSO	NUP 226 ECM	130	230	40	415	455	51	3200	3400	7
YOSO	N 226 ECP	130	230	40	415	455	51	3200	3400	6,3
YOSO	NU 226 ECP	130	230	40	415	455	51	3200	3400	6,45
YOSO	NU 226 ECM	130	230	40	415	455	51	3200	3400	7,15
YOSO	NU 226 ECJ	130	230	40	415	455	51	3200	3400	6,75
YOSO	NU 226 ECML	130	230	40	415	455	51	3200	5300	7,15
YOSO	NJ 226 ECM	130	230	40	415	455	51	3200	3400	6,6
YOSO	NJ 226 ECML	130	230	40	415	455	51	3200	5300	6,85
YOSO	NJ 226 ECP	130	230	40	415	455	51	3200	3400	6,6
YOSO	NJ 226 ECJ	130	230	40	415	455	51	3200	3400	6,85
YOSO	NJ 2226 ECP	130	230	64	610	735	83	3200	3400	12,2
YOSO	NU 2226	130	230	64	610	735	83	3200	5300	12
YOSO	NU 2226 ECP	130	230	64	610	735	83	3200	3400	10,5
YOSO	NUP 2226	130	230	64	610	735	83	3200	5300	12,2
YOSO	NJ 2226	130	230	64	610	735	83	3200	5300	12,2
YOSO	NUP 326	130	280	58	720	750	81,5	2400	3800	19,6
YOSO	N 326 ECM	130	280	58	720	750	81,5	2400	3000	19,5
YOSO	N 326 ECP	130	280	58	720	750	81,5	2400	3000	18,5
YOSO	NUP 326 ECP	130	280	58	720	750	81,5	2400	3000	19,6
YOSO	NU 326 ECP	130	280	58	720	750	81,5	2400	3000	16,5
YOSO	NU 326 ECJ	130	280	58	720	750	81,5	2400	3000	18
YOSO	NU 326 ECM	130	280	58	720	750	81,5	2400	3000	19
YOSO	NU 326 ECML	130	280	58	720	750	81,5	2400	4500	19
YOSO	NJ 326 ECM	130	280	58	720	750	81,5	2400	3000	19,4
YOSO	NJ 326 ECP	130	280	58	720	750	81,5	2400	3000	18,4
YOSO	NJ 326 ECML	130	280	58	720	750	81,5	2400	4500	19,4
YOSO	NJ 326 ECJ	130	280	58	720	750	81,5	2400	3000	18,4
YOSO	NU 2326	130	280	93	1059999	1250	137	2400	3800	30

YOSO	NUP 2326	130	280	93	1060	1250	137	2400	3800	31
YOSO	NJ 2326	130	280	93	1059999	1250	137	2400	3800	30,5
YOSO	NJ 2326 ECPA	130	280	93	1059999	1250	137	2400	3800	30,5
YOSO	NU 1028 M	140	210	33	172	245	27	3600	3600	4,05
YOSO	NU 1028 ML	140	210	33	179	255	28	3600	5300	4,05
YOSO	NU 228 ECM	140	250	42	450	510	57	2800	3200	9,25
YOSO	NU 228 ECJ	140	250	42	450	510	57	2800	3200	8,6
YOSO	NU 228 ECML	140	250	42	450	510	57	2800	4800	9,25
YOSO	NJ 228 ECM	140	250	42	450	510	57	2800	3200	8,75
YOSO	NJ 228 ECML	140	250	42	450	510	57	2800	3200	8,75
YOSO	NJ 228 ECJ	140	250	42	450	510	57	2800	3200	8,75
YOSO	NUP 228	140	250	42	450	510	57	2800	4800	8,9
YOSO	NUP 228 ECJ	140	250	42	450	510	57	2800	3200	8,9
YOSO	NUP 228 ECM	140	250	42	450	510	57	2800	3200	8,9
YOSO	NUP 228 ECP	140	250	42	450	510	57	2800	3200	8,9
YOSO	NUP 2228	140	250	68	655	830	93	2800	4800	15,6
YOSO	NU 2228	140	250	68	655	830	93	2800	4800	15
YOSO	NJ 2228	140	250	68	655	830	93	2800	4800	15,3
YOSO	NJ 328	140	300	62	780	830	88	2400	4300	23
YOSO	NU 328 ECML	140	300	62	780	830	88	2400	4300	22,7
YOSO	NJ 328 ECM	140	300	62	780	830	88	2400	2800	23
YOSO	NJ 328 ECML	140	300	62	780	830	88	2400	4300	23
YOSO	NJ 328 ECJ	140	300	62	780	830	88	2400	2800	20,8
YOSO	NU 328 ECJ	140	300	62	780	830	88	2400	2800	20,5
YOSO	NU 328 ECM	140	300	62	780	830	88	2400	2800	22,7
YOSO	NUP 328	140	300	62	780	830	88	2400	4300	23,5
YOSO	NUP 328 ECM	140	300	62	780	830	88	2400	2800	23,5
YOSO	NUP 328 ECJ	140	300	62	780	830	88	2400	2800	23
YOSO	NUP 2328	140	300	102	1199999	1430	150	2400	3600	37,5
YOSO	NU 2328	140	300	102	1199999	1430	150	2400	3600	37
YOSO	NJ 2328	140	300	102	1199999	1430	150	2400	3600	37,5
YOSO	NU 1030 ML	150	225	35	198	290	31,5	3200	5000	4,85
YOSO	NJ 1030 ML	150	225	35	198	290	31,5	3200	5000	4,85
YOSO	NU 1030 M	150	225	35	198	290	31,5	3200	3200	4,85
YOSO	NUP 230	150	270	45	510	600	64	2600	4500	11
YOSO	NUP 230 ECJ	150	270	45	510	600	64	2600	2800	10,7
YOSO	NUP 230 ECM	150	270	45	510	600	64	2600	2800	11
YOSO	NU 230 ECM	150	270	45	510	600	64	2600	2800	10,6
YOSO	NU 230 ECJ	150	270	45	510	600	64	2600	2800	10,3
YOSO	NU 230 ECML	150	270	45	510	600	64	2600	4500	10,6
YOSO	NJ 230 ECM	150	270	45	510	600	64	2600	2800	10,8
YOSO	NJ 230 ECML	150	270	45	510	600	64	2600	4500	10,8
YOSO	NJ 230 ECJ	150	270	45	510	600	64	2600	2800	10,5
YOSO	NJ 2230 ECM	150	270	73	735	930	100	2600	2800	18,7
YOSO	NU 2230 ECM	150	270	73	735	930	100	2600	2800	18,5
YOSO	NU 330 ECM	150	320	65	900	965	100	2200	2600	27,5
YOSO	NJ 330 ECM	150	320	65	900	965	100	2200	3400	27,7
YOSO	NU 330 ECMA	150	320	65	900	965	100	2200	3400	27,5
YOSO	NJ 330 ECMA	150	320	65	900	965	100	2200	2600	27,7
YOSO	NJ 2330	150	320	108	1370	1630	166	2200	3400	46
YOSO	NU 2330	150	320	108	1369999	1630	170	2200	3400	45,5
YOSO	NUP 2330	150	320	108	1369999	1630	170	2200	3400	46,5
YOSO	NU 1032 M	160	240	38	229	325	35,5	3000	3000	5,95

YOSO	NU 1032 ML	160	240	38	229	325	35,5	3000	4800	5,95
YOSO	NJ 1032 ML	160	240	38	229	325	35,5	3000	4800	6,1
YOSO	NU 2032	160	240	48	418	670	72	2600	4000	7,9
YOSO	NUP 232	160	290	48	585	680	72	2400	4000	14,5
YOSO	N 232 ECM	160	290	48	585	680	72	2400	2600	14,3
YOSO	NUP 232 ECM	160	290	48	585	680	72	2400	2600	14,5
YOSO	NU 232 ECML	160	290	48	585	680	72	2400	4000	14,2
YOSO	NJ 232 ECM	160	290	48	585	680	72	2400	2600	14,4
YOSO	NJ 232 ECML	160	290	48	585	680	72	2400	4000	14,4
YOSO	NU 232 ECM	160	290	48	585	680	72	2400	2600	14,2
YOSO	NU 2232	160	290	80	930	1200	129	2400	3400	24,2
YOSO	NUP 2232	160	290	80	930	1200	129	2400	3400	25
YOSO	NJ 2232	160	290	80	930	1200	129	2400	3400	24,7
YOSO	NJ 332 ECMA	160	340	68	1000	1080	112	2000	3200	32,2
YOSO	NUP 332	160	340	68	1000	1080	112	2000	3200	32,5
YOSO	NJ 332 ECM	160	340	68	1000	1080	112	2000	2400	32,2
YOSO	NU 332 ECMA	160	340	68	1000	1080	112	2000	3200	32
YOSO	NU 332 ECM	160	340	68	1000	1080	112	2000	2400	32
YOSO	NJ 2332	160	340	114	1250	1730	173	2000	3200	53,5
YOSO	NU 2332	160	340	114	1250	1730	173	2000	3200	53
YOSO	NU 1034 M	170	260	42	275	400	41,5	2800	2800	8
YOSO	NJ 1034 ML	170	260	42	275	400	41,5	2800	4300	8,15
YOSO	NU 1034 ML	170	260	42	275	400	41,5	2800	4300	8
YOSO	NU 2034	170	260	54	473	735	41,5	2400	3600	11
YOSO	NUP 234	170	310	52	695	815	85	2400	3200	20
YOSO	NUP 234 ECM	170	310	52	695	815	85	2400	3200	20
YOSO	NU 234 ECM	170	310	52	695	815	85	2400	2400	18,2
YOSO	NU 234 ECMA	170	310	52	695	815	85	2400	3200	18,2
YOSO	NJ 234 ECM	170	310	52	695	815	85	2400	2400	18,7
YOSO	NJ 234 ECMA	170	310	52	695	815	85	2400	3200	18,7
YOSO	NU 2234	170	310	86	1059999	1340	140	2400	3200	30
YOSO	N 334 ECM	170	360	72	952	1180	116	1700	2200	38,5
YOSO	NU 334 M	170	360	72	809	1040	106	1900	2200	38,5
YOSO	NU 334 ECM	170	360	72	952	1180	116	1700	2200	37,5
YOSO	NU 334 ECMA	170	360	72	952	1180	116	1700	3000	37,5
YOSO	NU 2334	170	360	120	1450	2040	204	1700	3000	63
YOSO	NJ 2334	170	360	120	1450	2040	204	1700	3000	63
YOSO	NU 1036 ML	180	280	46	336	475	51	2600	4000	10,5
YOSO	NJ 1036 ML	180	280	46	336	475	51	2600	4000	10,5
YOSO	NU 1036 M	180	280	46	336	475	51	2600	2600	10,5
YOSO	NU 236 ECM	180	320	52	720	850	88	2200	2400	19,1
YOSO	NU 236 ECMA	180	320	52	720	850	88	2200	3200	19,1
YOSO	NJ 236 ECMA	180	320	52	720	850	88	2200	3200	19,3
YOSO	NUP 236	180	320	52	720	850	88	2200	3200	21
YOSO	NU 2236	180	320	86	1099999	1430	146	2200	3200	31,5
YOSO	NJ 2236 ECM	180	320	86	1099999	1430	146	2200	2400	32
YOSO	NU 2236 ECM	180	320	86	1099999	1430	146	2200	2400	31,5
YOSO	NJ 2236	180	320	86	1100	1430	146	2200	3200	32
YOSO	NU 336 ECM	180	380	75	1020	1290	125	1600	2200	45
YOSO	NU 2336	180	380	126	1610	2240	216	1600	2800	71,5
YOSO	NUP 436 MA	180	440	95	1250	1600	150	1600	2400	80
YOSO	NJ 1938	190	260	33	251	400	40,5	2600	4000	5,5
YOSO	NJ 1038 ML	190	290	46	347	500	53	2600	3800	11

YOSO	NU 1038 ML	190	290	46	347	500	53	2600	3800	11
YOSO	NU 238 ECM	190	340	55	800	965	98	2000	2200	24
YOSO	NJ 238 ECM	190	340	55	800	965	98	2000	2200	24,5
YOSO	NU 238 ECMA	190	340	55	800	965	98	2000	3000	24
YOSO	NJ 238 ECMA	190	340	55	800	965	98	2000	3000	24,5
YOSO	NUP 238	190	340	55	800	965	98	2000	3000	25
YOSO	NUP 238 ECM	190	340	55	800	965	98	2000	2200	25
YOSO	NU 2238 ECM	190	340	92	1220	1600	160	2000	3000	39
YOSO	NU 2238	190	340	92	1219999	1600	160	2000	3000	39
YOSO	NU 338 ECM	190	400	78	1140	1500	143	1500	2000	50
YOSO	NU 2338	190	400	132	1830	2550	236	1500	2600	82,5
YOSO	NJ 2840	200	250	30	187	365	35,5	2800	3600	3,55
YOSO	NJ 1940	200	280	38	341	540	55	2600	3800	7,4
YOSO	NU 1040 M	200	310	51	380	570	58,5	2400	2400	14,5
YOSO	NU 1040 MA	200	310	51	380	570	58,5	2400	3000	14,5
YOSO	NU 240 ECM	200	360	58	850	1020	100	1900	2200	28,5
YOSO	NJ 240 ECMA	200	360	58	850	1020	100	1900	2800	29
YOSO	NU 240 ECMA	200	360	58	850	1020	100	1900	2800	28,5
YOSO	NJ 240 ECM	200	360	58	850	1020	100	1900	2200	29
YOSO	NUP 240	200	360	58	850	1020	100	1900	2800	29,5
YOSO	NUP 240 ECM	200	360	58	850	1020	100	1900	2200	29,5
YOSO	NJ 2240	200	360	98	1369999	1800	180	1900	2800	46
YOSO	NU 2240	200	360	98	1369999	1800	180	1900	2800	46
YOSO	NU 3240 ECM	200	360	128	1540	2450	236	1600	2400	59
YOSO	NU 340 ECMA	200	420	80	1230	1630	150	1400	2400	57,5
YOSO	NU 2340	200	420	138	1980	2800	255	1400	2400	96,5
YOSO	NJ 2340	200	420	138	1980	2800	255	1400	2400	97
YOSO	NJ 1944	220	300	38	330	550	53	2400	3000	8,3
YOSO	NU 2944 M2P	220	300	48	457	830	83	2400	3600	10
YOSO	NU 1044 MA	220	340	56	495	735	73,5	2200	2800	18,5
YOSO	NU 1044 M	220	340	56	495	735	73,5	2200	2200	18,5
YOSO	NJ 1044 MP	220	340	56	495	735	73,5	2200	3200	19
YOSO	NU 244 ECM	220	400	65	1059999	1290	125	1600	1900	38
YOSO	NJ 244 ECM	220	400	65	1059999	1290	125	1600	1900	38,2
YOSO	NU 244 ECMA	220	400	65	1060	1290	125	1600	2400	38
YOSO	NJ 244 ECMA	220	400	65	1060	1290	125	1600	2400	38,2
YOSO	NUP 244	220	400	65	1059999	1290	125	1600	2400	38,5
YOSO	NUP 244 ECM	220	400	65	1059999	1290	125	1600	1900	38,5
YOSO	NU 2244	220	400	108	1570	2280	212	1600	2400	62,5
YOSO	NU 344 M	220	460	88	1210	1630	150	1500	1700	72,5
YOSO	NJ 344 M	220	460	88	1210	1630	150	1500	1700	73,5
YOSO	NU 2344	220	460	145	2380	3450	310	1300	2800	120
YOSO	NU 2344	220	460	145	2380	3450	310	1300	2200	120
YOSO	NUZ 1848	240	300	28	201	365	32	2400	3600	4,5
YOSO	NU 1048 MA	240	360	56	523	800	78	2000	2600	20
YOSO	NUP 248 MA	240	440	72	952	1370	129	1600	2200	53,5
YOSO	NJ 248 MA	240	440	72	952	1370	129	1600	2200	52,5
YOSO	NU 248 MA	240	440	72	952	1370	129	1600	2200	51,5
YOSO	313221	240	440	120	1570	2500	232	1500	1700	84
YOSO	NU 2248 MA	240	440	120	1450	2360	216	1500	2200	84
YOSO	NJ 2248 MA	240	440	120	1450	2360	224	1500	2200	85
YOSO	NUB 248 MA	240	440	120	952	1370	129	1600	2200	51,5
YOSO	NU 348 M	240	500	95	1450	2000	180	1300	1600	94,5



YOSO	NJ 348 MA	240	500	95	1450	2000	180	1300	2000	98,5
YOSO	NU 2348	240	500	155	2600	3650	320	1200	2000	155
YOSO	NJ 1052 MP	260	400	65	627	965	96,5	1800	2800	30
YOSO	NU 1052 MA	260	400	65	627	965	96,5	1800	2400	29,5
YOSO	NU 1052 M	260	400	65	627	965	96,5	1800	1800	29,5
YOSO	NU 3052	260	400	104	1420	2400	232	1500	2400	49,5
YOSO	NU 3152	260	440	144	2090	3450	310	1300	2200	98
YOSO	NUP 252 MA	260	480	80	1170	1700	156	1400	2000	72
YOSO	NU 252 MA	260	480	80	1170	1700	150	1400	2000	68,5
YOSO	NJ 252 MA	260	480	80	1170	1700	150	1400	2000	70
YOSO	NJ 2252 MA	260	480	130	1790	3000	275	1300	2000	112
YOSO	NU 2252 MA	260	480	130	1790	3000	265	1400	2000	110
YOSO	N 2252 MB	260	480	130	1790	3000	275	1300	2000	110
YOSO	NU 352 ECMA	260	540	102	1940	2700	236	1100	1800	125
YOSO	NU 2352	260	540	165	3190	4550	400	1100	1800	190
YOSO	NU 1056 MA	280	420	65	660	1060	102	1700	2200	31,5
YOSO	NU 2056	280	420	82	1230	2160	204	1400	2200	40
YOSO	NU 3156 EMA/HB1	280	460	146	2290	3900	335	1200	2000	105
YOSO	NU 256 MA	280	500	80	1140	1800	156	1400	1900	71,5
YOSO	NJ 256 MA	280	500	80	1140	1800	156	1400	1900	73
YOSO	NU 2256	280	500	130	2200	3450	305	1200	1900	115
YOSO	BC1B 322312	280	500	165,1	2920	5000	430	1200	1500	160
YOSO	NU 2356 MA	280	580	175	2700	4300	365	1000	1700	230
YOSO	NU 2860 ECM	300	380	48	473	980	91,5	1700	1700	14
YOSO	NJ 2860 ECM	300	380	48	473	980	88	1700	1700	14
YOSO	NJ 1060 MA	300	460	74	858	1370	129	1500	2000	47
YOSO	NU 1060 MA	300	460	74	858	1370	129	1500	2000	46,5
YOSO	NU 2060	300	460	95	1510	2600	245	1300	2000	59,5
YOSO	NU 260 MA	300	540	85	1420	2120	183	1300	1800	89,5
YOSO	NU 260 M	300	540	85	1420	2120	183	1300	1400	89,5
YOSO	NU 2260 MA	300	540	140	2090	3450	300	1200	1800	145
YOSO	NU 2360	300	620	185	4020	5850	480	950	1600	270
YOSO	NU 1864	320	400	38	369	710	63	1600	2400	11
YOSO	NUP 1864	320	400	38	369	710	60	1600	2400	11,7
YOSO	NU 2864	320	400	48	495	1060	93	1600	2400	14,5
YOSO	NU 1964	320	440	56	693	1200	110	1500	2000	27
YOSO	313451 B	320	440	72	765	1500	140	1400	1400	33,5
YOSO	314756	320	440	72	765	1500	140	1400	1400	34,5
YOSO	313450 B	320	440	72	765	1500	140	1400	1400	34,5
YOSO	NU 1064 MP	320	480	74	880	1430	132	1400	2200	48,5
YOSO	NJ 1064 MA	320	480	74	880	1430	132	1400	1400	49
YOSO	NU 1064 MA	320	480	74	880	1430	132	1400	1400	48,5
YOSO	NU 2064	320	480	95	1450	265	245	1200	1900	62,5
YOSO	NU 3064 ECM	320	480	121	1830	3150	280	1200	1900	75
YOSO	NU 3164	320	540	176	3140	5400	450	1000	1700	175
YOSO	NU 264 MA	320	580	92	1610	2450	204	1200	1600	115
YOSO	NU 2264	320	580	150	3190	5000	415	1000	1600	180
YOSO	NJ 2264	320	580	150	3190	5000	415	1000	1600	190
YOSO	316197	340	420	35	212	400	33,5	1500	2000	9,6
YOSO	NJ 2868	340	420	48	512	1120	98	1500	2000	15
YOSO	NU 1968	340	460	56	682	1200	108	1400	1900	27,5
YOSO	NU 2968 M	340	460	72	809	1660	153	1400	1400	36

YOSO	NJ 2968	340	460	72	1020	2040	186	1400	1900	37
YOSO	313816	340	460,08	56	627	1120	102	1400	1900	27,5
YOSO	NU 1068 MA	340	520	82	1080	1760	156	1300	1700	65
YOSO	NJ 1068 MA	340	520	82	1080	1760	156	1300	1700	68
YOSO	NU 3168	340	580	190	3190	5850	490	950	1600	210
YOSO	NU 2268 MA	340	620	165	2640	4500	365	1000	1500	220
YOSO	612129 A	350	480	85	1060	2160	196	1200	1300	48
YOSO	NU 1072 MP	360	540	82	1100	1830	163	1300	1900	67,5
YOSO	NU 1072 MA	360	540	82	1100	1830	163	1300	1600	67,5
YOSO	NU 2072	360	540	106	1940	3600	310	1100	1600	88,5
YOSO	NU 3172	360	600	192	3410	6100	490	900	1500	225
YOSO	NU 2272 MA	360	650	170	2920	4900	400	950	1400	250
YOSO	NU 2372	360	750	224	5010	8150	630	850	1300	510
YOSO	316010 A	380	480	40	270	520	42,5	1300	1300	15,5
YOSO	BC1B 322770 A/HB1	380	480	40	270	520	42,5	1300	1300	16
YOSO	NUP 1876	380	480	46	539	1060	86,5	1300	1300	23
YOSO	NU 1876 ECM	380	480	46	539	1060	86,5	1300	1300	23
YOSO	NU 1076 MA	380	560	82	1140	1930	170	1200	1600	71
YOSO	NJ 1076 MA	380	560	82	1140	1930	170	1200	1600	73
YOSO	NU 2076	380	560	106	1980	3750	335	1000	1600	92,5
YOSO	NU 3076	380	560	135	2380	4750	400	1000	1800	115
YOSO	NU 2276	380	680	175	3960	6400	510	850	1300	275
YOSO	BC1-8028	399872	500	46	572	1180	96,5	1300	1900	21,8
YOSO	NJ 1880 MP	400	500	46	572	1180	96,5	1300	1900	21,8
YOSO	NU 1880 MP	400	500	46	572	1180	100	1300	1900	21,5
YOSO	NU 1980	400	540	65	952	1730	153	1200	1600	41
YOSO	NU 2980 MA	400	540	82	1190	2500	224	1200	1600	54,5
YOSO	NU 2980	400	540	82	1400	2800	245	1200	1600	57
YOSO	NU 1080	400	600	90	1380	2320	196	1100	1500	92
YOSO	NU 1080 MA	400	600	90	1380	2320	196	1100	1500	92,5
YOSO	NU 2080	400	600	118	2200	4550	365	950	1400	120
YOSO	NU 3080 MA6	400	600	148	2810	5500	440	950	1400	175
YOSO	NU 1884 MA	420	520	46	550	1120	95	1200	1600	20
YOSO	NJ 1884 MA6	420	520	46	550	1120	95	1200	1600	20,5
YOSO	NJ 3884 MA	420	520	75	935	2240	193	1100	1600	33
YOSO	NJ 1984	420	560	65	968	1800	156	1100	1500	48
YOSO	NU 2984 MA	420	560	82	1210	2550	228	1100	1500	59
YOSO	NU 1084 MA	420	620	90	1420	2450	200	1100	1400	96
YOSO	NU 2084	420	620	118	2460	4750	380	900	1400	125
YOSO	NU 3084	420	620	150	2920	5400	430	900	1400	160
YOSO	NF 3084	420	620	150	2920	5400	430	900	1400	160
YOSO	NU 3184 ECMA/HB1	420	700	224	4950	9000	695	750	1300	380
YOSO	316011	440	540	40	292	610	39	1100	1500	18,5
YOSO	NU 2888	440	540	60	809	1900	153	1100	1500	34
YOSO	NU 1988 MA	440	600	74	1060	2000	170	1100	1400	64
YOSO	NJ 2988	440	600	95	1720	3600	310	1100	1400	84
YOSO	NUP 3988	440	600	118	1980	4250	355	900	1100	105
YOSO	NU 1088 MA	440	650	94	1510	2650	212	1000	1300	105
YOSO	NU 2088	440	650	122	2550	4900	390	8500	1300	145
YOSO	NU 3188 ECMA/HB1	440	720	226	5120	10000	765	700	1200	395

YOSO	N 1892	460	580	56	825	1700	140	1100	1400	37
YOSO	NJ 2892	460	580	72	1080	2400	193	1100	1400	48
YOSO	NJ 2992	460	620	95	1720	3600	310	1000	1300	89
YOSO	NU 1092 MA	460	680	100	1650	2850	224	950	1200	115
YOSO	NU 2092	460	680	128	2810	5400	415	800	1200	165
YOSO	NU 3092	460	680	163	3470	6700	520	800	1200	210
YOSO	NU 3192 ECMA/HB1	460	760	240	5280	9650	735	670	1100	455
YOSO	NU 1292 MA	460	830	165	4180	6800	510	750	1100	415
YOSO	NU 2292 MA	460	830	212	5120	8650	655	700	1100	530
YOSO	NJ 1896 MA	480	600	56	765	1560	122	1000	1300	39,5
YOSO	NU 1896 MA	480	600	56	765	1560	122	1000	1300	39
YOSO	NJ 2896	480	600	72	1100	2450	200	1000	1300	47,5
YOSO	319164	480	650	78	1340	2550	212	950	1300	78
YOSO	NU 1996 KMA	480	650	78	1170	2240	183	950	1300	74
YOSO	NJ 1996 MA	480	650	78	1170	2240	183	950	1300	78
YOSO	NU 1996 MA	480	650	78	1170	2240	183	950	1300	75,5
YOSO	NU 1096 MA	480	700	100	1680	3000	232	900	1200	130
YOSO	NU 2096	480	700	128	2860	5600	430	750	1200	170
YOSO	NU 3196 ECMA/HB1	480	790	248	5940	10800	800	630	1100	500
YOSO	316198	500	620	45	396	830	45,5	1000	1000	29
YOSO	NF 18/500	500	620	56	792	1660	132	950	950	39
YOSO	NU 28/500	500	620	72	1170	2650	183	950	1300	50
YOSO	NU 19/500 MA	500	670	78	1210	2360	193	900	1200	79
YOSO	N 39/500 ECMB/W33	500	670	128	2330	5200	440	800	1200	130
YOSO	NJ 39/500	500	670	128	2330	5200	440	800	1200	130
YOSO	NU 10/500 MA	500	720	100	1720	3100	236	900	1100	135
YOSO	NU 20/500	500	720	128	2920	5850	440	750	1100	180
YOSO	NU 30/500	500	720	167	4020	8000	610	750	1100	225
YOSO	NU 31/500 ECMA/HB1	500	830	264	6440	12000	880	600	1000	595
YOSO	NU 12/500 MA	500	920	185	5280	8500	620	670	950	585
YOSO	315835 A	530	650	45	418	900	62	2200	3400	30
YOSO	315835 B	530	650	45	418	900	62	2200	3400	30
YOSO	NJ 28/530	530	650	72	1170	2700	212	900	1200	52
YOSO	NJ 19/530 ECM/HB1	530	710	82	1570	3050	236	850	1100	94
YOSO	NU 29/530	530	710	106	2380	5000	390	850	1100	120
YOSO	NU 10/530 MA	530	780	112	2290	4050	305	800	1000	190
YOSO	NU 20/530	530	780	145	3740	7350	550	670	1000	255
YOSO	NU 31/530 ECMA/HB1	530	870	272	7480	14600	1040	560	950	660
YOSO	316053	560	680	45	429	950	62	2000	3200	31,5
YOSO	BC1B	560	680	45	429	950	62	2000	3200	32
YOSO	NJ 18/560 ECMA6/34301	560	680	56	809	1830	134	850	1100	44,5
YOSO	NU 19/560	560	750	85	1650	3400	250	800	1000	110
YOSO	NU 29/560	560	750	112	2460	5700	450	800	1000	145
YOSO	NJ 10/560 MA	560	820	115	2330	4250	310	750	1000	210
YOSO	NU 10/560 MA	560	820	115	2330	4250	310	750	1000	210
YOSO	NU 20/560	560	820	150	3800	7650	560	630	1000	290

YOSO	NU 12/560 MA	560	1030	206	7210	11200	780	560	800	805
YOSO	315836	600	730	52	468	1020	65,5	1800	2400	41
YOSO	NU 18/600 ECMA/HB1	600	730	60	897	2080	108	800	1000	50,5
YOSO	NU 28/600	600	730	78	1320	3350	180	750	1000	70
YOSO	NU 19/600 ECMA/HA1	600	800	90	1900	3800	270	750	950	130
YOSO	NF 19/600	600	800	90	1900	3800	275	750	950	135
YOSO	319165	600	800	90	1900	3800	275	750	950	135
YOSO	319165 A	600	800	90	1830	3600	255	750	950	135
YOSO	NUP 19/600 ECMA/HA1	600	800	90	1900	3800	275	750	950	140
YOSO	NU 29/600 ECMA/HB1	600	800	118	2920	6550	475	750	950	165
YOSO	NU 10/600 MA	600	870	118	2750	5100	365	700	900	245
YOSO	NU 10/600	600	870	118	2750	5100	365	700	900	245
YOSO	NU 20/600	600	870	155	4180	8000	570	600	900	325
YOSO	NU 30/600 ECMA/HA1	600	870	200	5390	11000	780	600	900	415
YOSO	NU 2/600 ECMA/HB1	600	1090	155	5610	9800	670	480	850	710
YOSO	315933	630	780	56	605	1290	85	1700	2600	55
YOSO	NJ 18/630 ECMA/HB1	630	780	69	1100	2500	183	800	1000	75
YOSO	N 28/630 MB	630	780	88	1570	3900	305	750	950	100
YOSO	NU 28/630 MA	630	780	88	1570	3800	285	750	950	98
YOSO	N 38/630 MB	630	780	112	2200	5700	450	670	670	120
YOSO	NF 38/630 MB	630	780	112	2200	5700	450	670	670	125
YOSO	NU 19/630	630	850	100	2240	4400	315	700	900	165
YOSO	NU 29/630	630	850	128	3300	720	510	700	900	220
YOSO	NJ 29/630 ECMAS/HB1	630	850	128	3300	7200	510	700	900	230
YOSO	NUP 10/630 ECMA/HA2	630	920	128	3410	6200	430	630	850	285
YOSO	NU 10/630 ECN2MA	630	920	128	3410	6200	430	630	850	285
YOSO	NU 10/630 ECMA/HA2	630	920	128	3410	6200	430	630	850	285
YOSO	NU 20/630	630	920	170	4730	9500	670	560	850	400
YOSO	NU 30/630/342771	630	920	212	6440	14300	1000	530	850	490
YOSO	NU 12/630	630	1150	230	8580	13700	915	450	700	1100
YOSO	315837	640	790	56	605	1290	83	1700	2200	56
YOSO	464777	660,4	863,6	107,95	3080	6550	455	800	1000	177
YOSO	316012	670	820	56	616	1370	83	1600	2200	60
YOSO	NJ 18/670 MA6/343016	670	820	69	1230	2800	204	670	900	84,5
YOSO	NUP 19/670 ECMA	670	900	103	2330	4750	325	630	850	195
YOSO	NU 19/670	670	900	103	2330	4750	325	630	850	195
YOSO	NU 10/670	670	980	136	3740	6800	465	600	800	350
YOSO	NU 20/670	670	980	180	5390	11000	750	500	800	480

YOSO	NU 30/670 MA/342771	670	980	230	6600	14000	950	500	800	600
YOSO	NU 18/710 ECMA/HB1	710	870	74	1450	3350	190	630	850	93,5
YOSO	N 28/710	710	870	95	1940	5000	365	630	850	130
YOSO	NU 29/710 ECMA/HA1	710	950	140	3740	8300	570	600	800	295
YOSO	NJ 29/710	710	950	140	3740	8300	570	600	800	300
YOSO	NU 10/710 ECN2MA	710	1030	140	4680	8500	570	560	750	415
YOSO	NU 20/710	710	1030	185	5940	12000	815	480	700	540
YOSO	315799	720	880	62	704	1560	91,5	1400	1900	74,5
YOSO	NU 18/750 MA	750	920	78	1470	3450	228	600	800	110
YOSO	NJ 18/750 MA	750	920	78	1470	3450	228	600	800	115
YOSO	NF 19/750 ECMB/HA1	750	1000	112	2810	5850	390	560	700	265
YOSO	319166 A	750	1000	112	2700	5600	365	560	700	255
YOSO	NU 10/750 ECN2MA	750	1090	150	4730	8800	585	430	670	490
YOSO	NU 20/750	750	1090	195	7040	14600	980	430	670	635
YOSO	NJ 18/800	800	980	82	1720	4150	280	530	700	145
YOSO	NU 10/800 ECMA/HB1	800	1150	155	5500	10600	695	480	630	560
YOSO	NU 20/800	800	1150	200	7040	14600	950	400	630	715
YOSO	315800 B	820	990	72	858	1960	112	1200	1600	100
YOSO	315800	820	990	72	858	1960	71	1200	1600	100
YOSO	316200	850	1030	74	935	2120	122	1200	1600	115
YOSO	N 28/850 MB	850	1030	106	2120	6000	405	500	670	195
YOSO	NU 28/850 MA	850	1030	106	2120	6000	240	500	670	190
YOSO	NU 19/850 ECMA/HA1	850	1120	118	3190	6950	440	480	600	330
YOSO	NF 19/850 ECM2P/HA1	850	1120	118	3360	7350	465	480	700	335
YOSO	N 29/850	850	1120	155	4680	11200	720	480	600	430
YOSO	319161	900	1090	85	1120	2550	156	1100	1500	145
YOSO	NU 18/900 MA	900	1090	85	1980	4900	310	450	600	170
YOSO	NU 28/900 MA/343017	900	1090	112	2700	7200	490	450	600	235
YOSO	N 28/900 MB	900	1090	112	2700	7200	475	450	600	240
YOSO	NU 19/900	900	1180	122	4130	8800	560	430	560	380
YOSO	NU 29/900 ECMA/HB1	900	1180	165	5830	12500	800	430	560	560
YOSO	315869 A	950	1150	90	1340	3100	190	1000	1300	170
YOSO	NU 29/950	950	1250	175	5830	14000	880	400	530	745
YOSO	NU 18/1000 MA/HB1	1000	1220	100	2640	6550	400	400	530	265
YOSO	NF 28/1000 ECMP/HA1	1000	1220	128	3690	10000	620	400	530	350
YOSO	NUB 18/1000 MA/HB1	1000	1220	128	2640	6550	400	400	530	287
YOSO	NJ 28/1000 ECMP/HA1	1000	1220	128	3690	10000	620	400	530	345
YOSO	NU 29/1000	1000	1320	185	7040	17300	1080	360	480	700

YOSO	BC1B 319579	1030	1250	100	1510	3450	173	320	380	225
YOSO	316789/HA1	1060	1280	100	1510	3450	220	300	360	230
YOSO	N 28/1060 MB	1060	1280	128	3580	10400	640	300	360	360
YOSO	NU 29/1060 ECMA/HB1	1060	1400	195	7210	17300	1060	280	340	870
YOSO	NU 39/1060 ECKMA/HA1	1060	1400	250	9130	24000	1460	260	320	1070
YOSO	N	1060	1500	325	13000	32500	1950	220	280	1900
YOSO	316201	1120	1360	104	1650	3800	224	220	280	285
YOSO	NJ 18/1120	1120	1360	106	3410	8650	510	280	340	335
YOSO	NU 30/1120 K/HA3VE901	1120	1580	345	15700	39000	2320	190	240	2150
YOSO	NJ 18/1180	1180	1420	106	3030	7800	455	260	320	350
YOSO	NUP 29/1180 ECMA/HA1	1180	1540	206	8970	21600	1290	190	240	1090
YOSO	NU 29/1180 ECMA/HA1	1180	1540	206	8970	21600	1290	190	240	1050
YOSO	N 39/1180 MB	1180	1540	272	11200	29000	1730	200	260	1400
YOSO	315913	1250	1500	106	1720	4150	240	220	280	330
YOSO	N 20/1250 MB	1250	1750	290	12800	30500	1760	170	200	2320
YOSO	NU 18/1320 MAS/343016	1320	1600	122	3800	10000	570	260	340	530
YOSO	NJ 18/1320	1320	1600	122	3800	10000	570	260	340	530
YOSO	NU 29/1320	1320	1720	230	11400	30500	1760	240	320	1500
YOSO	N 39/1320 MB	1320	1720	300	13200	34500	1960	220	320	1900
YOSO	N	1320	1850	400	21600	55000	3100	190	240	3550
YOSO	N 28/1400	1400	1700	175	6600	18300	1040	220	280	860
YOSO	319301	1500	1820	140	3300	8000	440	200	260	665
YOSO	319286	1700	2060	160	3690	9150	490	160	200	925
YOSO	NU 18/1700 ECMA/HB1	1700	2060	160	7210	19300	1040	160	200	1150
YOSO	BC1B	1700	2060	160	3690	9150	490	160	200	935
YOSO	RNU 202 ECP	19,3	35	11	12,5	10,2	1,22	22000	26000	0,037
YOSO	RNU 203 ECP	22,1	40	12	17,2	14,3	1,73	19000	22000	0,053
YOSO	RNU 2203	22,1	40	16	23,8	21,6	2,65	19000	22000	0,072
YOSO	RNU 203 TN9	22,9	40	12	10,8	5,2	1,02	20000	22000	0,044
YOSO	RNU 204 ECP	26,5	47	14	25,1	22	2,75	16000	19000	0,083
YOSO	RNU 204	27	47	14	14,7	7,35	1500	18000	19000	0,081
YOSO	RNU 2304	27,5	52	21	47,5	38	4,8	15000	18000	0,16
YOSO	RNU 304	28,5	52	15	20,5	10,4	2080	15000	18000	0,11
YOSO	RNU 205 ECP	31,5	52	15	28,6	27	3,35	14000	16000	0,1
YOSO	RNU 2205	31,5	52	18	34,1	34	4,25	14000	16000	0,12
YOSO	RNU 205	32	52	15	16,8	8,8	1,86	15000	17000	0,093
YOSO	RNU 305	35	62	17	28,6	15	3,05	12000	15000	0,17
YOSO	RNU 1006	36,5	55	13	17,9	17,3	1,86	14000	15000	0,085
YOSO	RNU 206 ECP	37,5	62	16	44	36,5	4,5	13000	14000	0,18
YOSO	RNU 2206	37,5	62	20	55	49	6,1	13000	14000	0,2
YOSO	RNU 1007	42	62	14	35,8	38	2,55	12000	13000	0,11
YOSO	RNU 306	42	72	19	36,9	20	4,25	11000	12000	0,25
YOSO	RNU 207 ECP	44	72	17	56	48	6,1	11000	12000	0,22
YOSO	RNU 2207	44	72	23	69,5	63	8,15	11000	12000	0,3
YOSO	RNU 307 ECP	46,2	80	21	75	63	8,15	9500	11000	0,42
YOSO	RNU 2307	46,2	80	31	58,3	35,5	7,5	8500	11000	0,52

YOSO	RNU 2307	46,2	80	31	106	98	12,7	9500	11000	0,54
YOSO	RNU 208 ECP	49,5	80	18	62	53	6,7	9500	11000	0,32
YOSO	RNU 2208	49,5	80	23	81,5	75	9,65	9500	11000	0,41
YOSO	RNU 308 ECP	52	90	23	93	78	10,2	8000	9500	0,57
YOSO	RNU 1009	52,5	75	16	44,6	52	6,3	9500	11000	0,18
YOSO	RNU 209 ECP	54,5	85	19	69,5	64	8,15	9000	9500	0,36
YOSO	RNU 309 ECP	58,5	100	25	112	100	12,9	7500	8500	0,78
YOSO	RNU 2210	59,5	90	23	90	88	15,3	8500	9000	0,41
YOSO	RNU 1011	64,5	90	18	57,2	69,5	8,3	8000	8500	0,27
YOSO	RNU 310 ECP	65	110	27	127	112	15	6700	8000	0,86
YOSO	RNU 211 ECP	66	100	21	96,5	95	12,2	7500	8000	0,49
YOSO	RNU 2211	66	100	25	114	118	15,3	7500	8000	0,58
YOSO	RNU 212 ECP	72	110	22	108	102	13,4	6700	7500	0,59
YOSO	RNU 1014	79,5	110	20	76,5	93	12	6300	7000	0,44
YOSO	RNU 1016	91,5	125	22	66	81,4	10,4	6300	6300	0,73
YOSO	RNU 216 ECP	95,3	140	26	160	166	21,2	5300	5600	1,07
YOSO	RNU 1017 ML	96,5	130	22	68,2	86,5	10,8	6000	9000	0,76
YOSO	RNU 217 ECP	100,5	150	28	190	200	25	4800	5300	1,4
YOSO	RNU 1020 ML	113	150	24	85,8	114	13,7	5000	7500	1,04
YOSO	RNU 1038 ML	215	290	46	347	500	53	2600	3800	8,12
YOSO										
YOSO	NNU 4121	105	175	69	69	413	670	3400	4300	6,7
YOSO	NNU 4121 K30M/W33	105	175	69	69	413	670	3400	4300	6,7
YOSO	NNU 4122 K30M/W33	110	180	69	69	418	710	3200	4300	6,95
YOSO	NNU 4122	110	180	69	69	418	710	3200	4300	6,95
YOSO	NNU 4124	120	200	80	80	523	865	3000	3800	11
YOSO	NNU 4124 K30M/W33	120	200	80	80	523	865	3000	3800	11
YOSO	NNU 4126 K30M/W33	130	210	80	80	561	965	2800	3600	10,7
YOSO	NNU 4126	130	210	80	80	561	965	2800	3600	10,7
YOSO	NNU 4128	140	225	85	85	627	1040	2600	3400	13
YOSO	NNU 4128 K30M/W33	140	225	85	85	627	1040	2600	3400	13
YOSO	NNU 4130 K30M/W33	150	250	100	100	748	1290	2400	3000	18
YOSO	NNU 4130	150	250	100	100	748	1290	2400	3000	18
YOSO	BC2B 320160	160	265	120	120	1020	1800	1900	2800	27
YOSO	NNU 4132	160	270	109	109	935	1530	2200	2800	25
YOSO	NNU 4132 K30M/W33	160	270	109	109	935	1530	2200	2800	25
YOSO	NNU 4134 K30M/W33	170	280	109	109	968	1630	2000	2600	26
YOSO	NNU 4134	170	280	109	109	968	1630	2000	2600	26
YOSO	NNU 4136	180	300	118	118	1080	1830	1900	2400	32,5
YOSO	NNU 4136 K30M/W33	180	300	118	118	1080	1830	1900	2400	32,5
YOSO	NNU 4138 K30M/W33	190	320	128	128	1320	2200	1800	2400	41
YOSO	NNU 4138	190	320	128	128	1320	2200	1800	2400	41
YOSO	NNU	200	250	50	50	242	600	2400	2600	5,75

YOSO	NNU 4840	200	250	50	50	242	600	2400	2600	5,75
YOSO	313639	200	310	115	115	1010	1860	1600	2400	31,5
YOSO	NNU 4140 K30M/W33	200	340	140	140	1470	2550	1700	2200	51
YOSO	NNU 4140	200	340	140	140	1470	2550	1700	2200	51
YOSO	314889	220	330	115	115	1020	1960	1500	2200	34,5
YOSO	NNU 4144	220	370	150	150	1650	2900	1500	2000	65
YOSO	NNU 4144 K30M/W33	220	370	150	150	1650	2900	1500	2000	65
YOSO	NNU 4848	240	300	60	60	358	930	2200	2400	9,9
YOSO	NNU	240	300	60	60	358	930	2200	2400	9,9
YOSO	NNU 4148	240	400	160	160	1980	3650	1400	1800	85
YOSO	NNU 4148 K30M/W33	240	400	160	160	1980	3650	1400	1800	85
YOSO	NNU 4052 KM/W33	260	400	140	140	1650	3150	1500	1800	63,5
YOSO	NNU 4052	260	400	140	140	1650	3150	1500	1800	63,5
YOSO	NNU 4152	260	440	180	180	2200	3900	1300	1600	110
YOSO	NNU 4152 K30M/W33	260	440	180	180	2200	3900	1300	1600	110
YOSO	NNU 4856	280	350	69	69	457	1200	1700	1900	15,5
YOSO	NNU	280	350	69	69	457	1200	1700	1900	15,5
YOSO	NNUP 4956 B/W33	280	380	100	100	765	1800	2200	1800	33,5
YOSO	314897	280	410	150	150	1760	3750	1100	1700	61
YOSO	NNU 4056	280	420	140	140	1650	3150	1400	1700	66,5
YOSO	NNU 4056 KM/W33	280	420	140	140	1650	3150	1400	1700	66,5
YOSO	NNU 4156 K30M/W33	280	460	180	180	2550	4750	1200	1500	120
YOSO	NNU 4156	280	460	180	180	2550	4750	1200	1500	120
YOSO	315976 B	280	470	200	200	2920	5600	1000	1500	150
YOSO	NNU	300	380	80	80	792	2120	1600	1700	22
YOSO	NNU 4860	300	380	80	80	792	2120	1600	1700	22
YOSO	NNU 4060 KM/W33	300	460	160	160	2010	4000	1300	1500	96
YOSO	NNU 4060	300	460	160	160	2010	4000	1300	1500	96
YOSO	BC2B 320119	300	460	180	180	2600	5500	1000	1500	118
YOSO	NNU 4160	300	500	200	200	2860	5300	1100	1400	155
YOSO	NNU 4160 K30M/W33	300	500	200	200	2860	5300	1100	1400	155
YOSO	NNU 4864	320	400	80	80	765	2080	1500	1600	23,5
YOSO	NNU	320	400	80	80	765	2080	1500	1600	23,5
YOSO	NNUP 4964 B/HB1W33	320	440	118	118	1020	2360	2000	1600	55,5
YOSO	BC2B 322216	320	460	120	120	1720	3600	950	1400	70
YOSO	NNU 4064	320	480	160	160	2120	4300	1200	1400	100
YOSO	NNU 4064 KM/W33	320	480	160	160	2120	4300	1200	1400	100
YOSO	315583 C	320	480	175	175	2460	5400	1200	1400	115
YOSO	NNU 4164 F	320	540	218	218	3410	6200	1000	1300	200
YOSO	NNU 4164	320	540	218	218	3410	6200	1000	1300	200
YOSO	BC2-8014	325	480	215,3	190,5	2700	5850	950	1400	125



YOSO	NNUP	340	420	80	80	644	1830	1400	1500	24,5
YOSO	NNU 4868	340	420	80	80	644	1830	1400	1500	25
YOSO	NNU	340	420	80	80	644	1830	1400	1500	25
YOSO	NNU 4068	340	520	180	180	2550	5100	1100	1300	140
YOSO	NNU 4068 KM/W33	340	520	180	180	2550	5100	1100	1300	140
YOSO	BC2B 320118	340	520	305	200	3300	7100	900	1300	185
YOSO	NNU 4168 K30M/W33	340	580	243	243	4020	7500	950	1200	260
YOSO	NNU 4168	340	580	243	243	4020	7500	950	1200	260
YOSO	314563	350	500	190	190	2460	5700	900	1300	115
YOSO	BC2B 319878	350	520	150	150	2120	4500	1100	1300	220
YOSO	BC2B 320075	360	500	125	125	1790	3650	900	1300	72
YOSO	BC2B 322217	360	500	125	125	2050	4300	900	1300	80
YOSO	BC2B 320299	360	510	190	190	2600	6100	900	1300	120
YOSO	NNU 4072	360	540	180	180	2810	5700	1100	1200	142
YOSO	NNU 4072 KM/W33	360	540	180	180	2810	5700	1100	1200	142
YOSO	NNU 4172	360	600	243	243	4290	8500	900	1100	275
YOSO	NNU 4172 M	360	600	243	243	4290	8500	900	1100	275
YOSO	BC2B 319961	370	520	220	193	2750	6700	850	1300	130
YOSO	NNU 4876	380	480	100	100	952	2550	1200	1300	44
YOSO	NNU	380	480	100	100	952	2550	1200	1300	44
YOSO	BC2B	380	540	130	130	2010	4300	800	1200	100
YOSO	316062	380	540	150	150	2510	5500	800	1200	110
YOSO	BC2B 320041	380	540	200	200	2860	6800	800	1200	145
YOSO	NNU 4076	380	560	180	180	2860	6000	1000	1200	150
YOSO	NNU 4076 KM/W33	380	560	180	180	2860	6000	1000	1200	150
YOSO	NNU 4176	380	620	243	243	4290	8500	850	1100	285
YOSO	NNU 4176 M	380	620	243	243	4290	8500	850	1100	285
YOSO	NNUP 4880/HB1W33	400	500	100	100	968	2750	1100	1200	45,5
YOSO	NNU 4880	400	500	100	100	968	2750	1100	1200	46
YOSO	NNU	400	500	100	100	968	2750	1100	1200	46
YOSO	314987 C	400	560	205	205	3140	7800	800	1200	160
YOSO	314987 B	400	560	205	205	3140	7800	800	1200	160
YOSO	315802	400	590	220	220	3690	8300	750	1100	210
YOSO	NNU 4080	400	600	200	200	3470	7200	950	1100	205
YOSO	NNU 4080 KF/W33	400	600	200	200	3470	7200	950	1100	205
YOSO	BC2B	400	600,19	200	200	3470	7200	950	1100	200
YOSO	BC2B	400	600,19	200	200	3470	7200	950	1100	205
YOSO	NNU 4180	400	650	250	250	4730	9500	800	1000	325
YOSO	NNU 4180 K30M/W33	400	650	250	250	4730	9500	800	1000	325
YOSO	316019	410	600	140	140	3800	8650	750	1100	215
YOSO	NNU 4884	420	520	100	100	990	2850	1100	1200	48
YOSO	NNU	420	520	100	100	990	2850	1100	1200	48
YOSO	BC2B	420	580	130	130	2380	5300	750	1100	110
YOSO	313555 C	420	580	160	160	2330	5400	750	1100	125
YOSO	313555 A	420	580	160	160	2330	5400	750	1100	125
YOSO	313555 B	420	580	160	160	2330	5400	750	1100	125

YOSO	314982	420	600	220	220	3580	8800	750	1100	205
YOSO	314391	420	620	200	200	3470	7800	700	1100	220
YOSO	NNU 4084	420	620	200	200	3520	7500	900	950	183
YOSO	NNU 4084 KM/W33	420	620	200	200	3520	7500	900	950	183
YOSO	NNU	420	700	280	280	5500	11400	750	950	440
YOSO	NNU	440	540	100	100	1010	2900	1000	1100	50
YOSO	NNU 4888	440	540	100	100	1010	2900	1000	1100	50
YOSO	316077 A	440	620	225	225	3910	9800	700	1000	220
YOSO	BC2B 316521	440	640	230	230	4570	9800	850	1000	250
YOSO	NNU 4088 KM/W33	440	650	212	212	3910	8300	850	950	215
YOSO	NNU 4088	440	650	212	212	3910	8300	850	950	215
YOSO	NNU 4188	440	720	280	280	5720	11800	700	900	450
YOSO	NNU 4188 K30M/W33	440	720	280	280	5720	11800	700	900	450
YOSO	BC2B	457,2	660,4	228,6	203,2	3690	8150	800	950	235
YOSO	NNU 4892	460	580	118	118	1190	3250	1000	1100	75
YOSO	NNU	460	580	118	118	1190	3250	1000	1100	75
YOSO	316739	460	650	235	235	4400	11200	670	1000	260
YOSO	NNU 4092	460	680	218	218	4290	9300	800	950	240
YOSO	NNU 4092 KM/W33	460	680	218	218	4290	9300	800	950	240
YOSO	NNU 4192	460	760	300	300	6440	12900	670	850	535
YOSO	NNU 4192 M	460	760	300	300	6440	12900	670	850	535
YOSO	BC2-	460	780	280	250	5610	10400	560	850	540
YOSO	316848 A	480	680	250	250	4730	12000	630	950	305
YOSO	NNU 4096 KM/W33	480	700	218	218	4400	9650	750	900	275
YOSO	NNU 4096	480	700	218	218	4400	9650	7500	900	275
YOSO	316189	480	700	260	260	5390	12500	600	900	345
YOSO	NNU 4196	480	790	308	308	7040	14300	630	800	590
YOSO	NNU 4196 K30M/W33	480	790	308	308	7040	14300	630	800	590
YOSO	BC2B	487,98	637	175	175	3000	7600	670	950	170
YOSO	316639 AG	490	694	174	174	3740	9000	600	900	215
YOSO	319254	500	650	130	130	2050	5100	630	950	120
YOSO	314990 A	500	680	225	225	4130	11000	600	900	250
YOSO	BC2B 320570	500	700	170	170	2700	5400	600	900	210
YOSO	314419	500	720	218	218	4730	10800	600	850	310
YOSO	NNU 40/500 M/W33	500	720	218	218	4460	10000	750	850	287
YOSO	NNU 40/500 KM/W33	500	720	218	218	4460	10000	750	850	287
YOSO	BC2-	500	730	305	305	6270	15000	600	850	415
YOSO	NNU 41/500 K30M/W33	500	830	325	325	7480	15000	600	800	710
YOSO	NNU 41/500 M/W33	500	830	325	325	7480	15000	600	800	710
YOSO	BC2B 320996	510	760	400	275	6050	13200	560	850	485
YOSO	312844	529,91	870	335	335	7810	16600	500	750	830
YOSO	BC2B 316536	530	760	260	260	5830	14300	560	800	510
YOSO	BC2B	530	780	225	225	4400	9500	670	800	735

YOSO	315040	530	780	250	250	4680	10200	530	800	400
YOSO	NNU 40/530 M/W33	530	780	250	250	5500	12200	670	800	420
YOSO	NNU 40/530 KM/W33	530	780	250	250	5500	12200	670	800	420
YOSO	BC2B	530	780	475	285	7210	17300	530	800	560
YOSO	NNU 41/530 K30M/W33	530	870	335	335	7810	16000	560	750	790
YOSO	NNU 41/530 M/W33	530	870	335	335	7810	16000	560	750	790
YOSO	464787	546,05	698,5	215,9	215,9	3580	7650	560	850	215
YOSO	316115	550	800	260	260	5830	13400	530	750	455
YOSO	BC2B	560	735	170	170	2920	6950	750	800	165
YOSO	313191	560	740	180	180	2700	7350	530	800	215
YOSO	NNU 40/560 M/W33	560	820	258	258	5720	12900	630	750	475
YOSO	NNU 40/560 KM/W33	560	820	258	258	5720	12900	630	750	475
YOSO	NNU 41/560 K30M/W33X	560	920	355	355	8800	18300	530	670	930
YOSO	NNU 41/560 M/W33	560	920	355	355	8800	18300	530	670	930
YOSO	BC2B	600	820	287,5	287,5	6440	18000	480	700	470
YOSO	BC2-	600	820	365	365	7810	21200	480	700	570
YOSO	NNU 40/600 M/W33	600	870	272	272	6820	15600	600	700	530
YOSO	NNU 40/600 KM/W33	600	870	272	272	6820	15600	600	700	530
YOSO	NNU 41/600 K30M/W33	600	980	375	375	9900	21200	480	630	1100
YOSO	NNU 41/600 M/W33	600	980	375	375	9900	21200	480	630	1100
YOSO	BC2-	630	850	218	218	4400	11800	400	600	360
YOSO	NNU 40/630 M/W33	630	920	290	290	7650	17600	560	630	635
YOSO	NNU 40/630 KM/W33	630	920	290	290	7650	17600	560	630	635
YOSO	NNU 41/630 K30M/W33	630	1030	400	400	11000	24000	450	600	1330
YOSO	NNU 41/630 M/W33	630	1030	400	400	11000	24000	450	600	1330
YOSO	BC2B 319943	635	762	101,6	101,6	1680	4550	700	750	86,5
YOSO	BC2B	650	920	335	335	8580	23200	530	630	740
YOSO	313477 B	660	880	225	225	4180	11800	450	670	390
YOSO	NNU 40/670 M/W33	670	980	308	308	8420	19600	500	600	765
YOSO	NNU 40/670 KM/W33	670	980	308	308	8420	19600	500	600	765
YOSO	NNU 41/670 M/W33	670	1090	412	412	12100	25500	430	530	1500
YOSO	NNU 41/670 K30M/W33	670	1090	412	412	12100	25500	430	530	1500
YOSO	BC2-	690	980	365	365	6050	13400	400	600	910

YOSO	BC2-	690	980	550	357,5	9900	27000	400	600	1045
YOSO	NNU 40/710 KM/W33	710	1030	315	315	9350	21600	480	560	850
YOSO	NNU 40/710 M/W33	710	1030	315	315	9350	21600	480	560	850
YOSO	NNU 41/710 K30M/W33	710	1150	438	438	13400	28500	380	500	1790
YOSO	NNU 41/710 M/W33	710	1150	438	438	13400	28500	380	500	1790
YOSO	BC2B 322191	723,98	927,2	190	190	4400	12000	400	600	340
YOSO	NN 48/750/HB1W	750	920	170	170	3690	10200	530	600	240
YOSO	NN 48/750 K30/HB1W33	750	920	170	170	3690	10200	530	600	240
YOSO	314420	750	1000	250	250	6160	16600	380	560	575
YOSO	NNU 40/750 M/W33	750	1090	335	335	10200	24000	430	500	925
YOSO	NNU 40/750 KM/W33	750	1090	335	335	10200	24000	430	500	925
YOSO	NNU 41/750 M/W33	750	1220	475	475	16100	35500	380	450	2230
YOSO	NNU 41/750 K30M/W33	750	1220	475	475	16100	35500	380	450	2230
YOSO	NNU 40/800 KM/W33	800	1150	345	345	10800	26000	400	480	1140
YOSO	NNU 40/800 M/W33	800	1150	345	345	10800	26000	400	480	1140
YOSO	BC2B	800	1260	375	375	12800	28000	300	430	1850
YOSO	NNU 41/800 M/W33	800	1280	475	475	16500	36500	320	430	2390
YOSO	NNU 41/800 K30M/W33	800	1280	475	475	16500	36500	320	430	2390
YOSO	NNU 40/850 M/W33	850	1220	365	365	11700	28500	360	430	1340
YOSO	NNU 40/850 KM/W33	850	1220	365	365	11700	28500	360	430	1340
YOSO	NNU 41/850 M/W33	850	1360	500	500	19800	45000	300	400	2900
YOSO	NNU 41/850 K30M/W33	850	1360	500	500	19800	45000	300	400	2900
YOSO	NNU 40/900 KM/W33	900	1280	375	375	12800	31500	340	400	1500
YOSO	NNU 40/900 M/W33	900	1280	375	375	12800	31500	340	400	1500
YOSO	NNU 41/900 K30M/W33	900	1420	515	515	22000	47500	280	360	3180
YOSO	NNU 41/900 M/W33	900	1420	515	515	22000	47500	280	360	3180
YOSO	NNU 40/950 KM/W33	950	1360	412	412	14200	35500	320	380	1900
YOSO	NNU 40/950 M/W33	950	1360	412	412	14200	35500	320	380	1900
YOSO	BC2-	950	1360	420	420	14000	33500	260	360	1900

YOSO	NNU 41/950 M/W33	950	1500	545	545	25500	57000	260	340	3830
YOSO	NNU 41/950 K30M/W33	950	1500	545	545	25500	57000	260	340	3830
YOSO	NN	1000	1320	315	315	8580	26000	340	400	1200
YOSO	NN 49/1000 K/W33X	1000	1320	315	315	8580	26000	340	400	1200
YOSO	NNU 40/1000 M/W33	1000	1420	412	412	15400	38000	300	340	2000
YOSO	NNU 40/1000 KM/W33	1000	1420	412	412	15400	38000	300	340	2000
YOSO	NNU 41/1000 K30M/W33	1000	1580	580	580	27500	62000	240	300	4270
YOSO	NNU 41/1000 M/W33	1000	1580	580	580	27500	62000	240	300	4270
YOSO	NNU 41/1060 K30M/W33	1060	1660	600	600	30300	69500	220	280	5070
YOSO	NNU 41/1060 M/W33	1060	1660	600	600	30300	69500	220	280	5070
YOSO	NNU 41/1120 M/W33	1120	1750	630	630	33600	76500	200	280	5600
YOSO	NNU 41/1120 K30M/W33	1120	1750	630	630	33600	76500	200	280	5600
YOSO	NNU 41/1180 M/W33	1180	1850	670	670	36900	85000	180	240	7200
YOSO	NNU 41/1180 K30M/W33	1180	1850	670	670	36900	85000	180	240	7200
YOSO	NNU 41/1250 K30M/W33	1250	1950	710	710	41800	98000	160	220	8000
YOSO	NNU 41/1250 M/W33	1250	1950	710	710	41800	98000	160	220	8000
YOSO	BC2B	1311	1720	300	300	12500	34500	160	240	1820
YOSO	NN 49/1320 KFB/W33	1320	1720	400	400	13800	42500	200	280	3060
YOSO	NN 49/1320 FB/W33	1320	1720	400	400	13800	42500	200	280	3060
YOSO	NNU 41/1320 M/W33	1320	2060	750	750	45700	106000	150	190	9400
YOSO	NNU 41/1320 K30M/W33	1320	2060	750	750	45700	106000	150	190	9400
YOSO	NNU 41/1400 M/W33	1400	2180	775	775	49500	116000	130	170	10700
YOSO	NNU 41/1400 K30M/W33	1400	2180	775	775	49500	116000	130	170	10700
YOSO	NNU 41/1500 K30M/W33	1500	2300	800	800	52800	132000	120	150	12300
YOSO	NNU 41/1500 M/W33	1500	2300	800	800	52800	132000	120	150	12300
YOSO	319148 B	105	150	71	71	255	475	52		4,1
YOSO	BC4B 319768	125	180	100	90	429	880	96,5		7,9
YOSO	315643/VJ202	127	174625	150812	150812	627	1320	153		10,5
YOSO	BC4B 459696	139,7	215	195	187	1210	2550	290		24
YOSO	314625	145	210	155	155	792	1560	173		18

YOSO	313924 A	145	225	156	156	897	1660	183		23
YOSO	313891 A	150	230	156	156	897	1660	183		24
YOSO	314024 C	151,5	230	168	168	1050	2200	240		24
YOSO	314190	160	230	130	130	781	1340	143		17
YOSO	315189 A	160	230	168	168	897	2200	240		23,5
YOSO	315642/VJ202	165,1	225425	168275	168275	1100	2240	240		20
YOSO	BC2B 322340/HB1V	170	230	160	160	1100	2360	255		19
YOSO	BC4B 635122	170	240	130	130	913	1830	196		19
YOSO	313812	180	260	168	168	1280	2500	265		29,5
YOSO	BC4B 452683	181	260	180	180	968	2600	280		28
YOSO	314023 A	181,5	260	168	168	1120	2550	260		27,5
YOSO	312942	182	260	183	168	1140	2600	270		28
YOSO	313651	190	260	168	168	1140	2600	270		27
YOSO	314199 B	190	270	200	200	1510	3350	345		37,5
YOSO	314049 A	190	280	200	200	1720	3350	345		41,5
YOSO	313583	190	280	200	200	1510	3350	345		40
YOSO	313153	192	270	170	170	1170	2700	275		28,5
YOSO	314553	200	270	170	170	1170	2700	275		28,5
YOSO	314385	200	280	170	170	1380	3000	305		33,5
YOSO	313893	200	280	200	200	1510	3350	345		39
YOSO	313811	200	290	192	192	1540	3200	320		42,5
YOSO	313639	200	310	230	230	2010	3750	390		63
YOSO	313584 K	205	310	225	225	1940	4300	430		58
YOSO	313839	220	310	192	192	1680	3650	360		46
YOSO	313894 B	220	310	225	225	1940	4300	430		54,5
YOSO	314889/VJ202	220	330	230	230	2050	4000	400		68,5
YOSO	313824	230	330	206	206	1870	4000	390		58
YOSO	312943 C	231	330	235	220	1720	4300	415		59
YOSO	313921	240	330	220	220	1720	4300	415		58
YOSO	313823	260	370	220	220	2160	4650	465		77,5
YOSO	313427 B	260	400	290	290	3520	7100	680		135
YOSO	BC4B 457929 VCA	266,25	400	285	285	2550	6800	640		120
YOSO	313822	280	390	220	220	2240	5000	490		82,5
YOSO	314719 C	280	390	275	275	3080	7200	695		100
YOSO	314070/VJ202	280	400	285	285	3140	7350	710		120
YOSO	314897/VJ202	280	410	300	300	3520	7500	735		130
YOSO	NNUD 6056	280	420	250	250	3190	6800	655		125
YOSO	314484 D	300	420	300	300	3740	8800	850		130
YOSO	319129	300	420	320	300	3740	8800	850		135
YOSO	BC2B 322216 B/HA3VJ212	320	460	240	240	2920	7200	670		140
YOSO	314274 B	320	480	350	350	4950	10800	965		220
YOSO	BC4B 316345	320	480	350	350	4570	11000	1020		215
YOSO	313445 C	330	460	340	340	4180	10200	950		175
YOSO	BC4-8050	340	450	250	250	2550	6000	550		115
YOSO	314485 C	340	480	350	350	4570	11000	1020		205
YOSO	319040 A	340	480	370	350	4570	11000	1020		200
YOSO	BC4B	340	500	370	370	5230	11800	1080		260
YOSO	315767 K	340	520	300	300	4290	9000	800		215
YOSO	313404 A	340	560	380	380	6820	12900	1080		350
YOSO	314563/VJ202	350	500	380	380	4950	11400	1040		240

YOSO	BC4B	350	500	410	410	5830	13700	1200		285
YOSO	BC2B 319878/VJ202	350	520	300	300	4290	9000	800		220
YOSO	BC4B	350	520	300	300	4290	9000	800		220
YOSO	BC4-	355,6	482,6	269,87	269,87	2970	6400	585		150
YOSO	BC4B 457939 VAA	356,67	550	400	400	5280	15000	1290		335
YOSO	BC2B 320075/VJ202	360	500	250	250	3580	7350	670		145
YOSO	BC2B 322217/VJ202	360	500	250	250	3470	8500	780		140
YOSO	316890 B	360	510	400	380	5230	12200	1100		260
YOSO	NNUD 6072 MA/P64	360	540	325	335	4680	9150	815		260
YOSO	313041 C	365	540	300	300	5010	11000	965		230
YOSO	314486 A	370	520	380	380	5500	13200	1160		255
YOSO	NNU 4976 B/DRW33	380	520	280	280	2860	7200	610		185
YOSO	BC2B 326131/HB1V	380	540	260	260	3410	8650	765		205
YOSO	313030 A	380	540	300	300	5010	11000	965		220
YOSO	BC4B 313511	380	540	400	400	5720	13700	1180		295
YOSO	BC4B	380	540	400	400	6160	15000	1290		305
YOSO	BC4B	380	540	400	380	6050	14000	1200		300
YOSO	315606	380	540	400	380	5720	13700	1160		295
YOSO	BC4B 322189	380	560	300	300	4950	9650	850		260
YOSO	NNUD 6076 M	380	560	325	325	4840	10000	865		265
YOSO	BC4B	380	560	325	325	5230	10600	930		265
YOSO	319352	382,5	590	450	450	6930	16300	1430		425
YOSO	BC4B 322498	390	540	320	320	5280	12200	1040		230
YOSO	313190 A	390	550	310	310	5120	11200	1000		240
YOSO	313038 A	399,93	590	440	440	8580	20400	1730		420
YOSO	BC4-8059	400	560	300	300	4680	10200	900		245
YOSO	313015 DC	400	560	410	410	6270	15600	1320		315
YOSO	315802/VJ202	400	590	440	440	7370	16600	1400		415
YOSO	316689	410	560	400	400	6440	16000	1370		290
YOSO	BC4B	410	560	400	400	5500	16000	1370		295
YOSO	BC4B 320612	410	560	420	400	5940	14600	1250		275
YOSO	313877 B	410	600	440	440	7650	17300	1530		425
YOSO	314964	412335	650	488	488	8420	19000	1500		575
YOSO	BC4B 467373 VCA	412335	650	488	480	7480	21200	1730		565
YOSO	BC4B 457945 VCA	412,5	630	450	450	6600	19000	1600		490
YOSO	BC2B 326137/HB2V	420	580	260	260	4730	10600	915		215
YOSO	BC2B 320074 A/VJ202	420	580	260	260	4400	9650	830		210
YOSO	313555	420	580	320	320	4680	10800	950		250
YOSO	313555	420	580	320	320	4680	10800	950		250
YOSO	313513	420	600	440	440	7210	17600	1460		400
YOSO	314391/VJ202	420	620	400	400	6930	15600	1290		430

YOSO	BC4B 326361 B/HA1	431,5	571,5	300	300	4460	10200	880		210
YOSO	BC4- 8037/HA1VA9	431,8	571,5	310	310	4460	10200	880		200
YOSO	314554 B	440	620	450	450	7810	19600	1600		440
YOSO	BC4B 320608	440	620	470	450	7210	17600	1460		420
YOSO	313032	440	650	355	355	6270	14600	1220		400
YOSO	316899 A	440	650	355	355	6710	14000	1080		420
YOSO	635043	440	660	340	340	6710	13700	1080		430
YOSO	314792 A	447295	635176	463,55	463,55	8250	20000	1630		460
YOSO	315811 E	450	590	300	300	3910	12000	1020		245
YOSO	312980 D	459,95	760	600	600	14000	30500	2320		1160
YOSO	313031 A	460	650	355	355	6270	14600	1220		380
YOSO	315196 A	460	650	424	424	7810	18300	1530		450
YOSO	BC4B 322993 A/HA7	460	650	460	424	7810	18300	1530		490
YOSO	314560	460	650	470	470	8800	22400	1900		510
YOSO	319155	460	650	470	470	8800	22400	1900		520
YOSO	BC4B 322374	460	680	400	400	8090	17300	1340		640
YOSO	BC4-	474,6	600	368	368	5500	14600	1270		235
YOSO	BC4- 8031/HA1VA9	474,6	600	377	377	5500	14600	1270		235
YOSO	BC4- 8004/HA1VA9	475	600	368	368	5120	13400	1140		225
YOSO	BC4B	475	600	368	368	5500	14600	1270		235
YOSO	BC4- 8003/HA1VA9	475	600	392	392	5500	14600	1270		240
YOSO	316690 B	480	650	450	450	8250	21200	1700		440
YOSO	319320	480	680	420	420	8420	19300	1500		515
YOSO	316624	480	680	500	500	9130	22000	1700		605
YOSO	313516 D	480	680	500	500	9520	24000	1930		585
YOSO	315523	485	740	540	540	11000	28500	2160		830
YOSO	BC2B 326196/HA1VJ	487,98	637045	350	350	5940	15300	1220		300
YOSO	319254/VJ202	500	650	260	260	4020	10200	850		225
YOSO	316083 A	500	670	450	450	8250	22000	1800		460
YOSO	BC4-	500	670	479	450	8250	22000	1800		485
YOSO	BC4B	500	670	480	450	8250	22000	1800		485
YOSO	BC4-	500	670	480,5	450	8250	22000	1800		465
YOSO	BC4-	500	670	517	450	8250	22000	1800		475
YOSO	BC4-	500	670	518,5	450	8250	22000	1800		475
YOSO	BC4B 316515	500	680	450	450	8250	22000	1800		500
YOSO	316968 A	500	710	480	480	8800	21600	1630		610
YOSO	BC4B 322066	500	720	400	400	7920	17600	1320		530
YOSO	314441 B	500	720	530	530	10800	28500	2120		730
YOSO	BC4B	500	738	500	500	10800	23200	1760		735
YOSO	BC4B 319411	510	680	500	500	8970	26000	2080		522
YOSO	BC4-	510	730	520	520	9520	22000	1660		750
YOSO	BC4-	510	760	550	550	12100	26500	2000		950
YOSO	BC4B 457956 VCE	511584	780	580	580	11900	34700	2240		915
YOSO	312844/VJ202	529,91	870	670	670	15700	33500	2450		1660
YOSO	314886 A	530	760	520	520	11700	28500	2120		775



YOSO	315040/VJ202	530	780	500	500	9350	20400	1530		805
YOSO	314517 A	530	780	570	570	12800	32500	2400		960
YOSO	313535 B	536176	762,03	558,8	558,8	11400	29000	2160		830
YOSO	313535 D	536176	762,03	558,8	558,8	11400	29000	2160		840
YOSO	BC4B	536176	762,03	558,8	558,8	11200	30000	2200		820
YOSO	316691	550	740	510	510	10100	27000	2240		615
YOSO	316115/VJ202	550	800	520	520	11700	26500	1960		895
YOSO	BC4B	550	800	560	560	12100	28000	2040		930
YOSO	BC4B 457960 VCA	551667	830	580	580	12300	32500	2320		1070
YOSO	BC4-	556	800	580	580	10500	25500	1860		900
YOSO	313189 A	559,84	920	710	710	20100	45500	3250		2000
YOSO	BC4B	560	820	600	600	14200	34000	2450		1080
YOSO	313499 B	571,1	812,97	594	594	13400	33500	2550		1000
YOSO	313499 DA	571,1	812,97	594	594	13400	33500	2550		1000
YOSO	BC4B 319446	571627	870	640	640	13400	40500	2900		1335
YOSO	BC4B 457962 VCA	571667	870	640	640	17900	50000	3550		1170
YOSO	BC4-	580	780	520	486	9900	27000	2040		700
YOSO	BC4B	580	780	521	486	9900	27000	2040		700
YOSO	BC4-	580	780	521,5	486	9900	27500	2120		700
YOSO	BC4-	580	780	558	486	9900	27000	2120		715
YOSO	BC4-	580	780	559,5	486	9900	27500	2120		715
YOSO	315175 C	600	820	575	575	13000	36000	2550		935
YOSO	315175 A	600	820	575	575	13000	36000	2550		910
YOSO	315068 A	600	870	540	540	13200	31500	2240		1100
YOSO	BC4B	600	870	578	540	13200	31500	2240		1150
YOSO	314317 A	600	870	640	640	15100	40000	2850		1300
YOSO	315513	600	870	640	640	15700	40000	2850		1340
YOSO	315526	606667	920	640	640	16500	45000	3100		1525
YOSO	315257 A	610	820	430	430	9350	23600	1700		650
YOSO	BC4-	620	820	475	475	10100	26500	1900		700
YOSO	315071 A	628	922	600	600	16500	39000	2700		1420
YOSO	BC2- 8012/HB1VJ2	630	850	436	436	7480	23600	1730		720
YOSO	BC4B 457969	633334	960	680	680	14500	45000	3150		1675
YOSO	313705 B	634,5	901,87	674	674	16800	45000	3150		1400
YOSO	BC4-	650	900	650	650	17200	41500	2900		1260
YOSO	313007 C	650	920	670	670	17200	46500	3200		1450
YOSO	BC4B 320525	658	1075	650	650	20500	43000	2900		2490
YOSO	239509 FA	660	820	440	440	7480	22800	1630		530
YOSO	313477	660	880	450	450	7210	23600	1760		785
YOSO	313154 C	680	980	640	640	17200	44000	3000		1590
YOSO	313008 A	690	980	715	715	19800	54000	3650		1780
YOSO	316967	700	930	620	620	15100	43000	3000		1180
YOSO	313403 C	710	1000	715	715	20100	56000	3750		1860
YOSO	315982	730	960	620	620	15400	45000	3000		1220
YOSO	314518 B	730	1030	750	750	20900	58500	3900		2040
YOSO	BC4B 420625	748	1135	690	690	22000	51000	3350		2635
YOSO	314420/VJ202	750	1000	500	500	12300	33500	2240		1150
YOSO	315973	750	1000	670	670	17600	50000	3350		1480
YOSO	NNUD 60/750	750	1090	615	615	18300	41500	2750		1860
YOSO	BC4-	750	1090	750	750	21600	51000	3400		2420

YOSO	313685 A	759	1210	740	740	27000	63000	4150		3500
YOSO	313685 B	759	1210	740	740	25500	85000	3800		3480
YOSO	312979 D	760	1080	790	790	23800	65500	4400		2440
YOSO	312967 E	761425	1E+06	787,4	787,4	23800	65500	4400		2400
YOSO	BC4B	761425	1E+06	787,4	787,4	23300	65500	4300		2410
YOSO	BC4B	773334	1120	800	800	23800	65500	4300		2715
YOSO	BC4-	780	1070	780	780	22400	61000	4050		2300
YOSO	315599 A	800	1080	700	700	19800	58500	3800		1950
YOSO	BC4B 457984 VCA	811692	1180	850	850	25100	68000	4400		2980
YOSO	BC4B	820	1100	745	720	19800	57000	3750		2000
YOSO	BC4B 320455	820	1130	800	800	24200	68000	4400		2540
YOSO	BC4-	820	1130	800	800	24200	68000	4400		2540
YOSO	319313	820	1130	825	800	24200	68000	4400		2570
YOSO	315826 A	850	1150	840	840	25500	75000	4800		2570
YOSO	315826 B	850	1150	840	840	25500	75000	4800		2660
YOSO	BC4-	850	1180	850	850	26000	73500	4650		2900
YOSO	312966 D	862,98	1E+06	876,3	889	30300	86500	5500		3470
YOSO	312966 E	862,98	1E+06	876,3	889	30300	86500	5500		3470
YOSO	BC4B 319668	865	1180	750	750	23300	67000	4300		2520
YOSO	316043	900	1220	840	840	26400	80000	5000		3060
YOSO	BC4-	900	1280	780	780	28600	64000	4050		3280
YOSO	313528 C	900	1280	930	930	33000	93000	6000		4080
YOSO	BC4B 457995 VCA	918354	1330	950125	950	26400	85000	5400		4380
YOSO	315265	937,5	1270,25	825,5	825,5	28100	83000	5300		3160
YOSO	BC4B 319862	950	1360	975	975	34100	100000	6200		4900
YOSO	314520 C	950	1360	1000	1000	38000	110000	6800		5020
YOSO	314520 CK30	950	1360	1000	1000	38000	110000	6800		4830
YOSO	319303	980	1310	880	880	28600	86500	5400		3310
YOSO	316234 A	1000	1360	800	800	27500	83000	5100		3560
YOSO	BC4-	1040	1440	1000	1000	38000	93000	5700		5100
YOSO	315494 B	1200	1590	1050	1050	41800	134000	8000		5970
YOSO	BC4-	1300	1655	890	880	37400	122000	7100		4800
YOSO	BC4-	1350	1765	1360	1360	40200	122000	6950		9100
YOSO	BC4-	1400	1780	1200	1200	52300	163000	9300		7400
YOSO	BC4-	1400	1900	1360	1360	61600	183000	10400		11300
YOSO	NNU 6020 M	100	150	90	369	850	106	1600	1900	6,05
YOSO	NNU 6922 M	110	150	71	238	570	69,5	1500	1800	3,95
YOSO	315754	110	150	90	238	570	69,5	1500	1800	4,35
YOSO	NNU 6924 M	120	165	80	281	680	81,5	1400	1700	5,5
YOSO	NNU 6928 M	140	190	90	358	915	106	1100	1400	7,95
YOSO	NNU 6030 M	150	225	136	682	1630	180	1000	1300	20,5
YOSO	NNU 6032 M	160	240	145	952	2450	265	950	1200	25
YOSO	NNU 6934 M	170	230	109	523	1370	150	950	1200	14
YOSO	NNU 6936 M	180	250	125	671	1730	190	900	1100	20
YOSO	NNU 6038 M	190	290	180	1140	2800	290	800	950	50
YOSO	NNU 6040 M	200	310	200	1340	3250	340	750	900	60
YOSO	NNU 6944 M	220	300	145	880	2400	228	750	900	32,5
YOSO	NNU 6044 M	220	340	218	1610	3900	390	700	850	80,5
YOSO	NNU 6048 M	240	360	218	1650	4150	425	630	750	85
YOSO	NNU 6952 M	260	360	180	1320	3650	340	630	750	59
YOSO	NNU 6056 M	280	420	250	2240	5850	570	530	630	130

YOSO	NNU 6064 M	320	480	290	2810	7500	710	480	560	200
YOSO	NNU 6072 M	360	540	325	3580	9800	880	400	480	270
YOSO	NNU 6076 M	380	560	325	3580	10000	915	380	450	295
YOSO	NNU 6088 M	440	650	375	4950	14300	1220	320	380	465
YOSO	NNU 6092 M	460	680	400	5500	15600	1340	300	360	660
YOSO	NCF 3004 CV	20	42	16	28,1	28,5	3,1	8500	10000	0,11
YOSO	NCF 3005 CV	25	47	16	31,9	35,5	3,8	7000	9000	0,12
YOSO	NJG 2305 VH	25	62	24	68,2	68	8,5	4500	5600	0,38
YOSO	NCF 3006 CV	30	55	19	39,6	44	5	6000	7500	0,2
YOSO	NJG 2306 VH	30	72	27	84,2	86,5	11	4000	4800	0,56
YOSO	NCF 3007 CV	35	62	20	48,4	56	6,55	5300	6700	0,26
YOSO	NJG 2307 VH	35	80	31	108	114	14,3	3400	4300	0,75
YOSO	NCF 3008 CV	40	68	21	57,2	69,5	8,15	4800	6000	0,31
YOSO	NJG 2308 VH	40	90	33	145	156	20	3000	3600	1
YOSO	NCF 3009 CV	45	75	23	60,5	78	9,15	4300	5300	0,4
YOSO	NJG 2309 VH	45	100	36	172	196	25,5	2800	3400	1,45
YOSO	NCF 3010 CV	50	80	23	76,5	98	11,8	4000	5000	0,43
YOSO	NCF 3011 CV	55	90	26	105	140	17,3	3400	4300	0,64
YOSO	NJG 2311 VH	55	120	43	233	260	33,5	2200	2800	2,3
YOSO	NCF 2912 CV	60	85	16	55	80	9,15	3600	4500	0,29
YOSO	NCF 3012 CV	60	95	26	106	146	18,3	3400	4000	0,69
YOSO	NCF 2913 CV	65	90	16	58,3	88	10,2	3200	4000	0,31
YOSO	NCF 3013 CV	65	100	26	112	163	20	3000	3800	0,73
YOSO	NJG 2313 VH	65	140	48	303	360	46,5	1900	2400	3,55
YOSO	NCF 2914 CV	70	100	19	76,5	116	13,7	3000	3800	0,49
YOSO	NCF 3014 CV	70	110	30	128	173	22,4	2800	3600	1,02
YOSO	NJG 2314 VH	70	150	51	336	400	50	1800	2200	4,4
YOSO	NCF 2915 CV	75	105	19	79,2	125	14,6	2800	3600	0,52
YOSO	NCF 3015 CV	75	115	30	134	190	24,5	2600	3200	1,06
YOSO	NJG 2315 VH	75	160	55	396	480	60	1600	2000	5,35
YOSO	NCF 2916 CV	80	110	19	80,9	132	15,6	2600	3400	0,55
YOSO	NCF 3016 CV	80	125	34	165	228	29	2400	3000	1,43
YOSO	NJG 2316 VH	80	170	58	457	570	71	1500	1900	6,4
YOSO	NCF 2917 CV	85	120	22	102	166	20	2600	3200	0,81
YOSO	NCF 3017 CV	85	130	34	172	236	30	2400	3000	1,51
YOSO	NJG 2317 VH	85	180	60	484	620	76,5	1400	1800	7,4
YOSO	NCF 2918 CV	90	125	22	105	176	20,8	2400	3000	0,84
YOSO	NCF 3018 CV	90	140	37	198	280	35,5	2200	2800	1,97
YOSO	NJG 2318 VH	90	190	64	528	670	81,5	1400	1800	8,75
YOSO	NCF 2919 CV	95	130	22	114	183	21,6	2200	2800	0,86
YOSO	NCF 2920 CV	100	140	24	128	200	24,5	2200	2600	1,14
YOSO	NCF 3020 CV	100	150	37	209	310	37,5	2000	2600	2,15
YOSO	NJG 2320 VH	100	215	73	704	900	106	1200	1500	13
YOSO	NCF 2922 CV	110	150	24	134	220	26	1900	2400	1,23
YOSO	NCF 3022 CV	110	170	45	275	400	47,5	1800	2200	3,5
YOSO	NJG 2322 VH	110	240	80	858	1060	122	1100	1300	17,5
YOSO	NCF 2924 CV	120	165	27	172	290	34,5	1800	2200	1,73
YOSO	NCF 3024 CV	120	180	46	292	440	52	1700	2000	3,8
YOSO	NCF 2224 V	120	215	58	512	735	85	1400	1700	9,05
YOSO	NJG 2324 VH	120	260	86	952	1250	140	1000	1200	22,5
YOSO	NCF 2926 CV	130	180	30	205	360	40,5	1600	2000	2,33
YOSO	NCF 3026 CV	130	200	52	413	620	72	1500	1900	5,8
YOSO	NJG 2326 VH	130	280	93	1080	1430	156	950	1200	28

YOSO	NCF 2928 CV	140	190	30	220	390	43	1500	1900	2,42
YOSO	NCF 3028 CV	140	210	53	440	680	78	1400	1800	6,1
YOSO	NCF 2228 V	140	250	68	693	1020	114	1200	1500	14,5
YOSO	NJG 2328 VH	140	300	102	1210	1600	173	850	1100	35,5
YOSO	NCF 2930 CV	150	210	36	292	490	55	1400	1700	3,77
YOSO	NCF 3030 CV	150	225	56	457	710	80	1300	1600	7,5
YOSO	NCF 2230 V	150	270	73	792	1180	132	1100	1400	18,4
YOSO	NJG 2330 VH	150	320	108	1450	1930	196	800	1000	42,5
YOSO	NCF 2932 CV	160	220	36	303	530	58,5	1300	1600	4
YOSO	NCF 3032 CV	160	240	60	512	800	90	1200	1500	9,1
YOSO	NCF 2232 V	160	290	80	990	1500	160	950	1200	23
YOSO	NCF 2934 CV	170	230	36	314	560	60	1200	1500	4,3
YOSO	NCF 3034 CV	170	260	67	671	1060	118	1100	1400	12,5
YOSO	NCF 2234 V	170	310	86	1100	1700	176	900	1100	28,7
YOSO	NJG 2334 VH	170	360	120	1760	2450	236	700	900	59,5
YOSO	NCF 2936 CV	180	250	42	391	695	75	1100	1400	6,2
YOSO	NCF 3036 CV	180	280	74	781	1250	134	1100	1300	16,5
YOSO	NJG 2336 VH	180	380	126	1870	2650	255	670	800	69,5
YOSO	NCF 2938 CV	190	260	42	440	780	81,5	1100	1400	6,5
YOSO	NCF 3038 CV	190	290	75	792	1290	140	1000	1300	17
YOSO	NCF 2238 V	190	340	92	1250	1900	196	800	1000	35,7
YOSO	NJG 2338 VH	190	400	132	2160	3000	280	630	800	80
YOSO	NCF 1840 V	200	250	24	176	335	32,5	1100	1400	2,6
YOSO	NCF 2940 CV	200	280	48	528	965	100	1000	1300	9,1
YOSO	NCF 3040 CV	200	310	82	913	1530	160	950	1200	22,5
YOSO	NJG 2340 VH	200	420	138	2290	3200	290	600	750	92
YOSO	NCF 1844 V	220	270	24	183	365	34,5	1000	1200	2,85
YOSO	NCF 2944 CV	220	300	48	550	1060	106	950	1200	9,9
YOSO	NCF 3044 CV	220	340	90	1080	1800	186	850	1100	29,5
YOSO	NCF 2244 V	220	400	108	1830	2750	255	700	850	58
YOSO	NJG 2344 VH	220	460	145	2550	3550	320	530	670	111
YOSO	NCF 1848 V	240	300	28	260	510	47,5	900	1100	4,4
YOSO	NCF 2948 CV	240	320	48	583	1140	114	850	1100	10,6
YOSO	NCF 3048 CV	240	360	92	1140	1960	200	800	1000	32
YOSO	NJG 2348 VH	240	500	155	2810	3900	345	500	630	147
YOSO	NCF 1852 V	260	320	28	270	550	50	800	1000	4,75
YOSO	NCF 2952 CV	260	360	60	737	1430	143	750	950	18,5
YOSO	NCF 3052 CV	260	400	104	1540	2550	250	700	900	46,5
YOSO	NJG 2352 VH	260	540	165	3410	4800	415	430	530	177
YOSO	NCF 1856 V	280	350	33	341	695	64	750	950	7,1
YOSO	NCF 2956 CV	280	380	60	880	1730	166	700	900	19,7
YOSO	NCF 3056 CV	280	420	106	1570	2650	260	670	850	50
YOSO	NCF 1860 V	300	380	38	418	850	75	670	850	10
YOSO	NCF 2960 CV	300	420	72	1120	2200	208	670	800	31,2
YOSO	NCF 3060 CV	300	460	118	1900	3250	300	600	750	69
YOSO	NCF 1864 V	320	400	38	440	900	80	630	800	10,5
YOSO	NCF 2964 CV	320	440	72	1140	2360	220	600	750	32,9
YOSO	NCF 3064 CV	320	480	121	1980	3450	310	560	700	74,5
YOSO	NCF 1868 V	340	420	38	446	950	83	600	750	11
YOSO	NCF 2968 CV	340	460	72	1190	2500	228	560	700	35
YOSO	NCF 3068 CV	340	520	133	2380	4150	355	530	670	100
YOSO	NCF 1872 V	360	440	38	402	900	76,5	560	700	11,5
YOSO	NCF 2972 CV	360	480	72	1230	2600	240	530	670	36,5

YOSO	NCF 3072 CV	360	540	134	2420	4300	365	500	630	105
YOSO	NCF 1876 V	380	480	46	627	1290	114	530	670	19,5
YOSO	NCF 2976 CV	380	520	82	1570	3250	300	500	630	52,5
YOSO	NCF 3076 CV	380	560	135	2510	4550	380	480	600	110
YOSO	NCF 1880 V	400	500	46	627	1340	118	500	630	20,5
YOSO	NCF 2980 CV	400	540	82	1650	3450	310	480	600	54,5
YOSO	NCF 3080 CV	400	600	148	2970	5500	450	450	560	145
YOSO	NCF 1884 V	420	520	46	660	1430	122	480	600	21
YOSO	NCF 2984 CV	420	560	82	1650	3600	315	450	560	57
YOSO	NCF 3084 CV	420	620	150	3030	5700	455	430	530	150
YOSO	NCF 1888 V	440	540	46	671	1460	125	450	560	22
YOSO	NCF 2888 V	440	540	60	1060	2700	232	450	560	29
YOSO	NCF 2988 V	440	600	95	2010	4400	380	430	530	80,5
YOSO	NCF 3088 CV	440	650	157	3580	6550	520	400	500	175
YOSO	NCF 1892 V	460	580	56	913	1960	163	430	530	34
YOSO	NCF 2892 V	460	580	72	1300	3050	260	430	530	44
YOSO	NCF 2992 V	460	620	95	2050	4500	390	400	500	83,5
YOSO	NCF 3092 CV	460	680	163	3690	6950	540	380	480	195
YOSO	NCF 1896 V	480	600	56	935	2040	170	400	500	35,5
YOSO	NCF 2896 V	480	600	72	1320	3150	265	400	500	46
YOSO	NCF 2996 V	480	650	100	2290	4900	405	380	480	98
YOSO	NCF 3096 CV	480	700	165	3740	7200	550	360	450	205
YOSO	NCF 18/500 V	500	620	56	952	2120	173	380	480	36,5
YOSO	NCF 28/500 V	500	620	72	1340	3350	275	380	480	48
YOSO	NCF 29/500 V	500	670	100	2330	5000	415	380	450	100
YOSO	NCF 30/500	500	720	167	3800	7500	570	360	450	215
YOSO	NCF 18/530 V	530	650	56	990	2240	180	360	450	38,5
YOSO	NCF 28/530 V	530	650	72	1400	3450	285	360	450	49,5
YOSO	NCF 29/530 V	530	710	106	2640	6100	480	340	430	120
YOSO	NCF 30/530 V	530	780	185	5230	10600	780	320	400	300
YOSO	NCF 18/560 V	560	680	56	1020	2360	186	340	430	40,5
YOSO	NCF 28/560 V	560	680	72	1420	3650	300	340	430	54
YOSO	NCF 29/560 V	560	750	112	3080	6700	500	320	400	140
YOSO	NCF 30/560 V	560	820	195	5830	11800	865	300	380	345
YOSO	NCF 18/600 V	600	730	60	1050	2550	196	320	400	51,5
YOSO	NCF 28/600 V	600	730	78	1570	4300	340	320	400	67,5
YOSO	NCF 29/600 V	600	800	118	3190	7100	520	300	380	170
YOSO	NCF 18/630 V	630	780	69	1250	2900	232	300	360	72,5
YOSO	NCF 28/630 V	630	780	88	1870	5000	390	300	360	92,5
YOSO	NCF 29/630 V	630	850	128	3740	8650	610	280	340	205
YOSO	NCF 18/670 V	670	820	69	1300	3150	245	280	340	76,5
YOSO	NCF 28/670 V	670	820	88	1940	5300	415	280	340	97,5
YOSO	NCF 29/670 V	670	900	136	3910	9000	630	260	320	245
YOSO	NCF 18/710 V	710	870	74	1540	3750	285	260	320	92,5
YOSO	NCF 28/710 V	710	870	95	2330	6300	480	260	320	115
YOSO	NCF 29/710 V	710	950	140	4290	10000	695	240	300	275
YOSO	NCF 18/750 V	750	920	78	1870	4500	335	240	300	110
YOSO	NCF 28/750 V	750	920	100	2640	6950	520	240	300	140
YOSO	NCF 29/750 V	750	1000	145	4460	10600	710	220	280	315
YOSO	NCF 18/800 V	800	980	82	1940	4800	345	220	280	130
YOSO	NCF 28/800 V	800	980	106	2750	7500	550	220	280	165
YOSO	NCF 29/800 V	800	1060	150	4950	12200	800	200	260	360
YOSO	NCF 18/850 V	850	1030	82	2010	5100	365	200	260	135

YOSO	NCF 28/850 V	850	1030	106	2860	8000	570	200	260	175
YOSO	NCF 29/850 V	850	1120	155	5230	12700	830	190	240	405
YOSO	NCF 18/900 V	900	1090	85	2380	6000	425	190	240	160
YOSO	NCF 28/900 V	900	1090	112	3190	9150	655	190	240	208
YOSO	NCF 29/900 V	900	1180	165	5940	14600	950	170	220	472
YOSO	NCF 18/950 V	950	1150	90	2420	6300	440	170	220	185
YOSO	NCF 28/950 V	950	1150	118	3410	9800	655	170	220	240
YOSO	NCF 29/950 V	950	1250	175	6660	16300	1020	160	200	565
YOSO	NCF 18/1000	1000	1220	100	2920	7500	455	160	200	230
YOSO	NCF 28/1000	1000	1220	128	4130	11600	720	160	200	310
YOSO	NCF 29/1000	1000	1320	185	7480	18600	1160	150	190	680
YOSO	NCF 18/1120	1120	1360	106	3740	9650	585	130	170	298
YOSO	NNCF 5004	20	42	30	52,3	57	6,2	8500	10000	0,2
YOSO	NNF 5004 ADB-2LSV	20	42	30	45,7	55	6,2	-	3400	0,2
YOSO	NNF 5005 ADB-2LSV	25	47	30	50,1	65,5	6,8	-	3000	0,24
YOSO	NNCF 5005	25	47	30	59,4	71	7,65	7000	9000	0,23
YOSO	NNCF 5006	30	55	34	73,7	88	10	6000	7500	0,35
YOSO	NNF 5006 ADB-2LSV	30	55	34	57,2	75	7,8	-	2600	0,37
YOSO	NNF 5007 ADB-2LSV	35	62	36	70,4	91,5	10,2	-	2200	0,48
YOSO	NNCF 5007	35	62	36	89,7	112	12,9	5300	6700	0,46
YOSO	NNCF 5008	40	68	38	106	140	16,3	4800	6000	0,56
YOSO	NNF 5008 ADB-2LSV	40	68	38	85,8	116	13,4	-	2000	0,56
YOSO	NNF 5009 ADB-2LSV	45	75	40	102	146	17	-	1800	0,7
YOSO	NNCF 5009	45	75	40	112	156	18,3	4300	5300	0,71
YOSO	NNCF 5010	50	80	40	142	196	23,6	4000	5000	0,76
YOSO	NNF 5010 ADB-2LSV	50	80	40	108	160	18,6	-	1700	0,76
YOSO	NNF 5011 ADB-2LSV	55	90	46	128	193	22,8	-	1500	1,18
YOSO	NNCF 5011	55	90	46	190	280	34,5	3400	4300	1,16
YOSO	NNCF 4912	60	85	25	78,1	137	14,3	3600	4500	0,48
YOSO	NNCL 4912	60	85	25	78,1	137	14,3	3600	4500	0,47
YOSO	NNC 4912 CV	60	85	25	78,1	137	14,3	3600	4500	0,49
YOSO	NNCF 5012	60	95	46	198	300	36,5	3400	4000	1,24
YOSO	NNF 5012 ADB-2LSV	60	95	46	134	208	25	-	1400	1,26
YOSO	NNF 5013 ADB-2LSV	65	100	46	138	224	26,5	-	1300	1,33
YOSO	NNCF 5013	65	100	46	209	325	40	3000	3800	1,32
YOSO	NNCF 4914	70	100	30	114	193	22,4	3000	3800	0,77
YOSO	NNC 4914 CV	70	100	30	114	193	22,4	3000	3800	0,78
YOSO	NNCL 4914	70	100	30	114	193	22,4	3000	3800	0,75
YOSO	NNCF 5014	70	110	54	238	345	45	2800	3600	1,85
YOSO	NNF 5014 ADB-2LSV	70	110	54	187	285	34,5	-	1200	1,87
YOSO	NNF 5015 ADB-2LSV	75	115	54	205	310	40	-	1100	1,96

YOSO	NNCF 5015	75	115	54	251	380	49	2600	3200	1,93
YOSO	NNCF 4916	80	110	30	121	216	25	2600	3400	0,87
YOSO	NNCL 4916	80	110	30	121	216	25	2600	3400	0,85
YOSO	NNC 4916 CV	80	110	30	121	216	25	2600	3400	0,88
YOSO	NNCF 5016	80	125	60	308	455	58,5	2400	3000	2,59
YOSO	NNF 5016 ADB-2LSV	80	125	60	216	335	43	-	1000	2,71
YOSO	NNF 5017 ADB-2LSV	85	130	60	224	365	45	-	1000	2,83
YOSO	NNCF 5017	85	130	60	314	475	60	2400	3000	2,72
YOSO	NNC 4918 CV	90	125	35	161	300	35,5	2400	3000	1,33
YOSO	NNCL 4918	90	125	35	161	300	35,5	2400	3000	1,3
YOSO	NNCF 4918	90	125	35	161	300	35,5	2400	3000	1,33
YOSO	NNCF 5018	90	140	67	369	560	69,5	2200	2800	3,62
YOSO	NNF 5018 ADB-2LSV	90	140	67	319	550	69,5	-	900	3,71
YOSO	NNF 5019 ADB-2LSV	95	145	67	330	570	71	-	900	3,88
YOSO	NNC 4920 CV	100	140	40	209	400	46,5	2000	2600	1,95
YOSO	NNCL 4920	100	140	40	209	400	46,5	2000	2600	1,9
YOSO	NNCF 4920	100	140	40	209	400	46,5	2000	2600	1,93
YOSO	NNCF 5020	100	150	67	391	620	75	2000	2600	3,94
YOSO	NNF 5020 ADB-2LSV	100	150	67	347	570	68	-	850	3,95
YOSO	NNC 4922 CV	110	150	40	220	430	49	1900	2400	2,15
YOSO	NNCL 4922	110	150	40	220	430	49	1900	2400	2,1
YOSO	NNCF 4922	110	150	40	220	430	49	1900	2400	2,12
YOSO	NNCF 5022	110	170	80	512	800	95	1800	2200	6,32
YOSO	NNF 5022 ADA-2LSV	110	170	80	413	695	81,5	-	750	6,45
YOSO	NNC 4924 CV	120	165	45	242	480	53	1700	2200	2,95
YOSO	NNCL 4924	120	165	45	242	480	53	1700	2200	2,85
YOSO	NNCF 4924	120	165	45	242	480	53	1700	2200	2,9
YOSO	NNCF 5024	120	180	80	539	880	104	1700	2000	6,77
YOSO	NNF 5024 ADA-2LSV	120	180	80	429	750	86,5	-	700	6,9
YOSO	NNC 4926 CV	130	180	50	275	530	60	1600	2000	3,95
YOSO	NNCL 4926	130	180	50	275	530	60	1600	2000	3,8
YOSO	NNCF 4926	130	180	50	275	530	60	1600	2000	3,88
YOSO	319426 DA-	130	190	80	446	815	91,5	-	670	7,5
YOSO	NNF 5026 ADA-2LSV	130	200	95	616	1040	120	-	630	10,5
YOSO	NNCF 5026	130	200	95	765	1250	143	1500	1900	10,2
YOSO	NNCF 4928	140	190	50	286	570	63	1500	1900	4,15
YOSO	NNC 4928 CV	140	190	50	286	570	63	1500	1900	4,2
YOSO	NNCL 4928	140	190	50	286	570	63	1500	1900	4,1
YOSO	319428 DA-	140	200	80	468	865	96,5	-	630	8
YOSO	NNF 5028 ADA-2LSV	140	210	95	644	1120	127	-	600	11
YOSO	NNCF 5028	140	210	95	809	1370	156	1400	1800	11,1
YOSO	NNCF 4830	150	190	40	255	585	60	1500	1800	2,8
YOSO	NNC 4830 CV	150	190	40	255	585	60	1500	1800	2,9
YOSO	NNCL 4830	150	190	40	255	585	60	1500	1800	2,7

YOSO	NNCL 4930	150	210	60	429	830	91,5	1400	1700	6,74
YOSO	NNC 4930 CV	150	210	60	429	830	91,5	1400	1700	6,65
YOSO	NNCF 4930	150	210	60	429	830	91,5	1400	1700	6,55
YOSO	319430 DA-	150	210	80	468	900	96,5	-	560	8,4
YOSO	NNF 5030 ADA-2LSV	150	225	100	748	1290	143	-	560	13,5
YOSO	NNCF 5030	150	225	100	842	1430	160	1300	1700	13,3
YOSO	NNCF 4832	160	200	40	260	610	62	1400	1700	3
YOSO	NNC 4832 CV	160	200	40	260	610	62	1400	1700	3,1
YOSO	NNCL 4832	160	200	40	260	610	62	1400	1700	2,9
YOSO	NNC 4932 CV	160	220	60	446	915	96,5	1300	1600	7
YOSO	NNCL 4932	160	220	60	446	915	96,5	1300	1600	6,8
YOSO	NNCF 4932	160	220	60	446	915	96,5	1300	1600	6,9
YOSO	319432 DA-	160	220	80	501	1000	106	-	530	8,8
YOSO	NNF 5032 ADA-2LSV	160	240	109	781	1400	153	-	500	16,5
YOSO	NNCF 5032	160	240	109	952	1600	180	1200	1500	16,2
YOSO	NNCF 4834	170	215	45	286	655	65,5	1300	1600	4
YOSO	NNC 4834 CV	170	215	45	286	655	65,5	1300	1600	4,1
YOSO	NNCL 4834	170	215	45	286	655	65,5	1300	1600	3,9
YOSO	NNCL 4934	170	230	60	457	950	100	1200	1500	7,1
YOSO	NNC 4934 CV	170	230	60	457	950	100	1200	1500	7,35
YOSO	NNCF 4934	170	230	60	457	950	100	1200	1500	7,2
YOSO	319434 DA-	170	230	80	512	1060	110	-	530	9,3
YOSO	NNF 5034 ADA-2LSV	170	260	122	1010	1800	193	-	480	22,5
YOSO	NNCF 5034	170	260	122	1230	2120	236	1100	1400	23
YOSO	NNCF 4836	180	225	45	297	695	69,5	1200	1500	4,2
YOSO	NNC 4836 CV	180	225	45	297	695	69,5	1200	1500	4,3
YOSO	NNCL 4836	180	225	45	297	695	69,5	1200	1500	4,1
YOSO	319436 DA-	180	240	80	528	1100	114	-	500	9,8
YOSO	NNC 4936 CV	180	250	69	594	1220	127	1100	1400	10,8
YOSO	NNCL 4936	180	250	69	594	1220	127	1100	1400	10,5
YOSO	NNCF 4936	180	250	69	594	1220	127	1100	1400	10,7
YOSO	NNCF 5036	180	280	136	1420	2500	270	1100	1300	30,5
YOSO	NNF 5036 ADA-2LSV	180	280	136	1170	2120	228	-	450	30
YOSO	NNCF 4838	190	240	50	330	750	76,5	1100	1400	5,5
YOSO	NNC 4838 CV	190	240	50	330	750	76,5	1100	1400	5,65
YOSO	NNCL 4838	190	240	50	330	750	76,5	1100	1400	5,3
YOSO	NNCL 4938	190	260	69	605	1290	132	1100	1400	10,9
YOSO	NNC 4938 CV	190	260	69	605	1290	132	1100	1400	11,2
YOSO	NNCF 4938	190	260	69	605	1290	132	1100	1400	11,1
YOSO	319438 DA-	190	260	80	550	1180	120	-	450	12,7
YOSO	NNF 5038 ADA-2LSV	190	290	136	1190	2200	236	-	430	31,5
YOSO	NNCF 5038	190	290	136	1470	2600	280	1000	1300	31,5
YOSO	NNCF 4840	200	250	50	336	800	80	1100	1400	5,8
YOSO	NNC 4840 CV	200	250	50	336	800	80	1100	1400	5,9
YOSO	NNCL 4840	200	250	50	336	800	80	1100	1400	5,7
YOSO	319440 DA-	200	270	80	561	1250	125	-	430	13,2
YOSO	NNCL 4940	200	280	80	704	1500	153	1000	1300	15,3
YOSO	NNC 4940 CV	200	280	80	704	1500	153	1000	1300	15,8



YOSO	NNCF 4940	200	280	80	704	1500	153	1000	1300	15,6
YOSO	NNCF 5040	200	310	150	1680	3050	320	950	1200	41
YOSO	NNF 5040 ADA-2LSV	200	310	150	1450	2900	300	-	400	42
YOSO	NNCF 4844	220	270	50	352	865	85	1000	1200	6,3
YOSO	NNC 4844 CV	220	270	50	352	865	85	1000	1200	6,4
YOSO	NNCL 4844	220	270	50	352	865	85	1000	1200	6,2
YOSO	NNCL 4944	220	300	80	737	1600	160	950	1200	16,8
YOSO	NNC 4944 CV	220	300	80	737	1600	160	950	1200	17,2
YOSO	NNCF 4944	220	300	80	737	1600	160	950	1200	17
YOSO	NNCF 5044	220	340	160	2010	3600	375	850	1100	52,5
YOSO	NNF 5044 ADA-2LSV	220	340	160	1610	3100	315	-	360	53,5
YOSO	NNCF 4848	240	300	60	539	1290	125	900	1100	9,9
YOSO	NNC 4848 CV	240	300	60	539	1290	125	900	1100	10
YOSO	NNCL 4848	240	300	60	539	1290	125	900	1100	9,8
YOSO	NNCL 4948	240	320	80	781	1760	173	850	1100	17,9
YOSO	NNC 4948 CV	240	320	80	781	1760	173	850	1100	18,5
YOSO	NNCF 4948	240	320	80	781	1760	173	850	1100	18,3
YOSO	NNCF 5048	240	360	160	2120	3900	400	800	1000	56
YOSO	NNF 5048 ADA-2LSV	240	360	160	1680	3350	335	-	340	57,5
YOSO	NNCF 4852	260	320	60	561	1400	132	800	1000	10,8
YOSO	NNC 4852 CV	260	320	60	561	1400	132	800	1000	11
YOSO	NNCL 4852	260	320	60	561	1400	132	800	1000	10,6
YOSO	NNCL 4952	260	360	100	1170	2550	245	750	950	31,2
YOSO	NNC 4952 CV	260	360	100	1170	2550	245	750	950	32
YOSO	NNCF 4952	260	360	100	1170	2550	245	750	950	31,6
YOSO	NNCF 5052	260	400	190	2860	5100	500	700	900	85,5
YOSO	NNCF 4856	280	350	69	737	1860	173	750	950	15,8
YOSO	NNC 4856 CV	280	350	69	737	1860	173	750	950	16
YOSO	NNCL 4856	280	350	69	737	1860	173	750	950	15,6
YOSO	NNCL 4956	280	380	100	1210	2700	255	700	900	33
YOSO	NNC 4956 CV	280	380	100	1210	2700	255	700	900	34
YOSO	NNCF 4956	280	380	100	1210	2700	255	700	900	33,5
YOSO	NNCF 5056	280	420	190	2920	5300	520	670	850	90,5
YOSO	NNCF 4860	300	380	80	858	2120	196	700	850	22,5
YOSO	NNC 4860 CV	300	380	80	858	2120	196	700	850	23
YOSO	NNCL 4860	300	380	80	858	2120	196	700	850	22
YOSO	NNCL 4960	300	420	118	1680	3750	355	670	800	52
YOSO	NNC 4960 CV	300	420	118	1680	3750	355	670	800	53
YOSO	NNCF 4960	300	420	118	1680	3750	355	670	800	52,5
YOSO	NNCF 5060	300	460	218	3520	6550	600	600	750	130
YOSO	NNCF 4864	320	400	80	897	2280	208	630	800	23,5
YOSO	NNC 4864 CV	320	400	80	897	2280	208	630	800	24
YOSO	NNCL 4864	320	400	80	897	2280	208	630	800	23
YOSO	NNCL 4964	320	440	118	1760	4050	375	600	750	55
YOSO	NNCF 4964	320	440	118	1760	4050	375	600	750	55,5
YOSO	NNC 4964 CV	320	440	118	1760	4050	375	600	750	56
YOSO	NNCF 5064	320	480	218	3690	6950	620	560	700	135
YOSO	NNCF 4868	340	420	80	913	2400	216	600	750	25
YOSO	NNC 4868 CV	340	420	80	913	2400	216	600	750	25,5
YOSO	NNCL 4868	340	420	80	913	2400	216	600	750	25,3

YOSO	NNCL 4968	340	460	118	1790	4250	390	560	700	57,8
YOSO	NNCF 4968	340	460	118	1790	4250	390	560	700	58,5
YOSO	NNC 4968 CV	340	460	118	1790	4250	390	560	700	59
YOSO	BC2-8010	340	480	170	2810	6000	560	500	700	105
YOSO	NNCF 5068	340	520	243	4400	8300	710	530	670	185
YOSO	BC2-8064	340	520	250	4180	7500	750	480	670	165
YOSO	NNCF 4872	360	440	80	935	2550	224	560	700	26,5
YOSO	NNCL 4872	360	440	80	935	2550	224	560	700	26
YOSO	NNC 4872 CV	360	440	80	935	2550	224	560	700	27
YOSO	NNCL 4972	360	480	118	1830	4500	405	530	670	60,8
YOSO	NNCF 4972	360	480	118	1830	4500	405	530	670	61,5
YOSO	NNC 4972 CV	360	480	118	1830	4500	405	530	670	62,1
YOSO	NNCF 5072	360	540	243	4460	8650	735	500	630	195
YOSO	NNCF 4876	380	480	100	1400	3650	315	530	670	44,8
YOSO	NNC 4876 CV	380	480	100	1400	3650	315	530	670	45,5
YOSO	NNCL 4876	380	480	100	1400	3650	315	530	670	44
YOSO	NNCL 4976	380	520	140	2380	5700	500	500	630	90,5
YOSO	NNCF 4976	380	520	140	2380	5700	500	500	630	91,5
YOSO	NNC 4976 CV	380	520	140	2380	5700	500	500	630	92,4
YOSO	BC2-8028	380	540	200	3360	7800	695	450	600	155
YOSO	NNCF 5076	380	560	243	4680	9150	765	480	600	200
YOSO	NNCF 4880	400	500	100	1420	3750	325	500	630	46,2
YOSO	NNC 4880 CV	400	500	100	1420	3750	325	500	630	46,5
YOSO	NNCL 4880	400	500	100	1420	3750	325	500	630	45,9
YOSO	NNCL 4980	400	540	140	2420	6000	520	480	600	94,5
YOSO	NNCF 4980	400	540	140	2420	6000	520	480	600	96,5
YOSO	NNC 4980 CV	400	540	140	2420	6000	520	480	600	95,5
YOSO	NNCF 5080	400	600	272	5500	11000	900	450	560	270
YOSO	BC2-	600	840	300	7650	19600	1400	260	360	560
YOSO	NNU 6020 V	100	150	90	528	1370	170	630	750	6,2
YOSO	NNU 6922 V	110	150	71	352	980	118	630	750	4,05
YOSO	NNU 6924 V	120	165	80	428	1160	140	560	670	5,65
YOSO	NNU 6024 V	120	180	109	660	1660	196	530	630	10,5
YOSO	NNU 6026 V	130	200	125	842	2160	250	480	560	16
YOSO	NNU 6928 V	140	190	90	539	1560	180	480	560	8,15
YOSO	NNU 6930 V	150	210	109	721	2040	228	450	530	13
YOSO	NNU 6932 V	160	220	109	748	2200	240	430	500	13,5
YOSO	NNU 6032 V	160	240	145	1120	3000	325	400	480	25,5
YOSO	NNU 6934 V	170	230	109	765	2280	250	400	480	14,5
YOSO	NNU 6936 V	180	250	125	968	2850	310	360	430	20,5
YOSO	NNU 6036 V	180	280	180	1610	4300	455	340	400	45,5
YOSO	NNU 6038 V	190	290	180	1680	4550	480	320	380	47,5
YOSO	NNU 6040	200	310	200	1940	5200	540	300	360	62
YOSO	NNU 6944 V	220	300	145	1300	4000	375	300	360	33,5
YOSO	314747	220	340	190	2200	5400	550	280	340	68
YOSO	NNU 6948 V	240	320	145	1380	4300	440	260	320	36
YOSO	NNU 6048 V	240	360	218	2380	6800	680	240	300	85
YOSO	NNU 6952 V	260	360	180	1940	6000	550	240	300	61
YOSO	316350 DA	220	393,7	156	90,5	1210	1800	176	0,165	90
YOSO	319307 C	240	440	156	90,5	1320	2040	193	0,165	105
YOSO	319307 A	240	440	156	90,5	1320	2040	193	0,165	125
YOSO	319307 B	240	440	156	90,5	1320	2040	193	0,165	125
YOSO	316733 DA	300	558,8	220	139,7	2330	3250	280	0,205	305

YOSO	316733 DB	300	558,8	220	139,7	2330	3250	280	0,205	305
YOSO	316733	300	558,8	220	139,7	2330	3250	280	0,205	305
YOSO	316733 DC	300	558,8	220	139,7	2330	3250	280	0,205	210
YOSO	316733 DD	300	558,8	220	139,7	2330	3250	280	0,205	210
YOSO	BCSB 322810	300	558,87	220	139,7	2420	3450	300	0,205	230
YOSO	BCSB 322213	318	622,37	272	160,4	2920	4400	360	0,225	365
YOSO	BCSB 322213	318	622,37	272	160,4	2920	4400	360	0,225	350
YOSO	BCSB 322213	318	622,37	272	160,4	2920	4400	360	0,225	515
YOSO	316351 CA	320	622,37	272	160,4	2920	4400	360	0,225	470
YOSO	316351 CB	320	622,37	272	160,4	2920	4400	360	0,225	470
YOSO	316351 CD	320	622,37	272	160,4	2920	4400	360	0,225	330
YOSO	316351 CC	320	622,37	272	160,4	2920	4400	360	0,225	345
YOSO	BC1B 319605	355,6	488,95	146	74,6	720	1220	110	0,37	72,5
YOSO	BCS-8000	400	600	220	148	2550	4900	380	0,28	200
YOSO	316352 CC	414	740	320	190	4020	6700	520	0,31	550
YOSO	316352 CA	414	740	320	190	4020	6700	520	0,31	700
YOSO	316352 CB	414	740	320	190	4020	6700	520	0,31	700
YOSO	BC1B 319576	420	740	320	190	4020	6700	520	0,31	680
YOSO	316353 DA	500	850,9	360	210	5010	9000	655	0,33	985
YOSO	316353 DB	500	850,9	360	210	5010	9000	655	0,33	985
YOSO	316353 DC	500	850,9	360	210	5010	9000	655	0,33	880
YOSO	316353 DD	500	850,9	360	210	5010	9000	655	0,33	850
YOSO	BC1M 580-	580	750	160	90	1190	2280	176	0,5	135
YOSO	BCSB 316283	630	794	190	88	1760	4300	335	0,5	160
YOSO	BCSB 320861	749,92	920	165	78	1680	4050	280	0,365	190
YOSO	BCSB 316586	900	1090	150	85	1720	4250	275	0,52	240
YOSO	BCSB 320099	1000	1220	170	100	2700	6400	405	0,55	345
YOSO	BCSB 320806	1120	1360	210	106	3140	7650	455	0,65	470
YOSO	BCSB 320806	1120	1360	210	106	3140	7650	455	0,65	475
YOSO	BCSB 320240	1400	1700	225	132	4950	13200	750	0,69	905
YOSO	BCRB 326395/HA1	360	460	225	164	1140	2900	260	0,28	90
YOSO	BCRB 322853	400	600	328	244	2240	4300	360	0,28	285
YOSO	BCRB 326243	440	600	380	290	2810	6950	600	0,31	295
YOSO	BCRB 326907	440	600	420	330	2810	6950	600	0,31	310
YOSO	BCRB 322778	460	596,9	280	200	1470	3350	280	0,33	130
YOSO	BCRB 326394/HA1	500	635	310	228	2240	5850	490	0,33	220
YOSO	BCRB 326392/HA1	500	635	340	260	2510	6800	570	0,33	270
YOSO	BCRB 326244	540	705	380	290	3140	8500	695	0,36	370
YOSO	BCRB 322176	560	730	350	260	2860	7350	600	0,315	355
YOSO	BCRB 326396/HA1	600	775	380	278	3140	8500	670	0,38	430
YOSO	BCRB 322250	610	780	380	290	3520	10000	750	0,345	435
YOSO	BCRB 322250	610	780	380	290	3520	10000	750	0,345	435
YOSO	BCRB 322442	640	805	380	290	3520	10400	780	0,39	440
YOSO	BCRB 326245	820	990	380	290	3910	12900	900	0,52	565



京澎机械设备(上海)有限公司  
Jingpeng Machinery & Equipment (Shanghai) Co., Ltd.



Contact: Anny Fu

Tel: 13636560152 18134111662

Mailbox: [sales@yosobearing.com](mailto:sales@yosobearing.com)

Address: 18th floor, building 2, 515 Yishan Road, Xuhui District, Shanghai