

EKIIV[®]

CORDLESS TOOLS
POWER TOOLS &
GARDEN TOOLS

PROFESSIONAL MANUFACTURER



SHANGHAI EKIIV INDUSTRIAL CO.,LTD.




Shanghai EKIIV Industrial Co.,Ltd. was established in 2012. It is a high-tech enterprise focusing on the research, development, production and sales of diamond core drills, magnetic drill machine, wall cutting machine and drill bits. The headquarters and R&D and production base are located in Lusigang Town, Nantong, the hometown of power tools in China. And we have a branch in Shanghai engaged in export services.

All our products have obtained CE, UKCA and ROHS certifications.

The company always adheres to the business principles of talent-oriented and integrity. More than 90% of the company's technical and management positions have master's, bachelor's high/intermediate technical titles, and have a number of technical backbones with more than 10 years of experience in the tool industry. Formed a series of novel styles, low noise, powerful, reliable and durable industrial-grade machinery, such as diamond drilling machine, wall cutting machine, magnetic drills and so on.

Innovation and high quality are our constant pursuit. Through the introduction of international advanced CNC equipment, heat treatment equipment, high-end testing equipment and so on, we have formed a reliable and advanced production line, which is also our confidence and guarantee for our own products.



WhatsApp



Email:sales3@ekiiv.com Mobile:0086-15802136383 Tel:0086-21-34203830



No 3966 South Hongmei road,Minhang District,Shanghai,China



ekiiv-tools.en.alibaba.com | ekiiv.en.alibaba.com | www.marveille.net

SHANGHAI EKIIV INDUSTRIAL CO.,LTD.

20V DEW MAX REPLACEMENT
MAX LI-ION BATTERY



20VCordless brushless
13mm Impact Driver

Technical Parameters	
Impact Rate	13mm impact driver
Max torque	75Nm
No-load Speed	1430 rpm/ 75Nm torque
Impact Rate	1800 rpm/ 60Nm Torque



20V Cordless Brushless
320Nm Screwdriver

Technical Parameters	
Impact Rate	3200ipm
Max torque	320Nm
No-load Speed	800rpm 2100rpm 1600rpm
Impact Rate	2800rpm 1600rpm 1800rpm



20V Cordless Brushless 320Nm Impact Wrench

Technical Parameters	
Impact Rate	3200ipm
Max torque	320Nm
No-load Speed	2800/2100/1600rpm
Impact Rate	2800rpm/1600rpm/1800rpm



20V 125mm Cordless Brushless Angle Grinder

Technical Parameters	
Diameter	125mm angle grinder
No-Load speed	9800rpm



20V 26mm Cordless Brushless Rotary Hammer

Technical Parameters	
Power	1100W
Diameter	26mm
Impact Rate	4500ipm
No-Load speed	0-1150rpm



20V Cordless Brushless Saber Saw

Technical Parameters	
No-Load speed	0-3000spm
Cutting thickness	0-100mm
Stroke	15mm



20V Cordless Brushless 700Nm Impact Wrench

Technical Parameters	
700Nm large torque	
Impact frequency	0-3500bpm
Maximum torque	700NM
No-load speed	0-1600/0-2800rpm
Connector	1/2" square



20V Cordless Brushless Steel Scissors

Technical Parameters	
Torque	75N.M
Speed	0-1850r/min
Thickness of cut iron sheet	2.5mm
Gear position	high and low double speed gear
Auxiliary lighting	LED lights



20V Bluetooth Speaker

Technical Parameters	
Audio speaker	Φ45mm 3W
Supported format	MP3
Rated resistance	4 ohms
Bluetooth	BluetoothV2.1+EDR
Audio input	DC-IN
Power input	Micro USB
Power adapter	5V-500mA



20V Cordless DRY Hand Vacuum

Technical Parameters	
Power	300 W
Vacuum suction	10,000 Pa



12V 12 Lines Green Self Leveling Laser Level

Technical Parameters	
Laser color	Green light
Lines	12 lines
Working range	50M
Working distance(line)	165ft
Working temperature	10-45C°
Battery	12V 2A Linthium battery (3*4.2V AA 18650 cell)
Precision	3mm/10m 1/9 In



2 Line Green Laser Level

Technical Parameters	
Product name	Cross laser level
Laser color	Green light
Working range	50M
Laser beam	2 line Green Beams
Working distance(line)	165ft
Working temperature	10-45C°
Battery	3*1.5V AA battery
Precision	mm/10m 1/9 In
Laser wave length	510-530nm



20V Ceramic Paving Machine

Technical Parameters	
Power	200W
No-load speed	100-12000r/min
Suction cup diameter	13cm
Adsorption capacity	150KGS
Tile Range	6-80CM



20V Cordless Sander

Technical Parameters	
Voltage	20V
Diameter disc	125mm
No-load speed	7000/9500/11000rpm
Sander diameter	125mm



20V Cordless Brushless 7.5" 185mm Circular Saw

Technical Parameters	
No-load Speed	5200 rpm
Cutting Blade Diameter	185 mm
Cutting Blade Bore Diameter	20 mm
Bevelling Angle	0-50 degrees
Maximum Cutting Depth	62 mm
Weight(Without Battery)	3.43 kg



20V 6" Cordless Brushless Chain Saw

Technical Parameters	
700Nm large torque	
Impact frequency	0-3500bpm
Maximum torque	700NM
No-load speed	0-1600/0-2800rpm
Connector	1/2" square



20V Cordless Jig Saw

Technical Parameters	
700Nm large torque	
Impact frequency	0-3500bpm
Maximum torque	700NM
No-load speed	0-1600/0-2800rpm
Connector	1/2" square



20V Cordless Spray Gun

Technical Parameters	
Output power	200W
Spray foot distance	200-25 0m m
Motor speed	39000RPM/MIN
Air flow rate	160L/MIN
Spray width	200-300m m



20V Cordless Fan

Technical Parameters	
Voltage	20 V
Power	450W
Fun size	8 inch
USB	5V 2.0A



20V Cordless Glue Gun

Technical Parameters	
Voltage	20 V
Power	100 W
Glue Diameter	11 mm
Rated votage	20 V



20V LED Light

Technical Parameters	
Lamp beads	18 PCS
Power	12 W
Lamp size	3 inch
Lumen	2800LM



20V Cordless Blower

Technical Parameters	
Voltage	20 V
Power	250 W
No-load speed	0-18000r/min wind
Max.gas volume	3.6m³/min



20V USB Light

Technical Parameters	
Voltage	20 V
Lumen	220LM
Power	3W
USB	5V 2.1A



20V Cordless Twig Scissors

Technical Parameters	
Voltage	20 V
Max Cutting	30MM
Power	300W
Material	C75



3.0Ah Charger

Technical Parameters	
DCB 112/105	
3.0Ah charger	
(Original DEW replacement)	



4.0A 5.0A 6.0A Lithium Battery

Technical Parameters	
Battery	



EKIIV®

BIG BRAND 100%-REPLACEMENT



18V Cordless Brushless 13mm Impact Driver

Technical Parameters

Impact Rate	13mm
Max torque	75Nm
No-load Speed	1800 rpm/ 60Nm Torque
Impact Rate	1430 rpm/ 75Nm torque



18V Cordless Brushless 320Nm Screwdriver

Technical Parameters

Impact Rate	3200ipm
Max torque	320Nm
No-load Speed	800rpm 2100rpm 1600rpm
Impact Rate	2800rpm 1600rpm 1800rpm



18V Cordless Brushless 320Nm Impact Wrench

Technical Parameters	
Impact Rate	3200ipm
Max torque	320Nm
No-load Speed	2800/2100/1600rpm
Impact Rate	2800rpm/1600rpm/1800rpm



125mm Cordless Brushless Angle Grinder

Technical Parameters	
Voltage	18 V
Diameter	125mm angle grinder
No-Load speed	9800rpm



18V Cordless Brushless Rotary Hammer

Technical Parameters	
Power	800W
Diameter	26mm impact hammer
Impact Rate	4500ipm
No-Load speed	0-1150rpm



Cordless Brushless Saber Saw

Technical Parameters	
Voltage	18 V
No-Load speed	0-3000spm
Cutting thickness	0-100mm
Stroke	15mm



Cordless Brushless 700Nm impact wrench

Technical Parameters	
Voltage	18 V
Impact frequency	0-3500bpm
Maximum torque	700 NM
No-load speed	0-1600/0-2800rpm
Connector	1/2" square



18V Cordless Brushless Steel Scissors

Technical Parameters	
Torque	75N.M
Speed	0-1850r/min
Thickness of cut iron sheet	2.5mm
Gear position	high and low double speed gear
Auxiliary lighting	LED lights



18V 12 inch Cordless Fan

Technical Parameters	
Voltage	18 V
Power	450 W
Fan size	12 inch



Cordless Twig Scissors

Technical Parameters	
Voltage	18 V
Power	300 W
Max.cutting	30 MM
Display data on the display screen	



18V Cordless Spray Gun

Technical Parameters	
Voltage	18 V
Power	200W
Air flow rate	160L/MIN
Spray width	200-300mm



18V Cordless Glue Gun

Technical Parameters	
Voltage	18 V
Power	100 W
Glue Diameter	11 mm




18V LED Light

Technical Parameters	
Lamp beads	18 PCS
Power	12 W
Lamp size	3 inch
Lumen	2800LM



18V Cordless Brushless Blower

Technical Parameters	
Voltage	18 V
Power	250 W
No-load speed	0-18000r/min wind
Max.gas volume	3.6m³/min



USB Light

Technical Parameters	
Voltage	18 V
Lumen	220LM
Power	3W
USB	5V 2.0A



Cordless LED Light

Technical Parameters	
Voltage	18 V
Lumens	420LM
Power	45W
USB	5V 2.0A



3.0Ah Charger

Technical Parameters	
M18/M12	
3.0Ah charger	
(Original DEW replacement)	



4.0A 5.0A 6.0A Lithium Battery

Technical Parameters	
Battery	



21V CORDLESS COMBO KIT

[View More+](#)

**12 months
Warranty**



OEM Service



Quality
compareable
to international Brand



No MOQ



10+ years
manufacturer

21V 13mm Brushless Impact Driver

Technical Parameters	
Diameter	0-13mm
Impact Rate	0-7500/0-30000bpm
Max. torque	50Nm
No-Load speed	500/2000rpm



21V 13mm Brushless Impact Driver

Technical Parameters	
Max. torque	75Nm
1430 rpm/ 75Nm torque	
1800 rpm/60Nm Torque	



21V Cordless Brushless Impact Screwdriver

Technical Parameters	
Impact Rate	3200ipm
Max torque	320 Nm
No-load Speed	2800/2100/1600 rpm
Impact Rate	2800rpm/1600rpm 1800 rpm



21V Cordless Brushless Impact Wrench

Technical Parameters	
Impact Rate	3200ipm
Max torque	320Nm
No-load Speed	2800/2100/1600rpm
Impact Rate	2800 /1800 /1600rpm



21V 125mm Cordless Brushless Angle Grinder

Technical Parameters	
Diameter	125mm angle grinder
No-Load speed	8500rpm



21V 6.5" Cordless Brushelss Circular Saw

Technical Parameters	
Blade Diameter	165mm 6.5inch
No-Load speed	0-5000rpm
Max Cutting Depth	57 mm



21V Cordless Brushelss Reciprocating Saw

Technical Parameters	
Length of stroke	52mm
Strokes/min	0-3200 /min
Rated power	700watt
Capacity	130mm (Pipe) 250mm (Wood)



21V Cordless Brushless Rotary Hammer

Technical Parameters	
Power	800w
Diameter drill	26mm
Impact Rate	4500ipm
No-Load speed	0-1150rpm



21V Cordless Multi-functional Tools /Ocillicating Tools

Technical Parameters	
Voltage	18V/21V
No-load speed	5000-16000 rpm
Oscilations Angle	



21V Cordless Brushless Jig Saw

Technical Parameters	
Cutting capacity	wood 65 mm metal 6mm
bevel	0±45°
Power	220W
Speed	0-2900RPM



21V Cordless Planer

Technical Parameters	
Planer depth	82*0~2mm
Planer depth can be adjusted	
No-load speed	15000 rpm
Rated power input	400w



125mm Single Hand Saw

Technical Parameters	
125mm single hand brushless saw	



21V Cordless Brushless 6.35mm 1/4" Trimmer

Technical Parameters	
Voltage	18/21V
Speed	10000-30000 r/min
Maximum cutting depth	20mm
Spindle size	6.35mm (1/4")
No-load speed	10000-30000r/min



21V Cordless 8/10 inch Brushless Chain Saw

Technical Parameters	
Voltage	18V/21V
Motor power	1200W
Chain speed	5m/S
Guide plate length	10 inches/8 inches
Maximum cutting diameter	20Cm



21V Cordless Brushless Polisher

Technical Parameters	
six speed with led screen	
Deviated Spindle	15mm
Disc Diameter	125mm
Grinder foam diameter	150mm



21V Cordless Brushelss Blower

Technical Parameters	
Input Power	250W
No-load speed	0~18000r/min Wind
Max Gas Volume	3.6m³/min



21V 650Nm large torque brushless impact wrench

Technical Parameters	
Impact frequency	0-3500bpm
Maximum torque	650NM
No-load speed	0-1600/0-2800rpm
Connector	1/2" square



21V Cordless Brushless Marble Cutter

Technical Parameters	
Cutting width	125mm
Cutting depth(90)	45.5mm
Cutting depth(45)	33.5mm
No-load speed	4000r/min



21V Bluteeth Speaker

Technical Parameters	
Audio speaker	Φ45mm 3W
Supported format	MP3
Rated resistance	4 ohms
Bluetooth	BluetoothV2.1+EDR
Audio input	DC-IN
Power input	Micro USB
Power adapter	5V-500mA



21V Led Light

Technical Parameters	
led light	
Lumens	420LM



21V Multi-function Tool Set

Technical Parameters	
Combine according to your needs	
Combo kit	N+1



21V Cordless Air Dust Gun

Technical Parameters	
Max wind speed	200m/s
Max air volume	1.1m3/min



21V Cordless Steel Scissors

Technical Parameters	
Torque	70N.M
Speed	0-1850r/min
Thickness of cut iron sheet	1.2mm
Gear position	high and low double speed gear
Auxiliary lighting	LED lights



21V Cordless Brushless Sander

Technical Parameters	
Diameter disc	125mm



28mm Max Brushless Twig Scissors

Technical Parameters	
Cutting Capacity	28mm
Max Output	600W
Dimension	280*114*42.5mm
Scissors Material	C75



1300Nm Large Torque Brushless Impact Wrench

Technical Parameters	
Torque	1300N.M
Speed	0-1850r/min
Thickness of cut iron sheet	1.2mm
Gear positionr	3 speed gear
Auxiliary lighting	LED light



21V Brushless Rivet Gun

Technical Parameters	
Rivet Diameter	3.2mm 4.0mm 4.8mm
Pulling range	30-63KN
Nozzel	3.2mm*1 pcs/4.0mm* 1 pcs /4.8mm*2 pcs



21V Cordless Die Grinder

Technical Parameters	
Voltage	18V/21V
Rated input power	1150W
No-load speed	10000rpm



Stringing Machines

Technical Parameters	
Lead wire	single wire lead wire spring lead wire
Product line speed	40M/MIN
Product pull force	220KGS
Product net weight	4KGS



21V Cordless Inflator

Technical Parameters	
cordless inflator	



Double Head Glue Gun

Technical Parameters	
double head glue gun	



Cordless Spray Gun

Technical Parameters	
Cordless Spray gun	



21V Portable CAR Washer

Technical Parameters	
21V Portable CAR Washer	



4 Inch Brushless Chain Saw

Technical Parameters	
No-load speed	2800rpm
Rated Power	400W
Chain	4"



6 Inch Brushless Chain Saw

Technical Parameters	
No-load speed	2300rpm
Rated Power	650W
Chain	6"



21V Cordless Ratchet Wrench

Technical Parameters	
cordless ratchet wrench	
without batteries	



21V Cordless Nut Rivet Gun

Technical Parameters

with a M3 Nut in standard pacakge without batteries



21V Ceramic Paving Machine

Technical Parameters

Power	200W
No-load speed	100-12000r/min
Suction cup diameter	13cm
Adsorption capacity	150KGS
Tile Range	6-80CM



21V Cordless Hot Wind Gun

Technical Parameters

Nozzle Diameter



21V Hot Glue Melting Gun

Technical Parameters

Hot Glue Melting Gun



21V T-F type Nail Gun

Technical Parameters

Model	F30 is suitable for F/T shape nails.
Max firing speed	120 nails/min
Max magazine capacity	holds up to 100 nails
T-brand nail	F15,F20,F25,F30
Max nails length	30mm



T/Fshape + U shape Dual-use 422 Nail Gun

Technical Parameters

F/T shape nail	F15,F20,F25,F30
U-shape	diameter 5.2mm*depth 10mm/13mm/16mm /19mm/22mm
motor power	100W
voltage	21V
load current	5A
speed	80pcs/min
maximum number of staples	100pcs



T/Fshape + U shape Dual-use 1022 Nail Gun

Technical Parameters

F/T shape nail	F15,F20,F25,F30
U-shape	diameter 11.2mm*depth 10mm/13mm/16mm /19mm/22mm
motor power	100W
voltage	21V
load current	5A
speed	80pcs/min
maximum number of staples	100pcs



42V 18"/16" Cordlss Chain Saw

Technical Parameters

Rated power	2000W
Voltage	42V
No-load speed	720r/min
Guide Size	16"/18"



42V 12"/14" Cordless Chain Saw

Technical Parameters

No-load speed	1100r/min
Rated power	1800W
Voltage	42V
Guide size	12"/14"



Charger

Technical Parameters

3A*2Ah/6.5Ah/2.Ah charger (can be used for original makita batteries)





4.0A 5.0A 6.0A Lithium Battery


Technical Parameters

2.0A 3.0A 4.0A 5.0A 6.0A 7.5A /OEM



Cordless Brushless Trimmer

Technical Parameters	
Voltage	21 V
No-load Speed	550rpm
Blade type	SK-5




Cordless Tea Plucking Machine

Technical Parameters	
Voltage	21 V
No-Load speed	550rpm
Blade length	49cm



21V Cordless Brushless Grass Cutter

Technical Parameters	
Voltage	21 V
Blade size	10 inch
No-Load speed	4600rpm



21V Cordless Grass Cutter

Technical Parameters	
Voltage	21 V
Blade size	8 inch
No-load speed	4800rpm



21V Cordless Grass Cutter

Technical Parameters	
Voltage	21 V
Blade size	6 inch
No-load speed	5200rpm



Cordless High Branch Saw

Technical Parameters	
Voltage	21 V
No-load Speed	2800r/min
Blade size	6 inch



Cordless High Branch Scissor

Technical Parameters	
Voltage	21 V
Power	280 W
Max.cutting	28mm



Cordless High Power Blower

Technical Parameters	
Voltage	21 V
Power	1800 W
No-load speed	0-1550rpm

