

### Greensee

# Hunan Greensee Doors & Windows Curtain Wall Co.,Ltd

www.gswindoor.com





# **CONTENTS**

| Company Introduction   |       |
|------------------------|-------|
| History                | 2-4   |
| Intelligent Factory    | 5-7   |
| R & D                  | 8-10  |
| Project Experience     | 11-14 |
| Qualification          | 15-16 |
| Products               | 17-32 |
| Product Concept        | 18    |
| Product Style          | 18    |
| Product Series         | 19-32 |
| Project Reference      | 33-40 |
| Large-scale Project    | 34-36 |
| Home Decoration        | 37-38 |
| Prefabricated Building | 39-40 |



### Company Profile

Hunan Greensee Doors & Windows Curtain Wall Co.,Ltd focus on manufacturing Aluminium alloy Doors and Windows since its establishment in 2001. We have developed more than ten generations of recognized products independently in the past 22 years, serves more than 50 thousand high-quality pursuit families each year. so is that gained the reputation with the largest production base of aluminum alloy door and window curtain wall in central and southern China.

The company covers an area of 55 acres, owns a 13000 square meters large span steel structure standard workshop, our annual capacity exceeds one million square meters of aluminum alloy doors and Windows curtain wall, Equiped with a full set of MES intelligent interactive production line, WCS unmanned intelligent, The main products is Aluminium alloy doors and Windows, curtain walls, sunlight rooms, awnings, guardrail and so on.

Hunan Greensee Doors & Windows Curtain Wall Co.,Ltd integrates global high-quality Doors and Windows supply resources, and was widely recognized by the top 10 real estate and many other domestic quality real estate with high quality products and service.

# History

More than 20 years of production experience, Advanced design concept and manufacturing engineering.

01

### 2001-2003

### Company Established and Invest the Production base

In 2001, Hunan Greensee Doors and Windows Co., Ltd. was formally established, production base finished in 2003, production and provide market-oriented aluminum alloy doors and Windows products and services, implement unified production staff management and project management.wall in central and southern China.

# 2009

# Put into construction of Muyun production base, production chain transformation, 6S production management

Muyun production base which covers an area of 20,000 square meters was putted into operation, Implement of production chain transformation and 6S management, initially built a customer requires oriented management system with on-time procurement, on-time production and on-time delivery planning.

## 2013-2015

#### Full set of inner information management system has been set up. Several projects were established and get praise one after another.

In 2003, Fully apply information systems such as Klaes, Cloud Monkey, and T+within the enterprise, preliminarily achieve management informatization; Foshan, Chongqing and other provincial project departments have been officially established, The market extend from Hunan to the national market. In 2014, The Research and Development center was set up, began its transformation to R & D product, officially signed the new chapter of the customer requirements oriented , with the focus on quality management and to provide one-stop solutions .

## 2019

# Several new products was launched, Obtained CE certificate

In 2019, Several new products was launched, Item 80 obtained CE certificate, other new products such as narrow frame windows and panoramic doors were widely recognized by the customers, leading the passive window industry.

# 2005-2008

# Import advanced equipment and gained ISO quality system certificate

In 2005, The Quality Department and after-sales service Department was set up to fully implement the quality assurance system, on-site 5S management system, and comprehensively improve the quality and service; and Gained the first ISO9001 quality system certification. In 2006, Introduce full set of Yale manufacturing equipment from Germany, the Enterprises began the transformation of finish machining.

# 2010-2012

# Establish International strategic cooperation, master the design, production and installation technology of system doors and windows.

In 2010, We establish the cooperation with Belgium Reynus which is one of the world's three major system doors and Windows supplier. Learn the design concept of system doors and Windows , and master their manufacturing, processing and installation capabilities, The annual production and installation capacity exceeds 300,000 square meters.

# 2016-2018

# The Xingsha Industrial Base has been put into operation with semi-automatic or fully automated production manufacturing equipment, The annual capacity reached 1 million square meters, In 2017, Chinese domestic home decoration brand "GENAMO "was registered:

In 2016, The Xingsha Modern Production Base has been put into operation, all the production manufacturing equipment achieving semi-automatic or fully automated, software combined with equipment ,lays the firm foundation for intelligent transformation; The annual production capacity reached 1 million square meters. The company domestic high-quality residential decoration brand "GENAMO" System Doors and Windows" has been registered which can mutually empowered with engineering.

# 2020

# Introduce ERP system. Finished the transformation of production line

IWe have completed a three-year comprehensive intelligent upgrade and transformation of the production line with 5G and artificial intelligence. so is that we gained the reputation of a leading comprehensive enterprise of door and window in China that integrates research and development, intelligent production, marketing installation, and after-sales service.

03 | Page Page

# Intelligence production

### **Annual Production exceeds**

1 million square meters,

which can meet the mass production and customized production for customers.



02








Production planning Material Production execution Quality control

# Research & Development

We have powerful design capabilities to meet customers' diverse and flexible customized requirements.

03





Hunan Greensee Doors & Windows Curtain Wall Co.,Ltd reached and maintained long-term deep cooperation with global top door and window resources in joint research and development design,we keep innovation in different ways, in Material, Modern technology, User's Experience and Future tendency. We can provide more feasible and diversified solutions for engineering project, residential decoration and renovation. The design institute has been established with 40 experienced designers. We can respond to customer requirements in very short time with global top design software of doors and windows which can be online design, online drawing, automatic generate list of materials and rendering effect of doors and windows .Provide users with customized products that user-friendly, safe, intelligent, energy-saving, and environmental friendly.

# Suppliers /

International ------

Sobinco

ENSINGER OF ARK THINK SUCCESS.

**SEMPERIT** (5)

📛 WÜRTH

SOBINCO (Belgium) ENSING

ENSINGER (Germany) SE

SEMPERIT (Germany)

WURTH (Germany)

AMIDDLOGY

H.B. Fuller

SIEGENIA AUBI°

**HOPPE** 

AMIDOLOGY (Japan)

H.B.I

H.B.Fuller (United States)

SIEGENIA (Germany)

HOPPE (Germany)



ROTO (Germany)

GU

G-U (Germany)



TIGER (Austria)

Domestic



廣 亞





ZHONGYA Aluminum

GUANGYA Aluminum

3H INC

XINGFA Aluminum





KINGLONG







ZHIJIANG

GOLKING



BAIYUN BAIYUN

**進**旗演集團

KIBING

SYP GROUP

• • • • •

**09** | Page **10** 

# **Project experience**

**Experienced the design and** production for more than

100 engineering projects





We were widely recognized by the famous real estate with modern and intelligence design, high-quality product, perfect service and years of project experience. We have established deep and long strategic cooperation with top real estate enterprises and Benchmark mansion. At the same time, our products are exported to Europe, North America, the Middle East, and Southeast Asia, Long-term cooperation has been established with multiple overseas infrastructure companies .

Page | **12** 

# / Service brand



















JINMAO中国拿茂



# Qualification

CE,ISO Certificate. We won unanimous recognition by the government, media, industry, and consumers ,and was recommended by National high-tech enterprises, Hunan small giant enterprises, Hunan intelligent manufacturing demonstration base, Hunan high-quality brand capacity improvement pilot enterprises, Hunan digital New Infrastructure landmark projects, CCTV brand recommendation. The project has obtained 2 domestic invention patents, 6 utility model patents, and 2 software copyrights. It has been awarded multiple awards, including the National Top 10 Intelligent Doors and Windows, The National Door and Window Quality Gold Award, The Top 10 Chinese System Doors and Windows Enterprises and The Top 10 National System Doors and Windows Brands.

#### Certification







ISO 9001



TEST REPORT TE

ISO 5001

ISO 9001

**CE Certificate** 

#### ISO45001



#### Certificates of Awards



Outstanding supplier of the Year 2016 for VANKE



Hunan Honest Enterprise



National Door and Window Quality Golden Award



National Top 10 Intelligent Doors and Windows Products

#### Patent Certificate



Self leveling circular glue injection group corner piece



Intelligent automatic installation production line for doors and windows and production method

Page | **16** 

# Product

More than 20 years of production experience, Advanced design concept and manufacturing engineering.

06

### Product Concept

Meeting the customized requirements of customers, we comprehensively consider the local climate, floors, ages and usage habits, provide energy-saving, beautiful, habitable and intelligence high-quality products.

### Product style

Meeting the customized requirements of customers, we comprehensively consider the local climate, floors, ages and usage habits, provide energy-saving, beautiful, habitable and intelligence high-quality products.











# / Window









### **55 Series Tilt & Turn Window**

#### | Technical Data

| Profile thickness | 1.4mm  |
|-------------------|--|
| Color             | Outdoor deep grey/coffee ,Metal grey indoor    |
| Glass             | 5mm+15A+5mm Hollow tempered glass              |
| Accessories       | German import handle, SIEGENIA locking system  |
| Insulation strip  | Domestic brand ; width: 14.8mm                 |
| Opening style     | Fixed,Tilt & Turn                              |
| Screen            | Independent inward screen, Material: Polyester |

#### | Performance

| Water tightness  | 700Pa          |
|------------------|----------------|
| Air tightness    | 2.0m³/(m² * h) |
| Wind resistance  | 2.8Kpa         |
| Sound insulation | 35dB           |
| Heat Insulation  | 2.0W/m²K       |


### **65 Series Tilt & Turn Window**

#### I Technical Data

| Profile thickness | 1.8mm   |
|-------------------|---|
| Color             | Deep grey/coffee outdoor,Metal grey indoor    |
| Glass             | 5mm+16A+5mm Hollow tempered glass             |
| Accessories       | German import handle, SIEGENIA locking system |
| Insulation strip  | Domestic brand ; width: 24mm                  |
| Opening style     | Fixed,Tilt & Turn                             |
| Screen            | Integrated inward screen, Material: Polyester |
|                   |   |

#### | Performance

| 1.5m³/(m² * h) |
|----------------|
| 3.5Kpa         |
| 35dB           |
| 1.8W/m²K       |
|                |













### **75 Series Tilt & Turn Window**

#### | Technical Data

| Profile thickness | 1.8mm   |
|-------------------|---|
| Color             | Deep grey/Coffee outdoor,Metal grey indoor    |
| Glass             | 5mm+12A+5mm+12A+5mm Hollow tempered glass     |
| Accessories       | German import handle, SIEGENIA locking system |
| Insulation strip  | Domestic brand ; width: 34mm                  |
| Opening style     | Fixed,Outward-opening                         |
| Screen            | Integrated inward screen, Material: Polyester |

#### **| Performance**

| Water tightness  | 900Pa          |
|------------------|----------------|
| Air tightness    | 1.0m³/(m² * h) |
| Wind resistance  | 3.8Kpa         |
| Sound insulation | 40dB           |
| Heat Insulation  | 1.3W/m²K       |


# **55 Series Outward Swing Window**

#### | Technical Data

| Profile thickness | 1.4mm  |
|-------------------|--|
| Color             | Deep grey/Coffee outdoor,Metal grey indoor     |
| Glass             | 5mm+12A+5mm Hollow tempered glass              |
| Accessories       | Domestic brand handle, KIN LONG locking system |
| Insulation strip  | Domestic brand ; width: 14.8mm                 |
| Opening style     | Fixed, Tilt & Turn, Top-hung                   |
|                   |  |

#### | Performance

| Water tightness  | 700Pa          |
|------------------|----------------|
| Air tightness    | 2.0m³/(m² * h) |
| Wind resistance  | 2.8Kpa         |
| Sound insulation | 35dB           |
| Heat Insulation  | 2.5W/m²K       |













## **80 Series Outward Swing Window**

#### | Technical Data

| Profile thickness | 1.4mm  |
|-------------------|--|
| Color             | Outdoor deep grey/coffee ,Metal grey indoor  |
| Glass             | 6mm+20A+6mm Hollow tempered glass            |
| Accessories       | Domestic brand hand operated window opener   |
| Insulation strip  | Domestic brand ; width: 39mm                 |
| Opening style     | Fixed, outward opening, Top-hung             |
| Screen            | Integrated fixed screen, Material: Polyester |

#### | Performance

| Water tightness  | 700Pa          |
|------------------|----------------|
| Air tightness    | 2.0m³/(m² * h) |
| Wind resistance  | 2.8Kpa         |
| Sound insulation | 35dB           |
| Heat Insulation  | 1.8W/m²K       |

# **Sliding Window (Ordinary aluminum)**

#### | Technical Data

| Profile thickness | 1.4mm   |
|-------------------|---|
| Color             | Outdoor deep grey/Coffee / Metal grey             |
| Glass             | 5mm Hollow tempered glass                         |
| Accessories       | Domestic brand hook lock, KIN LONG locking system |
| Opening style     | Fixed, Sliding                                    |
| Screen            | Integrated sliding screen                         |
|                   |   |

#### | Performance


| 350Pa          |
|----------------|
| 1.5m³/(m² * h) |
| 2.0Kpa         |
| 3.5W/m²K       |
|                |

# / Door











# **130 Series Lift Sliding Door**

#### | Technical Data

| Profile thickness | 2.0mm   |
|-------------------|---|
| Color             | Outdoor Deep grey/Coffee ,Metal grey Indoor   |
| Glass             | 6mm+12A+6mm Hollow tempered glass             |
| Accessories       | Belgium import handle, SOBINCO locking system |
| Insulation strip  | Ensinger ; width: 22mm                        |
| Opening style     | Fixed, Single-side Lift Sliding               |

#### | Performance

| Water tightness  | 700Pa          |
|------------------|----------------|
| Air tightness    | 1.5m³/(m² * h) |
| Wind resistance  | 2.5Kpa         |
| Sound insulation | 35dB           |
| Heat Insulation  | 2.0W/m²K       |

# **145 Series Lift Sliding Door**


#### | Technical Data

| 2.0mm   |
|---|
| Outdoor deep grey/coffee ,Metal grey indoor   |
| 6mm+12A+6mm Hollow tempered glass             |
| Belgium import handle, SOBINCO locking system |
| Ensinger ; width: 22mm                        |
| Double-side Lift Sliding                      |
|   |

#### | Performance

| 700Pa          |
|----------------|
| 1.5m³/(m² * h) |
| 2.8Kpa         |
| 35dB           |
| 2.0W/m²K       |
|                |

Page | **26 25** | Page





#### | Technical Data

| Profile thickness | 2.0mm  |
|-------------------|--|
| Color             | Outdoor deep grey/Coffee ,Metal grey Indoor    |
| Glass             | 6mm+12A+6mm Hollow tempered glass              |
| Accessories       | Domestic brand handle, KIN LONG locking system |
| Insulation strip  | Domestic brand; width: 14.8mm                  |
| Opening style     | Fixed, Single-side Sliding                     |
| Screen            | Integrated sliding screen                      |

#### | Performance

| Water tightness | 350Pa          |
|-----------------|----------------|
| Air tightness   | 1.5m³/(m² * h) |
| Wind resistance | 3.0Kpa         |
| Heat Insulation | 2.6W/m²K       |



### **75 Series French Door**

#### I Technical Data

| Profile thickness | 2.0mm                                       |
|-------------------|---|
| Color             | Outdoor deep grey/coffee ,Metal grey indoor |
| Glass             | 6mm+20A+6mm Hollow tempered glass           |
| Accessories       | Import door lock, SOBINCO locking system    |
| Insulation strip  | Ensinger ; width:30mm                       |
| Opening style     | Fixed, Swing                                |
|                   |   |

#### | Performance

| Water tightness | 700Pa          |
|-----------------|----------------|
| Air tightness   | 1.5m³/(m² * h) |
| Wind resistance | 3.0Kpa         |
| Heat Insulation | 2.0W/m²K       |

# Sunlight Room



### Simple Sunlight Room

#### | Technical Data

| Profile Surface | Powder Spraying   |
|-----------------|---|
| Color           | Deep gray/Coffee  |
| Thickness       | 2.0mm   |
| Glass           | Laminated hollow glass 5mm (Low-e)+12A+5mm+0.76pvb+5mm Laminated hollow glass |
|                 | With aluminum alloy sink and downpipe   |
| Roof slope      | 2%~5%   |
| Application     | Small slope Sunlight rooms  |
| Column          | 100*40 / 120*50 optional based on the actual span and load-bearing            |
|                 | Electric skylight window optional   |



### System Sunlight Room

#### | Technical Data

| Profile Surface | Powder Spraying   |
|-----------------|---|
| Color           | Metal deep gray   |
| Thickness       | 3.0mm   |
| Glass           | 5mm (Low-e)+12A+5mm+0.76pvb+5mm Laminated hollow glass          |
|                 | With aluminum alloy sink and downpipe;                          |
| Roof slope      | 2%~70%  |
| Application     | Large slope Sunlight rooms , Single /Double side slope optional |
|                 |   |

# / Bulastrade/ Canopy



### Glass Balustrade

#### | Technical Data

| Profile visible width | 151mm                                      |
|-----------------------|--|
| Glass embedding depth | 100mm                                      |
| Glass specification   | 2.10+1.52pvb+10mm laminated tempered glass |



### **Glass Canopy**

#### | Technical Data

| Profile visible width | 122mm                                      |
|-----------------------|--|
| Glass embedding depth | 122mm                                      |
| Glass specification   | 1.10+1.52pvb+10mm laminated tempered glass |
| Slope                 | 2.3° (standard)                            |

# Project Reference



#### Changsha HuayuanHua comprehensive business Center

Full view of Juzhou, Island the panoramic view of the Xiangjiang River, and the cultural essence of a city, fully capturing the world's rare city with mountain and river, urban landscape.

# 01 Large-scale Project

#### **Flat-floor mansion**



Changsha YinXiangjiang mansion community

The large flat floor, the panoramic river view, the benchmark mansion epitome of customized living by the river.

Page | 34

# 01 Large-scale Project

### **Boutique villas**



#### Changsha Xiangjiang No.1 mansion

Background with Xiangjiang River and Eyang Mountain, The architecture organically integrated with nature, have a panoramic view of the group of single-family garden villas on the river.



#### Heshun Mansion

Designed by the internationally renowned Neri&Hu Design & Research Office, it features a minimalist style with grey and white , low-key and luxury.

# 01 Large-scale Project

#### **Construction Curtain Wall**



#### Changsha YUNDA Central Square

Located in the core area of Changsha business district, Changsha low-carbon building model and ecological community model, won the 2020 Building Economy and TREND Landmark of China (including blocks).



#### Vanke Valley Mountain Park

Incorporate humanities into architecture. The grass, tree and scene is truly blend with nature, bringing the artistic conception of "getting the interest of mountains and forests without leaving the city"

# D2 Boutique home decoration



#### **Longhutianpu Mansion**

Panoramic floor-ceiling window, Dream House in city center.



#### **Pingjiang Shanshui Mansion**

A window gives you a peaceful and elegant world.



#### **Pingjiang SHANGDEYUAN Mansion**

Beautiful scenery is like a screen painting, perfectly connecting indoor and outdoor

# 03

# **Prefabricated building**



#### **Module BOX 1**

Minimalist and efficient, make your home more Energy-saving and Environmental friendly.



#### **Module BOX 2**

Customer first, Exquisite, Artistic, Comfortable, Fully of modern sense.



#### **Module BOX 5**

Continuously improving craftsmanship and innovative design can meet Client's customized requirements.