

HANGZHOU JIAYING TRADE CO.,LTD







COMPANY PROFILE

Since 2009, the predecessor of JIAYING, Kangda Sanitary Ware Co., Ltd., began the research and production of PVC foam board, which was primarily used in bathroom cabinets, addressing waterproofing and mold prevention in humid environments, while meeting eco-friendly standards for household settings.

In 2017, JIAYING (PLUSWIN) was officially established, specializing in export trade. In 2023, it has evolved into a leading enterprise with an outstanding annual export capacity exceeding \$15 million. It is dedicated to introducing high-quality PVC board series and WPC board series to the global market, driving innovation and sustainable development in the building material industry.

DEVELOPMENT HISTORY



2023 —-

JIAYING has transitioned from a small startup team to a company rich with challenges and growth. Our primary products now include PVC foam board (free/celuka/co-extrusion process), WPC foam board (celuka/co-extrusion process), laminated board series, acrylic sheet, UV panels, wall panels, etc. We are dedicated to becoming a bridge connecting global markets, bringing high-quality, eco-friendly building material solutions to customers around the world.

ENTERPRISE SCALE

15000+ Square Meters


Our company is located in Hangzhou City, Zhejiang Province. The factory covers an area of 15,000 square meters.





40000+ Ton Annual output

The whole factory was constructed and upgraded. Extrusion production lines increased from 5 to 10, and other equipments increased to nearly 20. Annual production capacity is more than 40,000 tons!



With 20+ advanced automated production equipments, we can provide one-stop customized solutions from materials to finished products according to customer needs.





50+ Experienced Employees

More than 50 experienced employees, to provide excellent customer service.









CERTIFICATE









PVC CELUKA FOAM BOARD





PRODUCT INTRODUCTION

Production Process: Celuka Technology

Thickness: 1-30mm, Customizable As Needed

Density: 0.4-0.9g/cm3, Customizable As Needed

Size: 1220*2440mm, 1560*3050mm, 2050*3050mm

Customizable As Needed

Color: White, Red, Yellow, Blue, Green, Black, etc.

Customizable As Needed

FEATURE AND ADVANTAGE

PVC Celuka Foam board is waterproof, light weight, eco-friendly, easy cutting and resistant to acid, moth, heat, noise, and light. Can be readily nailed, drilled, pasted, sawed, or processed in any other way.

APPLICATION AREA

Widely applied in Furniture Cabinets, Home Decoration, Building Walls, Commercial Spaces and Other Fields.

PVC CO-EXTRUDED BOARD

PRODUCT INTRODUCTION

Production Process: Co-Extrusion Process

Thickness: 3-30mm, Customizable As Needed

Density: 0.5-0.9g/cm3, Customizable As Needed

Size: 1220*2440mm, Customizable As Needed

Color: White, Red, Yellow, Blue, Green, Black, etc.

Customizable As Needed

FEATURE AND ADVANTAGE

PVC co-extruded foam board is using the co-extrusion production process, which forms a sandwish board structure. The core is celluar pvc and the both outer skin is rigid pvc. It a lightweight, expanded rigid PVC foam board. PVC co-extruded foam has smoother and shinier surface.


APPLICATION AREA


Widely applied in Bathroom Cabinet, Kitchen Cabinet, Shelving, Wall Cabinets/Closets, Signs, Displays, Exhibition Stands, etc.





WPC FOAM BOARD





PRODUCT INTRODUCTION

Main Ingredients: PVC+Wood Powder

Thickness: 3-30mm, Customizable As Needed

Size: 1220*2440mm, Customizable As Needed

Color: Wood Color

FEATURE AND ADVANTAGE

WPC foam board is feature of environmental protection, non-toxic, waterproof, flame retardant, processing convenience. In addition, when the board is used outdoors, it is not easy to be weathered and deformed, which can stay longer service life.

COMPARED WITH PVC BOARD

WPC foam board is a building material very similar to PVC Board. It has a stronger nail-holding ability, because WPC foam board adds wood powder in the formula, in order to enhance the toughness of the board, and stronger strength when processed with screws, hinges.

PVC/WPC LAMINATED BOARD

PRODUCT INTRODUCTION

Production Process: PUR Hot Melt Adhesive Laminating Process

Popular Thickness: 12/15/16/18/25mm, Customizable As Needed

Density: 0.5/0.55/0.6/0.65/0.70g/cm3, Customizable As Needed

Size: 1220*2440/2800/2900/3000mm, Customizable As Needed

Main Application: furniture, partition, door, decorations

FEATURE AND ADVANTAGE

PVC/WPC laminated board is a kind of waterproof and environmentally friendly building material, paint-free material, classical design, hard strength in long term use.

AVAILABLE MATERIAL

Baseboard available: PVC foam board, WPC foam board, Carbon crystal board, Bamboo charcoal board.

Film material available: Glossy and matt, PVC and PET film, Wood/Marble/Wall Paper/Metal color selection





PVC/WPC SOLID WALL PANEL





PRODUCT INTRODUCTION

Production Process: PUR Hot Melt Adhesive Laminating Process

Popular Thickness: 5/8mm, Customizable As Needed

Density: 0.65g/cm3, Customizable As Needed

Size: 1220*2440/2800/3000mm, Customizable As Needed

Color: Wood/Marble/Wall Paper/Metal, etc

FEATURE AND ADVANTAGE

The surface of PVC/WPC wall panel is coated with high-end PVC/PET film using the PUR hot melt adhesive process, which not only offers a variety of color and style options, but also provides a realistic texture, scratch resistance, and easy cleaning.

HOW TO INSTALL



Structural Adhesive



Aluminum Profiles



Tongue And Groove

APPLICATION AREAS



Bathroom Cabinet



Kitchen Cabinet



Furniture



Wall Panel



Screen And Partition




Integrated Furniture



Advertising Design



Engraving Processing



Advertising Printing



Toliet Partition



Skirting Line



Vehicle Interior



HANGZHOU JIAYING TRADE CO., LTD



Tel: +86-571-82522130

Mob:+8618557527095

Email:sales@hzpluswin.com Website:www.hzpvcboard.com

Address: DANGSHAN, GUALI TOWN, XIAOSHAN DISTRICT, HANGZHOU

CITY, ZHEJIANG PROV., CHINA