

MA JD2100 3w LED Headlight


Balanced fit
Brighter
shine



Battery type


B

Working hours: 4



E

Working hours: 6



C

Working hours: 10




Brighter

- Up to 30,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Diameter Adjustable

MA JD2100 3w LED Surgical headlight specifications:

Working Voltage	DC 3.7V
Bulb Life	50000hrs
Power	3W
Color Temperature	5000±500K
Charging Interface	USB/Type-C
Adapter Voltage	100-240V AC 50/60HZ
Lamp Head Weight	10g
Light Intensity	30000Lux
Facula Diameter at 42cm	180 mm
Brightness Adjustable	Yes
Spot Size Adjustable	No



MB JD2100 5w LED Headlight


Balanced fit
Brighter
shine



Battery type


B

Working hours: 4




E

Working hours: 6



C

Working hours: 10




Brighter

- Up to 50,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Diameter Adjustable

MB JD2100 5w LED Surgical headlight specifications:

Working Voltage	DC 3.7V
Bulb Life	50000hrs
Power	5W
Color Temperature	5000±500K, 4000±500k (with yellow filter, optional)
Charging Interface	USB/Type-C
Adapter Voltage	100-240V AC 50/60HZ
Lamp Head Weight	10g
Light Intensity	50000Lux
Facula Diameter at 42cm	140 mm
Brightness Adjustable	Yes
Spot Size Adjustable	No



MC JD2100 7w LED Headlight

Balanced fit
Brighter
shine



Battery type

B
Working hours: 4



E
Working hours: 6



C
Working hours: 10



Brighter

- Up to 70,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Diameter Adjustable

MC JD2100 7w LED Surgical headlight specifications:

Working Voltage	DC 3.7V
Bulb Life	50000hrs
Power	7W
Color Temperature	5000±500K, 4000±500k (with yellow filter, optional)
Charging Interface	USB/Type-C
Adapter Voltage	100-240V AC 50/60HZ
Lamp Head Weight	10g
Light Intensity	70000Lux
Facula Diameter at 42cm	90 mm
Brightness Adjustable	Yes
Spot Size Adjustable	No

Cool



Low intensity Medium intensity High intensity

MD JD2100 15w LED Headlight

Balanced fit
Brighter
shine



Battery type

B
Working hours: 4



E
Working hours: 6



C
Working hours: 10



Brighter

- Up to 150,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Diameter Adjustable

MD JD2100 15w LED Surgical headlight specifications:

Working Voltage	DC 3.7V
Bulb Life	50000hrs
Power	15W
Color Temperature	5000±500K
Charging Interface	USB/Type-C
Adapter Voltage	100-240V AC 50/60HZ
Lamp Head Weight	11g
Light Intensity	150000Lux
Facula Diameter at 42cm	95 mm
Brightness Adjustable	Yes
Spot Size Adjustable	No

Cool



Low intensity Medium intensity High intensity

ME JD2100 15w LED Headlight


Balanced fit
Brighter
shine



Battery type


B

Working hours: 4



E

Working hours: 6



C

Working hours: 10




Brighter

- Up to 150,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Diameter Adjustable

ME JD2100 15w LED Surgical headlight specifications:

Working Voltage	DC 3.7V
Bulb Life	50000hrs
Power	15W
Color Temperature	5000±500K
Charging Interface	USB/Type-C
Adapter Voltage	100-240V AC 50/60HZ
Lamp Head Weight	12g
Light Intensity	150000Lux
Facula Diameter at 42cm	95 mm
Brightness Adjustable	Yes
Spot Size Adjustable	Yes



MF JD2100 5w LED Headlight

(Only match AENM series ergo loupes)

SJ-6500



Brighter

- Portable wireless headlight.
- Easy handling, magnetic attraction type.
- Up to 50,000Lux.
- High brightness 5W Power.
- Available in (5,500K-6500K) color temperature.
- Adjustable brightness intensity

MF JD2100 5w LED Surgical headlight specifications:

Battery weight	23.7g
Lamphead weight	13.2g
Brightness adjust	3 steps
Intensity	50000lux Max.
Power	5W
Color Temperature	5500-6500K
Battery work time	2.5hrs (at Max. intenisty)
Battery quantity	2pcs
Battery charge time	3.5hrs
On/off mode	Touch

