

Surgical outcomes just got brighter

WE MAKE A DIFFERENCE !

MICARE MEDICAL TECHNICAL IN LED MEDICAL HEADLIGHT



A shining example of our commitment to surgeons



Warm white light: comparable with conventional lamps as bulbs or gas discharged lamps to ensure usual optimum illumination during examination. Spectral composition of the light similar to bulbs, gas discharged lamps.



Cold white light And Warm Yellow light for more detailed and improved contrast images, particularly in the red spectrum. Spectral composition of the light allows a more detailed view of the vessels and areas with strong blood circulation due to enhanced absorption.



Illumination: LED-Ring. This technology makes the use of fibre optics unnecessary with nevertheless optimum illumination in the area of application. Field of vision is not restricted. All advantages of a single LED are fulfilled.



The surface of the instrument is coated with a special coating powder. The regular cleaning effort is reduced significantly and the high-quality appearance is retained for the long term



Light spot can be adjusted from a diameter of 2 cm up to 12 cm at an operating distance of 30 cm.



Illumination: LED bulb. Reduced energy consumption as well as a higher shock resistance ensure a significantly longer service life of approx. 50,000 - 100,000 hours. LEDs can be sterilized and are environmentally friendly.



HIGH INTENSTY

MICARE MEDICAL



MA JD2000 198,000Lux LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 198,000Lux
- Available in cool (6,500K) color temperature
- Brightness intensity settings to choose
- Spot Size Diameter Adjustable

Longer lasting

- 5- to 10-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



Low intensity Medium intensity High intensity

Specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up to 198,000LUX
Color temperature	5,500-6,500K
Illumination Spot size (D = Φ420MM)	Adjustable From 12MM - 80MM
Headlight weight	185g
Headlight materials	ABS plastic + leather
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium battery
Battery Life	5-12HRS
Battery charge time	4 hours
Standard Packing	1pc Battery + 1pc Charger + 1pc Aluminum box





Micare Medical LED Medical Headlights

- 1) MA JD2900 15W 150,000LUX
- 2) JD2300 7W 65,000LUX
- 3) JD2700 7W 85,000LUX
- 4) MB JD2900 7W 90,000LUX



MA JD2900 15W LED Headlight

**Balanced fit
Brighter
shine**



Brighter

- Up to 150,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Spot Size Diameter Adjustable

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



MA JD2900 15w LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 150,000LUX
Color temperature	4,500-5,500K
Illumination Spot size (D = Φ200MM)	Adjustable From 10MM - 45MM
Illumination Spot size (D = Φ300MM)	Adjustable From 10MM - 75MM
Illumination Spot size (D = Φ500MM)	Adjustable From 20MM - 130MM
Headlight housing	Aluminum
Headlight weight	164g
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion 18650 (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc Charger + 1pc Carton
Color Rendering Index	> 93

JD2700 7w LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 85,000Lux
- Available in cool (5,700K) color temperature
- Brightness intensity settings to choose
- Spot Size Diameter Adjustable



Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



Low intensity Medium intensity High intensity

JD2700 7w LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 85,000LUX
Color temperature	4,800 - 5,700K
Illumination Spot size (D = Φ 200MM)	Adjustable From 10MM - 45MM
Illumination Spot size (D = Φ 300MM)	Adjustable From 10MM - 75MM
Illumination Spot size (D = Φ 500MM)	Adjustable From 20MM - 130MM
Headlight housing	Aluminum
Headlight weight	193g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	2pcs Battery + 1pc USB Charger + 1pc Aluminum Box
Color Rendering Index	> 93
Magnification Glasses Optional	2.5X, 3.0X, 3.5X

JD2300 7w LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 65,000Lux
- Available in cool (4,800K) color temperature
- Brightness intensity settings to choose



JD2300 7w LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 65,000LUX
Color temperature	4,300 - 4,800K
Illumination Spot size (D = Φ 200MM)	Adjustable From 10MM - 45MM
Illumination Spot size (D = Φ 300MM)	Adjustable From 10MM - 75MM
Illumination Spot size (D = Φ 500MM)	Adjustable From 20MM - 130MM
Headlight housing	Aluminum
Headlight weight	193g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	2pcs Battery + 1pc USB Charger + 1pc Aluminum Box
Color Rendering Index	> 93
Magnification Glasses Optional	2.5X, 3.0X, 3.5X

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Warm White



Low intensity Medium intensity High intensity

MB JD2900 7W LED Headlight

Balanced fit Brighter shine




Brighter

- Up to 90,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



MB JD2900 7w LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 90,000LUX
Color temperature	4,500 - 5,500K
Illumination Spot size (D = Φ200MM)	Adjustable From 60MM
Illumination Spot size (D = Φ300MM)	Adjustable From 100MM
Illumination Spot size (D = Φ500MM)	Adjustable From 150MM
Headlight housing	Aluminum
Headlight weight	156g
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93



Micare Medical LED Medical Headlights

- 1) ME JD2900 10W 100,000LUX
- 2) MD JD2900 7w 85,000LUX
- 3) MF JD2900 3W 45,000LUX

ME JD2900 10W LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 100,000Lux
- Available in cool (5,300K) color temperature
- Brightness intensity settings to choose

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)



ME JD2900 LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 100,000LUX
Color temperature	4,300 - 5,300K
Illumination Spot size (D = Φ200MM)	Adjustable From 115MM
Illumination Spot size (D = Φ300MM)	Adjustable From 160MM
Illumination Spot size (D = Φ500MM)	Adjustable From 270MM
Headlight housing	Aluminum
Headlight weight	175g
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93

MD JD2900 7w LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 85,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Spot size diameter adjustable

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)



Low intensity Medium intensity High intensity

MD JD2900 7W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 85,000LUX
Color temperature	4,500 - 5,500K
Illumination Spot size (D = Φ200MM)	Adjustable From 10MM - 45MM
Illumination Spot size (D = Φ300MM)	Adjustable From 10MM - 75MM
Illumination Spot size (D = Φ500MM)	Adjustable From 20MM - 130MM
Headlight housing	Aluminum
Headlight weight	213g (With 1pc battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93

MF JD2900 3W LED Headlight

**Balanced fit
Brighter
shine**



Brighter

- Up to 45,000Lux
- Available in Warm (4,800K) color temperature
- Brightness intensity settings to choose

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Warm



Low intensity Medium intensity High intensity

MF JD2900 3W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 45,000LUX
Color temperature	4,300 - 4,800K
Illumination spot size (D = Φ200MM)	Adjustable From 55MM
Illumination Spot size (D = Φ300MM)	Adjustable From 77MM
Illumination Spot size (D = Φ500MM)	Adjustable From 110MM
Headlight housing	Aluminum
Headlight weight	165g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93



Micare Medical LED Medical Headlights

- 1) **JD2400 5W 45,000LUX**
- 2) **JD2500 10W 85,000LUX**
- 3) **JD2600 5W 45,000LUX**

JD2400 5W LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 45,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Spot size diameter adjustable




JD2400 5W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 45,000LUX
Color temperature	4,500 - 5,500K
Illumination spot size (D = Φ200MM)	Adjustable From 10-78MM
Illumination Spot size (D = Φ300MM)	Adjustable From 18-102MM
Illumination Spot size (D = Φ500MM)	Adjustable From 35-180MM
Headlight housing	Aluminum
Headlight weight	403g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Aluminum Box
Color Rendering Index	> 93
Magnification Glasses Optional	2.5X, 3.0X, 3.5X, 4.0X, 5.0X, 6.0X

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



JD2500 10W LED Headlight

Balanced fit
Brighter
shine



Brighter

- Up to 85,000Lux
- Available in cool (5,500K) color temperature
- Brightness intensity settings to choose
- Spot size diameter adjustable



JD2500 10W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 85,000LUX
Color temperature	4,500 - 5,500K
Illumination spot size (D = Φ200MM)	Adjustable From 12-70MM
Illumination Spot size (D = Φ300MM)	Adjustable From 18-102MM
Illumination Spot size (D = Φ500MM)	Adjustable From 35-180MM
Headlight housing	Aluminum
Headlight weight	403g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	1pc Battery + 1pc USB Charger + 1pc Aluminum Box
Color Rendering Index	> 93
Magnification Glasses Optional	2.5X, 3.0X, 3.5X, 4.0X, 5.0X, 6.0X

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



JD2600 5W LED Headlight

**Balanced fit
Brighter
shine**

Brighter

- Up to 45,000Lux
- Available in cool (4,800K) color temperature
- Brightness intensity settings to choose
- Spot size diameter adjustable




JD2600 5W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 50,000LUX
Color temperature	4,300 - 4,800K
Illumination spot size (D = Φ200MM)	Adjustable From 10-78MM
Illumination Spot size (D = Φ300MM)	Adjustable From 18-102MM
Illumination Spot size (D = Φ500MM)	Adjustable From 35-180MM
Headlight housing	Aluminum
Headlight weight	403g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	2pcs Battery + 1pc USB Charger + 1pc Aluminum Box
Color Rendering Index	> 93
Magnification Glasses Optional	2.5X, 3.0X, 3.5X, 4.0X, 5.0X , 6.0X

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Warm



Micare Medical LED Medical Headlights

- 1) JD2800 10W 100,000LUX
- 2) JD2800 7W 70,000LUX

JD2800 10W LED Headlight

Balanced fit
Brighter
shine




Brighter

- Up to 100,000Lux
- Available in cool (5,300K) color temperature
- Brightness intensity settings to choose

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



JD2800 10W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 100,000LUX
Color temperature	4,300 - 5,300K
Illumination spot size (D = Φ200MM)	Adjustable From 12-70MM
Illumination Spot size (D = Φ300MM)	Adjustable From 18-102MM
Illumination Spot size (D = Φ500MM)	Adjustable From 35-180MM
Headlight housing	Aluminum
Headlight weight	403g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	2pcs Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93
Magnification Glasses Optional	1.5X, 2.5X, 4.0X

JD2800 7W LED Headlight

Balanced fit
Brighter
shine




Brighter

- Up to 70,000Lux
- Available in cool (5,300K) color temperature
- Brightness intensity settings to choose

Longer lasting

- 5- to 12-hour run time
- 4-hour charge time (0% life)
- 2-hour charge time (50% life)

Cool



JD2800 7W LED Surgical headlight specifications:

Light source	LED refractive technology
Light Intensity (MAX)	Up To 70,000LUX
Color temperature	4,300 - 5,300K
Illumination spot size (D = Φ200MM)	Adjustable From 12-70MM
Illumination Spot size (D = Φ300MM)	Adjustable From 18-102MM
Illumination Spot size (D = Φ500MM)	Adjustable From 35-180MM
Headlight housing	Aluminum
Headlight weight	403g (With 1pc Battery)
Headband material	ABS ratchet adjustability; antimicrobial protection on pads
LED Bulb Life Time	50,000hrs +
Battery type	Rechargeable lithium-ion (charger included)
Battery Life	5-12HRS
Battery charge time	0% life: 4 hours 50% life: 2 hours
Standard Packing	2pcs Battery + 1pc USB Charger + 1pc Carton Box
Color Rendering Index	> 93
Magnification Glasses Optional	1.5X, 2.5X, 4.0X