

SAFETY DATA SHEET

Product name	:	Heatless Ink IQ314S White	Date Prepared	:	Mar.02.2016
SDS Number	:	16A008-2	Revision Date	:	Jan.29.2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	:	Heatless Ink IQ314S White
Recommended use	:	Ink for ink jet printer
Company	:	GENERAL CO., LTD. 18, Satsukigaoka, Minakuchi-cho, Koka-shi, Siga 528-0062, Japan
Telephone number	:	+81-748-65-2260
Fax number	:	+81-748-63-1922
Emergency telephone number	:	+81-748-65-2260

2. HAZARDS IDENTIFICATION

GHS Classification of the substance or mixture

Flammable liquid	:	Category 2
Serious eye damage/eye irritation	:	Category 1
Specific target organ toxicity - Single exposure	:	Category 3 (Narcotic effect)

Label Elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: Highly flammable liquid and vapor.
Causes serious eye damage.
May cause drowsiness or dizziness.

Precautionary statements

Prevention

: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.

Response

: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.
In case of fire: Use an appropriate extinguishing agent for extinction.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

: Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Store locked up.

Disposal

: Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

: None known

SAFETY DATA SHEET

Product name : Heatless Ink IQ314S White
SDS Number : 16A008-2

Date Prepared : Mar.02.2016
Revision Date : Jan.29.2019

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture

Ingredients

Components	CAS No.	Concentration (wt%)
Ethanol	64-17-5	< 50
1-Propanol	71-23-8	< 40
Titanium dioxide	13463-67-7	< 15
Acetone	67-64-1	< 2.5
1-Butanol	71-36-3	< 1.5
2-Propanol	67-63-0	< 1

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Get medical advice/attention if you feel unwell.

Skin contact : Wash thoroughly with soap and plenty of water while removing all contaminated clothes.
If skin irritation or rash occurs: Get medical advice/attention.

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to remove. Continue to rinse for at least 15 minutes.
Get medical attention immediately.

Ingestion : Wash mouth with water and seek medical advice immediately.
Do not induce vomiting.

Most important symptoms and effects, both acute and delayed : No further relevant information available.

Recommendations for immediate medical care and special treatment needed

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO₂), Dry chemical, Alcohol-resistant foam, Water spray.
Unsuitable extinguishing media : Do not use water jet.

Specific hazards arising from the substance or mixture

: Carbon oxides, nitrogen oxides will form in fire.

Special protective equipment for firefighters

: Wear suitable protective suit and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Wear appropriate personal protective equipment as specified in section 8.
Keep unnecessary peoples away. Isolate area. Ensure adequate ventilation.

Environmental precautions : Do not release into soil, sewers, river, or the public water courses.

Methods and materials for containment and cleaning up

SAFETY DATA SHEET

Product name : Heatless Ink IQ314S White
SDS Number : 16A008-2

Date Prepared : Mar.02.2016
Revision Date : Jan.29.2019

: In the case of a cartridge: Not applicable.

At the time of the leakage of contents: Absorb or cover with dry earth, sand or other non-combustible material and transfer to sealable containers. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. HANDLING AND STORAGE

Handling

Handling : Put on appropriate personal protective equipment (see Section 8).
Prohibition of dropping and throwing.
Avoid contact with skin, eyes and clothing.
Do not breathe vapors. Use only in a well-ventilated area.
Use a ventilation, local exhaust if vapor or aerosol will be generated.
Keep away from fire, sparks and heated surfaces.
Take precautionary measures against electrostatic discharges.

Hygiene measures : When using do not eat or drink. Wash hands thoroughly after handling.

Storage

: Do not store ink in high or freezing temperature.
Keep away from heat and direct sunlight.
Do not store ink with acids, oxidizing agents or explosives.
Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Exposure Limits

Components	CAS No.	OSHA PEL	ACGIH TLV
Ethanol	64-17-5	1000 ppm, 1900 mg/m ³	STEL: 1000 ppm
1-Propanol	71-23-8	200 ppm, 500 mg/m ³	TWA: 100 ppm
Acetone	67-64-1	1000 ppm, 2400 mg/m ³	TWA: 250 ppm STEL: 500 ppm
1-Butanol	71-36-3	100 ppm, 300 mg/m ³	TWA: 20 ppm
2-Propanol	67-63-0	400 ppm, 980 mg/m ³	TWA: 200 ppm STEL: 400 ppm
Titanium dioxide	13463-67-7	15 mg/m ³	TWA: 10 mg/m ³

Engineering controls

Engineering measures : Adequate ventilation should be provided so that exposure limits are not exceeded.

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection : Impermeable gloves.

Eye protection : Safety glasses with side-shields. Goggles.

Skin and body protection : Protective suit, Safety shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid
Color : White
Odor : Alcohol odor
pH : No data available
Melting point : No data available
Boiling point : No data available

SAFETY DATA SHEET

Product name	: Heatless Ink IQ314S White	Date Prepared	: Mar.02.2016
SDS Number	: 16A008-2	Revision Date	: Jan.29.2019
Flash point	: 14 degrees C (Closed cup)		
Evaporation rate	: No data available		
Flammability (solid, gas)	: No data available		
Upper explosion limit	: No data available		
Lower explosion limit	: No data available		
Vapor pressure	: No data available		
Vapor density	: No data available		
Relative density	: 0.91 (at 25 degrees C)		
Water solubility	: Insolubility		
Partition coefficient: n-octanol/water	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: 2.35 - 2.85 mPa·s (at 25 degrees C)		

10. STABILITY AND REACTIVITY

Reactivity	: No hazardous reactions with proper storage and handling.
Chemical stability	: The product is stable under normal conditions.
Possibility of hazardous reactions	: No hazardous reactions with proper storage and handling.
Conditions to avoid	: High temperature, heat, sparks, flames and other sources of ignition. Oxidizing condition.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: Carbon oxides, nitrogen oxides will form in fire.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	(rat) 6200 mg/kg	(rabbit) LDLo 20000 mg/kg	(rat) 63000 ppm/4 h
1-Propanol	(rat) 5400 mg/kg	(rabbit) 4060 mg/kg	No data available
Acetone	(rat) 5800 mg/kg	(rabbit) >7400 mg/kg	(rat) 32000 ppm/4 h
1-Butanol	(rat) 2510 mg/kg	(rabbit) 3402 mg/kg	(rat) 8000 ppm/4 h
Titanium Dioxide	(rat) >12000 mg/kg	(rabbit) >10000 mg/kg	(rat) >5.09 mg/L/4 h

Skin corrosion/irritation	: 1-Propanol (rabbit) 72h; Slight 1-Butanol (rabbit) 405 mg/24h; Moderate
Serious eye damage/eye irritation	: Causes serious eye damage. 1-Propanol (rabbit) 72h; Severe 1-Butanol (rabbit) 1.62 mg; Severe
Respiratory or skin sensitization	: No data available
Germ cell mutagenicity	: No data available
Carcinogenicity	: NTP : Not listed. IARC : Ethanol: Group 1, Titanium dioxide: Group 2B EPA : 1-Butanol: D
	In carcinogenicity studies, lung cancer has occurred at rats administered under the conditions of particle overload. If rat were exposed under excess load for poorly soluble particles of low toxicity to other Indicate the sensitivity of their own on the formation of lung tumors. Observed a mouse or other animal experiments under the same conditions. Symptoms of lung tumors was observed in rats. Several epidemiology studies in Europe and the USA suggested that TiO ₂ dust did not show the relation to a carcinogenic effect to lung.

SAFETY DATA SHEET

Product name : Heatless Ink IQ314S White
SDS Number : 16A008-2

Date Prepared : Mar.02.2016
Revision Date : Jan.29.2019

Reproductive toxicity : No data available
Specific target organ systemic toxicity - : May cause drowsiness or dizziness.
Single exposure
Specific target organ systemic toxicity - : No data available
Repeated exposure
Aspiration hazard : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components	Species	Value
Ethanol	Fish (Pimephales promelas)	LC50 (96h) >100 mg/L
	Crustacea (Ceriodaphnia)	LC50 (48h) 5012 mg/L
1-Propanol	Fish (Pimephales promelas)	LC50 (96h) >804 mg/L

Persistence and degradability : No data available
Bioaccumulation : No data available
Mobility in soil : No data available

13. DISPOSAL CONSIDERATIONS

Appropriate disposal methods : Dispose of waste material in accordance with local, state and federal pollution regulations.
Contaminated packaging : When disposing of an empty container, dispose after removing contents materials completely. Dispose of this material and its container according to your country law.

14. TRANSPORT INFORMATION

International Regulations

UN number : 1210
UN proper shipping name : Printing Ink
Class : Class 3
Packing group : II

Sea transport

IMDG-Code
UN number : 1210
UN proper shipping name : Printing Ink
Class : Class 3
Packing group : II
Marine pollutant : No

Air transport

ICAO-TI/IATA-DGR
UN number : 1210
UN proper shipping name : Printing Ink
Class : Class 3
Packing group : II

SAFETY DATA SHEET

Product name	:	Heatless Ink IQ314S White	Date Prepared	:	Mar.02.2016
SDS Number	:	16A008-2	Revision Date	:	Jan.29.2019

Land transport

DOT		
UN number	:	1210
UN proper shipping name	:	Printing Ink
Class	:	Class 3
Packing group	:	II

15. REGULATORY INFORMATION

Follow all regulations in your country.

16. OTHER INFORMATION

Literature Reference	:	SDS of raw material manufacturer
		NITE: Chemical Risk Information Platform
		3E: Ariel Research Tool

Revision date	:	Jan.29.2019
---------------	---	-------------

Further information

The information contained herein is based on the current knowledge. This Safety Data Sheet is intended to describe our products in correctness of safety requirements. It should not therefore be construed as guaranteeing specific properties. The data applies to only usual handing.