



340W Mono Solar Panel IP65 Monocrystalline Silicon Cells

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-340M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.



Product Specification

• Product Name: 340w Mono Solar Panels

• Solar Cell: Monocrystalline Silicon Solar Cell

Application: Homes Camping
Contract Dimension: 1950*992*40
Back Sheet: White
Protection Class: IP 65

• Front Material: 3.2mm High Transmission Tempered Glass

 Output Cables: 4 Mm² Length: 900 Mm
 Highlight: 340w Mono Solar Panel, 1000V Mono Solar Panel, IP65 monocrystalline silicon cells

340W Mono Solar Panel IP65 Monocrystalline Silicon Cells

The 340W mono solar panel features high-efficiency monocrystalline silicon cells and an IP65 rating for dust and water resistance. Producing 340 watts of power, it is ideal for residential and commercial applications. Its robust design ensures durability and reliable performance, even in harsh weather conditions. This panel is perfect for optimizing energy production in limited spaces.

Product Features:

1) High photoelectric conversion efficiency:

The photoelectric conversion efficiency of monocrystalline silicon solar cells is about 15%, with the highest reaching 24%, which is currently the highest photoelectric conversion efficiency among all types of solar cells.

2)Low production cost:

The production cost of monocrystalline silicon solar cells is relatively low, and the technology is already very mature, so it has been widely used.

3)Long service life:

The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

4)Good low light performance:

Monocrystalline silicon solar cells can also perform well under low light conditions, making them suitable for use in solar lamps, solar lawn lamps, etc.

Product Details:

Connector Type Output Cables	4 mm²,Length:900mm
Frame Type	Anodized Aluminum Alloy MC4
Front Glass	3.2mm High Transmission Tempered Glass
Cell number	72(6x12)
Module Efficiency STC	17.25%
Temperature Range	-40 ~85
Maximum System Voltage	1000V
Protection Class	IP65
Weight(KGS)	23kg
Contract Dimensions(mm)	1950*992*40mm
Cell Type	Mono-crystalline
Power Tolerance(Positive)	3%
Short Circuit Current(Isc)	9.85A
Open Circuit Voltage(Voc)	46.35V
Maximum Power Current(Imp)	9.65A
Maximum Power Voltage(Vmp)	37.5V
Maximum Power(Pmax)	340W
Model	LS-340M



FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.

Q6:Can we make customized solar panels?

A:Yes,of course.We can design and produce according to your needs.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



e monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China