




260w Mono Solar Panel 1640 X 992 X 35MM 3.2mm Monocrystalline Pv Panel

Our Product Introduction

for more products please visit us on monosolarpanel.com

Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-260M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week



Product Specification

- Product Name: 260w Mono Solar Panels
- Solar Cell: Monocrystalline Silicon Solar Cell
- Application: Homes Camping
- Contract Dimension: 1640*992*35
- Back Sheet: White
- Protection Class: IP 65
- Front Material: 3.2mm High Transmission Tempered Glass
- Output Cables: 4 Mm² Length: 900 Mm
- Highlight: **260w Mono Solar Panel,
Mono Solar Panel 1640 x 992 x 35MM,
3.2mm monocrystalline pv panels**

260w Mono Solar Panel 1640 X 992 X 35MM 3.2mm Monocrystalline Pv Panels

This 260W monocrystalline solar panel, measuring 1640 x 992 x 35mm with a 3.2mm thickness, is perfect for residential and commercial use. Engineered for high efficiency, it provides reliable energy output with a compact design. The robust construction ensures durability and long-term performance, making it an excellent choice for sustainable energy solutions. Ideal for those looking to reduce energy costs and environmental impact, this panel offers a cost-effective and eco-friendly way to harness solar power.

Product Features:

1) High photoelectric conversion efficiency:

The photoelectric conversion efficiency of monocrystalline silicon solar cells is about 15%, with the highest reaching 24%, which is currently the highest photoelectric conversion efficiency among all types of solar cells.

2) Low production cost:

The production cost of monocrystalline silicon solar cells is relatively low, and the technology is already very mature, so it has been widely used.

3) Long service life:


The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

4) Good low light performance:

Monocrystalline silicon solar cells can also perform well under low light conditions, making them suitable for use in solar lamps, solar lawn lamps, etc.

Product Details:

Model	LS-260M
Maximum Power(Pmax)	260W
Maximum Power Voltage(Vmp)	29.6V
Maximum Power Current(Imp)	8.72A
Open Circuit Voltage(Voc)	35.6V
Short Circuit Current(Isc)	9.59A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline
Contract Dimensions(mm)	1640*992*35mm
Weight(KGS)	21kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-40 ~85
Module Efficiency STC	16.28%
Cell number	60(6x10)
Front Glass	3.2mm High Transmission Tempered Glass
Frame Type	Anodized Aluminum Alloy
Connector Type	MC4
Output Cables	4 mm²,Length:900mm

**FAQ:**

Q1: What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2: Do you accept OEM/ODM orders?

A: We accept OEM/ODM orders. Welcome your inquiry.

Q3: Can I have samples to test? and what's the lead time for the sample order?

A: Yes, of course. The lead time for samples is 7-10 days.

Q4: Are you manufacturer or a trading company?

A: We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5: Where are your goods exported?

A: We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor, No.1 Building, Wanyang Entrepreneurial City, Yuyao, Zhejiang Province, China