



300W Solar Blanket Solar Folding Bag Black Portable Waterproof Solar Backpack

Basic Information


Place of Origin: China
Brand Name: Linksun
Certification: CE

Model Number: LS-B300M
 Minimum Order Quantity: 100PCS
 Packaging Details: 1pcs/carton
 Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



Product Specification

• Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

• Color: Black

Material: Monocrystalline Cell

• Name: 300w Solar Folding Bag Without Bracket

Waterproof: YesWeight: 10.2kg

Product Dimension(Folded):575*610*40mm
Product Dimension(Open): 1040*1150*5mm

• Highlight: 300w Solar Folding Bag,

Solar Folding Bag without bracket, 300 watt waterproof solar backpack



300W Solar Blanket Solar Folding Bag Black Portable Waterproof Solar Backpack

The 300W Black Portable Solar Foldable Bag is perfect for outdoor activities like camping and hiking. With high-efficiency monocrystalline solar cells, it ensures maximum power output. Its lightweight, foldable design makes it easy to carry and store. Ideal for charging 12V batteries, phones, and portable power stations, it provides reliable, eco-friendly power on the go. Durable and weather-resistant, this solar bag is a must-have companion for all your outdoor adventures.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance


Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-B300M
Maximum Power(Pmax)	300W (6*50W)
Maximum Power Voltage(Vmp)	20.52V
Maximum Power Current(Imp)	14.62A
Open Circuit Voltage(Voc)	24.01V
Short Circuit Current(Isc)	15.63A
Power Tolerance(Positive)	3%
Cell Type	Monocrystalline
Contract Dimensions(mm)	Product Dimension(Folded) :575*610*40mm
	Product Dimension(Open):1040*1150*5mm
Weight(KGS)	10.2kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?
A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



e monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China