



Monocrystalline 30w Solar Panel Bi Solar Panels For 12v Battery Charging Off Grid

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-30M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



Product Specification

Application: RV, Boat And Yacht, Van And Car, Outdoor

Camping

• Lifespan: 25 Years

Material: Monocrystalline Silicon Cells

Portability: PortablePower Source: Solar

Size: 520*360*25mm
Temperature Range: -40 ~+85
Warranty: 25 Years

• Waterproof: Yes

• Highlight: Monocrystalline 30w solar panel,

600V 30w solar panel, Portable bi solar panels ODM

Linksun 30w Monocrystalline Solar Panel for 12v Battery Charging off-grid with High Efficiency

The 30W Monocrystalline Solar Panel is designed for 12V battery charging in off-grid settings. Featuring high-efficiency solar cells, it maximizes power output even in low-light conditions. Compact and lightweight, it's easy to transport and install, making it perfect for camping, RVs, and remote locations. Durable and weather-resistant, this panel ensures reliable, long-term performance, providing a sustainable and efficient energy solution for your off-grid power needs.

Product Features:

1)Portability

Small dimensions make it easy to carry. Its small dimensions can occupy less of your activity area. When you are camping, picnicking, or fishing outdoors, this portable solar panel can help maintain your power needs. By the way, its lightweight feature can help you carry it better.

2)Long service life

The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

3)Easy installation

Pre-drilled holes on the back of the panel for fast mounting and securing.

4)Angle adjustable

This product can be equipped with a adjustable mounting bracket, which can rotate 360 degree angle. You can change the angle of solar panels and sunlight to maximize the efficiency.

Product Details:

Model	LS-30M
Maximum Power(Pmax)	30W
Maximum Power Voltage(Vmp)	17.5V
Maximum Power Current(Imp)	1.72A
Open Circuit Voltage(Voc)	21.42V
Short Circuit Current(Isc)	1.84A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline silicon
Contract Dimensions(mm)	520*360*25mm
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	600V
Temperature Range	-40 ~85
Standard Test Conditions	1000W/m2, AM1.5, 25°C



FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.

A:We always prepare a sample production before bulk production and have a final strict inspection before shipment.

LIINKSUN

Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



e monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China