

10W mono solar panel small panel for RV

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10

China

Linksun

LS-10M

CE BSCI

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 100PCS 1pcs/carton 5-8days 30% TT in advance, 70% balance before delivery. 1000pieces per week



Product Specification

Cell Type:Certifications:

10W Mono Solar Panel Small Panel For RV CE, BSCI 340*240*17mm 22%

4 Mm²,Length:1300mm

IP68

- Efficiency:
- Output Cables:

• Product Dimension(mm):

- Protection Class:
- Type Of Connector: MC4
- Warranty: 25 Years

for more products please visit us on monosolarpanel.com

Our Product Introduction

China factory manufacter 10W mono solar panel

This 10W mono solar panel is manufactured by a trusted China factory, specializing in high-efficiency photovoltaic products. Made with premium monocrystalline silicon cells, it delivers stable performance and excellent power output even in low-light conditions. The compact and lightweight design makes it ideal for small off-grid applications such as charging batteries, outdoor lighting, security systems, and DIY solar projects. Built with durable materials and a weather-resistant frame, it ensures long-lasting use in various environments. OEM and ODM services are available, making it a great choice for global distributors and project developers seeking reliable solar solutions.

Product Features:

1)High Efficiency

High modules conversion efficiency. Grade A solar cell and IP68 Rated waterproof solar panel connectors. This solar panel has 5 year 95% output warranty, 10 year 90% output warranty, 25 year 80% output warranty.

2)Reliable and Durable

Corrosion-resistant aluminum frame provides extended outdoor use that ensures the panel can last for decades. The IP68 rated junction box and solar connectors can withstand dirt, dust, debris, and water splashes.

3)High Tolerance

It can tolerate any part of the battery's shading, and performs well in low light conditions due to an increase in the number of batteries receiving more sunlight.

Product Details:

Model	LS-10M
Maximum Power(Pmax)	10W
Maximum Power Voltage(Vmp)	18V
Maximum Power Current(Imp)	0.56A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	0.6A
Cell Type	N type Mono-crystalline
Product Dimension(mm)	340*240*17mm
Weight(KGS)	0.75kg
Protection Class	IP68
Temperature Range	-40 ~85
Cell number	36
	(F)2.0mm ultra clear embossed double layer
Front Glass	colorless glass
	(B)2.0mm semi-tempered glass
Connector Type	MC4
Output Cables	4 mm ² ,Length:1300mm



FAQ: Q1:What's the solar	panels warranty?
	f you have any questions about our quality during use, you can contact us at any time.
Q2:Do you accept O	EM/ODM orders?
A:We accept OEM/C	DM orders.Welcome your inquiry.
Q3:Can I have samp	es to test?and what's the lead time for the sample order?
A:Yes,of course.The	lead time for samples is 7-10 days.
O4 Are you manufac	urer or a trading company?
	er and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.
Q5:Where are your o	and avanted?
A:We can export to a	
	LINKS

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China