



250w Monocrystalline Solar Panels 29.5V Solar Panels For Home Use


Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-250M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



Product Specification

• Product Name: 250w Mono Solar Panels

• Solar Cell: Monocrystalline Silicon Solar Cell

Application: Homes Camping
Contract Dimension: 1640*992*35
Back Sheet: White
Protection Class: IP 65

• Front Material: 3.2mm High Transmission Tempered Glass

• Output Cables: 4 Mm² Length: 900 Mm

Highlight: 250w monocrystalline solar panels,
 CE monocrystalline solar panels,

29.5V solar panels for home use

250w Monocrystalline Solar Panels 29.5V Solar Panels For Home Use

These 250W monocrystalline solar panels, operating at 29.5V, are perfect for home use. Designed for high efficiency and durability, they provide reliable energy output for residential applications. Their advanced technology ensures optimal performance, reducing energy costs and environmental impact. Ideal for homeowners seeking a sustainable and cost-effective energy solution, these panels offer a robust and eco-friendly way to harness solar power for everyday needs.

Product Features:

1) High photoelectric conversion efficiency:

The photoelectric conversion efficiency of monocrystalline silicon solar cells is about 15%, with the highest reaching 24%, which is currently the highest photoelectric conversion efficiency among all types of solar cells.

2)Low production cost:

The production cost of monocrystalline silicon solar cells is relatively low, and the technology is already very mature, so it has been widely used.

3)Long service life


The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

4)Good low light performance:

Monocrystalline silicon solar cells can also perform well under low light conditions, making them suitable for use in solar lamps, solar lawn lamps, etc.

Product Details:

Model	LS-250M
Maximum Power(Pmax)	250W
Maximum Power Voltage(Vmp)	29.5V
Maximum Power Current(Imp)	8.47A
Open Circuit Voltage(Voc)	35.2V
Short Circuit Current(Isc)	9.36A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline
Contract Dimensions(mm)	1640*992*35mm
Weight(KGS)	21kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-40 ~85
Module Efficiency STC	15.62%
Cell number	60(6x10)
Front Glass	3.2mm High Transmission Tempered Glass
Frame Type	Anodized Aluminum Alloy
Connector Type	MC4
Output Cables	4 mm ² ,Length:900mm



FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China