



# 200W IP65 Solar Folding Bag Solar Power For Camping

### **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-B200M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



# **Product Specification**

Product Name: Solar Folding Bag

• Color: Black

Solar Cell: Monocrystalline Cell

Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 YearsProtection Class: IP65

Product Dimension(Folded):420\*465\*60mm
Product Dimension(Open): 1900\*840\*5mm

• Highlight: 200w Solar Folding Bag, IP65 Solar Folding Bag

, 200watt solar powered back pack



# 200W IP65 Solar Folding Bag Solar Power For Camping

The 200W Black Portable Solar Foldable Bag is perfect for outdoor activities such as camping and hiking. Featuring high-efficiency monocrystalline solar cells, it ensures maximum power output. Its lightweight, foldable design makes it easy to carry and store. Ideal for charging 12V batteries, phones, and portable power stations, it offers reliable, eco-friendly power on the go. Durable and weather-resistant, this solar bag is an essential companion for all your outdoor adventures.

#### **Product Features:**

#### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

#### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.

#### **Product Details:**

| Model                      | LS-B200M   |
|----------------------------|--|
| Maximum Power(Pmax)        | 200W (8x25W)   |
| Maximum Power Voltage(Vmp) | 20.52V   |
| Maximum Power Current(Imp) | 9.75A  |
| Open Circuit Voltage(Voc)  | 24.01V   |
| Short Circuit Current(Isc) | 10.42A   |
| Power Tolerance(Positive)  | ± 3%   |
| Cell Type                  | Monocrystalline cell   |
| Contract Dimensions(mm)    | Product Dimension(Folded):420*465*60mm<br>Product Dimension(Open):1900*840*5mm |
| Weight(KGS)                | 7.5kg  |
| Protection Class           | IP65   |
| Maximum System Voltage     | 60V  |
| Temperature Range          | -20°C - 85°C   |
| Standard Test Conditions   | 1000W/m2, AM1.5, 25°C  |





#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



## Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



@ monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China