

100W foldable solar blanket for camping

Our Product Introduction

for more products please visit us on monosolarpanel.com

Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-NB150M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week



Product Specification

- Product Name: Solar Folding Bag
- Color: Blue
- Solar Cell: Monocrystalline Cell
- Application: Fishing, Camping, Picnics
- Warranty: 5 Years
- Protection Class: IP65
- Product Dimension(Folded): 540*570*25mm
- Product Dimension(Open): 1660*540*5mm
- Highlight: 100W Foldable Solar Blanket,
Camping Foldable Solar Blanket,
100W foldable solar blanket



More Images



100W Foldable solar blanket for camping

This 100W foldable solar blanket is designed for camping, featuring high-efficiency monocrystalline solar cells for reliable power. Its lightweight, compact design makes it easy to carry and store, perfect for outdoor adventures, RV trips, and emergency backup. Equipped with USB and DC output ports, it can charge phones, tablets, laptops, and other devices. Made of durable, waterproof materials, it ensures stable performance in various weather conditions, making it an ideal choice for outdoor enthusiasts.

Product Features:

1) Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB100M
Maximum Power(Pmax)	100W
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	4.96A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	5.31A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1260*540*5
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C



**FAQ:**

Q1:What's the solar panels warranty?

A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China