

best portable solar panels for camping

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

100PCS 1pcs/carton 5-8days 30% TT in advance, 70% balance before delivery. 1000pieces per week

Fishing, Camping, Picnics, And Hiking,



Product Specification

- Application:
- Color: Black

China

CE

Linksun

LS-B300M

- Material: Monocrystalline Cell
- Name: 300w Solar Folding Bag Without Bracket

Yes

10.2kg

- Waterproof:
- Weight:
- Product Dimension(Folded):575*610*40mm
- Product Dimension(Open): 1040*1150*5mm

Best portable solar panels for camping

The best portable solar panels for camping are lightweight, compact, and easy to carry, making them perfect for outdoor adventures. They offer high efficiency, converting sunlight into usable energy to charge phones, lights, power banks, and other camping gear. Many models are foldable and come with kickstands for optimal sun exposure. Designed to withstand various weather conditions, they are made from durable, water-resistant materials. These solar panels are compatible with most power stations, ensuring you have a reliable and eco-friendly power source while off-grid. Ideal for hikers, campers, and outdoor enthusiasts seeking energy independence.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-B300M
Maximum Power(Pmax)	300W (6*50W)
Maximum Power Voltage(Vmp)	20.52V
Maximum Power Current(Imp)	14.62A
Open Circuit Voltage(Voc)	24.01V
Short Circuit Current(Isc)	15.63A
Power Tolerance(Positive)	3%
Cell Type	Monocrystalline
Contract Dimensions(mm)	Product Dimension(Folded) :575*610*40mm
	Product Dimension(Open):1040*1150*5mm
Weight(KGS)	10.2kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders? A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.	
Q4:Are you manufacturer or a trading company? A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.	
Q5:Where are your goods exported? A:We can export to all over the world.	
LENKS Ningbo Linksun Energy Science & Technology Co., LTD	
+8615888168085 Sales02@zjlinksun.com monosolarpanel.com	

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China