



270w 29.8V Monocrystalline Solar Panel 60 Cells For Outdoor Camping

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-270M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



Product Specification

Product Name: 270w Mono Solar Panels

• Solar Cell: Monocrystalline Silicon Solar Cell

Application: Homes Camping
Contract Dimension: 1640*992*35
Back Sheet: White
Protection Class: IP 65

• Front Material: 3.2mm High Transmission Tempered Glass

Output Cables: 4 Mm² Length: 900 Mm

• Highlight: 270w monocrystalline solar panel,

 ${\bf 29.8V\ monocrystalline\ solar\ panel},$

270w solar panel 60 cells

270w 29.8V Monocrystalline Solar Panel 60 Cells For Outdoor Camping

This 270W monocrystalline solar panel, with a voltage of 29.8V and 60 cells, is ideal for outdoor camping. Designed for high efficiency and portability, it provides reliable power in remote locations. Its durable construction ensures long-lasting performance in various weather conditions. Perfect for campers seeking a sustainable energy source, this panel offers a convenient and eco-friendly solution for powering devices and equipment while enjoying the outdoors.

Product Features:

1) High photoelectric conversion efficiency:

The photoelectric conversion efficiency of monocrystalline silicon solar cells is about 15%, with the highest reaching 24%, which is currently the highest photoelectric conversion efficiency among all types of solar cells.

2)Low production cost:

The production cost of monocrystalline silicon solar cells is relatively low, and the technology is already very mature, so it has been widely used.

3)Long service life:

The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

4)Good low light performance:

Monocrystalline silicon solar cells can also perform well under low light conditions, making them suitable for use in solar lamps, solar lawn lamps, etc.

Product Details:

Model	LS-270M
Maximum Power(Pmax)	270W
Maximum Power Voltage(Vmp)	29.8V
Maximum Power Current(Imp)	9.02A
Open Circuit Voltage(Voc)	35.8V
Short Circuit Current(Isc)	9.92A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline
Contract Dimensions(mm)	1640*992*35mm
Weight(KGS)	21kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-40 ~85
Module Efficiency STC	16.66%
Cell number	60(6x10)
Front Glass	3.2mm High Transmission Tempered Glass
Frame Type	Anodized Aluminum Alloy
Connector Type	MC4
Output Cables	4 mm ² ,Length:900mm



FAQ:

Q1: What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2: Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3: Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4: Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5: Where are your goods exported?

A:We can export to all over the world.

A:We always prepare a sample production before bulk production and have a final strict inspection before shipment.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China