



PUERTANA® ALUMINUM FENCE LOUVER PERGOLA
铝合金户外栅栏百叶凉亭

PUERTANA® ALUMINUM FENCE LOUVER PERGOLA
铝合金户外栅栏百叶凉亭



产品手册
PRODUCT
BROCHURE



产品目录

PRODUCT CATALOG

F10 铝合金横向板条栅栏&栅门
F10 Aluminum Horizontal Slat Fence & Gate **P01-P02**

F20 铝合金竖向板条栅栏&栅门
F20 Aluminum Vertical Slat Fence & Gate **P03-P04**

F30 铝合金百叶栅栏&栅门
F30 Aluminum Privacy Louver Fence & Gate **P05-P06**

F40 铝合金尖顶板条栅栏&栅门
F40 Aluminum Picket Fence & Gate **P07-P08**

F50 铝合金叶片栅栏&栅门
F50 Aluminum Vertical Blade Fence & Gate **P09-P10**

F60 钢管定制栅栏&栅门
F60 Steel Tabular Fence & Gate **P11-P12**

百叶窗配置
Louver Shutter Configuration **P13-P14**

L100 铝合金固定百叶门窗
L100 Aluminum Fixed Louver Shutter **P15-P16**

L200 铝合金平开百叶门窗
L200 Aluminum Swing Louver Shutter **P17-P18**

L300 铝合金推拉百叶门窗
L300 Aluminum Sliding Louver Shutter **P19-P20**

L400 铝合金折叠百叶门窗
L400 Aluminum Folding Louver Shutter **P21-P24**

铝合金翻转百叶凉亭
Aluminum Flip Blade Pergola **P25-P26**

P220 铝合金翻转百叶凉亭
P220 Aluminum Flip Blade Pergola **P27-P28**

防风卷帘
Windproof Roller Blind **P29-P30**

全铝百叶窗
Aluminum Louver Shutter **P31-P32**

玻璃推拉门
Sliding Glass Door **P33-P34**





LED 灯光系统
LED Lighting System **P35-P36**

安装环境示意图
Diagram of Installation Environment **P37-P38**

实拍案例图
Project Gallery **P39-P40**




F10

铝合金横向板条栅栏&栅门
Aluminum Horizontal Slat Fence & Gate



F20


铝合金竖向板条栅栏&栅门
Aluminum Vertical Slat Fence & Gate



F30

铝合金百叶栅栏&栅门

Aluminum Privacy Louver Fence & Gate









05



06

F40





铝合金尖顶板条栅栏&栅门
Aluminum Picket Fence & Gate



F50






铝合金叶片栅栏&栅门

Aluminum Vertical Blade Fence & Gate



F60


钢管定制栅栏&栅门
Steel Tabular Fence & Gate



百叶窗配置


Louver Shutter Configuration

窗扇
Sash




型材
Profiles


叶片规格 Blade size




横杆 Rail



边框 Frame




调节挡板 Adjustable rail




L100

铝合金固定百叶门窗


Aluminum Fixed Louver Shutter





B ● 上下收边U槽
Top & bottom U channel



C ● 左右收边U槽
Right & left U channel



D ● 中间H槽
Middle H channel



L200

铝合金平开百叶门窗

Aluminum Swing Louver Shutter

A 窗扇 Sash

B 边框 Frame

可选配件锁 Option Components




执手锁 Handle Lock

可选边框 Frame options






选项1 Option 1

L框 L-Frame



选项2 Option 2

Z框 Z-Frame



L300

铝合金推拉百叶门窗

Aluminum Sliding Louver Shutter

A 窗扇
Sash


B 上下导轨
Top & bottom track

轨道和窗扇的数量图纸
Configuration of sash & track

1 GUIDE, 1 PANEL



1 GUIDE, 2 PANELS




2 GUIDES, 2 PANELS



• 下导轮系统 Bottom rail slidding system •

Top & Bottom Track




Wheel Mechanism Component



尼龙块 Nylon block

滑托轮 Sliding wheel




• 上导轨系统 Top rail slidding system •

款式一(U轨)
Option 1(U track)



款式二(M轨)
Option 2(M track)




L400

铝合金折叠百叶门窗


Aluminum Folding Louver Shutter

A • 窗扇
Sash



B • 折叠配件 Bi-folding shutter hardware fittings •

Top & Bottom Track



上轨 Top track
下轨 Bottom track

Pivot Set & Carrier





转轴 Pivot set
上吊轮 Top hanging wheel
下导轮 Bottom guide wheel

• 选配配件 Optional hardware fittings •







D 不锈钢插销锁
Stainless steel flush bolt

E 铝合金百叶
aluminum hinge




规格 Specifications

Max Width Hinged Panel		800mm
Max Width Fixed/slider Panel		1350mm
Max Width-Double Hinged Per Pair Of Panels		700mm
		800mm
Second Midrail Required		Over 1800mm drop
Max Panel Height		Over 3000mm drop
Minimum Panel Width		3600mm
Minimum Panel Height		400mm
		400mm

10年质保表面处理

10 Years Warranty Surface Treatment

粉末喷涂表面处理
Powder Coating Color



亮白
Gloss White
YFS11002 哑光白
Matte White
YFS13001 银灰色
Silver
YFS03001 深灰色
Monument
YFC32020

木纹表面处理
Wood Grain Color



枫木
Maple
YFSM0000 雪松
Medium Cedar
YD621



铝合金翻转百叶凉亭

Aluminum Flip Blade Pergola

铝合金翻转百叶凉亭，新一代户外生活的遮阳空间主体。

顶部叶片的开合的自由调节维持了开放式的户外空间感，多功能的使用方式，多样化的设计风格、完整的成品系统，确保了其以单品的形式融合进入了家居和商业等休闲场所，是一款可以提供手动或者电动控制、标准尺寸或者定制尺寸的适合全球地区多维度的高品质、高舒适度户外休闲空间遮阳产品。

Aluminum flip blade pergola, a new generation product of outdoor living shading space.

The free adjustment of the opening and closing of the top blades maintains an open outdoor space feel. With multi-functional usage methods, diversified design styles, and a complete finished product system, it is ensured to integrate into home, commercial and other leisure places as a single product. It is a high-quality and high-comfort outdoor leisure space shading product suitable for multiple dimensions in global regions, which can provide manual or electric control, standard or customized sizes.




胶条内置于叶片
达到更好的防水效果

Rubber strips are built into the blades to achieve better waterproof effect.



已达抗12级风力测试
It has passed the 12th grade wind force test.



铝合金双层百叶片阻挡太阳辐射热、
隔绝传导热，实现遮阳隔热效果
Aluminum alloy double-layer blades block solar radiation and heat conduction, achieving the effect of sunshade and heat insulation.



通过空气对流把热气快速从顶部
带走，实现通风散热功能

Hot air is quickly taken away from the top through air convection to achieve the effect of ventilation and heat dissipation.



0-120°的叶片开合角度
通过折射实现调光

The blade opening and closing angle of 0-120° realizes the dimming function.



200kg/m²的雪载系数
每平方米可承重1米厚积雪

The snow load coefficient is 200kg/m², and each square meter can bear 1 meter of accumulated snow.

电动控制系统

Electric control system




P220

铝合金翻转百叶凉亭

Aluminum Flip Blade Pergola




带4支立柱的单个模块最大尺寸示意图:

Maximum size of a single Pergola with 4 columns



电动驱动
Electric Control

型材截面图 Profile sectional drawing



P220 标准尺寸 (提供定制尺寸) P220 standard size (custom sizes available)		
伸展方向 Extension direction	叶片长度 Blade length	立柱数量 Column quantity
3m	3m	4
4m	3m	4
5m	3m	4
6m	3m	4
3m	4m	4
4m	4m	4
5m	4m	4
6m	4m	4

定制尺寸:
单套最大规格 : 27 m²
Custom sizes:
Maximum area per set: 27m²

标准颜色 Standard colors:



砂纹灰
Matt Gray
YFC30038
RAL7016



磨砂白
Matt White
YFS10001
RAL9016



防风卷帘

Windproof Roller Blind


- 一款完美的户外立面遮阳产品。
 - 与百叶凉亭的同色系确保了两个系统间可以自由组合成为一个新整体。
 - 低透光率的阳光面料和智慧平衡器的有效结合，确保了面料在升降过程中保持平整和稳定，从而达到升降时的平稳顺畅及整体强抗风效果。
-
- A perfect outdoor vertical shading product.
 - The same color system as the flip blade pergola ensures that the two systems can be freely combined into a new unit.
 - The effective combination of low-light-transmitting sunshade fabric and intelligent balancer ensures that the fabric remains flat and stable during lifting, achieving smooth lifting and strong overall wind resistance.

标准面料选择

Standard Fabric Options


透光率: 5%

Light Transmittance: 5%



铝合金翻转百叶凉亭-配套产品

Aluminum Flip Blade Pergola-Supporting Products



全铝百叶窗

Aluminum Louver Shutter

- 可见光透射比、太阳光直接投射比及紫外线透射比，均为0.00，达到真正意义上的可隔绝紫外线和太阳光投射的效果
- 机翼状的空心双层百叶片提高了抗弯强度，确保受外力撞击时全铝百叶窗的变形度小，达到安全防护效果
- 全铝百叶窗是一款完美兼具了实用性、防护性和装饰性的高端室内外绿色节能遮阳产品。
- Visible light transmittance, direct solar transmittance, and UV transmittance are all 0.00, achieving the effect of truly blocking UV rays and solar radiation.
- The airfoil-shaped hollow double-layer blades enhance the bending strength, ensuring minimal deformation of the aluminum louver shutter when impacted by external forces, thus achieving safety protection.
- The aluminum louver shutter is a high-end indoor and outdoor green energy-saving shading product that perfectly combines practicality, protection, and decorativeness.

标准款式:

Standard Styles



L100 固定百叶
Fixed Louver Shutter




L300 推拉百叶
Sliding Louver Shutter



L400 折叠百叶
Bi-folding Louver Shutter

叶片尺寸:

Blade size:



标准颜色

Standard Colors



砂纹灰
Matt Gray
YFC30038
RAL7016



磨砂白
Matt White
YFS10001
RAL9016



磨砂棕
Matt Brown
YFS70002
RAL8014



磨砂黑
Matt Black
YFC80004
RAL9011



橡木木纹
Oak Wood Grain
YFCM0068N



铝合金翻转百叶凉亭-配套产品

Aluminum Flip Blade Pergola-Supporting Products



遮阳
Sunshade



防护
Protection



装饰
Decoration



保护私密
Privacy Protection



隔热
Heat Insulation




防紫外线辐射
UV Radiation Prevention


玻璃推拉门 Sliding Glass Door

- 百叶凉亭四面配推拉玻璃门能组成一个独立的封闭私人空间
- 如果需要打造一个更安全更私密的独立空间，那么玻璃推拉门是更好的选择。

- Installing sliding glass doors on the four sides of pergola can form an independent enclosed private space.
- If a safer and more private independent space is needed, the sliding glass door is a better choice.



铝合金翻转百叶凉亭-配套产品 Aluminum Flip Blade Pergola-Supporting Products




防风性强
Strong wind resistance

控温
Temperature control

防护
Protection

LED 灯光系统

LED Lighting System



水槽灯带可以提供RGB幻彩灯带

RGB Magic-color light strips are available for gutter light strip



水槽灯带
Gutter light strip



叶片灯带
Blade light strip



可选配套产品

Optional Supporting Products



风雨传感器

Wind and rain sensor

这是一个在自然气候条件下，自动感知和检测风雨，并将检测到的信号传送至接收器，实现电动百叶凉亭自动关闭叶片的保护装置。

This is a protective device that automatically senses and detects wind and rain under natural climatic conditions, transmits the detected signals to the receiver, and realizes the automatic closing of the blades of the electric louver gazebo.



石墨烯取暖器

Graphene heater

电热暖炉有升温快，热量不易扩散的优点，非常适合作为寒冷季节在百叶凉亭内安装的取暖设备。

The electric heater has the advantages of fast heating and difficult heat diffusion, making it very suitable as a heating device installed in the louver gazebo in cold seasons.

安装环境示意图


Diagram of Installation Environment

可提供不规则形状

Irregular shapes can be provided



独立式安装-4支立柱
Free-standing installation - 4 columns



单面靠墙安装-2支立柱
Single-side wall-mounted installation - 2 columns



双面靠墙安装-1支立柱
Double-side wall-mounted installation - 1 column



四面靠墙安装-无需立柱
Four-side wall-mounted installation - No columns required

实拍案例图
Project Gallery



实拍案例图
Project Gallery

