




Committed to delivering professional and comprehensive solutions.
Committed to enhancing the quality of customer experience.
Committed to optimizing the customer's production environment.



Shanghai Leenol Industrial Co.,Ltd

ADD: No.129, 822 Lane, Zhennan Road, Putuo District,
Shanghai, China 200331

TEL: 0086-21-36030087

FAX: 0086-21-36030089-816

WEB: www.leenolesd.com

E-mail: sales@leenol.com



ESD SYSTEM ENGINEERING SOLUTION EXPERT



ABOUT US



LEENOL is a "Total Solution" Company to fulfill ESD requirements for factories and labs. LEENOL's product range covers LeeRack™ Handling Storage ESD Equipments, LeePak™ Packing Material, LeeBench™ Factory and Lab Furniture, LeePPE™ Personal Protection and LeePur™ Cleanroom Product and LeeStat™ Testing Equipment and Tools etc.

LEENOL can support customer to build their factory, plant with design and customization. We could help do grounding system, ESD Furniture Assembly as well. LEENOL is agent of ESD Ionizing Equipments, ESD Inspector and Testers, and so on. More than 200 types products are provided to support customer workshop.

LEENOL has its marketing office in Shanghai, which houses the International Trade Department with import and export rights. Our customers are widely spread across Southeast Asia, Europe, the Americas, the Middle East, and more. We have manufacturing bases in both northern and southern China, along with numerous cooperative OEM enterprises. Our high-quality products are well-received by global customers and end users.

LEENOL's products are manufactured in compliance with IEC61340 - 5 - 1 and ANSI / ESD - 20.20 standards. They are also strictly produced in accordance with the ISO 9001 system, as well as SGS and ROHS standards. Additionally, LEENOL can provide customized products of high quality with a short lead time.

We sincerely seek global distributors and partners. We look forward to achieving win - win success and growing together with you.

Summary

- Humanized design, Comfortable and Beautiful, in accordance with the theory of ergonomics, could improve the production efficiency.
- Modular design is changeable, with various accessories for random combination.
- Standard design could meet the needs of customizing products according to the demands.
- Superior Fire-proof table-board has the features of integral ESD, fireproofing and wearing-resisting.
- Structure-optimized design of the support chooses the durable superior cold rolled steel, hard and durable.
- After the process acid cleaning, phosphating, high pressure spraying with ESD powder, the metal surface is flat and beautiful.
- The feature of integral ESD could radically eliminate the threat of the static electricity to the products.



LEENOL (through the ISO9001 Quality System Certification, ISO14001 Environmental System Certification, OHSAS18001 Occupational Health and Safety System Certification, LEENOL products are comply with the National Military Standard GJB3007-2009, SEFA8m-2016 Laboratory Grade Metal Cabinet Testing Standards EN14175-1:2003, EN14175-2:2003, EN14175-3:2003, EN141754:2004 Standard, Aerospace Electronics Static Protection Technical Requirements Q/A-JA119-2013, China's national military industry standards GJB3007A, European Union EN61340 Antistatic Standard, SJ/T11236 and National 3C and EU CE certification, all LEENOL steel products, with a 3-years warranty period!

ESD Anti static Standard Adjustable Workstation

- Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting
- Height adjustable range:670 - 1120mm
- Average Static loading: 500kg, dynamic loading: 300kg All the standard workstations
- Could add ESD castors, enhancing the loading ability of the workstations with the use of strengthened metal castors.



MODEL	PART NAME	SIZE(mm)
LNA16120	Standard Adjustable Table Support	1200*600
LNA18120	Standard Adjustable Table Support	1200*750
LNA16150	Standard Adjustable Table Support	1500*600
LNA18150	Standard Adjustable Table Support	1500*750
LNA19150	Standard Adjustable Table Support	1500*900
LNA16180	Standard Adjustable Table Support	1800*600
LNA18180	Standard Adjustable Table Support	1800*750
LNA19180	Standard Adjustable Table Support	1800*900
LNA16220	Standard Adjustable Table Support	2250*600
LNA18220	Standard Adjustable Table Support	2250*750
LNA19220	Standard Adjustable Table Support	2250*900



Anti static Standard Adjustable Workstation



Example No. LN03

MODEL	PART NAME	QTY
LNA18120	Adjustable Standard Table Support 1500*750mm	1
LND18158-E	Double-Side ESD Table Top, Gray color 1530*750*25mm	1
LNC02813	Perforated Upright Frame2M750*1359mm	1
LNC38085	Back Panel M750*390mm	2
LNC10753	Steel Shelf M750*300mm+ Shelf bracket	2
LNC48075	Suspension rail for picking Bins M750mm	2
LNC90903	Oblique Light Support bracket 2M750*380MM+ slide hook	1
LNC95804	Prism light 2*30W	1
LNH13502	Double layer drawer350*450*250mm	1
LNC50293	Swivel arm with A4 document stand	1
LNC81263	Plastic Keyboard shelf	1
LNK50752	Slant Power Box M750	1
LNC96801	Balancer 1.5-3.0kg	1

Example No. LN04

MODEL	PART NAME	QTY
LNA28120	Adjustable Standard Table Support 1500*750mm	1
LND18158-E	Double-Side ESD Table Top, Gray color 1530*750*25mm	1
LNC08011	Perforated Upright Frame1100mm	3
LNC38085	Perforated panel M750*390mm	1
LND01533-E	Imported double ESD up Shelf M1200*380mm+ Shelf bracket	1
LNC95804	Prism light 2*30W	1
LNH13502	Double layer drawer350*450*250mm	1
LNC81263	Plastic Keyboard shelf	1
LNC80055	Side-mounted host bracket	1
LNK50752	Slant Power Box M750	1



Example No. LN05

MODEL	PART NAME	QTY
LNA18120	Adjustable Standard Table Support 2250*750mm	1
LND18228-E	Double-Side ESD Table Top, Gray color 2280*750*25mm	1
LNC03816	Perforated Upright Frame3M750*1600mm	1
LNC38085	Back Panel 3M750*1600mm	2
LNC38285	Perforated Back Panel M750*390mm,blue	1
LNC10753	Steel Shelf M750*300mm+ Shelf bracket	4
LNC91153	Oblique Light Support bracket 3M750*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	5
LNC48075	Suspension rail for picking Bins M750mm	1
LNH13502	Double layer drawer350*450*250mm	1
LNH06401	ESD movable cabinet MV1 400*560*650mm	1
LNK20752	Power Box M750	1
LNK01602	Common Power Socket	2
LNC96801	Balancer 1.5-3.0kg	2



Example No. LN07

MODEL	PART NAME	QTY
LNA18080	Adjustable Standard Table Support 1200*750mm	1
LND18128-E	Double ESD Table Top, yellow color 1200*750*25mm	1
LNC01213	Perforated Upright FrameM1200*1359mm	1
LNC38125	Back Panel M1200*390mm	2
LND01232-E	Double ESD up Shelf M1200*380mm+ Shelf bracket	1
LND01132-E	Imported double ESD lower Shelf M1080*380mm	1
LNC91123	Oblique Light Support bracket M1200*380MM+ slide hook	1
LNC95803	Prism light 2*30W	1
LNC48120	Suspension rail for picking Bins M1200mm	1
LNH13502	Double layer drawer350*450*250mm	1
LNK21202	Power Box M1200	1



Example No. LN08

MODEL	PART NAME	QTY
LNA18120	Adjustable Standard Table Support 1500*750mm	1
LND18158-E	Double-Side ESD Table Top, Gray color 1530*750*25mm	1
LNC02816	Perforated Upright Frame2M750*1600mm	1
LNC38085	Back Panel M750*390mm	1
LNC10753	Steel Shelf M750*300mm+ Shelf brackett	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNC85075	Tool suspension cabinet M750, double door	1
LNC90903	Straight Light Support bracket 2M750*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LNK20752	Power Box M1200	1
LNH13502	Double layer drawer350*450*250mm	1



Anti static Standard Workstation



- Table Support + Back Panel + Cross Bean Combination, Convenient for dismounting
- Fixed height:760mm
- Static loading:500kg, dynamic loading:300kg
- All the standard workstations could add ESD castors enhancing the loading ability of the workstations with the use of strengthened metal castors.

Example No. LN09 ←

MODEL	PART NAME	SIZE(mm)
LNA26120	Standard Fixed Table Support	1200*600
LNA28120	Standard Fixed Table Support	1200*750
LNA26150	Standard Fixed Table Support	1500*600
LNA28150	Standard Fixed Table Support	1500*750
LNA29150	Standard Fixed Table Support	1500*900
LNA26180	Standard Fixed Table Support	1800*600
LNA28180	Standard Fixed Table Support	1800*750
LNA29180	Standard Fixed Table Support	1800*900
LNA26220	Standard Fixed Table Support	2250*600
LNA28220	Standard Fixed Table Support	2250*750
LNA29220	Standard Fixed Table Support	2250*900



Example No. LN10 ←

MODEL	PART NAME	QTY
LNA28150	Fixed Standard Table Support 1500*750*760mm	1
LND18158-E	Double-Side ESD Table Top, Gray color 1530*750*25mm	1
LNC08009	Perforated Upright Frame870mm	3
LNC38185	Perforated panel M750*390mm,blue	1
LNC38485	Louver blade panel M750*390mm,blue	1
LND01533-E	Imported Double ESD Upper ShelfM1530*380mm+ Shelfbracket(3)	1
LNC95804	Prism light 2*30W	1
LNH13502	Double layer drawer350*450*250mm	1
LNK20752	Power Box M750	1
LNK01602	Common outlet plate	1

Example No. LN11 →

MODEL	PART NAME	QTY
LNA28120	Fixed Standard Table Support 1200*750*760mm	1
LND18128-E	Double-Side ESD Table Top, Gray color 1200*750*25mm	1
LNC01913	Perforated Upright FrameM900*1359mm	1
LNC38095	Back Panel M900*390mm,blue	1
LNC48090	Suspension rail for picking Bins M900mm	2
LNC10903	Steel Shelf M900*300mm+ Shelf bracket	1
LNC21030	Divider plate300mm	1
LNC57053	Monitor shelf + Keyboard tray with arm	1
LNC91503	Straight Light Support bracket M900*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LNH13502	Double layer drawer 350*450*250mm	1
LNC80152	Floor-standing elevated host bracket	1
LNK50902	Slant Power Box M900	1



Example No. LN12 ←

MODEL	PART NAME	QTY
LNA27158	Fixed Standard Table Support 1500*750*760mm	1
LND18158-E	Double-Side ESD Table Top, Gray color 1530*750*25mm	1
LNC02816	Perforated Upright Frame2M750*1600mm	1
LNC38085	Back Panel 2M750*390mm, blue	1
LNC38285	Perforated panel M750*390mm, blue	1
LNC60187	Adjustable shelf M750+ single-face bracket	1
LNC10753	Steel Shelf M750*300mm+ Shelf bracket	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNH06403	ESD movable cabinet MV1 400*560*650mm	1
LNC80152	Floor-standing elevated host bracket	1
LNK20752	Power Box M750	1
LNC91503	Straight Light Support bracket M900*380MM+ slide hook	1
LNC95804	Prism light 2*30W	1



Antistatic Cabinet Workstation



- Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting
- Height adjustable range:670—1120mm
- Static loading:500kg, dynamic loading:300kg
- ESD Cabinet Workstations could be divided into: A: single-cabinet style, B: double-cabinets style
- The size of standard-cabinet:585*372*735mm Loading ability of the drawer: 35kg/level, could be dragged out completely
- The size of loading-cabinet: 411/564*572*700mm Loading ability of the drawer: 100kg/level, could be dragged out completely
- Notice: standard-cabinet and loading-cabinet could be made into the single-cabinet style and double-cabinets style.

Example No. LN13

MODEL	PART NAME	SIZE(mm)
LNA72158	Standard-Cabinet Workstation(single-cabinet)	1500*750*800
LNA72188	Standard-Cabinet Workstation(single-cabinet)	1800*750*800
LNA72228	Standard-Cabinet Workstation(single-cabinet)	2250*750*800
LNA75158	Standard-Cabinet Workstation(double-cabinets)	1500*750*800
LNA75188	Standard-Cabinet Workstation(double-cabinets)	1800*750*800
LNA75228	Standard-Cabinet Workstation(double-cabinets)	2250*750*800
LNA73158	Standard-Cabinet Workstation(single-cabinet)	1500*750*800
LNA73188	Standard-Cabinet Workstation(single-cabinet)	1800*750*800
LNA73228	Standard-Cabinet Workstation(single-cabinet)	2250*750*800
LNA76158	Standard-Cabinet Workstation(double-cabinets)	1500*750*800
LNA76188	Standard-Cabinet Workstation(double-cabinets)	1800*750*800
LNA76228	Standard-Cabinet Workstation(double-cabinets)	2250*750*800



Example No. LN15

MODEL	PART NAME	QTY
LNA75158	Loading single-cabinet Table Support	1
LND18158-E	Double-side ESD Table Top, Gray color 1530*750*25mm	1
LNC08011	Perforated Upright Frame 2M750*870mm	3
LNC38185	Perforated panel M750*390mm	2
LNC38485	Louver blade panel M750*390mm, blue	1
LND01533-E	Double ESD Upper Shelf, M1530*380mm+ Shelf bracket(3)	1
LNC95803	Prism light 2*30W	1
LNK20752	Power Box M750	1



Example No. LN17

MODEL	PART NAME	QTY
LNA73228	Loading double-cabinet Table Support	1
LND18209-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC03816	Perforated Upright Frame2M750*870mm	1
LNC92223	Straight Light Support bracket M900*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LND00732-E	Double ESD Upper Shelf M1530*380mm+ Shelf bracket(2)	4
LNC48075	Suspension rail for picking Bins M750mm	4
LNC85075	Tool suspension cabinet M750, double door	1
LNK20752	Power Box M750	1

Example No. LN14

MODEL	PART NAME	QTY
LNA75158	Standard-Cabinet Table Support	1
LND18158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC08009	Perforated Upright Frame870mm	3
LNC38285	Perforated panel M750*390mm, blue	2
LND01533-E	Double ESD Upper Shelf M1530*380mm+ Shelf bracket(3)	1
LNC95804	Prism light 2*30W	1
LNC81263	Plastic Keyboard shelf	1
LNK20752	Industrial Power Box M750	1



Example No. LN16

MODEL	PART NAME	QTY
LNA76158	Loading single-cabinet Table Support	1
LND18158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC02813	Perforated Upright Frame2M750*870mm	1
LNC38185	Perforated panel M750*390mm	2
LNC38085	Back Panel M750*390mm	2
LNC91153	Oblique Light Support bracket M1200*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNC52293	Swivel arm with tool shelf	1
LNC50204	Swivel arm with suspension rail	1
LNK30752	Power Box M750	1



Heavy Workstations



Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting

The thickness of the heavy workstations Table Top:50mm; used for matching; board fireproofing Table Top; Steel Made Table Top; Wear resistant polymer Table Top and stainless envelope Table Top

Height of adjustable workstations (including the Table Top): 730-1200mm, static loading: 500kg

Height of Fixed workstations (including the Table Top): 770mm, static loading: 800kg

Example No. LN18

MODEL	PART NAME	SIZE(mm)
LNA38100	Heavy Adjustable Workstations	1000*750
LNA38120	Heavy Adjustable Workstations	1200*750
LNA38150	Heavy Adjustable Workstations	1500*750
LNA38180	Heavy Adjustable Workstations	1800*750
LNA48100	Heavy Fixed Workstations	1000*750
LNA48120	Heavy Fixed Workstations	1200*750
LNA48150	Heavy Fixed Workstations	1500*750
LNA48180	Heavy Fixed Workstations	1800*750



Example No. LN19

MODEL	PART NAME	QTY
LNA38150	Heavy Adjustable Table Support 1500*750mm	1
LND58158	Stainless Steel Table Top 1530*750*50mm	1
LNC02813	Perforated Upright Frame 2M750*1359mm	1
LNC38185	Perforated panel M750*390mm	1
LNC38385	Back Panel M750*390mm	1
LNC10753	Steel Shelf M750*300mm+ Shelf bracket	2
LNC90903	Oblique Light Support bracket 2M750*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNC50293	Swivel arm with A4 document stand	1
LNN00665	Heavy tool's cabinet	1
LNK20752	Power Box M750	1

Example No. LN20

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750mm	1
LND65158	Wear resistant polymer Table Top 1530*750*50mm	1
LNC02813	Perforated Upright Frame 2M750*1359mm	1
LND01533-E	Double ESD Upper Shelf M1530*380mm+ Shelf bracket(3)	1
LNC60187	ESD adjustable shelf M750*650+ single-face bracket	1
LNC91153	Oblique Light Support bracket 2M750*380MM+ slide hook	1
LNC95804	Prism light 2*30W	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNH06401	ESD movable cabinet MV1 400*560*650mm	1
LNK20752	Power Box M750	1



Example No. LN21

MODEL	PART NAME	QTY
LNA77158	Heavy Fixed Table Support 1500*750mm	1
LNN03001	Table Support with single cabinet 411*572*700mm	1
LND65158	Wear resistant polymer Table Top 1530*750*50mm	1
LNC02811	Perforated Upright Frame 2M750*1100mm	1
LNC38185	Perforated panel M750*390mm, blue	1
LNC38485	Louver blade panel M750*390mm, blue	1
LND01533-E	Double ESD Upper Shelf M1530*380mm+ Shelf bracket (3)	1
LNK20752	Power Box M750	1



Heavy Duty Workstations



Example No. LN22 ←

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*760mm	1
LND38158	Steel Made Table Top 1530*750*50mm	1
LNN01201	Heavy tool's cabinet 411W*572D*280Hmm	1

Example No. LN23 →

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*770mm	1
LND28158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LND01533-E	Double ESD Under Shelf, M1530*380mm+ Shelf bracket (3)	1
LNH31515	Siamesed three drawers1160*500*150mm	1



Example No. LN24 ←

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*760mm	1
LND58158	Stainless Steel Table Top 1530*750*50mm	1
LNN01201	Heavy tool's cabinet 411W*572D*280Hmm	1



Stainless Steel Middle Duty Workstations

Example No. LN25 →

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*760mm	1
LND58158	Stainless Steel Table Top 1530*750*50mm	1
LNN01201	Customized Double Layer Shelf	1



Example No. LN26 ←

MODEL	PART NAME	QTY
LNA58150-1	Middle Duty Table Support 1500*750*760mm	1
LND78086-E	Wear-resistant Table Top 1530*750*30mm	1



Example No. LN27 →

MODEL	PART NAME	QTY
LNA58150-1	Middle Duty Table Support 1500*750*760mm	1
LND78086-E	Wear-resistant Table Top 1530*750*30mm	1
LNN01202	Tool Drawer Cabinet W411*D575*H280mm	1



Example No. LN28 ←

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*770mm	1
LND78086-E	Wear-resistant Table Top 1530*750*50mm	1



Example No. LN29 →

MODEL	PART NAME	QTY
LNA48150	Heavy Fixed Table Support 1500*750*770mm	1
LND78086-E	Wear-resistant Table Top 1530*750*50mm	1
LNH31515	Siamesed Triple drawers1160*500*150mm	1



ESD Light Duty Workstations



- Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting
- Fixed height: 760mm
- Static loading: 500kg, dynamic loading: 300kg
- All the light duty workstations could add ESD castors, enhancing the loading ability of the workstations with the use of strengthened metal castors.

Example No. LN30

MODEL	PART NAME	SIZE(mm)
LNA66120	Light Duty Table Support	1200*600
LNA68120	Light Duty Table Support	1200*750
LNA66150	Light Duty Table Support	1500*600
LNA67150	Light Duty Table Support	1500*750
LNA66180	Light Duty Table Support	1800*600
LNA68180	Light Duty Table Support	1800*750



Middle & Heavy Duty Workstations



Example No. LN32

MODEL	PART NAME	QTY
LNA66120	Light Duty Table Support 1200*600*760mm	1
LND18128-E	Double ESD Table Top, Gray color 1200*600*25mm	1
LNC01209	Perforated Upright FrameM1200*870mm	1
LND18128-E	Double ESD Upper ShelfM1200*380mm+ Shelf bracket	1
LNC48120	Suspension rail for picking Bins M1200mm	1
LNC50201	Swivel arm with wooden Table Top	1
LNK51202	Floor-standing elevated host bracket	1
LNC80152	Slant Power Box M1200	1
LNH13501	Layer drawer 350*450*125mm	1



Example No. LN34

MODEL	PART NAME	QTY
LNA68120	Light Duty Table Support 1200*750*760mm	1
LND18128-E	Double ESD Table Top, Gray color 1200*750*25mm	1
LNC01909	Perforated Upright FrameM900*1359mm	1
LNC91093	Oblique Light Support bracket M900*380mm+ slide hook	1
LNC95803	Prism light 2*20W	1
LNC48090	Suspension Rail for picking Bins M900mm	4
LNH13501	One Layer drawer 350*450*125mm	1
LNK20902	Power Box M900	1

Example No. LN31

MODEL	PART NAME	QTY
LNA68120	Light Duty Table Support 1200*750*760mm	1
LND18128-E	Double ESD Table Top, Gray color 1200*750*25mm	1
LNC01913	Perforated Upright Frame M900*1359mm	1
LNC38095	Back Panel M900*390mm, blue	1
LNC60197	ESD adjustable shelf M900*650mm+ single-face bracket	1
LNC52293	Swivel arm with tool shelf	1
LNC54621	Swivel arm with document stand	1
LNC48090	Suspension rail for picking Bins M900mm	1
LNH13502	Double layer drawer 350*450*250mm	1



Example No. LN33

MODEL	PART NAME	QTY
LNA68120	Light Duty Table Support 1200*750*760mm	1
LND18128-E	Double ESD Table Top, Gray color 1200*750*25mm	1
LNC01913	Perforated Upright FrameM900*1359mm	1
LNC38095	Back Panel M900*390mm	1
LND00932-E	Double up Shelf,M915*380mm+Shelf bracket	1
LNC92093	Straight Light Support bracket M900*380MM+ slide hook	1
LNC95803	Prism light 2*20W	1
LND00932-E	Imported double ESD lower Shelf, gray 1080*380	1
LNC48090	Suspension rail for picking Bins M900mm	1
LNK08016	Common outlet plate	1



Antistatic Medium Duty Workstations



- Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting
- Fixed height: 760mm
- Static loading: 500kg, dynamic loading:300kg
- All the light duty workstations could add ESD castors, enhancing the loading ability of the workstations with the use of strengthened metal castors.

Example No. LN35

MODEL	PART NAME	SIZE(mm)
LNA56120	Medium Duty Table Support	1200*600
LNA58120	Medium Duty Table Support	1200*750
LNA56150	Medium Duty Table Support	1500*600
LNA58150	Medium Duty Table Support	1500*750
LNA59150	Medium Duty Table Support	1500*900
LNA56180	Medium Duty Table Support	1800*600
LNA58180	Medium Duty Table Support	1800*750
LNA59180	Medium Duty Table Support	1800*900



Example No. LN36

MODEL	PART NAME	QTY
LNA52815	Medium Duty Table Support 1500*750*760mm	1
LND18158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC02809	Perforated Upright Frame2M750*870mm	1
LNC48075	Suspension rail for picking Bins M750mm	2
LNC38085	Back Panel M750*390mm	1
LNC38285	Perforated panel M750*390mm	1
LND01533-E	Double ESD Upper ShelfM1530*380mm+ Shelf bracket	1
LNH13502	Double layer drawer 350*450*125mm	1
LNK08903	ESD wrist strap jacks	1

Example No. LN37

MODEL	PART NAME	QTY
LNA55815	United Medium Duty Table Support 1500*750*760mm	1
LND28158-E	Double ESD Table Top, Gray color 1530*75mm	1
LNC38255	Perforated panel M750*390mm	1
LND01533-E	Double ESD Upper Shelf, M1530*380mm+ Shelf bracket	1
LNK201502	Steel Power Box M900	1



Example No. LN38

MODEL	PART NAME	QTY
LNA58150-1	Medium Duty Table Support 1500*750*760mm	1
LND18158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC02813	Perforated Upright Frame2M750*1359mm	1
LNC48075	Suspension rail for picking Bins M750mm	4
LND01533-E	Back Panel M750*390mm	1
LNC38085	Double ESD Upper Shelf, M1530*380mm+ Shelf bracket	2
LNC90903	Oblique Light Support bracket 2M750*380MM+ slide hook	1
LNC95801	Superior grille light 2*36W	1
LNK08903	ESD wrist strap Socket	1



Example No. LN39

MODEL	PART NAME	QTY
LNA53815	Medium Duty Table Support 1500*750*760mm	1
LND28158-E	Double ESD Table Top, Gray color 1530*750*50mm	1
LND01533-E	Double ESD Under Shelf, M1430*380mm+ Shelf bracket	1
LNK51502	Slant Steel Power Box M900	1



ESD Electric Adjustable Workstations

- Electric Adjustable Table Support + Back Panel + Cross Beam Combination, Convenient for dismounting;
- Electric Adjustable Height Adjustable Range: 650-1100mm
- Static Loading:150kg, Dynamic loading: 80kg
- All the light duty workstations could add ESD castors, enhancing the loading ability of the workstations with the use of strengthened metal castors.



Example No. LN40

Example No. LN40

MODEL	PART NAME	SIZE(mm)
LNA86120	Electric Adjustable Table Support	1200*600
LNA88120	Electric Adjustable Table Support	1200*750
LNA86150	Electric Adjustable Table Support	1500*600
LNA88150	Electric Adjustable Table Support	1500*750



- Press on "UP", the workstation rises; loosen the button, the workstation stops rising
- Press on "DOWN", the workstation falls; loosen the button, the workstation stops falling
- When the workstation is at the suitable height, press on "S", and then on "1 2 3 4" to store
- In order to increase useful life, please press on "UP" or "DOWN" within 3 minutes



Example No. LN41

MODEL	PART NAME	QTY
LNA88150	Electric Adjustable Table Support	1
LNA18158-E	Double ESD Table Top, Gray color 1530*750*25mm	1
LNC08011	Perforated Upright Frame 1100mm	3
LNC38285	Perforated panel M750*390mm	1
LNC38485	Louver blade panel	1
LND01533-E	Double ESD Upper Shelf, M1530*380mm+ Shelf bracket	1
LNK50752	Slant Power Box M750	1

Customized Series

- Our designing group has strong and professional technology
- Design, draw and customize the products under practical needs
- Our factory have advanced production facility for the professional products




Example No. LN42



Example No. LN43



Example No. LN44



Example No. LN45



Example No. LN46

Industrial Packing Workstation



Example No. LN47




Example No. LN48



Example No. LN49



Example No. LN50



Example No. LN51




Example No. LN52




Example No. LN53



Example No. LN54



Customer Examples



Customer Examples



Accessories of Workstations

Perforated Frame

- Double-Sided Punching, Used on Back-to-Back Workbenches
- Strong Flexibility, Expand The Functions Of The Workbench
- Suitable to Configure LEENOL Standard Accessories

M-Shaped Perforated Frame

Product Series	Product NO.M750	Product NO.M900
870Series	LNC01809	LNC01909
1100Series	LNC01811	LNC01911
1359Series	LNC01813	LNC01913
1600Series	LNC01816	LNC01916




2M-Shaped Perforated Frame

Product Series	Product NO.M750	Product NO.M900
870 Series	LNC02809	LNC02909
1100 Series	LNC02811	LNC02911
1359 Series	LNC02813	LNC02913
1600 Series	LNC02816	LNC02916



3M-Shaped Perforated Frame

Product Series	Product NO.3M750
870 Series	LNC03809
1100 Series	LNC03811
1359 Series	LNC03813
1600 Series	LNC03816



Antistatic Back Panel

- Used for Placing Drawings or Blocking The View
- Optional Lower Tray Is Available, Used To Store Manuals And Process Documents, Etc
- Tool Hooks Can Be Configured On The Punched Plate, Used To Hold Tools
- There Are Two Colors Available: Grey And Blue.

Product NO.	Product Name	Dimensions
LNC38082	Back Panel M750×240 Type	750×240
LNC38085	Back Panel M750×390 Type	750×390
LNC38092	Back Panel M900×240 Type	900×240
LNC38095	Back Panel M900×390 Type	900×390
LNC38125	Back Panel M1200×390 Type	1200×390



Product NO.	Product Name	Dimensions
LNC38185	Perforated Back Panel M750×390 (ESD Grey)	750×390
LNC38195	Perforated Back Panel M900×390 (ESD Grey)	900×390
LNC38125	Perforated Back Panel M1200×390 (ESD Grey)	1200×390
LNC38285	Perforated Back Panel M750×390 (blue)	750×390
LNC38295	Perforated Back Panel M900×390 (blue)	900×390



Product NO.	Product Name	Dimensions
LNA38385	Sliding Panel Back Panel M750×390 (ESD Grey)	750×390
LNA38395	Sliding Panel Back Panel M900×390 (ESD Grey)	900×390
LNA38325	Sliding Panel Back Panel M1200×390 (ESD Grey)	1200×390
LNA38485	Sliding Panel Back Panel M750×390 (blue)	750×390
LNA38495	Sliding Panel Back Panel M900×390 (blue)	900×390



Light Stand

- Used For Installing Various Types Of Lighting Fixtures Or Wall-Mounted ion Fans, Fans, Etc
- Light Stand Position can be adjustable
- Uniform Load-Bearing: 15kg

Product NO.	Product Name	Dimensions(mm)
LNA90753	Light Stand M750	750×380
LNA90903	Light Stand M900	900×380
LNA91203	Light Stand M1200	1200×380
LNA91503	Light Stand 2M750	1500×380
LNA91803	Light Stand 2M900	1800×380
LNA92203	Light Stand 3M750	2250×380

Inclined Brace Type Lighting Lamp Stand



Direct Mounting Lighting Stand



Simple Lighting Stand



Lighting

- Advanced Grating Lighting, Provide Soft And Uniform Light, In Line With Ergonomics.
- The Lamp are with Philips Or Osram or Export Brand, Which Obtained The National 3C Safety & The CE.
- Long Service Life.

Product NO.	Product Name	Dimensions(mm)
LNA95800	Advanced Grille Illuminated Lamp 1×36W	500×125×65
LNA95801	Advanced Grille Illuminated Lamp 2×36W	1000×125×65
LNA95803	Advanced Grille Illuminated Lamp 2×20W	735×135×55
LNA95804	Advanced Grille Illuminated Lamp 2×30W	1040×140×60

Steel-Made LED Lighting



LED Lighting Lamp



Advanced Grille Lighting



Accessories of Workstations

Anti-static Steel Shelf

- Installed Horizontally Or At An Angle Of 20 Degrees, Shelf Guard Edge
- Even Load Capacity: 50kg

Product NO.	Product Name	Dimensions
LNC10753	Steel Shelf M750×300Type+Steel Shelf Frame	750×300
LNC10903	Steel Shelf M900×300Type+Steel Shelf Frame	900×300
LNC11203	Steel Shelf M1200×300Type+Steel Shelf Frame	1200×300
LNC10755	Steel Shelf M750×400Type+Steel Shelf Frame	750x400
LNC10905	Steel Shelf M900×400Type+Steel Shelf Frame	900×400
LNC11205	Steel Shelf M1200×400Type+Steel Shelf Frame	1200×400



Antistatic Tabletop Shelf

- Place Heavy Testing Instruments Or Plastic Circulation Box, Etc.
- According To The requirements, Choose The Guard Rail Or Edge Guard.
- Shelf can be matched with Standard Support Rack (Capacity: 50 kg) or Reinforced Support (Capacity: 100 kg).

Product NO.	Product Name	Dimensions
LNC00832	Anti-static Panel+Steel Shelf Frame×2	765x380
LNC00932	Anti-static Panel+Steel Shelf FrameX2	915×380
LNC01232	Anti-static Panel+Steel Shelf Frame×2	1200×380
LNC01533	Anti-static Panel+Steel Shelf FrameX3	1530×380
LNC01833	Anti-static Panel+Steel Shelf FrameX3	1830×380
LNC02233	Anti-static Panel+Steel Shelf Frame×4	2280×380



Antistatic Adjustable Shelf

- Used For Placing Medium-Sized Debugging Equipment Or Plastic Con-tainer Boxes, Etc.
- Angle Adjustment Range: 0 Degrees to 25 Degrees (Applicable to Single-sided Support)
- Even Load: Single-Sided: 100kg, Double-sided: 150kg

Product NO.	Product Name	Dimensions
LNC60187	Adjustable ShelfM750 Type+Single-sided Frame	750x650
LNC60197	Adjustable ShelfM900 Type+Single-sided Frame	900×650
LNC60287	Adjustable ShelfM750 Type+Double-sided Frame	750×650
LNC60297	Adjustable ShelfM900 Type+Double-sided Frame	900×650



Antistatic Divider Plate

- Placed On A Steel Shelf Or A Wooden Shelf, Used For Categorizing Documents Data

Product NO.	Product Name	Dimensions
LNC20030	Divider Plate 300mm (Pair)	300
LNC21040	Divider Plate 400mm (Pair)	400



Cable Fixing Cover

- Used For Wiring And hiding Excess Wires, Wire Holes At The Bottom

Product NO.	Product Name	Dimensions
LNC70885	Cable Fixing Cover M750 Type	750×360
LNC70895	Cable Fixing Cover M900 Type	900×360



Antistatic Suspension Rail

- Used for hanging plastic containers, for Classifying the parts.
- Can be installed horizontally or at an angle of 20 deg.
- Even load: 30kg


Product NO.	Product Name	Dimensions
LNC48075	Suspension Rail M750Type	M750
LNC48090	Suspension Rail M900Type	M900
LNC48120	Suspension Rail M1200Type	M1200



Antistatic Adjustable Suspension Rail

- Hang The Plastic Containers And for Classifying the parts.
- Can Be Installed Horizontally or At An Angle Of 20 Degrees.
- Even Load: 30kg

Product NO.	Product Name	Dimensions
LNC48081	Adjustable Suspension Rail M750Type	M750
LNC48091	Adjustable Suspension Rail M900Type	M900
LNC48121	Adjustable Suspension Rail M1200Type	M1200



Keyboard Tray

- Substantial and Durable, with two ball slides, flexible
- Even Load: 10kg

Product NO.	Product Name	Dimensions
LNC81263	Plastic Keyboard Tray+ Standard slides	560×250
LNC81264	Steel Keyboard Tray+ Heavy-duty slides	600×300
LNC81265	Wooden Keyboard Tray+ Heavy-duty slides	600×300



Host Computer Stand

- Place Various-sized Computer Host
- Adjustable Width, Floor-standing Model With Elevated Base, Equipped Mobile Wheels
- Even Load: 30kg (Side hanging-type), 50kg (Floor Stand-type)

Product NO.	Product Name	Dimensions
LNC80055	Side Hanging-type Computer Host Stand	(180~225)×400×50
LNC80152	Floor Stand type Computer Host Stand	(130~210)×400×120



Antistatic Foot Rest

- Ergonomically Designed Comfortable And Durable

Product NO.	Product Name	Dimensions
LNC82535	Floor-type wooden foot rest	500×350
LNC83535	Adjustable foot rest	720x350



Accessories of Workstations

Antistatic Document Holder

- For placing documents, Swivel arm could move horizontally
- Even Load:15kg

Product NO.	Product Name	Dimensions
LNC50293	Single Swivel Arm with Document Stand A4	290×330
LNC51293	Double Swivel Arm with Document Stand A4	290×330
LNC50423	Single Swivel Arm with Document Stand A3	418×330
LNC51423	Double Swivel Arm with Document Stand A3	418×330

Loose-leaf folder

- With 10 pages of loose-leaf, Angle adjustable, Color Optional

Product NO.	Product Name	Dimensions
LNC50206	Single Swivel Arm with Document Stand	240×320
LNC50207	Double Swivel Arm with Document Stand	240×320

Antistatic Tool Plate

- For hanging hooks and tools, could move horizontally
- Even Load:15kg

Product NO.	Product Name	Dimensions
LNC52293	Single Swivel Arm with Tool Plate	290×330
LNC53293	Double Swivel Arms with Tool Plate	290×330

Plastic Container Shelf


- For placing different size of plastic container, could move horizontally
- Even Load:15kg

Product NO.	Product Name	Dimensions
LNC54621	Single Swivel Arm with Plastic Container Shelf	550×185×125
LNC55621	Double Swivel Arms with Plastic Container Shelf	550×185×125

Container Store Cabinet

- For placing different size of plastic container, could move horizontally
- Even Load:15kg

Product NO.	Product Name	Dimensions
LNC56052	Component Store Cabinet+ 3pcs Suspension Rail	530×180×350
LNC56152	Component Store Cabinet+ 3layers Shelf	530×180×350



Antistatic Wooden Side Plate

- For the placement of the Display, the rotating arm can move horizontally.
- Even Load:40kg

Product NO.	Product Name	Dimensions
LNC50201	ESD Wooden Side Stand (left side)	400×500
LNC50202	ESD Wooden Side Stand (right side)	400×500

Monitor Holder

- For hanging monitor, keyboard is alternative, could move horizontally
- Even Load: 40kg

Product NO.	Product Name	Dimensions
LNC57053	Single Swivel Arms Monitor Shelf+ Keyboard Tray Optional	420x300
LNC57153	Double Swivel Arms Monitor Shelf+ Keyboard Tray Optional	420x300
LNC57055	Single Swivel Arms Monitor Shelf+ Keyboard Tray Optional	420x300
LNC57155	Double Swivel Arms Monitor Shelf+ Keyboard Tray Optional	420x300

Display Rack with Arm

- For placing flat plate display, size of the hole: 75*75mm/100*100mm
- Even Load:40kg

Product NO.	Product Name	Dimensions
LNC57201	Display Rack with Arm	120x120

Tooling Turntable

- For assembling and repairing products, easy to operate, could rotate with 360 degree
- Even Load:30kg

Product NO.	Product Name	Dimensions
LNC83040	Tooling Turntable	400
LNC83050	Tooling Turntable	500

Industrial Bench Vice

- Common fixture, jaws is exchangeable, also for round parts
- Width of jaws is 100mm,125mm, 150mm,200mm

Product NO.	Product Name	Dimensions
LNC85004	4 inch Bench Vice	100
LNC85005	5 inch Bench Vice	125
LNC85006	6 inch Bench Vice	150
LNC85008	8 inch Bench Vice	200



Electricity & Gas Systems

- Steel Power Box Can Be Equipped With 380V Three-phase Four-wire, 220V, 110V AC Power, 48V, 24V DC Power.
- The Steel Power Box can accommodate control switches, international European Standard Sockets, Aviation Sockets, Equipped With Leakage Protection Devices, AC/DC Indicator Lights, Quick Pneumatic Connectors, Pressure Gauges, Stable Power Supply.
- The Workbench Back-to-back Shape, Transformed Into a Dual-sided Power Box, Improve Efficiency, save costs.
- The overall circuit system controls the power supply distribution and effectively allocates the electrical load.

Product NO.	Product Name	Dimensions
LNC20752	Industrial Power Box M750 type	720x60x100
LNC20902	Industrial Power Box M900 type	870x60x100
LNC30752	Double-sided Industrial Power Box M750 type	720x60x100
LNC30902	Double-sided Industrial Power Box M900 type	870x60x100
LNC50752	Inclined-sided Industrial Power Box M750 type	720x60x100
LNC50902	Inclined-sided Industrial Power Box M900 type	870x60x100



- Power Socket Rated Power: 2500W, Rated Current:10A, Multiple Function Socket Holes.

Product NO.	Product Name	Dimensions
LNC01602	Socket Board (6) +Hook	300x50x300
LNC01301	Socket Board (3) +Hook	180x55x30

Table Tops Series

Antistatic Table Tops

- Table top is made of Imported ESD Fireproofing Board, Antistatic, Fireproof and Wearable
- Table top have overall antistatic function, avoiding static electricity goes through the working area

- Thickness of Tabletop:25mm, off white/Gray
- Table Edge Color: off white/Gray,yellow,black

Product NO.	Product Name	Dimensions
LND18106	Antistatic Table Tops	1000x600
LND18126	Antistatic Table Tops	1200x600
LND18156	Antistatic Table Tops	1530x600
LND18158	Antistatic Table Tops	1530x750

Product NO.	Product Name	Dimensions
LND18159	Antistatic Table Tops	1530x900
LND18188	Antistatic Table Tops	1830x750
LND18189	Antistatic Table Tops	1830x900
LND18228	Antistatic Table Tops	2280x750



Heavy-Duty Table Tops

- Optional Types: Fireproofing Tabletop, Beech Wood Tabletop, Steel-faced Tabletop, Stainless Steel Tabletop, Wear Resistant Polymer Tabletop, PVC Compound Tabletop
- Thickness of Tabletop: 50mm

Fireproofing Tabletop Board


- * Antistatic & Non-ESD Common Type
- * Beautify,Fireproof and Wearable
- * Color Of Edge: Gray,Yellow And Black
- * Suit For The Common Working Requests

Steel-faced Tabletop

- * Antistatic & Non-ESD Common Type
- * Hard,Wearable And Beautiful
- * Integrally off white/Gray
- * Suit For Bench-Vice Production, Bench Vice Could Be Installed On The Top

Antistatic Suspension Rail

- * Thickness of Top is 2mm,PVC Compound Material
- * Soft, buffering
- * Suit for Assembling,debugging and checking for the microminiaturization



Wear Resistant Polymer Tabletop

- * Thickness of top is 2mm, wear resistant polymer material
- * Resistance of acid,alkalinity,impact and oil
- * Suit for bench-vice production, bench vice could be installed

Beech Wood Tabletop

- * Finger jointed with beech wood
- * Hard,resistance of impact,integrally gray
- * Suit for bench-vice production, bench vice could be installed

Stainless Steel Tabletop

- * Thickness of top could be 1.2mm or 1.5mm, stainless steel
- * Resistance of acid,alkalinity ,impact,with good strength
- * Suit for resistance of dirt and corrosion



Tool Cabinet Series

- The tool cabinet have large storage capacity, good load capacity, safe and convenient, Accurate and efficient storing and picking
- Each drawers of the tool cabinet are with safety catches to prevent the drawers from accidentally sliding out due to movement or vibration.
- The reinforcement structure inside the tool cabinet is made of high-quality steel plates, which is sturdy and durable.
- The drawers of the tool cabinet are equipped with specially designed guide rails, which are sturdy and can operate smoothly even when fully loaded.
- The cabinet body and drawer guide rails of the same tool cabinet can be configured with single-track, double-track or a combination of single-track and double-track.
- Central safety lock - One lock can secure all the drawers.
- Full-width aluminum alloy handle, equipped with a changeable label, facilitating management and classification
- The bottom of the tool cabinet can be equipped with footrests, making it easier to move.



Tool Drawer Cabinet



* Dimensions: 411Wx572Dx380H



* Central locking : One lock can secure all the drawers, safety and efficiency



* The drawer opened by 90%, Even Load: 80kg



* The Cabinet drawer Edge are lined with slots, with a slot width of 20mm. The partitions are used to divide the space.



* Tool cabinet drawer slide rail design, strong bearings sliding, large load capacity, long service life, smooth opening and closing.



* The drawers of the tool cabinet are equipped with ABS safety clips to prevent them from sliding out during handling and vibration. This design is more reliable and safer.



Product NO. LNN01201

Dimensions: 411Wx572Dx280H
Drawer Configuration: 100mmx2



Product NO. LNN01202

Dimensions: 411Wx572Dx380H
Drawer Configuration: 100mmx3



Product NO. LNN01203

Dimensions: 411Wx572Dx700H
Drawer Configuration: 75mmx2 100mmx1
150mmx1 200mmx1



Product NO. LNN01204

Dimensions: 411Wx572Dx700H
Drawer Configuration: 100mmx3, 150mmx2



Product NO. LNN01205

Dimensions: 564Wx572Dx700H
Drawer Configuration: 100mmx3, 150mmx2



Product NO. LNN01206

Dimensions: 411Wx572Dx700H
Drawer Configuration: 75mmx2 100mmx1
150mmx1 200mmx1



Product NO. LNN01207

Dimensions: 564Wx572Dx800H
Drawer Configuration: 75mmx2 100mmx1
150mmx1 200mmx1



Product NO. LNN01208

Dimensions: 564Wx572Dx1000H
Drawer Configuration: 100mmx3, 150mmx2
150mmx2 250mmx1




Product NO. LNN01209

Dimensions: 411Wx572Dx280H
Drawer Configuration: 75mmx2 100mmx1
150mmx2 200mmx2

Movable Tool Cabinet Trolley Series

- Top-mounted and Removable Top Frame, Equipped With Oil-proof Rubber Pads Inside
- 4-inch PU Polyurethane Foot Wheels With Excellent Wear resistance and oil resistance, very sturdy and durable.
- They are suitable for use in heavy-load working environments such as machinery and maintenance.



Product NO. LNN05021

Dimensions: 564Wx572Dx840H
Drawer Configuration: 100mmx1



Product NO. LNN05022

Dimensions: 564Wx572Dx840H
Drawer Configuration: 100mmx2, 150mmx1
250mmx2



Product NO. LNN05023

Dimensions: 150Wx600Dx880H
Drawer Configuration: Right Double-door cabinet.
Beech Wood Jointed Top 30mm



Product NO. LNN05024

Dimensions: 1150Wx600Dx880H
Drawer Configuration: Right Side Fixed Plate
Board Fireproofing Top 25mm



Product NO. LNN05025

Dimensions: 1150Wx600Dx880H
Drawer Configuration: Right Sliding Cabinet
Compound Top



Product NO. LNN05026

Dimensions: 570x572x880mm
Drawer Configuration: 100mmx3, 150mmx2



Product NO. LNN05027

Dimensions: 570x572x880mm
Drawer Configuration: 100mmx3, 150mmx1
200mmx1



Product NO. LNN05028

Dimensions: 570x572x880mm
Drawer Configuration: 75mmx2 100mmx3
200mmx1 250mmx1

Drawer Unit Series

Antistatic Standard Drawer Unit

- The installation workbench needs to be with drawer fixing brackets
- The drawer with 3 sliding rails and can be fully pulled out
- Each Drawer Layer Even Load: 30kg



Product NO.	Product Name	Dimensions
LNH13501	Single-Layer Drawer	350x450x125
LNH13502	Double-Layer Drawer	350x450x250
LNH13503	Drawer Cabinet	350x450x500

Antistatic High-end Drawer Unit

- The Installation Workbench Needs To be with drawer Fixing Brackets
- The Drawer With 3 Sliding Rails, Can Be Fully Pulled Out
- Each Drawer Layer Even Load: 30kg



Product NO.	Product Name	Dimensions
LNH23701	High-end Single-Layer Drawer	372x486x195
LNH23702	High-end Double-Layer Drawer	372x486x346
LNH23703	High-end Drawer Cabinet	372x486x500

Antistatic Movable Cabinet

- Each Drawer Layer Even Load: 25kg(MV1);35kg(MV3,MV2)
- The Drawer With 3 Sliding Rails, Can Be Fully Pulled Out
- Standardly 4 light-duty ESD Wheels. The MV3 Model With Heavy-duty ESD Wheels.
- Movable Cabinet With Divider Plate, Making It Convenient For Organizing Files.



Product NO.	Product Name	Dimensions
LNH06401	Antistatic Movable Cabinet MV1	410x530x640
LNH06402	Antistatic Movable Cabinet MV2	375x585x620
LNH06403	Antistatic Movable Cabinet MV3	395x500x590

Drawer Unit Series

- High and wide drawer cabinet: The cabinet size (W*D*H)500*650*715 (including Table Tops Height 760mm), drawer capacity 35kg. Drawer can fully pulled out, Divider Plate divide the drawer into several compartments, Can store different parts.



LN-D-300 Blue Tool Cabinet Three Drawers
Tool Cabinet



LN-DK-051 Blue Door-opening Vehicle Left Cabinet
Tool Cabinet



LN-DK-052 Blue Door-opening Vehicle Right Cabinet
Tool Cabinet

- High and wide Tool cart : The cabinet size (W*D*H)500*650*715 (including wheel Height 875mm), Drawer capacity 35kg.Drawer Can Fully Pulled Out, Divider Plate Divide The Drawer into several Compartments, Can store different parts.



LN-D-300-1 Blue Tool Cabinet Three Drawers
Drawer 2*160mm Tool Cart
Drawer 1*320mm



LN-DK-051-1 Blue Door-opening Vehicle Left Cabinet
Tool Cabinet



LN-DK-052-1 Blue Door-opening Vehicle Right Cabinet
Tool Cabinet

- D Series Double-Cabinet Tool Car:The cabinet size (W*D*H)500*650*715 (including wheel Height 900mm), drawer capacity 35kg.drawer can fully pulled out, Divider Plate divide the drawer into several compartments, Can store different parts.



LN-DK5152 Double-Cabinet Tool Cart
1200*750mm
Optional Shelf-Type



LN-DK-30052 Double-Cabinet Tool Cart
1200*750mm
Optional Shelf-Type



LN-2D-300 Double-Cabinet Tool Cart
1200*750mm
Optional Shelf-Type



LN-5D-301 5 Drawers Tool Cart
Dimensions: W688*D460*H920mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-6D-302 6 Drawers Tool Cart
Dimensions: W688*D460*H920mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-7D-303 7 Drawers Tool Cart
Dimensions: W688*D460*H920mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-8D-304 8 Drawers Tool Cart
Dimensions: W688*D460*H920mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-5D-305 3 Drawers 2 Doors Tool Cart
Dimensions: W688*D460*H920mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-5D-306 5 Drawers Tool Cart
Dimensions: W688*D460*H810mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters



LN-6D-307 6 Drawers/Side Cabin/Tool Cart
Dimensions: W1060*D460*H935mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters




LN-8D-308 8 Drawers/Side Cabin/Tool Cart
Dimensions: W1035*D460*H1045mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters




LN-11D-309 11 Drawers Tool Cart
Dimensions: W1035*D460*H1000mm
Configure: slide rail, capacity 45KG,
drawers with safety latch, 2 swivel 2 fixed casters

Drawer Unit Series




LN100580

Cabinet: W572*D600*H1000mm
Note: Tabletop, footpad optional



LN100620

Cabinet: W572*D600*H1250mm
Note: Tabletop, footpad optional



LN100650

Cabinet: W572*D600*H1450mm
Note: Tabletop, footpad optional

A型 B型

100S 100S
100S 100S
150S 150T
150S 150T
200S 200T
200S 200T



A型 B型

100S 100S
100S 100S
100S 100S
150S 150T
150S 150T
150S 150T
150S 150T



Dimensions	W572"D600"H1000mm	W572 D600"H1000mm
A Type	LN100581-6A	LN100581-7A
B Type	LN100581-6B	LN100581-7B
Drawers No.	6 Drawers	7 Drawers
Guide rail Notes	drawer with -S for single-track with capacity 100KG, drawer with -T for double-track with capacity 200KG	

A型 B型

150S 150S
150S 150T
150S 150T
150S 150T
150S 150T
200S 200T
200S 200T



A型 B型

100S 100S
100S 100S
100S 100S
150S 150T
150S 150T
150S 150T
200S 200T
200S 200T



Dimensions	W572"D600"H1250mm	W572*0600"H1250mm
A Type	LN100621-7A	LN100621-8A
B Type	LN100621-7B	LN100621-8B
Drawers No.	7 Drawers	7 Drawers
Guide rail Notes	drawer with -S for single-track with capacity 100KG, drawer with -T for double-track with capacity 200KG	

A型 B型

150S 150T
150S 150T
150S 150T
150S 150T
150S 150T
200S 200T
200S 200T
200S 200T



A型 B型

100S 100S
100S 100S
100S 100S
150S 150T
150S 150T
150S 150T
200S 200T
200S 200T
200S 200T



Dimensions	W572"D600"H1000mm	W572 D600"H1000mm
A Type	LN100651-8A	LN100651-9A
B Type	LN100651-8B	LN100651-9B
Drawers No.	8 Drawers	9 Drawers
Guide rail Notes	drawer with -S for single-track with capacity 100KG, drawer with -T for double-track with capacity 200KG	

Storage Cabinets



W600*D500*H1800mm

Dimensions: LND-79473 Double-door 5-level locker cabinet
Configuration: Four layer boards on the left
One layer board and one hanger bar on the right



W1000*D500*H1800mm

Dimensions: LND-79474 Double-door locker cabinet
Configuration: Top fixed partition, Capacity 80KG
One hanging bar on the left side, and three small partition boards on the right side

Butterfly foot seat (foot height H = 50mm, 4 PCs per group) (optional)



Easy to handle and moisture-proof from a distance

Front baffle, side baffle (optional)



W800*D500*H1800mm

Product NO: LND-79475 2 doors locker cabinet
(with hook lock / password lock)
Configuration: Every compartment has a partition board and 1 hanger bar



W800*D500*H1800mm

Product NO: LND-79476 4 doors locker cabinet
(with hook lock / password lock)
Configuration: Every compartment has a partition board



W600*D500*H1800mm

Product NO: LND-79477 8 doors locker cabinet
(with hook lock / password lock)
Configuration: Independent compartment



W1200*D500*H1800mm

Product NO: LND79478 3 doors locker cabinet
(with hook lock / password lock)
Configuration: Every compartment has a partition board and 1 hanger bar



W1200*D500*H1800mm

Product NO: LND79479 6 doors locker cabinet
(with hook lock / password lock)
Configuration: Every compartment has a partition board



W1200*D500*H1800mm

Product NO: LND79480 12 doors locker cabinet
(with hook lock / password lock)
Configuration: Independent compartment

Storage Cabinets

• Leenol anti-static storage cabinets are specially designed and manufactured for factories, aesthetic and durable.



Product NO: LNU59321
Anti-static storage cabinet LV1
Dimensions:900x400x1800mm
The upper cabinet has one shelf plate, and the lower cabinet has 2 shelf plates.



Product NO: LNU59322
Anti-static storage cabinet LV2
Dimensions:900x400x1800mm
There is a shelf plate inside both the upper and lower cabinets



Product NO: LNU59323
Anti-static storage cabinet LV3
Dimensions:900x400x1800mm
There is a shelf plate inside both the upper and lower cabinets



Product NO: LNU59324
Anti-static four doors locker cabinet LV4
Dimensions:900x500x1800mm
Integrated cabinet, with built-in shelves, hanger bar, and mirror



Product NO: LNU59325
Anti-static six doors locker cabinet LV5
Dimensions:900x500x1800mm
Integrated cabinet, with built-in shelves, hanger bar, and mirror



Product NO: LNU59326
Anti-static twelve doors locker cabinet LV6
Dimensions:900x400x900mm
Integrated cabinet, 12 doors with independent locks



Product NO: LNU59327
Anti-static storage cabinet LV7
Dimensions:900x400x900mm
Sliding door, with 1 shelf plate inside the cabinet



Product NO: LNU59328
Anti-static storage cabinet LV8
Dimensions:900x400x900mm
Five layers large drawer that can be 100% fully pulled out



Product NO: LNU59329
Anti-static storage cabinet LV9
Dimensions:900x400x900mm
Five drawers can be 100% fully pulled out, with 1 shelf plate inside the right cabinet



Product NO: LNU59310
Anti-static eight doors storage cabinet LV10
Dimensions:900x400x1800mm
Double doors, each with its own lock



Product NO: LNU59311
Anti-static storage cabinet LV11
Dimensions:900x400x1800mm
Glass doors, with four layers of shelves inside the integrated cabinet



Product NO: LNU59312
Anti-static storage cabinet LV12
Dimensions:900x400x1800mm
Three shelves built into the upper cabinet



Product NO: LNU59313
Anti-static storage cabinet LV13
Dimensions:900x400x1800mm
Separated top and bottom sections. The top cabinet has two layers of shelves.



Product NO: LNU59314
Anti-static storage cabinet LV14
Dimensions:900x400x1800mm
Separated top and bottom sections. The top cabinet has 1 layer of shelf inside.



Product NO: LNU59315
Anti-static storage cabinet LV15
Dimensions:1180x400x1800mm
Separate top and bottom sections. Both the top and bottom cabinets have 1 layer of shelf inside.

Storage Cabinets

• Leenol anti-static storage cabinets are specially designed and manufactured for factories, aesthetic and durable.



Product NO: LN-69461
LN-1 Type Anti-static storage cabinet
Dimensions:900x440x1064mm



Product NO: LN-69462
LN-2 Type Anti-static storage cabinet
Dimensions:900x440x1064mm



Product NO: LN-69463
LN-3 Type Anti-static storage cabinet
Dimensions:900x440x1064mm



Product NO: LN-69464
LN-4 Type Anti-static storage cabinet
Dimensions:900x440x1064mm




Product NO: LN-69465
LN-24 Type Anti-static storage cabinet
Dimensions:900x440x1064mm



Product NO: LN-69466
LN-4 Type Anti-static locker cabinet
Dimensions:900x510x1800mm



Product NO: LN-69467
LN-5 Type Anti-static locker cabinet
Dimensions:900x510x1800mm



Product NO: LN-69468
LN-6 Type Anti-static shoes cabinet
Dimensions:900x380x1800mm



Product NO: LN-69469
LN-7 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69470
LN-8 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69471
LN-9 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69472
LN-10 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69473
LN-11 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69474
LN-12 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69475
LN-13 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69476
LN-14 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69477
LN-16 Type Anti-static storage cabinet
Dimensions:1200x440x1800mm



Product NO: LN-69478
LN-17 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69479
LN-18 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69480
LN-19 Type Anti-static storage cabinet
Dimensions:900x440x1800mm



Product NO: LN-69481
LN-20 Type Anti-static storage cabinet
Dimensions:900x440x1800mm

Tool Classification Cabinet

- It can be freely combined and classified into material storage cabinets and tool storage cabinets. It is mainly used for storing various tools, parts, and is convenient for access.
- Optional shelves are available, including perforated upper baffles, sliding panels, and tool drawers, etc. Function classification: anti-static type and non-anti-static type.



Product NO: LNU69321
Tool Classification Cabinet LN-1 Type
Dimensions:900Wx500Dx1800H



Product NO: LNU69322
Tool Classification Cabinet LN-2 Type
Dimensions:1000Wx600Dx1800H



Product NO: LNU69323
Tool Classification Cabinet LN-3 Type
Dimensions:1000Wx600Dx1800H



Product NO: LNU69324
Tool Classification Cabinet LN-4 Type
Dimensions:1000Wx572Dx1800H



Product NO: LNU69325
Tool Classification Cabinet LN-5 Type
Dimensions:900Wx400/600Dx1800H



Product NO: LNU69326
Tool Classification Cabinet LN-6 Type
Dimensions:1000Wx400Dx1800H



Product NO: LNU69327
Tool Classification Cabinet LN-7 Type
Dimensions:1000Wx600Dx1800H



Product NO: LNU69328
Tool Classification Cabinet LN-8 Type
Dimensions:1000Wx600Dx1800H



Product NO: LNU69329
Tool Classification Cabinet LN-9 Type
Dimensions:1000Wx600Dx1800H

Icc Fireproofing Cabinet

- It is mainly used for storing flammable liquids and certain hazardous chemicals. Various sizes of fire-proof cabinets can provide safe storage space.
- The "Leenol" yellow fireproof cabinet complies with OSHA 29 CFR 1910.106 (the regulations of the American Occupational Safety and Health Administration) and NFPA E30 (the regulations of the American National Fire Protection Association)



Icc Fireproofing Cabinet FD-1 Type

Product NO	Product Series	Dimensions	Adjustable shelf panel	Volume
LNP14451	Single Door Series	430Wx430Dx560H	1	4 Gallon/15 liters
LNP15481	Single Door Series	590Wx460Dx890H	1	12 Gallon/45 liters
LNP15411	Single Door Series	590Wx460Dx1120H	1	15Gallon/57 liters

Icc Fireproofing Cabinet FD-2 Type

Product NO	Product Series	Dimensions	Adjustable shelf panel	Volume
LNP10411	Double Door Series	1090Wx460Dx1120H	1	30 Gallon/114 liters
LNP10412	Double Door Series	1090Wx460Dx1650H	2	45 Gallon/170 liters
LNP18811	Double Door Series	860Wx860Dx1650H	2	60 Gallon/227 liters
LNP10811	Double Door Series	1090Wx860Dx1650H	2	90 Gallon/340 liters



Spare Parts Cabinet Series

- Suitable for storing various small parts, materials, stationery items, etc. in factories and offices.
- Flexible space utilization. Each drawer is equipped with an adjustable divider, allowing for easy adjustment of the drawer's internal space and enhancing the classification function.
- Color-coded management. Each drawer is attached with a color card, offering four colors for selection, which can be used to indicate the names and specifications of the items stored in the drawer, thereby improving management efficiency.
- Anti-slip design. Ensures that items and parts do not fall and get damaged when the drawer is pulled out.



Product NO: LNU59331

Part storage cabinet LN-1 Type
Number of boxes for storing parts: 24
Built-in drawer: Blue ABS
Dimensions: 600Wx283Dx720H



Product NO: LNU59332

Part storage cabinet LN-2 Type
Number of boxes for storing parts: 30
Built-in drawer: Transparent PS
Dimensions: 600Wx283Dx880H



Product NO: LNU59333

Part storage cabinet LN-3 Type
Number of boxes for storing parts: 75
Built-in drawer: Transparent PS
Dimensions: 580Wx230Dx880H



Product NO: LNU59334

Part storage cabinet LN-4 Type
Number of boxes for storing parts: 30
Built-in drawer: Blue ABS
Dimensions: 640Wx340Dx925H



Product NO: LNU59335

Part storage cabinet LN-5 Type
Number of boxes for storing parts: 30
Built-in drawer: Transparent PS
Dimensions: 600Wx340Dx925H



Product NO: LNU59336

Part storage cabinet LN-6 Type
Number of boxes for storing parts: 75
Built-in drawer: Transparent PS
Dimensions: 620Wx283Dx925H

Document Cabinet Series

- The drawer is equipped with color-coded labels to indicate the classification of the papers, thereby improving work efficiency.
- The anti-slip design ensures that the items do not fall when drawers pulled out.
- It is lightweight and easy to move, and can be placed on the workbench to increase the storage space for items.



Product NO: LNU59337

Document Cabinet LN-7 Type
Number of boxes for storing parts: 16
Built-in drawer: Transparent PS
Dimensions: 632Wx412Dx720H



Product NO: LNU59338

Document Cabinet LN-8 Type
Number of boxes for storing parts: 24
Built-in drawer: Transparent PS
Dimensions: 932Wx412Dx720H



Product NO: LNU59339

Document Cabinet LN-9 Type
Number of boxes for storing parts: 8
Built-in drawer: Transparent PS
Dimensions: 622Wx412Dx380H

Density Cabinet Series

- It is suitable for storing various parts and is equipped with a spring hook to ensure that the items and parts do not fall out and get damaged when the drawer is pulled out.



Product NO: LNR31521

Density Cabinet LN-1 Type
Number of boxes for storing parts: 70
Built-in drawer: Blue, yellow, red
Dimensions: 1050Wx400Dx1760H



Product NO: LNR31522

Density Cabinet LN-2 Type
Number of boxes for storing parts: 70
Built-in drawer: Blue, yellow, red
Dimensions: 1050Wx500Dx1760H



Product NO: LNR31523

Density Cabinet LN-3 Type
Number of boxes for storing parts: 80
Built-in drawer: High-grade blue storage box with dividers
Dimensions: 1050Wx540Dx1800H

Stainless Steel Storage Cabinets

- It is made of 304 stainless steel and integrates multiple functions such as an operation table and storage cabinet. The cabinet has a design without any dead corners, which helps prevent the breeding of pests and bacteria. It is the best choice for the food and pharmaceutical industries.



Antistatic Table Mat

- The anti-static mat is mainly made of anti-static (conductive) materials and synthetic rubber such as dissipative static materials.
- Dimensions: 1.0X10m, 1.2X10m, thickness : 2mm, 3.5mm,
- Colour: Green, gray, blue.
- Surface resistance $10^6 \sim 10^9 \Omega$, bottom layer resistance $10^3 \sim 10^5 \Omega$.



Product NO: LNE08201	LNE08202	LNE08203	LNE08204	LNE08205
Green matte table mat	Gray anti-slip table mat	Green anti-slip table mat	Gray matte table mat	Anti-fatigue blue matte

Tool Hooks




Product NO: LNC39001	LNC39002	LNC39003	LNC39004	LNC39005
Single straight hook	Double straight hook	Wrench stand	Ring hook	Screwdriver holder

Display Bracket Wall

- Dimensions: 19.5cm*61cm*34cm---17.5cm
- Product weight: 3kg Material: Aviation aluminum and cold-rolled steel
- Product pivot arm: Zero section, one section
- Installation hole spacing : (VESA)(75*75-100*100mm)



Material selection
Cold-rolled steel plate, mirror-polished surface, anodized, machine engraving forming, high load capacity, good shaping ability, good processing capability, Resistant to acid and alkali corrosion



Three-axis rotation system
Three rotation points, enabling flexible and convenient multi-angle rotation



Wall-mounted integrated stand, free adjustable height, standing at work, saving space



Size:19.5cm*61cm*34cm-17.5cm
Keyboard tray size:61cm*19.5cm*0.2mm
Wall panel size:14cm*7cm

Antistatic Trolleys Series

Antistatic Light-Duty Trolley

- Used for Turnover Items, Various styles are available.
- Optional Single-layer Drawers, Steel Shelves & other LEENOL Standard Accessories.
- Even load-bearing capacity: 150kg (for the whole vehicle), 50kg/Layer.
- With 4 anti-static wheels, Two of Which are Equipped with Brakes.



Product NO. LNT07501

Product Name:ESD Light Duty Trolley TV1
Dimensions:650*450*750MM



Product NO. LNT07502

Product Name: ESD Light Duty Trolley TV2
Dimensions:650*450*1160MM



Product NO. LNT07503

Product Name:ESD Light Duty Trolley TV3
Dimensions:650*450*750MM

Antistatic Wooden Trolley

- Turnover goods within 100kg and Various Styles are available.
- Optional Single-layer Drawers, The whole trolley load is 150kg.
- With 4 anti-static wheels, Two of Which are Equipped with Brakes.



Product NO. LNT07504

Product Name:ESD Wooden Trolley RV1
Dimensions:600*500*750MM



Product NO. LNT07505

Product Name: ESD Wooden Trolley RV2
Dimensions:600*500*750MM



Product NO. LNT07506

Product Name:ESD Wooden Trolley RV3
Dimensions:600*500*750MM

Antistatic Industrial Trolley for SMT/DIP/EMS Workshop

- Used for Turnover Materials&Equipment, Various Functional trolleys are available.
- Load-bearing: 500KG (Full Vehicle)
- Optional Tool racks, tool cabinets and other LEENOL Standard Accessories
- With 4 anti-static wheels, Two of Which are Equipped with Brakes



Product NO.LNT18601

Product Name:ESD Tool Trolley KV1
Dimensions:780*600*800MM



Product NO.LNT18602

Product Name: ESD Tool Trolley KV2
Dimensions:780*600*800MM



Product NO.LNT18603

Product Name:ESD Tool Trolley KV3
Dimensions:650*450*750MM

Antistatic Support Trolley

- urnover Materials and Equipment Use
- Load Capacity: 300kg (Whole Vehicle), 100kg/Layer.
- Various LEENOL Standard Attachments are optional
- With 4pcs ESD wheels, 2pcs with Brakes



Product NO.LNT28701

Product Name:ESD Support Trolley DV1
Dimensions:840*700*720MM



Product NO.LNT28702

Product Name: ESD Support Trolley DV2
Dimensions:840*700*1570MM



Product NO.LNT28703

Product Name:ESD Support Trolley DV3
Dimensions:840*700*1570MM

Antistatic Trolleys Series

Antistatic Instrument Trolley

- Even Load Capacity: 200kg (Whole vehicle), 100kg (Upper Shelf),50kg (Lower Shelf)
- With 4pcs ESD wheels, 2pcs with Brakes



Product NO.LNT38601

Product Name:ESD Instrument trolley PV1
Dimensions:750*600*(770-1220)MM



Product NO.LNT38602

Product Name: ESD Instrument Trolley PV2
Dimensions:750*400*835MM



Product NO.LNT38603

Product Name:ESD Instrument Trolley PV3
Dimensions:850*450*900MM

Carriage Shelf Combination

- It can be DIY, Adjustable layers, layer heights, Open Structure
- Even Load Capacity: 100kg; The Casters and Brackets are made of Silent Materials
- Suitable for Cleanroom Workshops, Hospitals and others with high requirements.



Product NO.LN-1530608-C182472

Product Name: Wire Shelf UV1
Dimensions:600*450*1800mm



Product NO.LN-1530606A-F2-C1836

Product Name: Wire Shelf UV2
Dimensions:900*450*940MM



Product NO.LN-1530608B-F1D2S1W4-C183672

Product Name: Wire Shelf UV3
Dimensions:900*450*1800mm

Mute Trolley

- Whole Trolley Load Capacity: 150kg; 250kg
- The Casters and Brackets are made of Silent Material.
- Suitable for Dust-free Workshops, Clean rooms, Hospitals and other with high requirements.



Product NO.LNT48601

Product Name:Mute Trolley IV1
Dimensions:730*490*850MM



Product NO.LNT48602

Product Name: Mute Trolley IV2
Dimensions:825*500*915MM



Product NO.LNT48603

Product Name:Mute Trolley IV3
Dimensions:825*500*915MM



Product NO.LNT48604

Product Name:Mute trolley IV4
Dimensions:730*490*870MM



Product NO.LNT48605

Product Name: Mute trolley IV5
Dimensions:730*490*870MM



Product NO.LNT48606

Product Name:Mute trolley IV6
Dimensions:825*500*890MM

Antistatic Trolleys Series



Product NO.LN-69482 5-Drawer Cart

Dimensions:W730*D550*H780mm
Configuration: 2 Fixed, 2 Swivel Casters,
Capacity 90KG



Product NO.LN-69483 3 Layer trolley

Dimensions:W730*D550*H780mm
Configuration:2 Fixed, 2 Swivel Casters,Capacity 90KG



Product NO.LN-69484 1 Drawer / 1 Bin / Covered Box Repair Tools

Dimensions:W688*D460*H890mm
Configurations: Drawer with Safety Lock, 2 Fixed,
2 Swivel Casters,Capacity 90KG



Product NO.LN-69485 3 Layers / Single Drawer / Trolley

Dimensions:W735*D385*H860mm
Configuration: 2 Fixed, 2 Swivel Casters,
Capacity 90KG



Product NO.LN-69486 4Layers/ Tool Cart

Dimensions:W730*D460*H900mm
Configuration:With 3 layers, and Top layer and 2 Side
with perforated Panel to hang tools.
2 Fixed, 2 Swivel Casters,Capacity 90KG



Product NO.LN-69487 Deflection Door/ Repair Tools Trolley

Dimensions:W735*D520*H1045mm
Configurations:The door thickness 90mm, With
Perforated plates, Load Capacity: 500KG.



Product NO.LN-69488 ESD Multi-Purpose Functional Vehicle cart

Dimensions:W735xD385xH860mm
Configuration:75mm High Drawer,Load: 45kg,2 Fixed, 2 Swivel Casters,Capacity 90KG
Overall Cold-rolled Steel plate manufacturing, ESD Powder Coating;
The whole ESD Reading Ranges: 10[^]-6 to 10[^]8 ohms.



Product NO.LN-69489 ESD Storage Cabinets

Dimensions:W1000xD600xH1800mm
Configuration: 3 layers boards, 2 sliding Drawers, Load 80KG,
Overall Cold-rolled Steel plate manufacturing, ESD Powder Coating;
The whole ESD Reading Ranges: 10[^]-6 to 10[^]8 ohms.

Customer Examples



Antistatic Trolleys Series

Hooks are installed on Board, Which can hang various tools and parts.

Various specialized hooks can accommodate different tools and small items for storage.

Different Color Component Box can be used to hang various small parts separately.

The Casters are with brakes, flexible movement and easy operation.

The top of the column is equipped with a protective end cover to prevent sharp edges and ensure safety.

The double-sided columns are equipped with plastic handles, making it easy to hold onto during movement.

The louvre panels are used to hang various parts.

The fixed reinforcing plate can ensure the overall strength of the material.



Single-sided Tool Rack

- Ensure large storage capacity within a limited space
- Single-sided or double-sided safe and convenient for moving the parts box

Product NO.	Product Series	Dimensions
LNR50141	M960	960x390x1480

Double-sided Tool Rack

- Ensure large storage capacity within a limited space
- Single-sided or double-sided safe and convenient for moving the parts box

Product NO.	Product Series	Dimensions
LNR51141	M960	960x390x1480



Classification Rack Series

- The storage racks can be freely combined and are classified into material storage racks and tool storage racks
- Optional Suspension frame, with perforated upper guard and louvered mounting plate, and optional mobile wheels
- Used for storing various tools and parts, facilitating easy access

Single-sided Classification Rack

Product NO.	Product Series	Dimensions
LNR60751	M750	750x350x1500
LNR60901	M900	900x350x1500


Double-sided Classification Rack

Product NO.	Product Series	Dimensions
LNR61751	M750	750x600x1500
LNR61752	2M7502	M750x600x1500



Portable Double-sided Classification Rack

Product NO.	Product Series	Dimensions
LNR62751	M750	750x600x1500
LNR62752	2M750	2M750x600x1500



Double-sided Classification Rack

Product NO.	Product Series	Dimensions
LNR61901	M900	900x600x1500
LNR61902	2M900	2M900x600x1500



Portable Double-sided Classification Rack

Product NO.	Product Series	Dimensions
LNR62901	M900	900x600x1500
LNR62902	2M900	2M900x600x1500



Storage RackingSeries

Antistatic Rack & Shelf


- The Storage Rack are made of high-quality cold-rolled steel, with a simple structure and an attractive appearance.
- They adopt a structure of column pieces and crossbeams connected by screws, which are all plug-in and combined types and do not require any bolts.
- The crossbeams can be adjusted to different layer heights at a 50mm pitch, installation and disassembly convenient.
- The shelves are standardly equipped with steel board, but wooden or other material shelves can also be optional.
- Even Load capacity: (Light-Duty) 100kg per layer, (Medium-Duty) 300kg per layer
- Size Customization can be provided according to customer requirements.
- The Anti-static type is: off-white.

Product NO.	Product Name	Dimensions
LNR01252	Light-Duty Storage Rack (with 5 layers of shelves)	1200x500x2000
LNR01552	Light-Duty Storage Rack (with 5 layers of shelves)	1500x500x2000
LNR01562	Light-Duty Storage Rack (with 5 layers of shelves)	1500x600x2000
LNR11252	Medium-Duty Storage Rack(with 5 layers of shelves)	1200x500x2000
LNR11552	Medium-Duty Storage Rack(with 5 layers of shelves)	1500x500x2000
LNR11852	Medium-Duty Storage Rack(with 5 layers of shelves)	1800x500x2000
LNR11562	Medium-Duty Storage Rack(with 5 layers of shelves)	1500x600x2000
LNR11862	Medium-Duty Storage Rack(with 5 layers of shelves)	1800x600x2000



Antistatic Loft Shelves Rack

- It is widely used in industries such as automotives, electronics, light industry, and machinery etc.
- It is composed of shelves and floor slabs, and uses medium-duty shelves as the main body
- The floor slabs usually adopt cold-rolled steel floor slabs with an interlocking structure. The floor panels and floor beams are locked together by a locking mechanism, featuring high precision, smooth surface, easy locking, strong bearing capacity, good overallity, good bearing uniformity, and easy matching with lighting systems. The access and management are also relatively convenient
- Floor slabs have various types available, such as plain planar type, raised dot type, and hollow type
- The load capacity of each layer of the unit shelf is usually within 500kg, and the floor panel load capacity is usually between 300-800 kilograms per square meter. Goods weighing less than 800KG/square meter are placed on the upper part
- The floor spacing is usually 2.2m to 2.7m, and the height of the top floor shelf is generally around 2.5m, fully considering the convenience of human-machine operation
- Generally, attic shelves are equipped with stairs, or hydraulic lifting platforms, slides or elevators can be provided, or goods can be transported to the upper floor by forklifts. The transportation method on the upper floor uses ground cranes or trailers for operation
- Its characteristics are: installation and disassembly are convenient and flexible. It can be flexibly designed as two or three-story attics according to the site and needs, fully utilizing the space



RACK1

RACK2

RACK3


LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

防静电 PVC 地板
ESD PVC FLOOR

技术参数
Technical Data

项目 Item	标准 Standards	导电型地板 Conductive floor	耗散型地板 Dissipative floor
厚度 Thickness	EN428	2.0mm 2.5mm 3.0mm	
尺寸 Size	EN426	600*600mm/900*900mm	600*600mm/900*900mm
重量 Weight	EN430	2.0mm-3.8kg/m²; 2.5mm-4.8kg/m²; 3.0mm-5.8kg/m²	
阻值 Electric Properties	DIN511953 ASTM F-150 OR NFPA99	2.5*10 ⁴ ~10 ⁶ ohm	10 ⁶ ~10 ⁹ ohm
静电电压衰减时间 Decay Time	SJ/T10694-2006(1000V +/- 100V <= 2s)	Equal 0.4s	Equal 0.4s
摩擦电压 Charge Voltage	SJ/T10694-2006(V < 100V)	Equal 70	Equal 70
燃烧性能 Combustion Properties	SJ/T11236-2001 (<10s)	Equal 0.35SFV-0	Equal 0.35S FV-0
阻燃等级 Fire Resistance	GRADE DIN4102	B1	B1
脚轮碾压 Wheel Pressure	EN425	No Influence	No Influence
耐磨量 Amount of anti-wear	SJ/T11236-2001 (<=0.020g/cm² 1000R)	Equal 0.014	Equal 0.014
耐磨性 Anti-wear Properties	EN660PT2	ITEN-T<2.0 mm³	ITEN-T<2.0 mm³
残余凹陷度 Residual Concavity	EN433/DIN51955	0.03mm (2.0mm) 0.035mm (2.5mm) 0.04mm (3.0mm)	0.03mm (2.0mm) 0.035mm (2.5mm) 0.04mm (3.0mm)
色固度 Color Fastness	ISO105B02	At least 6	At least 6
尺寸稳定性 Dimensional Stability	EN434	>=0.10%	>=0.10%
耐化学性 Resistance to chemicals	DIN423/DIN51958	Offers excellent resistance ask for special sheet	Offers excellent resistance ask for special sheet
冲击音吸收 Impact sound absorption	VLI,ISO104,ISO717	Approx 2dB	Approx 2dB


安装示意图
Installation



- 1 PVC焊条 PVC Welding Rod
- 2 PVC防静电地板 anti-static PVC floor
- 3 铜箔 Copper strip
- 4 胶水 conductive adhesive
- 5 自流平 cement surface
- 6 基础地面 Ground-based


LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

序号 NO.	产品型号 Model	厚度 Thick (mm)	尺寸 Size (mm)	序号 NO.	产品型号 Model	厚度 Thick (mm)	尺寸 Size (mm)
1	LN-B801White_600_2	2	600*600	13	LN-B903Lake_600_2	2	600*600
2	LN-B801White_600_3	3	600*600	14	LN-B903Lake_600_3	3	600*600
3	LN-B802Grey_600_2	2	600*600	15	LN-B904Emerald_600_2	2	600*600
4	LN-B802Grey_600_3	3	600*600	16	LN-B904Emerald_600_3	3	600*600
5	LN-B803Light_600_2	2	600*600	17	LN-B906Ash_600_2	2	600*600
6	LN-B803Light_600_3	3	600*600	18	LN-B906Ash_600_3	3	600*600
7	LN-B805Cloudy_600_2	2	600*600	19	LN-B907Butter_600_2	2	600*600
8	LN-B805Cloudy_600_3	3	600*600	20	LN-B907Butter_600_3	3	600*600
9	LN-B807Smash_600_2	2	600*600	21	LN-B9038Blue_600_2	2	600*600
10	LN-B807Smash_600_3	3	600*600	22	LN-B9038Blue_600_3	3	600*600
11	LN-B808Rock_600_2	2	600*600	23	LN-B9039Green_600_2	2	600*600
12	LN-B808Rock_600_3	3	600*600	24	LN-B9039Green_600_3	3	600*600



色样与实际大货可能存在色差，以实际大货为准

防静电PVC地板施工程序
Anti-static PVC floor construction program



铺设铜箔
Laying copper foil



开槽焊接
Slot welding



检测性能
Detection performance

LeeBench™ 工厂和实验室家具

LeeBench™ FACTORY AND LAB FURNITURE

防静电门禁通道系统

ESD Access Control System

1. 根据ESD安全性能设计，反应快速三个独立装置(左鞋、右鞋、手腕带)一次完成ESD检测，具有ESD检测、门禁功能；

2. 常用检测4种类型(可在软件给每个人设置不同类型)：

● 免检测：刷卡后闸机自动打开，不需静电检测，一般适用于管理者；

● 仅检测手腕带：刷卡后只检测手腕带，检测通过后闸机自动打开，一般适用于员工；

● 仅检测静电鞋：刷卡后检测静电鞋，检测通过后闸机自动打开，一般适用于员工；

● 手腕带和静电鞋同时：刷卡后检测手腕带和静电鞋，两者检测通过后闸机自动打开，一般适用于员工；

3. 后台软件实现下载姓名、卡号信息、提取记录、未刷卡记录、汇总人数、导出数据报表等。
1. Designed based on ESD safety performance, this system can complete ESD detection in three independent devices(left shoe, right shoe, wristband) at once, featuring ESD detection and access control functions.

2. Commonly, there are four types of detections (each type can be set for each individual in the software):


● No detection: The gate opens automatically after swiping the card, no ESD detection required. Generally suitable for managers.

● Only wristband detection: After swiping the card, only the wristband is detected. The gate opens automatically after passing the detection, generally suitable for employees.

● Only ESD shoe detection: After swiping the card, the ESD shoe is detected. The gate opens automatically after passing the detection,generally suitable for employees.

● Wristband and ESD shoe simultaneously: After swiping the card, both the wristband and the ESD shoe are detected. The gate opens automatically after both are passed the detection, generally suitable for employees.

3. The background software enables downloading of names and card numbers, extracting records, unswiped records, summarizing the number of people, exporting data reports, etc.



结构 structure	框架结构/不锈钢外壳 Frame structure / Stainless steel casing
生产工艺 Production process	全电脑数控激光切割机生产 Production of Digital Control Laser Cutting Machines
不锈钢厚度 Thickness of stainless steel	1.5MM
闸杆长 Length of the flap gate	机箱以外500 (mm) 、 500 (mm) beyond the case
闸杆承受力 Pulley bearing capacity	80KG
闸杆工作驱动力 The working driving force of the gate lever	3KG
闸杆传动方式 Pulley mechanism for the gate lever	数字方式 Digital method
闸杆转向 Gate lever rotation	单向、双向(可选) Unidirectional, bidirectional (optional)
工作环境 Work environment	室内、室外(阴影) Indoor, outdoor (shadows)
温湿度 Temperature and humidity	-10°C~50°C相对湿度: ≤90% -10°C to 50°C, relative humidity: ≤ 90%
感应卡口尺寸 Inductive card slot size	配带标准安装支架, 或度身定做 Equipped with standard installation brackets, or custom-made
开闸时间 Opening time	0.2秒/0.2S
通行速度 Throughput rate	30人/分钟 30 people/min
通讯接口 Communication interface	标准RS485接口, 距离≤1200米 Standard RS485 interface, with a transmission distance of ≤ 1200 meters
输入接口 Input interface	干接点信号或+12V电平信号 Dry connection signal or +12V level signal



LeeBench™ 工厂和实验室家具

LeeBench™ FACTORY AND LAB FURNITURE

HJ802桥式三辊闸

HJ802 BRIDGE-TYPE THREE-ROLLER GATE



产品尺寸 Product size


双通道 Dual-channel

- 结构稳定,简单耐用
- 具有防冲功能,在没有接收到开闸信号,闸杆自动锁死
- 具有断电落杆,通电手动上杆功能。
- 具有单向或双向控制人员进出具有明确的通行方向
- 指示功能,以直观的LED通行者指示可以通行还是禁止通行

- Stable structure, simple and durable
- Equipped with anti-jump function. When no opening signal is received, the gate rod will automatically lock
- Has functions of falling down when power is off and rising manually when power is on
- Supports one-way or two-way control of personnel entry and exit with a clear direction of passage

技术参数 Technicalparameter

尺寸 Dimensions	1200*280*980mm
材质 Texture of Material	SUS 304不锈钢标配全自动机芯
机芯 Movement	550mm
通道宽度 Channel Width	单向和双向
通行方向 Direction of Traffic	30人/分(常闭)
通行速度 Traffic Speed	-20°C~+70°C°C
工作温度 Working Temperature	室内或阴棚



LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

HJ-209 双翼通道闸
HJ-209 DUAL-WING TURNSTILE






桥式圆弧翼中翼
Bridge-type circular arc wing in the middle wing

- 设计合理可靠，噪声小，运行平稳，使用寿命长。
- 摆臂打开速度可进行设置，满足不同场合的要求。
- 具有故障自检及报警提示功能，方便用户的维护及使用。
- 防水、防晒、耐寒、耐高温。
- 采用了独特的传动系统，使闸机在零位锁定、解锁更加准确、可靠。
- 可与其他类型通道产品配合使用。
- The design is reasonable and reliable, with low noise, smooth operation and long service life.
- The opening speed of the swing arm can be set to meet the requirements of different occasions.
- It has the functions of self-detection of faults and alarm indication, which is convenient for users' maintenance and use.
- Waterproof, sunproof, cold-resistant and heat-resistant.
- A unique transmission system is adopted, making the gate more accurate and reliable in zero position locking and unlocking.
- It can be used in conjunction with other types of passage products.

技术参数 Technicalparameter

尺寸 Dimensions	1200*300*980mm
材质 Texture of Material	SUS304不锈钢无刷电机
机芯 Movement	900mm
通道宽度 Hannel Width	单向和双
通行方向 Direction of Traffic	向 3对
红外对数 Infrared Logarithm	-20℃~+70℃
工作温度 Vorking Temperature	室内或阴棚

产品尺寸 Product size



LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

HJ-B617摆闸
HJ-B617 SWING LOCK STARFISH






圆弧豪华小摆闸
Arc luxury small swing brake

- 主要是针对人员通道进行智能管理的高科技产品。
- 该设备将机械、电子微处理器控制及各种身份识别
- 技术融为一体，实现对通道智能化控制与管理等。
- 主要应用于住宅小区、企事业单位、学校、政府机关、
- 工厂景区、休闲娱乐等场所的人行专用出入口通道
- It is a high-tech product mainly aimed at intelligent management of personnel passageways.
- This device integrates mechanical, electronic microprocessor control and various Identification technologies to achieve intelligent control and management of the passageways.
- It is mainly applied in pedestrian-only entrance and exit passages in residential communities, enterprises and institutions, schools, government agencies, factories, scenic spots, leisure and entertainment venues, etc.

技术参数 Technicalparameter

尺寸 Dimensions	1200*185*980mm
材质 Texture of Material	SUS304不锈钢
机芯 Movement	无刷防撞一体电机
通道宽度 Channel Width	600mm-1200mm
通行方向 Direction of Traffic	单向和双向
通行速度 Traffic Speed	30人/分
工作温度 Working Temperature	-20℃~+70℃ 室内或阴棚

产品尺寸 Product size



LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

7寸人脸识别
7-INCH FACIAL RECOGNITION



动态人脸识别终端
Dynamic facial recognition terminal

- 人脸识别，是基于人的脸部特征信息进行身份识别的一种生物识别技术用摄像机或摄像头采集含有人脸的图像或视频流，并自动在图像中检测和跟踪人脸，进而对检测到的人脸进行识别的一系列相关技术通常也叫做人像识别、面部识别。
- Face recognition is a biometric technology that identifies individuals based on their facial features. It involves capturing images or video streams containing faces using cameras or webcams, automatically detecting and tracking faces in the images, and then recognizing the detected faces. This series of related technologies is also commonly referred to as facial recognition or human face recognition.

产品特性
Product characteristics

- 支持强逆光环境下人员运动人脸追踪曝光。
- 独有的人脸识别算法，精准识别人脸，人脸识别时间小于0.5s
- 内置国产CPU，采用LINUX操作系统，系统稳定
- H.265编码格式视频流通过ONVIF协议、GB28181协议直接连接NVR等
- 支持最大曝光时间设置
- 支持手机监控设置，支持2D降噪、3D降噪
- Supports face tracking and exposure of moving people in strong backlight environments.
- Unique facial recognition algorithm for precise face identification, with a recognition time of less than 0.5 seconds.
- Equipped with domestic CPU, Runs on the LINUX operating system for stable performance.
- H.265 encoded video streams can be directly connected to NVRs and other devices via ONVIF and GB28181 protocols.
- Supports setting the maximum exposure time.
- Supports mobile phone monitoring settings, Supports 2D and 3D noise reduction.



人证核验人脸终端
Facial verification terminal

技术参数 Technicalparameter

通讯方式 Communication Mode	RS232串口、RJ45
处理器 Processor	两核处理器+2G+32G内存
存储容量 Storage Capacity	3 万条抓拍记录
识别时间 Identification Time	小于1秒
立柱孔径 Diameter of Column	49mm
电 源 Power Supply	DC12V
工作温度 Working Temperature	-30℃~+60℃

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

SMT 车间用防静电防潮柜
SMT ESD Dry Cabinet


超强专用除湿机芯，通过CE安全认证，德制高级库内表，精确度高强化机械结构柜体及层板，层板承重达150KG以上柜体采用高级双层粉体静电漆，耐刮伤及预防低湿产生的静电击穿现象智慧型隐藏锁，防静电刹车轮，超厚强化玻璃，高支撑力的中央直梁。

Super-strong built-in dehumidifier, CE certificated. State-of-the-art built in RH meter made in German provides accurateresult. Cabinet layer can bear up to 150kg. Double- layer antistatic powder paint. Resistant to scratch, ESD castor. Super-thick reinforced glass. Very strong central straight beam.

H15U
15~50%RH

Humidity Range:1~50%RH

<Performance>




Sample: H15B-1200-6

H1U
1~50%RH

Humidity Range:15~50%RH

<Performance>



Sample: H1B-1200-6



H15B-157

- 容量 Capacity: 165L
- 外尺寸 External dimension: W405 x D475xH960mm
- 内尺寸 Internal dimension: W448 x D425xH869mm
- 搁板 Shelf: 3



H15B-315

- 容量 Capacity: 334L
- 外尺寸 External dimension: W905 x D475 x H1050mm
- 内尺寸 Internal dimension: W903 x D425 x H869mm
- 搁板 Shelf: 3



H1B-575

- 容量 Capacity: 607L
- 外尺寸 External dimension: W905 x D823 x H1050mm
- 内尺寸 Internal dimension: W903 x D773 x H869mm
- 搁板 Shelf: 3



H1B-600

- 容量 Capacity: 624L
- 外尺寸 External dimension: W600 x D695 x H1820mm
- 内尺寸 Internal dimension: W598 x D645 x H1618mm
- 搁板 Shelf: 3



H1B-400

- 容量 Capacity: 413L
- 外尺寸 External dimension: W600 x D695 x H1274mm
- 内尺寸 Internal dimension: W598 x D645 x H1071mm
- 搁板 Shelf: 3



H1B-1200-6

- 容量 Capacity: 1250L
- 外尺寸 External dimension: W1200 x D695 x H1820mm
- 内尺寸 Internal dimension: W1198 x D645 x H1618mm
- 搁板 Shelf: 3

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



型号 Model	椅面尺寸 Surface size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet radius	系统电阻 System Resistance
LN-1542110A	φ325mm	PU foam	430x570mm	R=240mm	10 ⁶ -10 ⁹ Ω
LN-1542111A		PU foam	650-850mm	R=260mm	
LN-1542120B		PU foam	450-600mm	R=220mm	
LN-1542220A	φ335mm	PU foam	440-580mm	R=220mm	
LN-1542250C		PU foam	450-600mm	R=240mm	



型号 Model	椅面尺寸 Surface size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet radius	系统电阻 System Resistance
LN-1542310A	300x350mm	PU foam	450-600mm	R=260mm	10 ⁶ -10 ⁹ Ω
LN-1542351A		PU foam	650-850mm	R=240mm	
LN-1542471C	350x340mm	PU foam	650-850mm	R=320mm	
LN-1542550D	φ340mm	PU foam	450-600mm	R=240mm	
LN-1544110A	φ320mm	PU leather	440-590mm	R=240mm	



型号 Model	椅面尺寸 Surface size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet radius	系统电阻 System Resistance
LN-1547210A	φ320mm	PU leather	440-600mm	R=260mm	10 ⁶ -10 ⁹ Ω
LN-1547250A		PU leather	440-580mm	R=240mm	
LN-15421150A		PU Foam	440-580mm	R=240mm	
LN-1544410DL		PU leather	450-610mm	R=260mm	
LN-1544461A		PU leather	640-840mm	R=320mm	

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



型号 Model	椅座尺寸 Seat size	靠背尺寸 Back size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet R	系统电阻 System Resistance
LN-1543110A	380x380mm	350x250mm	PU foaming	460-610mm	R=260mm	10 ⁶ -10 ⁹ Ω
LN-1543161D			PU foaming	600-800mm	R=320mm	
LN-1543261C			PU foaming	600-800mm	R=320mm	
LN-1543361B	420x400mm	380x260mm	PU foaming	600-800mm	R=320mm	
LN-1543460A			PU foaming	440-580mm	R=320mm	



型号 Model	椅座尺寸 Seat size	靠背尺寸 Back size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet R	系统电阻 System Resistance
LN-1543560A	440x420mm	400x320mm	PU foaming	440-580mm	R=320mm	10 ⁶ -10 ⁹ Ω
LN-1543570E	440x420mm	400x320mm	PU foaming	440-580mm	R=300mm	
LN-1543660A	430x420mm	360x220mm	PU foaming	440-580mm	R=320mm	
LN-1543661E	430x420mm	360x220mm	PU foaming	600-800mm	R=320mm	
LN-1543760AD	450x430mm	400x380mm	PU foaming	440-580mm	R=320mm	



型号 Model	椅座尺寸 Seat size	靠背尺寸 Back size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet R	系统电阻 System Resistance
LN-1546360E	440*410mm	440*300mm	High Qua. PU Foam	440-600mm	R=320mm	10 ⁶ -10 ⁹ Ω
LN-1543860AD	440*420mm	380*320mm	PU foaming	440-580mm	R=320mm	
LN-1543861A	440*420mm	380*320mm	PU foaming	600-800mm	R=320mm	
LN-1543960A	440*410mm	400*280mm	PU foaming	440-580mm	R=320mm	
LN-1543960AF	440*410mm	400*280mm	PU foaming	440-580mm	R=320mm	

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



型号 Model	椅座尺寸 Seat size	靠背尺寸 Back size	椅面材质 Surfacematerial	可调高度 Adjust. Height	五星脚半径 Five-star feet R	系统电阻 System Resistance
LN-1545160A	440x410mm	410x300mm	PU leather	440-580mm	R=320mm	10 ⁶ -10 ⁹ Ω
LN-1545360AF			PU leather	440-580mm	R=320mm	
LN-1545361A			PU leather	600-800mm	R=320mm	
LN-1545560A			PU leather	440-580mm	R=320mm	
LN-1546420A			High Qua. PU leather	440-580mm	R=220mm	



型号 Model	椅座尺寸 Seat size	靠背尺寸 Back size	椅面材质 Surface material	可调高度 Adjust. Height	五星脚半径 Five-star feet radius	系统电阻 System Resistance
LN-1548560AF	Φ320x380mm	430x430mm	ESD textile fabrics	430-580mm	R=320mm	10 ⁶ -10 ⁹ Ω
LN-1548660A	460x460mm	450x500mm	Fabric/Textile	440-580mm	R=320mm	
LN-1546820A	Φ320mm	-	Stainless steel	470-620mm	R=220mm	
LN-1547230	315x215mm	-	PU foam	600-700mm	-	
LN-1548210	Φ350mm	-	Stainless steel	500-640mm	R=240mm	



椅脚
Chair feet



序号 NO.	规格 Specification	序号 NO.	规格 Specification	序号 NO.	规格 Specification
A	黑色轮子 Black caster	B	灰色轮子 Grey caster	C	黑色脚杯 Black fixed feet
D	灰脚杯 Grey fixed feet	E	金属脚杯 Metal fixed feet	F	椅子扶手 Fixed Armrest

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

PU 发泡椅面
PU Foam Surface



PU 皮革椅面
PU leather Surface



其他配件
Other Chair Accessories



LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



产品特点 Product Feature

- 抗疲劳地垫，利用发泡棉的弹性有效减缓站立人员疲劳强度；胶皮全封闭，美观大方；
 - 花 纹：铁板纹，防滑美观，可选择黄色安全边，提供安全保护
 - 颜色：黑色、黑黄等。
 - 尺 寸：长20M以内，宽度在0.4-1.2M之间，厚度9-40MM，可定制；
 - 防静电：根据防静电级别要求可满足多种防静电或导电性能要求
- Anti-fatigue floor mat, effectively reduces the fatigue of standing personnel elasticity of foam. Rubber fully enclosed, looking elegant and stylish;
- Pattern: Iron plate texture, anti-slip , can choose yellow safety edge to provide safety protection.
- Size: Length within 20M, width between 0.4 - 1.2M, thickness 9 - 40MM, Customizable.
- Anti static: Can meet various ESD or conductive performance requirements according to the ESD level requirements.

适合范围 Applicable

- 行业:汽车制造业，汽车零部件制造，航空航天制造业，机械电子制造业，仓储物流;
- Industries: automotive manufacturing,aerospace manufacturing, mechanical and electronic manufacturing, warehousing and logistics.

型号分类 Model Classification

LN-1550418 耐用强度★★★★☆抗疲劳舒适性★★★★☆
LN-1550418 Durable strength★★★★☆Anti-fatigue comfort★★★★☆
LN-1550420 耐用强度★★★★★抗疲劳舒适性★★★★★
LN-1550420 Durable strength★★★★★Anti-fatigue comfort★★★★★

型号 Model	LN-1550418	LN-1550420
材料 Material	3层结构，表面材料高强度耐磨PVC，中间为EDPM/EVA/PVC 泡棉，底部橡胶 3-layer structure,surface material high-strength wear-resistant PVC, middle is EDPM/EVA/PVC foam and rubber at the bottom	3层结构，表面材料高强度耐磨PVC，高密度聚氨酯发泡，底部橡胶 3-layer structure, surface material high-strength wear-resistant PVC, high-density polyurethane foam, bottom rubber
尺寸 Size	常规尺寸：610*910MM*18MM，其他尺寸厚度可定制 Standard size:610*910MM.Other sizes customized	常规尺寸：610*910MM*18MM，其他尺寸厚度可定制 Standard size:610*910MM.Other sizes customized
颜色 Color	黑色或黑色带黄边 Black or black with yellow borders	黑色或黑色带黄边 Black or black with yellow borders
表面电阻 Surface resistance	108-109 ohm (PVC)	108-109 ohm (PVC)
建议使用寿命 Suggested Usage Life	每天站立8小时内，体重90公斤内，使用年限：1年 Standing within 8h/day, weight 90 kg, Service life: 1 year	不限制，使用年限：2年 No restrictions. Service life: 2 years
特点 Feature	柔软舒适，适合品质与成本控制兼顾的制造业用户为主 Soft and comfortable, suitable for manufacturing users who prioritize both quality requirements and cost control.	柔软耐用，超高强度使用环境设计，长寿命不塌陷，主要出口及国内欧美企业为主。 Soft and durable, long lifespan without collapse. Mainly export domestic ,European/American enterprise users
产品图 Picture		

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



产品特点 Product Feature

- 依据人体工程学设计，柔软舒适，有效降低站立工作者疲劳强度。
 - 100%橡胶材质，耐磨耐用防滑，可承受体重100公斤以上，站立时间超过20小时/天的工作强度，永不塌陷；
 - 牢固锁扣系统设计，机车碾压也不会脱离移开，手动铺设方便，无须借助任何工具。如工作位置变动，可重新组合所需尺寸，无需重新订购，降低采购成本。
 - 适合多种超常规或几何形状工作区域，长0.9--1000米 宽0.3--50米尺寸铺设;U形L形环形等几何形状工位铺设；
- Designed based on ergonomics, it is soft and comfortable, effectively reducing the fatigue level of standing workers.
- 100% rubber material, wear-resistant, slip-resistant, weight of over 100 kg,stand a working intensity more than 20h/day, will never collapse.
- Strong locking system design,required size can be recombined without the need for re-ordering or purchasing
- Suitable various geometric work areas, length of 0.9 - 1000M ,width of 0.3 - 50M for laying; U-shaped, L-shaped circular ,workstation laying.

技术标准 Technical Standard:


- 所有材料符合ROHS标准
 - 防静电型：按ANSI ESDS2020-2007标准生产，表面电阻值与接地电阻值相同：RTT<1X10e6欧姆
- All materials comply with the ROHS standard.
- Antistatic Type: Produced in accordance with the ANSI/ESDS 2020-2007. Surface resistance same as grounding resistance: RTT < 1X10^6ohms

质保：3年，永久防静电质保
Warranty: 3-year, permanent ESD warranty


型号 Model	LN-1550935	LN-1550503	LN-1550950
材料 Material	合成橡胶 synthetic rubber	天然橡胶 natural rubber	天然橡胶 natural rubber
尺寸 Size	900*600*13mm	910*610*16mm	910*610*17mm 610*450*17mm
拼接 Joint	无需拼接 No need for splicing	牢固锁扣 Strong lock	T型 T type lock
拼接方式 Joint connection	/	选配黄色边条（如下图所示） Optional yellow edge strips (as shown below Picture)	T字锁扣系统设计 T-shaped lock system design
使用寿命 Working life	可承受100公斤以上，站立超过20小时/天的工作强度。使用年限：1年 working intensity of over 100 KG and stand for more than 20h/day. Service life: 1 year		
应用 Application	适合单工位使用，且工人强度比较大 Suitable for single use, and the strength of workers is greater	适合多种超常规或几何形状工作区域，牢固锁扣系统设计； Strong locking system design, suitable for any special area.	T字锁扣系统设计，可根据工作位置变动重新铺设。 T-shaped lock system design, can be reused again
产品图 Picture			

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE

防静电台垫
ESD Table Mat




LN-1550097H01 耐高温台垫
绿色环保，耐高温 300℃不变色，400℃不燃烧，
耐低温-30℃- -70℃不分解
Green and environment friendly, high temperature resistance
300°C does not change color, 400°C does not burn, low
temperature resistance -30°C---70°C does not decompose.



LN-1550097T04
耐高温花纹台垫
High-temperature
Resistant Textured
Table Mat

特性 Feature		
静电耗散层 Static dissipation layer	表面电阻 Surface resistance	10 ⁶ -10 ⁹ Ω
	摩擦静电位 Friction charge	electrostatic <100V
	表面电阻 Surface resistance	≤10 ⁶ Ω
导电层 Conductive layer	摩擦静电位 Friction charge	electrostatic <50V
	表面电阻 Surface resistance	≤10 ⁶ Ω
	摩擦静电位 Friction charge	electrostatic <50V
体积电阻 Volume Resistance	10 ⁷ -10 ¹⁰ Ω · cm	




防静电耐高温台垫产品性能及特点
ESD and high-temperature resistant floor mats product performance and features

- 本公司生产的防静电橡胶板电阻稳定，绿色环保；耐高温300℃不变色，400℃不燃烧有轻微变化，耐低温-30℃- -70℃不分解。除此外，台垫还耐酸、耐碱、耐油；色系大方，极衬工作台、生产环境。
- 本公司防静电层保质期正常使用情况为2年，保养好的话可以超过2年，
- 导电层为永久，保质期为10~15年。
- 本公司台垫的表面硬度为70—75邵氏（约为75邵氏），
- 底面硬度为75—80邵氏（约为80邵氏）。
- 现将塑料台垫、耐高温台垫及花纹台垫这三种台垫的耐高温情况对比如下：
- The ESD Rubber Table Mat have stable resistance, are environmentally friendly; they can withstand a high temperature of 300°C with out changing color, and will not burn at 400°C with only slight changes. They will not decompose at a low temperature of -30°C to -70°C. Besides, the ESD Table Mat are also resistant to acid, alkali and oil; they have a fashionable color scheme, which perfectly complements the workbench and production environment.
- The shelf life of our anti-static layers under normal usage conditions is 2 years. With proper maintenance, it can exceed 2 years.
- The conductive layer is permanent, with a shelf life of 10 to 15 years.
- The surface hardness of the plastic ESD Table Mat, high-temperature resistant ESD Table Mat and patterned ESD Table Mat is 70-75 Shore (approximately 75 Shore), while the bottom hardness is 75-80 Shore (approximately 80 Shore).
- Now, the comparison of the high-temperature resistance of these three types of ESD Table Mat is as follows:

产品编码 PN	温度 Temp	100℃	150℃	200℃	300℃	400℃
	种类 Kind					
LN-1550097	2A台垫 2A Table mat	变色不明显 The color change is not obvious.	表面变色、变形 Surface discoloration and deformation	严重变形 Severe deformation	/	/
LN-1550097H01	耐高温台垫 High-temperature resistant table mat	不变色 No color change	不变色、不变形 No color change, No deformation	不变色、不变形 No color change No deformation	无变色 No color change	轻微变色不燃烧 Slight discoloration but does not catch fire
LN-1550097T04	耐高温花纹台垫 High-temperature resistant patterned table mat					

LeeBench™ 工厂和实验室家具
LeeBench™ FACTORY AND LAB FURNITURE



根据客户的尺寸个性化定制，
以及配件多项选择搭配，
配套独立包装
Size, Color are customized,
Accessories are optional,
and can pack separately.

型号 Model	LN-1550097	LN-1550097H01	LN-1550097T04	LN-1550098	LN-1550096
材料 Material	丁腈+合成橡胶 Nitrile rubber + synthetic rubber	天然丁腈橡胶 Natural nitrile rubber	天然丁腈橡胶 Natural nitrile rubber	PVC发泡 PVC foaming	丁腈胶+改性PVC Nitrile rubber + modified PVC
尺寸 Size	0.6*10M、1*10M、1.2*10M 可定制裁切片材 Customizable cut sheet materials			1.2*10M	1*10M 1.2*10M
厚度 Thick	2MM/3MM/5MM	2MM/3MM/5MM	2MM/3MM/5MM	3.5MM	2MM
颜色 Color	黑、蓝、绿、灰、华蓝（特殊颜色均可定制） Black, Blue, Green, Grey, Navy Blue (Special colors can be customized)			蓝、灰 Blue, Gray	蓝、绿、灰 Blue, Green, Gray
静电耗散层 Electrostatic Dissipation Layer	表面电阻 Surface resistance 10 ⁶ -10 ⁹ Ω			表面电阻 Surface resistance: 10 ⁶ -10 ⁹ Ω 摩擦静电位 Frictional electrostatic potential: < 100V	表面电阻 Surface resistance: 10 ⁶ -10 ⁹ Ω
	摩擦静电位 Frictional electrostatic potential: < 100V	摩擦静电位 Frictional electrostatic potential: < 100V	摩擦静电位 Frictional electrostatic potential: < 100V		摩擦静电位 Frictional electrostatic potential: < 100V
导电层 Conducting Layer	表面电阻 Surface resistance: ≤10 ⁶ Ω	表面电阻 Surface resistance: ≤10 ⁶ Ω	表面电阻 Surface resistance: ≤10 ⁶ Ω	摩擦静电位 Frictional electrostatic potential: < 100V	表面电阻 Surface resistance: ≤10 ⁶ Ω
	摩擦静电位 Frictional electrostatic potential: < 50V	摩擦静电位 Frictional electrostatic potential: < 50V	摩擦静电位 Frictional electrostatic potential: < 50V		摩擦静电位 Frictional electrostatic potential: < 50V
产品表面 Product Surface	哑光或亮光 Matte or Glossy	哑光或亮光 Matte or Glossy	防滑纹/花纹 Anti-slip texture/pattern	哑光 Matte	哑光 Matte
证书 Certificate	RoHS/防静电报告 RoHS/ESD report	RoHS2.0/防静电报告RoHS2.0/ESD report		RoHS	RoHS
特点 Characteristic	耐酸、耐碱、经济实惠 Resistant to acid and alkali, and economical in price.	耐酸、耐碱、耐油、耐高温（300℃不变色，400℃不燃烧） Resistant to acid, alkali, oil and high temperature (does not change color at 300°C, does not burn at 400°C)		耐磨、耐酸碱、高弹性、高韧性、抗老化、防辐射、防震、抗疲劳且有阻燃性能等功能 Wear-resistant, acid and alkali resistant, high elasticity, high toughness, anti-aging, radiation-proof, shock-proof, anti-fatigue and flame-retardant functions	耐磨、腐蚀、高弹性、高韧性、抗疲劳 Durable, resistant to corrosion, high elasticity, high toughness, anti-fatigue
产品图 Picture					