



KAIKANGPOOL

PRODUCT CATALOG

- *Swimming Pool*
- *Aquaculture*
- *SPA Products*
- *Steam*
- *Sauna*

KAIKANGPOOL

One stop pool equipment supplier

Guangzhou KAIKANG Building Material Co., Ltd.
Guangzhou BaiLiHua Pool Sauna Co., Ltd.
<http://kaikangpool.com/>

SAUNA

High quality life

The health benefit and therapeutic value saunas provide have known for centuries. For these reasons, KAIKANG offers a range of saunas to help relax and improve your overall health as well as promote well being. All KAIKANG Saunas are made with special spruce wood panels, tempered glass door and high-quality sauna heater which is easy to use. With our special air circulation system you will always breath fresh air.

The health benefit and therapeutic value saunas provide have been known for centuries. For these reasons, offers a range of saunas to help relax and improve your overall health as well as promote well being. All Saunas are made with special spruce wood panels, tempered glass door and high-quality sauna heater which is easy to use. With our special air circulation system you will always breath fresh air.

Sauna room



Tempered Glass Door





Saunas Interior





Soft Bench Corner





KKS-3001
1100*1200*2100



KKS-3002
1500*1800*2100





KKS-3003
1500*1800*2100









KKS-3004
2000*2000*2100



KKS-3005
1900*1900*2100



KKS-3006
2000*2000*2100



PURPOSE MATERIAL			
	Wallboard	Chair wood	Floor
Finnish spruce 	2100*95*12 2100*95*12.5	2100*95*18 2100*95*20	2100*95*20
Canadian Cedar 	2135*95*12 2440*95*12	2135*41*18 2110*41*18	2100*41*18
Africa Cameroon obeche 	2000*95*12	200*95*18	200*95*18
Canada hemlock 	2000*95*12	200*95*18	200*95*18
American aspen 	2000*95*12	2100*95*20	2100*41*20
Myanmar cedar 	2100*95*12	2100*95*18	2100*41*18
Yellow juniper 	2100*95*12	2100*95*18	2100*41*18
Redwood 	2100*95*12	2100*95*18	2100*41*18

The above products can be customized according to customer requirements, including various special-shaped decorative strips.



KKST-2001
Hygrometer, aspen



KKST-2002
Hygrometer, pine



KKST-2003
Hygrometer, aspen



KKST-2004
Hygrometer, aspen



KKST-2005
Hygrometer, aspen



KKST-2006
Hygrometer, aspen



KKST-2007
Hygrometer, pine



KKST-2008
Hygrometer, pine



KKST-2009
Hygrometer, aspen



KKST-2010
Hygrometer, pine



KKST-2011
Hygrometer,
Canadian cedar



KKST-2012
Hygrometer,
Canadian cedar



KKST-2013
Phnom Golden
hygrometer,
plastic



KKST-2014
Stainless steel
hygrometer,
stainless steel



KKST-2015
Hygrometer, pine



KKST-2016
Hygrometer, pine



KKST-2017
Hygrometer,
Canadian cedar



KKST-2018
Hygrometer, pine



KKST-2019
Hygrometer,
Canadian cedar



KKST-2020
Hygrometer, pine



KKST-2021
Hygrometer, pine



KKST-2022
Hygrometer, pine




KKST-2023
Hygrometer, pine




KKST-2024
Hygrometer, pine




KKST-2025
Thermometer, pine




KKS-2401
Wooden lampshade




KKS-2402
Wooden lampshade




KKS-2403
Wooden lampshade



KKS-2404
Wooden lampshade




KKS-2405
Wooden lampshade




KKS-2406
Wooden lampshade




KKS-2407
Wooden lampshade



KKS-2408
Wooden lampshade



KKS-2409
Stainless steel lampshade



KKS-2410
Stainless steel lampshade



KKS-2501
Wooden pillow



KKS-2502
Spruce shutter



KKS-2503
Cedar shutter



KKS-2504
Louver



KKS-2505
Louver



KKS-2511
Deluxe hourglass



KKS-2510
Deluxe hourglass



KKS-2506
Wooden clock



KKS-2507
Semilunar hourglass



KKS-2508
Metal buckle
hourglass



KKS-2509
Wooden buckle
hourglass



KKS-1101
Volume: 4L
Finnish spruce



KKS-1102
Volume: 4L
Canadian cedar



KKS-1202
Finnish spruce



KKS-2512
Explosion proof lamp



KKS-2513
Explosion proof lamp



KKS-2514
Explosion proof lamp



KKS-2515
Moisture-proof lamps




KKS-2516
Explosion proof lamp




KKS-2517
Deluxe hinge



KKS-2518
Plastic hinge



KKS-2519
Stainless steel hinge



KKS-2520
Aluminum alloy hinge



KKS-2521
Plastic hinge



KKS-2522
Glass door handle



KKS-2523
Small handle



KKS-2524
Vertical handle



KKS-2525
Hemlock vertical handle



KKS-2526
Big handle



KKD-2601
1800*650
1800*600



KKD-2603
1860*765
1860*765
2000*780



KKD-2605
1800*650
1800*600



KKD-2607
1860*670
1860*780



KKD-2602
1800*650
1800*600



KKD-2604
1800*650
1800*600



KKD-2606
Support
customization




KKD-2608
1860*780

JM SERIES



Model	Power (KW)	Applicable space (m³)
JM-30BS	3.0	2-4
JM-36BS	3.6	3-4

Installation dimension




SCA-C SERIES



Model	Power (KW)	Applicable space (m³)
SCA-C-3.0A	3.0	2-4
SCA-C-4.5A	4.5	3-6
SCA-C-6.0A	6.0	5-9
SCA-C-8.0A	8.0	8-12
SCA-C-9.0A	9.0	9-13

Installation dimension




SCA-B SERIES



Model	Power (KW)	Applicable space (m³)
SCA-B-3.0A	3.0	2-4
SCA-B-4.5A	4.5	3-6
SCA-B-6.0A	6.0	5-9
SCA-B-8.0A	8.0	8-12
SCA-B-9.0A	9.0	9-13

Installation dimension




SAV SERIES



Model	Power (KW)	Applicable space (m³)
SAV-6-10	10.5	9-15
SAV-6-12	12.0	10-18
SAV-6-15	15.0	14-24
SAV-6-18	18.0	15-27

Installation dimension





SAV SERIES



Model	Power (KW)	Applicable space (m³)
SAV-9-18	18	15-27
SAV-9-21	21	19-31
SAV-9-24	24	24-38
SAV-9-27	27	30-46

Installation dimension



MODEL	Sauna room H(cm)	Min.Distance to heater		
		A(cm)	B(cm)	C(cm)
SAV-18	210	20	150	25
SAV-21	220	20	160	25
SAV-24	230	20	170	25
SAV-27	240	20	180	25

SAV SERIES



Model	Power (KW)	Applicable space (m³)
SAV-12-27	27.0	30-46
SAV-12-30	30.0	37-53
SAV-12-33	33.0	43-58
SAV-12-36	36.0	48-53


Installation dimension


MODEL	Sauna room H(cm)	Min.Distance to heater		
		A(cm)	B(cm)	C(cm)
SAV-27	240	20	180	25
SAV-30	240	20	180	25
SAV-33	240	20	180	25
SAV-36	240	20	180	25



Sauna Heater Element



Sauna Accessories



HARIYA



Controller



Technical Data

Model	Power (KW)	Voltage (V)	Dimensions(mm)	Applicable space (m³)
HA-45	4.5	220/380	610*180*380	5
HA-60	6.0	220/380	610*180*380	6
HA-80	8.0	220/380	610*180*380	8
HA-90	9.0	220/380	610*180*380	9
HA-120	12.0	380	640*240*540	12
HA-150	15.0	380	640*240*540	15
HA-180	18.0	380	640*240*540	18

ST-Series



Controller



ST-135AD



ST-135



ST-135A



135M

Technical Specifications

Model	Power (KW)	Voltage (V)	Current (A)	Phase (N~)	Room (m³)	Wire (NX mm²)	Dimensions (mm)	weight (kg)	Package size(mm)	Controller
ST-30	3.0	200-240	14	1	2.5~5	3*11	300*130*230	6	352*142*235	ST-135 ST-135A ST-135AD ST-135M
ST-45	4.5	200-240	20.5	1	2~5	3*10	320*130*335	8	375*170*465	
		380-415	6.8	3						
ST-40	4.0	200-240	18.2	1	5~6	3*10	395*145*395	10.5*11	430*185*545	
ST-60	6.0	200-240	27.3	1	6~7	3*8	395*145*395	10.5-11	430*185*545	
		380-415	9.1	3		5*13				
ST-70	7.0	200-240	31.8	1	7~9	3*8	445*165*395	15.6*16.2	430*200*590	
		380-415	11.4	3		5*12				
ST-80	8.0	200-240	36.4	1	9~10	3*7	445*165*395	15.6-16.2	430*200*590	
		380-415	13.6	3		5*11				
ST-90	9.0	200-240	41	1	10~12	3*7	445*165*395	15.6-16.2	430*200*590	
		380-415	13.6	3		5*11				
ST-105	10.5	380-415	16	3	12~15	5*11	500*200*520	15.6-18	550*250*620	
ST-120	12.0	380-415	18	3	15~18	5*10	500*200*520	15.6-18	550*250*620	
ST-150	15.0	380-415	23	3	18-21	5*9	500*200*520	15.6-18	550*250*620	
ST-180	18.0	380-415	27.3	3	21-24	5*8	500*200*520	15.6-18	550*250*620	

DON-Series



stainless steel



Blue




Controller

Model	Power (KW)	Voltage (V)	Current (A)	Phase (N~)	Room (m³)	Wire (NX mm²)	Dimensions (mm)	weight (kg)	Package size(mm)	Controller
DON-45	4.5	200-240	20	1	3~5	3*10	530*225*410	14	570*275*470	ST-135T1 ST-135T2 ST-135T3
		380-415	7	3		5*14				
DON-60	6.0	200-240	27.3	1	5~7	3*8	530*225*410	14	570*275*470	
		380-415	9	3		5*13				
DON-90	9.0	200-240	41	1	10~12	3*7	530*225*410	14	570*275*470	
		380-415	14	3		5*11				
DON-105	10.5	380-415	16	3	12~15	5*11	530*225*470	19	610*275*540	
DON-120	12.0	380-415	18	3	15~18	5*10	530*225*470	19	610*275*540	
DON-150	15.0	380-415	23	3	18-21	5*9	530*225*470	19	610*275*540	
DON-180	18.0	380-415	27.3	3	21-25	5*8	530*225*470	19	610*275*540	



Technical Characteristics The structure of steam room

Model	Power (KW)	Dimensions(mm)
5A	4.5	1500*1500*2200
6A	9	2500*1900*2200
8A	12	3100*1900*2200
10A	12	3700*1900*2200
12A	18	4300*1900*2200
14A	18	1900*1900*2200
16A	18	5500*1900*2200
1B	3-4	880*900*2100
2B	3-4	1050*1120*2150
2B	3-4	1120*1120*2100
2B	3-4	1050*950*2100
2B	3-4	1300*1020*2100
2B	3-4	1300*1200*2150
2B	3-4	1300*1100*2150
4B	6	1900*1300*2200
6B	9	1900*1900*2200
8B	9	1900*2500*2200
10B	12	1900*3100*2200
12B	12	1900*3700*2200
14B	18	1900*4300*2200
16B	18	1900*4900*2200
10C	9	2540*2120*2200
12C	9	3140*2020*2200
14C	12	3740*2120*2200
16C	12	4340*2120*2200
18C	18	4940*2120*2200
20C	18	5540*2120*2200
4D	4	2120*1340*2200
6D	5	2120*1340*2200
7D	6	2120*1940*2200
8D	8	2120*1940*2200
9D	8	2120*2540*2200
10D	9	2120*2540*2200
12D	9	2120*2540*2200
14D	12	2120*3740*2200
16D	12	2120*4340*2200
12E	12	2540*3140*2250
16E	18	3740*3140*2250
18E	24	43340*3140*2250
20E	24	1940*3410*2250
7F	9	3140*1340*2250
10F	9	3140*1940*2250
12F	12	3140*2540*2250
14F	12	3140*3140*2250
16F	24	3140*3740*2250
18F	24	3140*4340*2250
20F	24	3140*4940*2250
2G	3-4	1180*1160*2100
2G	3-4	1340*1270*2150



Water enriches our life



KAIKANGPOOL

Guangzhou KAIKANG Building Material Co., Ltd.



Guangzhou BaiLiHua Pool Sauna Co., Ltd

E-mail : poolbuilding@163.com

E-mail : manager@kaikangpool.com

Skype : poolbuilding@163.com

Mobile: 0086-13640680611

Address: Hanwei Creative Park, FangHua Road, Renhe Town,
Baiyun district, Guangzhou city, China

All specifications are subject to change without prior notice



<http://kaikangpool.com/>