



**KAIKANGPOOL**

# PRODUCT CATALOG

- *Swimming Pool*
- *Aquaculture*
- *SPA Products*
- *Steam*
- *Sauna*

**KAIKANGPOOL**

One stop pool equipment supplier

Guangzhou KAIKANG Building Material Co., Ltd.  
Guangzhou BaiLiHua Pool Sauna Co., Ltd.  
<http://kaikangpool.com/>



# POOL FITTINGS


## High Quality And all-Weather

Pool fittings are inconspicuous parts of a swimming pool, but are essential for the correct water circulation in the filtration system. We manufacture high quality fixtures and fittings such as skimmer, inlet and outlet fittings, main drains, and gratings, which are made of durable ABS material for maximum strength and durability in all weather conditions.






PA00248V




| Model    | A(mm) | A1(mm) | B(mm) | C(mm) | C3(mm) | D2(mm) | E1(mm) | F   | G  | H  | L(mm) | M(mm) |
|----------|-------|--------|-------|-------|--------|--------|--------|-----|----|----|-------|-------|
| PA00248V | 416   | 25.31  | 248.9 | 450   | 137    | 136    | 196    | 1½" | 2" | 2" | 46    | 73    |

PA00249V




| Model    | A(mm)  | A1(mm) | B(mm) | C(mm) | C3(mm) | D2(mm) | E1(mm) | F   | G  | H  | L(mm) | M(mm) |
|----------|--------|--------|-------|-------|--------|--------|--------|-----|----|----|-------|-------|
| PA00249V | 416.00 | 25.31  | 248.9 | 400   | 137    | 136    | 196    | 1½" | 2" | 2" | 46    | 73    |

PA00250V



| Model    | A(mm)  | B(mm)  | C(mm)  | D1(mm) | D2(mm) | E1(mm) | E2(mm) | F   | G  | H(mm) | L(mm) | J(mm) | A1(mm) | C1(mm) | C2(mm) | C3(mm) |
|----------|--------|--------|--------|--------|--------|--------|--------|-----|----|-------|-------|-------|--------|--------|--------|--------|
| PA00250V | 416.00 | 214.82 | 496.94 | 341.38 | 156.38 | 415.00 | 230.00 | 1½" | 2" | 50.00 | 40.00 | 49.76 | 3.40   | 481.94 | 15.00  | 227.34 |

PA00251V




| Model    | A(mm)  | A1(mm) | B(mm) | C(mm) | C3(mm) | D2(mm) | E1(mm) | F   | G  | H  | L(mm) | M(mm) |
|----------|--------|--------|-------|-------|--------|--------|--------|-----|----|----|-------|-------|
| PA00251V | 416.00 | 25.31  | 248.9 | 565   | 137    | 172.5  | 358    | 1½" | 2" | 2" | 46    | 105   |

# SKIMMER


## Skimmer For Concrete Pool

### PA00248C




| Model    | A(mm) | A1(mm) | B(mm) | C(mm) | C3(mm) | D2(mm) | E1(mm) | F   | G  | H  | L(mm) | M(mm) |
|----------|-------|--------|-------|-------|--------|--------|--------|-----|----|----|-------|-------|
| PA00248C | 416   | 25.31  | 248.9 | 435   | 137    | 136    | 196    | 1½" | 2" | 2" | 46    | 63    |

### PA00249C




| Model    | A(mm) | A1(mm) | B(mm)  | C(mm)  | C1(mm) | D1(mm) | D2(mm) | F   | G  | H(mm) | L(mm) | J(mm) |
|----------|-------|--------|--------|--------|--------|--------|--------|-----|----|-------|-------|-------|
| PA00249C | 416   | 34.46  | 248.90 | 370.20 | 156.38 | 201.7  | 139.7  | 1½" | 2" | 50.00 | 40.00 | 49.76 |

### PA00250C



| Model    | A(mm) | A1(mm) | B(mm) | C(mm) | C1(mm) | D1(mm) | D2(mm) | E1    | E2    | F   | G  | H  |
|----------|-------|--------|-------|-------|--------|--------|--------|-------|-------|-----|----|----|
| PA00250C | 416   | 8.87   | 249   | 229.6 | 483.7  | 352.6  | 167.3  | 405.3 | 220.3 | 1½" | 2" | 2" |

### PA00251C



| Model    | A(mm) | A1(mm) | B(mm) | C(mm) | C3(mm) | D2(mm) | E1(mm) | F   | G  | H  | L(mm) | M(mm) | N(mm) |
|----------|-------|--------|-------|-------|--------|--------|--------|-----|----|----|-------|-------|-------|
| PA00251C | 416   | 25.31  | 248.9 | 550   | 137    | 172.5  | 358    | 1½" | 2" | 2" | 46    | 63    | 105   |




# SKIMMER

## Skimmer For Swimming Pool

### KK0010-RV/RC




| Model     | Color | Material | Annotation    | connection |
|-----------|-------|----------|---------------|------------|
| EM0010-RV | White | ABS      | Vinyl Pool    | 1.5"       |
| EM0010-RC | White | ABS      | Concrete pool | 1.5"       |



### KK0020-RV/RC




| Model     | Color | Material | Annotation    | connection |
|-----------|-------|----------|---------------|------------|
| EM0020-RV | White | ABS      | Vinyl Pool    | 1.5"       |
| EM0020-RC | White | ABS      | Concrete pool | 1.5"       |



### KK0001




| Model  | Color | Material | Annotation                 | connection |
|--------|-------|----------|----------------------------|------------|
| KK0001 | White | ABS      | Vinyl pool & Concrete pool | 1.5"/50mm  |



### Kk02010104



| Model  | Color | Material | Annotation                 | connection |
|--------|-------|----------|----------------------------|------------|
| KK0002 | White | ABS      | Vinyl pool & Concrete pool | 50         |






# INLET FITTING

## Inlet Fitting


|       |          |
|-------|----------|
| Model | PA00295C |
| A(mm) | 118.90   |
| B     | 2"       |
| C(mm) | 50       |
| D(mm) | 53.87    |
| E(mm) | 56.65    |
| F(mm) | 66.55    |
| G(mm) | 9.90     |

PA00295C




|       |         |
|-------|---------|
| Model | PA00298 |
| A(mm) | 118.90  |
| B     | 2"      |
| C(mm) | 50      |
| D(mm) | 53.87   |
| E(mm) | 56.65   |
| F(mm) | 66.55   |
| G(mm) | 9.90    |

PA00298




|       |         |
|-------|---------|
| Model | PA00330 |
| A(mm) | 118.90  |
| B     | 2"      |
| C(mm) | 50      |
| D(mm) | 53.87   |
| E(mm) | 56.65   |
| F(mm) | 66.55   |
| G(mm) | 9.90    |

PA00330




|       |           |
|-------|-----------|
| Model | PADF2825C |
| A(mm) | 108.00    |
| B(mm) | 60        |
| C(mm) | 50        |
| D(mm) | 73.12     |
| E(mm) | 67.10     |
| F(mm) | 6.02      |

PADF2825C




|       |           |
|-------|-----------|
| Model | PADF2825V |
| A(mm) | 109.00    |
| B(mm) | 60        |
| C(mm) | 50        |
| D(mm) | 73.12     |
| E(mm) | 67.10     |
| F(mm) | 6.02      |

PADF2825V




|          |          |
|----------|----------|
| Model    | KK-1424A |
| Color    | White    |
| Material | ABS&PVC  |
| D1       | 48mm     |
| D2       | 50mm     |
| D3       | 60mm     |
| D4       | 63mm     |

KK-1424A



|          |         |
|----------|---------|
| Model    | KK-2825 |
| Color    | White   |
| Material | ABS&PVC |
| D1       | 48mm    |
| D2       | 50mm    |
| D3       | 60mm    |
| D4       | 63mm    |

KK-2825




# INLET FITTING

## Inlet Fitting


|          |                         |
|----------|-------------------------|
| Model    | KK-1424B                |
| Color    | White                   |
| Material | ABS                     |
| D1       | 1.5" Class 12 (42.78mm) |
| D2       | 2" Class 12 (53.43mm)   |
| D3       | 50mm PN 10 (44.64mm)    |
| D4       | 63mm PN 10 (56.36mm)    |

KK-1424B




|          |                         |
|----------|-------------------------|
| Model    | HT-1526W                |
| Color    | White                   |
| Material | ABS                     |
| D1       | 1.5" Class 12 (42.78mm) |
| D2       | 50mm PN 10 (44.64mm)    |

HT-1526W




|          |                      |           |
|----------|----------------------|-----------|
| Model    | HT-1525W1            | HT-1525W2 |
| Color    | White                | White     |
| Material | ABS                  | ABS       |
| D2       | 50mm PN 10 (44.64mm) |           |

HT-1525W



|          |                         |
|----------|-------------------------|
| Model    | KK-1314                 |
| Color    | White                   |
| Material | ABS                     |
| D1       | 1.5" Class 12 (42.78mm) |
| D2       | 2" Class 12 (53.43mm)   |
| D3       | 50mm PN 10 (44.64mm)    |
| D4       | 63mm PN 10 (56.36mm)    |

KK-1434



|          |           |
|----------|-----------|
| Model    | WL-AJH31  |
| Color    | White     |
| Material | ABS&UV    |
| D1       | 3" (75mm) |
| D2       | 90mm      |

WL-AJH31






# INLET FITTING

## Inlet Fitting


|          |          |
|----------|----------|
| Model    | SV-2829V |
| Color    | White    |
| Material | ABS/UV   |
| D        | 2"       |

SV-2829V




|          |          |
|----------|----------|
| Model    | SV-2829C |
| Color    | White    |
| Material | ABS/PVC  |
| D1       | 48mm     |
| D2       | 50mm     |

SV-2829C




|          |          |
|----------|----------|
| Model    | KK-1022A |
| Color    | White    |
| Material | ABS/PVC  |
| D1       | 45mm     |
| D2       | 59mm     |

KK-1022A




|          |          |
|----------|----------|
| Model    | SV-2828C |
| Color    | White    |
| Material | ABS/PVC  |
| D1       | 48mm     |
| D2       | 50mm     |

SV-2828C




|          |          |
|----------|----------|
| Model    | SV-2828V |
| Color    | White    |
| Material | ABS/PVC  |
| D1       | 48mm     |
| D2       | 50mm     |

SV-2828V



|           |               |          |
|-----------|---------------|----------|
| Model     | HT-1421A      | HT-1421B |
| Color     | White         | White    |
| Material  | ABS/PVC       | ABS/PVC  |
| Bull eyes | 10/15/20/25mm |          |
| D         | 46mm          | 45mm     |

HT-1421




# SUCTION FITTING

## Suction Fitting


|       |         |
|-------|---------|
| Model | PA00300 |
| A(mm) | 118.90  |
| B     | 2"      |
| C(mm) | 50      |
| D(mm) | 54.43   |
| E(mm) | 56.65   |
| F(mm) | 66.55   |
| G(mm) | 9.90    |

PA00300




|       |          |
|-------|----------|
| Model | PA00301C |
| A(mm) | 118.90   |
| B     | 2"       |
| C(mm) | 50       |
| D(mm) | 54.5     |
| E(mm) | 56.65    |
| F(mm) | 66.55    |
| G(mm) | 9.90     |

PA00301C




|          |             |
|----------|-------------|
| Model    | KK-1005VA/B |
| Color    | White       |
| Material | ABS/PVC     |
| D        | 58mm        |

KK-1005VA/P




|           |          |
|-----------|----------|
| Model     | KK-2827V |
| Color     | White    |
| Material  | ABS&PVC  |
| Anotation | Vinyl    |
| D1        | 48       |
| D2        | 50       |

KK-2827V




|          |         |
|----------|---------|
| Model    | KK-1424 |
| Color    | White   |
| Material | ABS&PVC |
| D1       | 48      |
| D2       | 50      |

KK-1424




|          |          |
|----------|----------|
| Model    | KK-1022B |
| Color    | White    |
| Material | ABS      |
| D1       | 1.5"     |
| D2       | 2"       |

KK-1023B



|          |          |
|----------|----------|
| Model    | KK-1022B |
| Color    | White    |
| Material | ABS/PVC  |
| D1       | 45mm     |
| D2       | 59mm     |


KK-1022B






|          |         |
|----------|---------|
| Model    | KK-1032 |
| Color    | White   |
| Material | ABS     |
| Size     | 12"*12" |

KK-1032




|          |         |
|----------|---------|
| Model    | KK-1031 |
| Color    | White   |
| Material | ABS     |
| Size     | 9"*9"   |

KK-1031




|          |         |
|----------|---------|
| Model    | KK-1030 |
| Color    | White   |
| Material | ABS     |
| D        | 208mm   |

KK-1030




|          |           |
|----------|-----------|
| Model    | KK-2829   |
| Color    | White     |
| Material | ABS       |
| D1       | 150(1.5") |
| D2       | 240(2")   |

KK-2829




|            |               |            |
|------------|---------------|------------|
| Model      | EM-2832C      | EM-2832V   |
| Color      | White         | White      |
| Material   | ABS           | ABS        |
| Annotation | Concrete pool | Vinyl pool |
| D          | 1.5"          | 1.5"       |

KK-2832C/2832V




|       |           |
|-------|-----------|
| Model | PADF1467C |
| A(mm) | 157.50    |
| B(mm) | 209       |
| C(mm) | 108.95    |
| D     | 2"        |
| E(mm) | 45        |

PADF1467C



|       |           |
|-------|-----------|
| Model | PADF1467V |
| A(mm) | 167.50    |
| B(mm) | 229.5     |
| C(mm) | 108.95    |
| D     | 2"        |
| E(mm) | 45        |

PADF1467V




|                      |             |
|----------------------|-------------|
| Model                | WL-JDP200AL |
| Color                | White       |
| Material             | ABS+UV      |
| Flow quantity (m³/h) | 33.5        |




|                      |             |
|----------------------|-------------|
| Model                | WL-JDP200AH |
| Color                | White       |
| Material             | ABS-UV      |
| Flow quantity (m³/h) | 33.5        |




|                      |          |
|----------------------|----------|
| Model                | WL-FDP-9 |
| Color                | White    |
| Material             | ABS+UV   |
| Flow quantity (m³/h) | 23       |



|                      |           |
|----------------------|-----------|
| Model                | WL-FDP-12 |
| Color                | White     |
| Material             | ABS-UV    |
| Flow quantity (m³/h) | 88        |




|                      |           |
|----------------------|-----------|
| Model                | WL-FDP-18 |
| Color                | White     |
| Material             | ABS-UV    |
| Flow quantity (m³/h) | 93        |




|                       |         |
|-----------------------|---------|
| Model                 | SP-1413 |
| Color                 | White   |
| Material              | ABS     |
| Flow quantity (L/min) | 75      |

SP-1434



|                       |         |
|-----------------------|---------|
| Model                 | KK-1436 |
| Color                 | White   |
| Material              | ABS&PVC |
| Flow quantity (L/min) | 75      |


KK-1436



| Code     | Model     | B    | Flow Rate (L/min) |
|----------|-----------|------|-------------------|
| 91601241 | EM4419(A) | 1.5" | 50                |
| 91601242 | EM4419(E) | 50mm | 50                |


|                       |           |
|-----------------------|-----------|
| Model                 | WL-APH02  |
| Color                 | White     |
| Material              | ABS&PVC   |
| Flow quantity (L/min) | 150(1.5") |

WL-APH02



|                       |           |
|-----------------------|-----------|
| Model                 | EM-0031   |
| Color                 | White     |
| Material              | ABS&PVC   |
| Flow quantity (L/min) | 150(1.5") |


EM-0031



| 1 1/2" | A   | B   | 1 1/2"   | A         | B         |
|--------|-----|-----|----------|-----------|-----------|
| Metric | Ø50 | Ø32 | Imperial | 1.5"(Ø48) | 1.0"(Ø25) |


|                       |            |
|-----------------------|------------|
| Model                 | EM-0028    |
| Color                 | White/Grey |
| Material              | ABS        |
| Flow quantity (L/min) | 17         |

EM-0028




|                       |            |
|-----------------------|------------|
| Model                 | EM-0064    |
| Color                 | White/Grey |
| Material              | ABS        |
| Flow quantity (L/min) | 17         |

EM-0064



|           |          |
|-----------|----------|
| Model     | KK-1450T |
| Color     | White    |
| Material  | ABS&PVC  |
| Conection | 2.0"     |

KK-1450T





### Suction inlet/PADF2820




| Model    | A(mm)  | B(mm)  | C(mm) | D(mm) | E(mm)  | F(mm) | G(mm) | H(mm) | I(mm) |
|----------|--------|--------|-------|-------|--------|-------|-------|-------|-------|
| PADF2820 | 152.00 | 141.00 | 77.00 | 66.00 | 141.00 | 6.10  | 60.00 | 50.00 | 99.00 |

### Suction inlet/PADF2819




| Model    | A(mm)  | B(mm)  | C(mm) | D(mm) | E(mm)  | F(mm) | G(mm) | H(mm) | I(mm) |
|----------|--------|--------|-------|-------|--------|-------|-------|-------|-------|
| PADF2819 | 152.00 | 141.00 | 77.00 | 66.00 | 141.00 | 6.10  | 73.00 | 63.00 | 99.00 |

### Gutter Drain/KK-1019




| Model   | Color | Material | Flow Quantity(L/min)  |
|---------|-------|----------|-----------------------|
| KK-1019 | White | ABS&PVC  | 150(1.5") / 240(2.0") |

### Wall conduit/PA0324




| Model  | A(mm)  | B(mm) | C(mm) | D(mm) | E(mm) | F(mm) |
|--------|--------|-------|-------|-------|-------|-------|
| PA0324 | 300.00 | 55.50 | 2"    | 2"    | 80.00 | 70.00 |

### Water level regulator



| Model | Color | Material | Connection                              |
|-------|-------|----------|-----------------------------------------|
| RO-7  | White | ABS      | Inlet: Ø20mm or 3/4" BSP, Outlet: Ø50mm |

### Check valve



| Model     | Material | Connection | A(mm) | B(mm) | C(mm) |
|-----------|----------|------------|-------|-------|-------|
| V40-1 (E) | ABS&PVC  | 50mm       | Ø50   | 115   | 164   |
| V50-1 (E) | ABS&PVC  | 63         | Ø63   | 129   | 190   |
| V40-1 (A) | ABS&PVC  | 1.5"       | Ø48   | 115   | 164   |
| V50-1 (A) | ABS&PVC  | 2"         | Ø60   | 129   | 190   |

### Ball valve




| Model                    | DN15B | DN20B | DN25B | DN32B  | DN40B  | DN50B | DN65B  | DN80B | DN100B |
|--------------------------|-------|-------|-------|--------|--------|-------|--------|-------|--------|
| ØSize (mm)<br>Metric     | 20mm  | 25mm  | 32mm  | 40mm   | 50mm   | 63mm  | 75mm   | 90mm  | 110mm  |
| ØSize (inch)<br>Imperial | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"    | 2 1/2" | 3"    | 4"     |


# INLET FITTING

## Inlet Fitting

|          |                       |
|----------|-----------------------|
| Model    | SS-1424B              |
| Color    | White & Silvery       |
| Material | ABS & Stainless Steel |
| D3       | 50mm PN 10 (44.64mm)  |
| D4       | 63mm PN 10 (56.36mm)  |




|          |                       |
|----------|-----------------------|
| Model    | SS-1314               |
| Color    | White & Silvery       |
| Material | ABS & Stainless Steel |
| D3       | 50mm PN 10 (44.64mm)  |
| D4       | 63mm PN 10 (56.36mm)  |




|          |       |
|----------|-------|
| Products | Jet   |
| Model    |       |
| Colour   | White |
| Material | ABS   |




|          |       |
|----------|-------|
| Products | Jet   |
| Model    |       |
| Colour   | White |
| Material | ABS   |



|                  |                                               |
|------------------|-----------------------------------------------|
| Model            | EM 3301                                       |
| Color            | White                                         |
| Material         | ABS                                           |
| Flow Rate(L/min) | 69                                            |
| D                | 1.5" Class 1.5" Class 50 mm PN 10 50 mm PN 10 |




|                  |            |            |
|------------------|------------|------------|
| Model            | EM 3302(A) | EM 3302(E) |
| Color            | White      |            |
| Material         | ABS        |            |
| Flow Rate(L/min) | 69         |            |
| D4               | 1.5"       | 50 mm      |






| Model | Description | Matched Pipe |                                         | Cover    |                    |
|-------|-------------|--------------|-----------------------------------------|----------|--------------------|
|       |             | British      | Metric                                  | Diameter | Material           |
| M02A  | Air Control | 1/2"         | Ø10mm,<br>Ø20mm outside,<br>20mm inside | Ø46mm    | Chromed<br>Plastic |
| M02B  | Air Switch  | None         | 3mm*5mm                                 | Ø46mm    | Chromed<br>Plastic |



| Model      | Material |
|------------|----------|
| EM 3302(A) | ABS      |



| Model | Color | Size |
|-------|-------|------|
| B-169 | Blue  | 1/2" |



## Grating accessories







SP-1032  
Stainless Steel  
300\*300mm



SP-1030  
Stainless Steel  
Ø208mm



SP-1424  
Stainless Steel  
1.5 "or2"



SP-1019  
Stainless Steel  
1.5 "or2"



SP-1022  
Stainless Steel  
2"



SP-001  
Return Inlet  
1.5"



SP-002  
Return Inlet  
1.5"



SP-003  
7/8Holes Inlet  
1.5"



SP-004  
Floor Inlet  
2"



SP-005  
Suction Inlet  
1.5"




SP-006  
Main Drain  
150\*150\*100mm



SP-007  
Skimmer  
250\*250\*200mm



SPA-04  
350\*350mm



SPA-05  
350\*350mm



SPA-06  
350\*350mm



SPA-07  
Ø300mm



SPA-08  
Ø300mm



SPA-09  
Ø300mm



SPA-18  
500\*500\*600mm



SPA-19  
DN40,DN50,DN65,DN80,  
DN100,DN125,DN150,DN200



SPA-20



HT-1GZ-2  
Size: Ø130\*70



HT-FSG-2  
Size: Ø90\*70



HT-GAY-2  
Size: Ø90\*40



FLEDK-Q-2  
Size: 100\*100  
(81pcs)



FLED-Q-2  
Size: 133\*133  
(81pcs)



IR-1-2  
Size: 66\*72\*115




IR-1-2  
Size: 66\*72\*115

# GRATING


## Swimming Pool Anti-skidding Grating

KKG-5000



| Model    | Color | Material | Size(mm)     |
|----------|-------|----------|--------------|
| KKG-5018 | White | PPS      | L180*H24*W33 |
| KKG-5020 |       |          | L200*H24*W33 |
| KKG-5025 |       |          | L250*H24*W33 |
| KKG-5030 |       |          | L300*H24*W33 |

KKG-5100




| Model    | Color      | Material | Size(mm)     |
|----------|------------|----------|--------------|
| KKG-5118 | Bone color | PPS      | L180*H24*W33 |
| KKG-5120 |            |          | L200*H24*W33 |
| KKG-5125 |            |          | L250*H24*W33 |
| KKG-5130 |            |          | L300*H24*W33 |

KKG-6000




| Model    | Color | Material | Size(mm)     |
|----------|-------|----------|--------------|
| KKG-6018 | White | PPS      | L180*H29*W22 |
| KKG-6020 |       |          | L200*H29*W22 |
| KKG-6025 |       |          | L250*H29*W22 |
| KKG-6030 |       |          | L300*H29*W22 |

KKG-3000




| Model    | Color | Material | Size(mm)     |
|----------|-------|----------|--------------|
| KKG-3018 | White | PPS      | L180*H25*W26 |
| KKG-3020 |       |          | L200*H25*W26 |
| KKG-3025 |       |          | L250*H25*W26 |
| KKG-3030 |       |          | L300*H25*W26 |

KKG-3100



| Model    | Color      | Material | Size(mm)     |
|----------|------------|----------|--------------|
| KKG-3118 | Bone color | PPS      | L180*H25(1m) |
| KKG-3120 |            |          | L200*H25*W26 |
| KKG-3125 |            |          | L250*H25*W26 |
| KKG-3130 |            |          | L300*H25*W26 |

KKG-4000



| Model    | Color | Material | Size(mm)     |
|----------|-------|----------|--------------|
| KKG-4018 | White | PPS      | L180*H23*W24 |
| KKG-4020 |       |          | L200*H23*W24 |
| KKG-4025 |       |          | L250*H23*W24 |
| KKG-4030 |       |          | L300*H23*W24 |

*Water enriches our life*



**KAIKANGPOOL**

Guangzhou KAIKANG Building Material Co., Ltd.



Guangzhou BaiLiHua Pool Sauna Co., Ltd

E-mail : poolbuilding@163.com

E-mail : manager@kaikangpool.com

Skype : poolbuilding@163.com

Mobile: 0086-13640680611

Address: Hanwei Creative Park, FangHua Road, Renhe Town,  
Baiyun district, Guangzhou city, China

All specifications are subject to change without prior notice



<http://kaikangpool.com/>