



KAIKANGPOOL

PRODUCT CATALOG

- *Swimming Pool*
- *Aquaculture*
- *SPA Products*
- *Steam*
- *Sauna*

KAIKANGPOOL


One stop pool equipment supplier

Guangzhou KAIKANG Building Material Co., Ltd.
Guangzhou BaiLiHua Pool Sauna Co., Ltd.
<http://kaikangpool.com/>

Quality and Inheritance

The high-quality fountain nozzle made of high-quality brass shows the luxury. All kinds of fountains can be matched with your fountain pool, swimming pool and garden at will.

FOUNTAIN NOZZLE





ZW-A
Universal direct spray nozzle

Connectins		
1/4"	1"	2 1/2"
3/8"	1 1/4"	3"
1/2"	1 1/2"	4"
3/4"	2"	



ZW-B
With valve direct spray nozzle

Connectins		
1/2"	3/4"	1"
1 1/2"	2"	



ZW-C
Hexagon direct spray nozzle

Connectins		
1/4"	3/4"	2"
3/8"	1"	
1/2"	1 1/2"	



ZW-E3
Tooth belt valves outside spray nozzle

Connectins		
1/2"	3/4"	1"



ZW-H
Micro-small direct-shot nozzle

Connectins		
M6	M8	M10
M12	1/4"	3/8"



ZW-J
Circular belt valve small spray nozzle

Connectins		
M10	M12	M14
M16	3/4"	3/8"



ZW-K
Smallhexagonal spray nozzle

Connectins		
1/2"	3/4"	1"
1 1/2"		



ZW-L
Lengthen spray nozzle

Connectins		
1 1/2"	3/4"	1"



ZW-F
Platen direct spray nozzle

Connectins		
3/4"	1"	1 1/2"



ZW-E1
Dry direct spray nozzle

Connectins		
1"		




ZW-E2
Dry direct spray nozzle

Connectins		
1"		



ZW-E3
Dry direct spray nozzle

Connectins		
1"		



Direct nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
Sz1200	1"	70	21	3.5	1.3
SZ1201	1½"	100	29	6.9	2.8
SZ1202	2"	180	38	7.5	3.1
SZ1203	2½"	240	47	10	3.3
SZ1204	3"	330	58	13	4



Afflux direct sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
Sz1210	1"	30-120	8-17	1-5	1.2
SZ1211	1½"	40-140	12-24	1.5-6	2.5
SZ1212	2"	60-180	15-40	2-8	3
Sz1213	2½"	60-200	16-45	2-9	3.3



Adjustable three layer flower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1220	1"	25-100	2.1-4.3	1-4	0.8-1.5
SZ1221	1½"	25-150	5.1-12.7	1-6	0.9-3.5
SZ1222	2"	25-165	6.9-22	1-8	1.2-4.5




Three layer flower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
Sz1230	1½"	25-100	5-13	1-5.5	0.8-1.9
SZ1231	2"	25-115	6.9-22	1-7	1-3




style nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1240	1/4"	15	2	0.7	0.4
SZ1241	1/2"	35	3	1.3	1
SZ1242	3/4"	40	5	1.5	1.2
SZ1243	1"	40	7	1.5	1.3
SZ1244	1½"	60	10	1.8	1.5
SZ1245	2"	80	12	2	1.8




Ffireworks nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1250	1/4"	40	2	0.5	0.4
SZ1251	1/2"	40	3	1	1.1
SZ1252	3/4"	40	5	1.2	1.3
SZ1253	1"	40	7	1.5	1.5
SZ1254	1"	60	10	1.8	1.6
SZ1255	2"	80	12	2	2



Phoenix tail nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1260	1½"	50-150	6.5-13.5	2-4	1.5-5
SZ1261	2"	50-200	7.5-19.5	2-5	2-6



Three-screen nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1270	1"	20-150	1.5-2.5	1.5-4	2.4-3.6
SZ1271	1½"	20-180	2-3.5	1.5-5	2.5-3.8




Double-screen nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1280	1"	20-150	1-1.5	1.5-4	2.5-3.5
SZ1281	1½"	20-180	1.2-2.2	1.5-5	2.5-3.8



Double-layer style sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
SZ1290	1"	35	8	1.5	1.3
SZ1291	1½"	65	10	1.8	1.5
SZ1292	2"	80	13	2	1.8



Direct nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
MM1300	1/2"	15-30	1.5	0.2	0.3
MM1301	3/4"	15-30	1.5	0.25	0.5
MM1302	1"	20-35	2	0.25	0.6
MM1304	1"	20-55	3	0.4	1
MM1305	2"	35-70	5	0.5	1.2
MM1306	2½"	40-100	10	0.5	1.6




Afflux direct sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
MM1310	1/2"	15-30	1	0.2	0.3
MM1311	3/4"	15-30	2	0.25	0.5
MM1312	1"	20-35	3	0.25	0.6
MM1313	1½"	20-55	4	0.4	1
MM1314	2"	35-70	7	0.5	1.5




Adjustable three layer flower nozzle

编号No.	Connectins	pressure(Kpa)	(M ³ /H) Amount of water	Height(M)	Diameter(M)
MM1320	1/2"	15-30	1	0.2	0.3
MM1321	3/4"	15-30	2	0.25	0.5
MM1322	1"	20-35	3	0.25	0.6
MM1323	1½"	20-55	4	0.4	0.8




Three layer flower nozzle

编号No.	Connectins	pressure(Kpa)	(M ³ /H) Amount of water	Height(M)	Diameter(M)
MM1330	1"	20-35	3	0.25	0.5
MM1331	1½"	20-55	4	0.4	0.6
MM1332	2"	35-70	7	0.5	1



style nozzle

编号No.	Connectins	pressure(Kpa)	(M ³ /H) Amount of water	Height(M)	Diameter(M)
MM1340	1"	20-35	2	0.3	0.6
MM1341	1½"	20-55	3-4	0.4	0.9
MM1342	2"	35-70	3-5	0.4	1.2



Direct nozzle

编号No.	Connectins	pressure(Kpa)	(M ³ /H)Amount of water	Height(M)	Diameter(M)
MM1350	1/2"	50	2.5	0.2-0.6	0.4-0.8
MM1351	3/4"	50	2.5	0.2-0.6	0.4-0.8
MM1352	1"	30-80	6-22	0.3-0.8	0.6-1.2
MM1353	1½"	30-80	12-28	0.3-1	0.8-1.5
MM1354	2"	30-80	15-41	0.3-1.3	1-2.2




Multi-branch sprinkler

编号No.	Connectins	pressure(Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
CQ1450	1/2"	60-100	2-4	0.5-2	0.15-0.3
CQ1451	3/4"	80-100	4-7	1-3	0.2-0.4
CQ1452	1"	80-150	6-10	1.5-4	0.3-0.5
CQ1453	1"	80-200	10-15	2-5	0.3-0.6




Gas nozzle

编号No.	Connectins	pressure(Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
CQ1460	1"	80-100	4-7	1-6	1.5-2.5
CQ1461	1½"	80-150	4-8	1-8	1.5-3



Direct nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
CQ1470	1"	50-200	6-12	1.5-5.5	0.5-0.8
CQ1471	1½"	50-200	10-15	2-7	0.6-1
CQ1472	2"	50-250	15-20	2-12	0.6-1.2




Afflux direct sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
CQ1473	3/4"	50-150	2.7-3.8	1.5-5	0.3-0.7
CQ1474	1"	60-180	3.6-6	2-7	0.3-0.8
CQ1475	1"	60-200	6-18	2-8	0.5-1
CQ1476	2"	60-280	7-28	2-10	0.5-1.2





Rotating nozzle

编号No.	Connectins	pressure(Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
XN1500	1/2"	40-80	2.2-4	1.5-3	0.5-1.5
XN1501	3/4"	40-80	2.2-4.5	1.5-3	0.5-1.5
XN1502	1"	40-100	3.4-8.5	2-4	1-1.5
XN1503	1½"	40-120	5.7-11	2.3-5.5	1.5-2
XN1504	2"	40-150	14.5-25.5	2.7-7	2-3



Crab cactus(feng shui)

编号No.	Connectins	pressure(Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
XN1510	1"	30-80	3.5-5	1-1.8	1-2
XN1511	1½"	30-100	4.8-7	1-1.3	1-3.3
XN1512	2"	50-150	5.5-16	2-4.5	2.2-4.5




Crystal ball(dandelion) sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
Qz1600	1"	80-100	5-10	1	0.6
QZ1601	1½"	80-100	8-15	1.5	1
QZ1602	2"	80-150	20-25	1.8	1.2
QZ1603	3"	80-200	40-50	2.3	1.8



Crystal ball(semi-Taraxacum) sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
QZ1610	1"	60-80	3-5	1	0.6
QZ1611	1½"	80-100	5-8	1.5	1
QZ1612	2"	80-150	10-15	1.8	1.2
QZ1613	3"	80-200	30-40	2.3	1.8



Silver nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1800	1"	50-100	2.2-3.8	0.4-1.2	1-2
FH1801	1 1/2"	50-120	3.8-6.8	0.5-1.5	1-3




Morning morning glory nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1810	1/2"	15-30	1	0.2	0.3
FH1811	3/4"	15-30	2	0.25	0.5
FH1812	1"	20-35	3	0.25	0.6
FH1813	1 1/2"	20-55	4	0.4	1




Mushroom sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1820	1/2"	15-30	1	0.2	0.3
FH1821	3/4"	15-30	2	0.25	0.5
FH1822	1"	20-35	3	0.25	0.6
FH1823	1 1/2"	20-55	4	0.4	1



Mushroom mushroom nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1830	1 1/2"	50-150	3-7	0.3-0.7	1.8-1.2





Jade silver shower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1840	1 1/2"	50-150	3-8	0.5-1.5	1-2.5



Keywords jade; die; tassel; shower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1850	1	50-150	3-8.5	1.3-4	1.6-3.4




Silver nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1860	1½"	50-150	3-8	1.3-3.6	1.6-3.4




Shower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
FH1870	1½"	50-150	3-10	0.8-1.5	1-2



Lifting(hemispheric,morningglory)sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM1880	1"	20-35	2	0.3	0.6
BMM1881	1½"	20-55	3-4	0.4	0.9
BMM1882	2"	35-70	3-5	0.4	1.2



metre-high jet

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BGB2100	38	DN100	105-208	330-1300	20-80
BGB2101	45	DN100	144-290	330-1350	20-80
BGB2102	50	DN150	186-401	330-1650	20-100
BGB2103	58	DN150	291-673	330-2000	20-120



Universal direct sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BZW2110	DN15	15-65	0.3-1.5	1-4	Ray state
BZW2111	DN20	15-80	1-3	1-5	Ray state
BZW2112	DN25	50-100	2-4	3-6	Ray state
BZW2113	DN40	50-150	3-6	3-7	Ray state
BZW2114	DN50	50-200	5-8	3-8	Ray state
BZW2115	DN65	70-250	10-25	3.5-1.5	Ray state
BZW2116	DN80	70-330	10-40	3.5-20	Ray state



Direct nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2120	DN25	15	70	4.5	1.3
BSZ2121	DN40	29	100	6.9	2.8
BSZ2122	DN50	38	180	7.5	3.1
BSZ2123	DN65	47	240	10	3.3
BSZ2124	DN80	58	330	13	4



Afflux direct sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2130	DN25	30-120	8-17	1-5	1.2
BSZ2131	DN40	40-140	8-18	1.5-6	1.5



Adjustable three layer flower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2140	DN25	25-60	2.1-4.3	1-4	0.8-1.5
BSZ2141	DN40	25-85	5.1-12.7	1-6	0.9-2
BSZ2142	DN50	25-115	6.9-22	1-8	1.2-4



Style nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2150	DN25	40	7	1.5	1.3
BSZ2151	DN40	60	10	1.8	1.5
BSZ2152	DN50	80	12	2	1.8



Fireworks applicator

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2160	DN25	40	7	1.5	1.5
BSZ2161	DN40	60	10	1.8	1.6



Phoenix-Pteris nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BSZ2170	DN20	50-70	2-4	2-4	1.5-5
BSZ2171	DN25	50-150	6.5-13.5	2.4	1.5-5
BSZ2172	DN40	50-200	7.5-19.5	2-5	2-6



Morning glory(morning glory) sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2200	DN25	20-35	3	0.25	0.6
BMM2201	DN40	20-55	4	0.4	1
BMM2202	DN50	35-70	7	0.5	1.5
BMM2203	DN65	40-100	10	0.7	1.8




Mushroom(hemisphere) sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2210	DN25	20-35	2	0.25	0.6
BMM2211	DN40	20-55	3	0.4	1
BMM2212	DN50	35-70	5	0.5	1.2
BMM2213	DN65	40-100	9	0.7	1.5



Adjustable fan nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2220	DN20	50	2.5	0.2-0.6	0.4-0.8
BMM2221	DN25	30-80	6-22	0.3-0.8	0.6-1.2
BMM2222	DN40	30-80	12-28	0.3-1	0.8-1.5



Duck-duck-shaped nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2230	DN20	50	2.8	0.2-0.7	0.4-1
BMM2231	DN25	30-80	7.2-25	0.3-0.9	0.6-1.5
BMM2232	DN40	30-80	14-30	0.3-1.2	0.8-1.8



Strapless nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2300	DN15	50-100	1.5-3	0.15-0.3	0.1-0.2
BCQ2301	DN20	50-100	2-5	0.2-0.35	0.15-3
BCQ2302	DN25	50-100	3.5-8	0.3-0.5	0.2-0.4
BCQ2303	DN40	50-100	10-18	0.4-0.8	0.3-0.5
BCQ2304	DN50	60-150	17-25	0.4-0.8	0.3-0.6



Guanyongquan nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2310	DN25	50-100	3.5-8	0.3-0.5	0.2-0.4
BCQ2311	DN40	50-100	10-18	0.4-0.8	0.3-0.5
BCQ2312	DN50	60-150	17-25	0.4-0.8	0.3-0.6



Guangdong-style Belt shower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2320	DN20	50-100	2-5	0.2-0.35	0.15-0.3
BCQ2321	DN25	50-100	3.5-8	0.3-0.5	0.2-0.4
BCQ2322	DN40	50-100	10-18	0.4-0.8	0.3-0.5
BCQ2322	DN50	60-150	17-25	0.4-0.8	0.3-0.6



Adjustable Li Yu Zhu nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2360	DN20	50-150	2.7-3.8	1.5-5	0.3-0.7
BCQ2361	DN25	60-180	3.6-6	2-7	0.3-0.8
BCQ2362	DN40	60-200	6-18	2-8	0.5-1
BCQ2363	DN50	60-280	7-28	2-10	0.5-1.2



Multi-branch sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2370	DN15	2-4	60-100	0.5-2	0.15-0.3
BCQ2371	DN20	4-7	80-100	1-2	0.2-0.4
BCQ2372	DN25	6-10	80-150	1.5-4	0.3-0.5
BCQ2373	DN40	10-15	80-200	2-5	0.3-0.6
BCQ2374	DN50	10-19	80-250	2-6.5	0.3-0.8



European Li Yu Zhu sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2380	DN25	50-200	10-15	2-3	0.5



style nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2390	DN25	50-200	10-15	2-3	0.5



Three layer flower nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2330	DN25	50-100	3.5-8	0.3-0.5	0.2-0.4
BCQ2331	DN40	50-100	10-18	0.4-0.8	0.3-0.6



Adjustable ice-tower(cedar)

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2340A	Dn20	40-200	2-4	1-2.5	0.2
BCQ2341A	DN25	40-200	6-10	1-4	0.3
BCQ2342A	DN40	50-330	8-20	1-5	0.6
BCQ2343A	DN50	50-400	12-25	1-6	1.0
BCQ2344A	DN80	50-450	21-50	1-12	1.5



Directional ice-tower(cedar)					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2340B	DN15	40-200	2-4	1-1.8	0.2
BCQ2341B	DN20	40-200	2-4	1-2.5	0.2
BCQ2342B	DN25	40-200	6-10	1-4	0.3
BCQ2343B	DN40	50-330	8-20	1-5	0.6
BCQ2344B	DN50	50-400	12-25	1-6	1.0



Gas-mixing nozzle					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2350	DN25	50-150	3-5	0.5-3	0.3-0.8
BCQ2350	DN40	50-150	5-10	1.5-5	0.5-1
BCQ2350	DN50	60-160	6-15	1.5-6.5	0.5-1



Crab cactus(feng shui)					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BXN2400	DN25	30-40	3.5-5	1-1.8	1-2
BXN2401	DN40	30-55	4.8-7	1-3.3	1-3.8
BXN2402	DN50	50-70	5.5-16	2-4.5	2.2-4.5




Rotating nozzle					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BXN2410	DN25	40-100	3.5-5	2-4	1-1.5
BXN2411	DN40	40-120	4.8-7	2.3-5.5	1.5-2
BXN2412	DN50	40-150	14.5-25.5	2.7-7	2-3



Spray nozzle					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BTF2500	DN15	70-250	0.8-1.8	1-2.3	1-2
BTF2501	DN20	100-300	1-2.3	1-2.8	1.5-3
BTF2502	DN25	100-400	1.2-2.3	1-3.2	1.8-3.5



Crystal ball(dandelion) sprinkler					
编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BQZ2510	DN25	60-80	5-10	1	0.6
BQZ2511	DN40	80-100	8-15	1.5	1
BQZ2512	DN50	80-150	20-25	1.8	1.2
BQZ2513	DN80	80-200	40-50	2.3	1.8



Crystal ball(semi-Taraxacum) sprinkler

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BQZ2520	Dn25	60-80	3-5	1	0.6
BQZ2521	DN40	80-100	5-8	1.5	1
BQZ2522	DN50	80-150	10-15	1.8	1.2
BQZ2523	DN80	80-200	30-40	2.3	1.8



Adjustable European LiYu Zhu nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2530	DN40	50-200	10-15	2-3	0.5




Directional LiYu Zhu sprinkler head

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2540	DN20	50-150	2.7-3.8	1.5-5	0.3-0.7
BCQ2541	DN25	60-180	3.6-6	2-7	0.3-0.8
BCQ2542	DN40	60-200	6-18	2-8	0.5-1
BCQ2543	DN50	60-280	7-28	2-10	0.5-1.2



Thin guanyuzhu nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2550	DN25	60-180	3.6-6.3	2-7	0.3-0.8
BCQ2551	DN40	60-200	6-9	2-8	0.5-1



Mushroom(hemisphere) nozzle (siamese)

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2560	DN15	15-30	1.1	0.2	0.3
BMM2561	DN20	15-30	1.5	0.25	0.5
BMM2562	DN25	20-35	2	0.3	0.6
BMM2563	DN40	20-55	3	0.4	1



Morning glory(morning glory) nozzle(siamese)

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2570	DN15	15-30	1.1	0.2	0.3
BMM2571	DN20	15-30	1.5	0.25	0.5
BMM2572	DN25	20-35	2	0.3	0.6
BMM2573	DN40	20-55	3	0.4	1





A special morning glory nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BCQ2580	DN65	50-200	11.5	2-4.2	2.5




Special revolvingflower basket nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BXN2590	DN40	150-450	29	2-5	3
BXN2591	DN50	150-500	38	2-6	3.5
BXN2592	DN65	150-850	47	2.5-8	4




Special flat nozzles

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMM2600	DN50	150-350	16.5	3-10	2



Changeable nozzle

编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BMQ2610	Dn40	50-200	30	3.2	2.5
BMQ2611	DN50	50-300	35	3.5	3



Directional direct nozzle


编号No.	Connectins	pressure (Kpa)	Amount of water (M ³ /H)	Height(M)	Diameter(M)
BZW2620	DN40(外)	150-300	5-10	3-8	Ray state
BZW2621	DN40(内)	150-300	5-10	3-8	Ray state
BZW2622	DN50(外)	150-350	10-25	3-10	Ray state
BZW2623	DN50(内)	150-350	10-25	3-10	Ray state
BZW2624	DN50	150-400	10-25	3-12	Ray state



Musical Fountain


Musical Fountain

Model: YQ-NO.01 series




Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.01-1000	304	φ1000mm	AC220/50Hz /110V	1.5m	1.0m-1.6m	1piece 1100W	1set	1set	Universal direct nozzle: 42pieces M10	Universal direct nozzle: 4pieces 1/2"	Jade chopstick nozzle: 1piece 3/4"	5pieces
YQ-NO.01-1200	304	φ1000mm	AC220/50Hz /110V	2.0m	1.2m-1.8m	1piece 1500W	1set	1set	Universal direct nozzle: 46pieces M10	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 1piece 3/4"	7pieces

Model: YQ-NO.02 series



Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.02-1500	304	φ1500mm	AC220/50Hz /110V	2-3m	1.5m-2.1m	1piece 1500W	1set	1set	Universal direct nozzle: 86pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 1piece 3/4"	13pieces
YQ-NO.02-2000	304	φ2000mm	AC220/50Hz /110V	2-3m	2.0m-2.6m	1piece 2200W	1set	1set	Universal direct nozzle: 100pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 1piece 1"	21pieces

Model: YQ-NO.03 series




Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.03-1000	304	φ1000mm	AC220/50Hz /110V	2.0m	1.0m-1.6m	1piece 1100W	1set	1set	Universal direct nozzle: 20pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 1piece 3/4"	5pieces
YQ-NO.03-1200	304	φ1000mm	AC220/50Hz /110V	1.0m	1.0m-1.6m	1piece 700W	1set	1set	Universal direct nozzle: 26pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 1piece 1"	7pieces

Musical Fountain



Musical Fountain

Model: YQ-NO.04 series





Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.04-1500	304	φ1500mm	AC220/50Hz /110V	2-3m	1.5m-2.1m	1piece 2200w	1set	1set	Universal direct nozzle: 54pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 6piece 3/4"	17pieces
YQ-NO.03-2000	304	φ2000mm	AC220/50Hz /110V	2-3m	2.0m-2.6m	1piece 2200w	1set	1set	Universal direct nozzle: 26pieces 3/8"	Universal direct nozzle: 4pieces 3/4"	Jade chopstick nozzle: 6piece 1"	23pieces

Model: YQ-NO.06 series



Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	LED RGB light
YQ-NO.06-1000	304	φ1000mm	AC220/50Hz /110V	1.5m	1m	1piece 2200w	1set	1set	Universal direct nozzle: 38pieces 3/8"	7pieces
YQ-NO.06-1500	304	φ1200mm	AC220/50Hz /110V	3.0m	1.5m	1piece 2200w	1set	1set	Universal direct nozzle: 64pieces 3/8"	18pieces
YQ-NO.06-2000	304	φ12000mm	AC220/50Hz /110V	2.0m	2.0m	1piece 2200w	1set	1set	Universal direct nozzle: 86pieces 3/8"	22pieces

Model: YQ-NO.CF11-15-3000




Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	LED RGB light with Middle hole	LED RGB light
YQ-NO.CF-15-3000	304	3*1.5M	AC220/50Hz /110V	0.5m	1.5m-3.0m	1piece 2200w	1set	1set	Universal direct nozzle: 56pieces 3/8"	Mushroom nozzle: 4pieces 3/4", AISI 304	4pieces	17pieces

Musical Fountain



Musical Fountain

Model:YQ-NO.F07-1200




Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.04-1500	304	φ1500mm	AC220/50Hz /110V	2-3m	1.5m-2.1m	1piece 1500w	1set	1set	Universal direct nozzle: 52pieces 3/8"		Jade chopstick nozzle: 5piece 3/4"	15pieces

Model:YQ-NO.CF10-20-3000



Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.04-1500	304	φ1500mm	AC220/50Hz /110V	2-3m	2.0m-3.5m	1piece 2200w	1set	1set	Universal direct nozzle: 52pieces 3/8"	Crystal nozzle: 4piece 1/2"	Jade chopstick nozzle: 5piece 3/4"	31pieces

Model: YQ-NO.10 series



Model	Material	Specification	Voltage	Spray Height	Water spray diameter	Water pump	Music controller	Stainless steel 304 frame	nozzle 1	nozzle 2	nozzle 3	LED RGB light
YQ-NO.10-1000	304	φ1000mm	AC220/50Hz /110V	0.6m	1.0m-1.6m	1piece 700W	1set	1set	Universal direct nozzle: 20pieces M10	Mushroom nozzle: 1pieces1"		1pieces
YQ-NO.11-1000	304	φ1000mm	AC220/50Hz /110V	1.0m	1.0m-1.6m	1piece 700W	1set	1set	Universal direct nozzle: 20pieces M10	Mushroom nozzle: 1pieces1"		1pieces



MF-90-168S

Function Characteristics

- Higher capacity
- High efficiency and energy saving
- High-quality compressor
- 24 hours timing setting
- Drain the water from tank and duct
- Thickened, rust-proof, corrosion-resistant housing
- Movable with wheels
- Rapid dehumidification
- Low noise




Product Characteristics

MF-40-90J



Strong wind turbine



Condenser



Pure Copper Motor



Compressor




Wide Air inlet



Handles



Castors



Outlet



Technical Specifications

Model	MF-40J	MF-60J	MF-90S	MF138S	MF-168S
Range of application (m ²)	≥ 60	≥90	≥105	≥153	≥207
Daily dehumidifying capacity 35°CRH90%DH capacity(L/ Day)	52L/D	78L/D	90L/D	138L/D	168L/D
Daily dehumidifying capacity 30°CRH80%DH capacity(L/ Day)	40L/D	60L/D	70L/D	102L/D	138L/D
Daily dehumidifying capacity 27°CRH60%DH capacity(kg/h)	1.0kg/h	1.5kg/h	1.7kg/h	2.5kg/h	3.4kg/h
Rated Voltage And Frequency	220V~50Hz	220V~50Hz	220V~50Hz	220V~50Hz	220V~50Hz
Rated Power	550W	800W	950W	1250W	1850W
Maximum Input Power	900W	1200W	1400W	1900W	2500W
Refrigerant			R22	R22	R22
Anti Electric Shock Type	Itype	Itype	IType	IType	I Type
Working Pressure On Suction/ Exhaust Side	1.6MPa/4.1MPa	1.6MPa/4.1MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa
Working Pressure On High/ Low Pressure Side	1.6MPa/4.1MPa	1.6MPa/4.1MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa
Working Pressure Of Heat Exchanger	4.2MPa	4.2MPa	4.2MPa	4.2MPa	4.2MPa
Water Tank Volume	8.0L	8.0L	Optional 8L	Optional 8L	Optional 8L
Noise	47 dB	52dB	55dB(A)	55dB(A)	55dB(A)
Net Weight	29kg	33kg	45kg	49kg	55kg
Size	400×325×700mm	400×325×700mm	500×400×1045mm	500×400×1045mm	500×400×1045mm

Water enriches our life



KAIKANGPOOL

Guangzhou KAIKANG Building Material Co., Ltd.



Guangzhou BaiLiHua Pool Sauna Co., Ltd

E-mail : poolbuilding@163.com

E-mail : manager@kaikangpool.com

Skype : poolbuilding@163.com

Mobile: 0086-13640680611

Address: Hanwei Creative Park, FangHua Road, Renhe Town,
Baiyun district, Guangzhou city, China

All specifications are subject to change without prior notice



<http://kaikangpool.com/>