

DONGGUAN KAIJING NEW MATERIAL TECHNOLOGY CO.,LID.

东莞市开景新材料科技有限公司







Samples Catalog

NO	TYPES	PRODUCT NAME DISCRIBE OF PRODUCT		MODEL NUMBER	
		GLOSSY ADHESIVE PAPER	90GSM GLOSSY CAST COATED PAPER		
1		(HOT MELT ADHESIVE)	90GSM WHITE RELEASE PAPER	KJ-2001	
		(HOT MEET ADHESIVE)	HOT MELT ADHESIVE		
		GLOSSY ADHESIVE PAPER (HOT MELT ADHESIVE)	120GSM GLOSSY CAST COATED PAPER		
2			90GSM WHITE RELEASE PAPER	KJ-2002	
		(HOT MEET ADHESIVE)	HOT MELT ADHESIVE		
		OFFSET/WOODEN FREE ADHESIVE PAPER	70GSM WOODENFREE PAPER		
3			60GSM WHITE GLASSINE PAPER LINER	KJ-2003	
		(HOT MELT ADHESIVE)	HOT MELT ADHESIVE		
		OFFSET/WOODEN FREE ADHESIVE PAPER	70GSM WOODENFREE PAPER		
4		(ACRYLIC ADHESIVE)	60GSM WHITE GLASSINE PAPER LINER	KJ-2004	
			ACRYLIC ADHESIVE		
		OFFSET/WOODEN FREE ADHESIVE PAPER	70GSM WOODENFREE PAPER		
5		(HOT MELT ADHESIVE)	80GSM WHITE RELEASE PAPER	KJ-2005	
			HOT MELT ADHESIVE		
	STANDARD	ART PAPER/CAST COATED PAPER STICKER (HOT MELT ADHESIVE)	80GSM ART PAPER		
6	PAPER TYPE		60GSM WHITE GLASSINE PAPER LINER	KJ-2006	
			HOT MELT ADHESIVE		
		ART PAPER/CAST COATED PAPER STICKER (HOT MELT ADHESIVE)	80GSM ART PAPER		
7			60GSM YELLOW GLASSINE PAPER LINER	KJ-2007	
			HOT MELT ADHESIVE		
		ART PAPER/CAST COATED PAPER STICKER	80GSM ART PAPER		
8		(SOLVENT ADHESIVE)	60GSM WHITE GLASSINE PAPER LINER	KJ-2008	
		SOLVENT ADRESIVE)	SOLVENT ADHESIVE		
		CHINESE XUAN PAPER COPY STICKERS	120GSM CHINESE XUAN PAPER		
9	0	(HOT MELT ADHESIVE)	90GSM WHITE RELEASE PAPER	KJ-2009	
			HOT MELT ADHESIVE		
		OFFSET/WOODEN FREE ADHESIVE	70GSM WOODENFREE PAPER(FSC)		
10		PAPER(FSC)	80GSM WHITE RELEASE PAPER(FSC)	KJ-2010	
		(HOT MELT ADHESIVE)	HOT MELT ADHESIVE		
		KRAFT PAPER	70GSM KRAFT PAPER		
11		(HOT MELT ADHESIVE)	50GSM YELLOW GLASSINE PAPER LINER	KJ-2011	
		(HOT MELT ADRESIVE)	HOT MELT ADHESIVE		



Samples Catalog

NO	TYPES	PRODUCT NAME	DISCRIBE OF PRODUCT	MODEL NUMBER
12		THERMAL ADHESIVE PAPER (HOT MELT ADHESIVE)	70GSM THERMAL PAPER 40GSM WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE	KJ-6001
13		THERMAL ADHESIVE PAPER (FREEZER GRADE ADHESIVE)	70GSM THERMAL PAPER 60GSM WHITE GLASSINE PAPER LINER FREEZER GRADE ADHESIVE	KJ-6002
14		THERMAL CARD	160GSM THERMAL CARD	KJ-6003
15	SPECIAL APPLICATION PAPER TYPE	THERMAL TRANSFER ADHESIVE PAPER (HOT MELT ADHESIVE)	70GSM THERMAL TRANSFER PAPER 60GSM WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE	KJ-6004
16	TAIL THE	OFFSET/WOODEN FREE ADHESIVE PAPER(FSC) (HOT MELT ADHESIVE-REMOVABLE)	70GSM WOODENFREE PAPER(FSC) 80GSM WHITE RELEASE PAPER(FSC) HOT MELT ADHESIVE(REMOVABLE)	KJ-6005
17		TRACING PAPER (HOT MELT ADHESIVE)	60GSM TRACING PAPER 60 GSM WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE	KJ-6006
18		FLUORESCENT PAPER (ARCYLIC ADHESIVE)	95GSM TRACING PAPER 90 GSM WHITE RELEASE PAPER ARCYLIC ADHESIVE	KJ-6007
19		SYNTHETIC ADHESIVE PAPER (HOT MELT ADHESIVE)	54µm SYNTHETIC PAPER 60GSM WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE	KJ-8001
20	PP/PET	DRAWBENCH GOLD PET ADHESIVE PAPER (ARCYLIC ADHESIVE)	50µm DRAWBENCH GOLD PET 140GSM WHITE RELEASE PAPER ARCYLIC ADHESIVE	KJ-8002
21		DRAWBENCH SILVER PET ADHESIVE PAPER (ARCYLIC ADHESIVE)	50µm DRAWBENCH SILVER PET 140GSM WHITE RELEASE PAPER ARCYLIC ADHESIVE	KJ-8003
22		MATT SILVER PAPER (ARCYLIC ADHESIVE)	50µm MATT SILVER PAPER 130GSM WHITE RELEASE PAPER ARCYLIC ADHESIVE	KJ-8004



About Our Company

GOOD PRODUCT QUALITY CUSTOMIZED ON DEMAND

SPOT WHOLESALE

Dongguan Kaijing New Material Technology Co., Ltd. is a professional domestic manufacturer of self-adhesive labels, providing customized and innovative self-adhesive label, sticker and barcode solutions for various consumer and industrial products. Since its establishment, it has always adhered to the business philosophy of "professionalism, service and innovation", with the corporate mission of "printing quality products and spreading positive energy", and has been deeply engaged in the release paper, laminated paper and adhesive materials industries. With a strong research team and advanced production equipment, our products are widely used in industries such as labels, medical care, electronics, tapes, anti-counterfeiting, advertising materials, composite materials, and industrial applications.

We have always been committed to technological innovation and product research and development. We have successively introduced the leading domestic 1600mm wide large-scale high-speed silicon coating, paper-plastic composite and slitting integrated precision production line, which has a strong production capacity and an annual sales volume of over 20,000 tons. We have a professional laboratory equipped with various inspection and testing devices to ensure the stability and applicability of our products to the greatest extent. Not only has it passed international authoritative certifications such as SGS and FSC, but it has also been awarded the title of High-tech enterprise.

We sincerely welcome friends from all walks of life to visit our factory, inquire about prices and negotiate cooperation. Let's join hands to create a brilliant future together.













Main products



淋膜机 Extrusion Coating Machine

适用基材:纸张/塑料薄膜/金属箔 (50-300gsm)

Substrates: Paper/Plastic Film/Metal Foil (50-300gsm)

应用领域: 食品包装阻隔层 | 医用无菌材料 | 工业防潮覆膜

Applications: Food Barrier Coating | Medical Packaging | Industrial

Moistureproof

典型应用场景

□食品包装:液体包装盒、快餐容器淋膜□医疗防护:透析纸复合、灭菌器械包装▲工业制造:锂电池隔膜、建材表面处理

Typical Applications

Food: Liquid Cartons, Takeaway Containers
Medical: Sterile Packaging, Dialysis Paper
Industry: Battery Separators, Building Materials

服务能力 Capacity

月产能 1400万㎡ | 14M ㎡/Month Production

支持定制开发 | Custom R&D Service





Main products

离型材料解决方案:单/双面 | Release Material Solutions: SIngles/Double Side

适用基材: 纸张/薄膜 (50-300gsm) Substrates: Paper/Film(50-300gsm)

离型力可控范围: 5-200g/in | Release Force: 5-200g/in

耐温性: -40℃~200℃ | Temperature Resistance



■ 工业胶带基材 | PSA Tapes

■ 电子模切保护 | Die-Cut Liners

■ 医疗敷料载体 | Medical Backing ■ 新能源复合膜 | Battery Separators

■ 标签防粘底层 | Label Release

■ 烘焙纸 | Silicone Baking Paper

产品优势 Advantages

- ✔ 洁净室生产 | Class 100K Cleanroom
- ✔ 离型力稳定性±5% | Release Consistency
- ✔ 支持卷材宽度: 300-1650mm | Web Width Options

服务能力 Capacity

月产能 1800万㎡ | 18M ㎡/Month Production

支持定制开发 | Custom R&D Service



高精度涂硅机1600 **Precision Silicone Coating**









Main products



热熔胶涂布机1600 Hot Melt PSA Coating Machine

热熔胶不干胶 1600 Hot Melt Pressure Sensitive Adehesive

强粘性

耐温范围: -20℃至40℃

无溶剂 | 食品接触安全认证

Strong viscosity

Solvent-free | FDA compliant

主流标签类型 Key Label Applications

• 物流标贴: 高耐候性

• 生鲜标签: 防水抗冻 (水果/冷冻) • Fresh labels: Waterproof

• 薄膜标签: PET/PP透明标

• 空白标签: 即撕即用设计

• Logistics: Weather-resistant

• Film labels: Transparent

• Blank labels: Peel-ready

∅ 高速涂布 300m/min

High-speed coating 300m/min

愛精密控制 ±0.5g胶量精度

愛 ±0.5g Adhesive Weight Accuracy

回基材兼容 纸/膜/合成材料 OSubstrate: Paper/Film/Synthetic Materials

服务能力 Capacity

月产能 1700万㎡

17M m²/Month Production

常用规格: 1010/1080/1180/1250/1530mm | PS:1010/1080/1180/1250/1530mm





Production Process Introduction



淋 膜 PE Coated



分条 Slitting



涂 硅 Silicone Coated



切 张 Cutting to sheets



涂胶 Glue Coated



模切 Die-Cutting



Product Display



玻卡纸/热胶/白色防粘纸 GLOSSY CAST COATED PAPER WHITE RELEASE PAPER HOT MELT ADHESIVE



书写纸/水胶/白色格拉辛纸 WOODENFREE PAPER WHITE GLASSINE PAPER LINER ACRYLIC ADHESIVE



铜版纸/油胶/白色格拉辛纸 ART PAPER WHITE GLASSINE PAPER LINER SOLVENT ADHESIVE



牛皮纸/热胶/黄色格拉辛纸 KRAFT PAPER YELLOW GLASSINE PAPER LINER HOT MELT ADHESIVE



热敏纸/热胶/格拉辛纸 THERMAL PAPER GLASSINE PAPER LINER HOT MELT ADHESIVE



54um合成纸/热胶/白色格拉辛纸 54µm SYNTHETIC PAPER WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE




Product Display



120g洒金纸/热胶/白色防粘纸 120GSM CHINESE XUAN PAPER WHITE RELEASE PAPER HOT MELT ADHESIVE




荧光纸/水胶/白色防粘纸 TRACING PAPER WHITE RELEASE PAPER ARCYLIC ADHESIVE



书写纸FSC/可移胶/白色防粘纸FSC WOODENFREE PAPER(FSC) WHITE RELEASE PAPER(FSC) HOT MELT ADHESIVE(REMOVABLE)



50µm拉丝银/水胶/白色防粘纸 50µm DRAWBENCH SILVER PET WHITE RELEASE PAPER ARCYLIC ADHESIVE



描图纸/热胶/白色格拉辛纸 TRACING PAPER WHITE GLASSINE PAPER LINER HOT MELT ADHESIVE



50um哑银/水胶/白色防粘纸 50µm MATT SILVER PAPER WHITE RELEASE PAPER ARCYLIC ADHESIVE



Self-Adhesive Material Requirement Of Storage And Use

Self adhesive sticker is multi-produced from paper, film and chemical material, so the requirement of storage and use is very important.

—, Requirement of storage:

- a. it must be stocked in some place without any direct sunlight and it must be well protected to againist moisture, hot-temperature, UV and ultra-low temperature.
- b. it can not be stocked with inflammable and volatile dangerous goods together.
- c. in storage, it must be packed by release paper or film. The roll goods should stand up on the board.

But the sheets should be leveling piled up on the board, and the height of the sheets should not be more than one meters. All the goods should be stock on the board which is 10cm higher than the floor.

d. the goods can be stocked more than one year in the condition of 23 +/-2 ℃ and RH 50 +/-5%.

■. Requirement of use:

- a. the surface to be ahered with the goods can not have oil stain, dust, water, form-release agent or other pollution.
- b. we should press evenly on the entire surface when sticking.
- c. according to different printing methods(silk-screen printing, offset printing, Flexible press, spin printing and so on)and processing types(such as slitting, sheeting, fan-fold feeding and single to single), then choosing the printing material.
- d. our company have all kinds of paper or film materials and glue types, customers can choose according to their material requirement of performance, but due to there many factors which effect products in production and usage, we recommend to do some tests before producing large amount quantity of products, then just use.

Note: before confirming the self-adhesive material, you should test it in the same using condition.



Substrate Choosing For Self-Adhesive Material

Substrate choosing depends on the mode of printing and the request of end users. High-quality printed matter needs good-quality self adhesive material. Heat transfer printing needs special substrate which is flat and smooth and with good

Substrate	Printability	Stain Resistance	Glossiness	Opaqueness	Viscosity	Smoothness	Sticking Strength	Moisture Resistance	Heat Resistance
Cast Coated Paper (Semi Gloss Art Paper)	Ö	©	•	Ď	©	©	©	©	•
Gloss Art Paper	Ď	©	Ö	Ď	©	Ď	©	©	•
Wooden Free Paper (Offset Paper)	Ö	•	^	Ď	©	^	^	©	•
Thermal Paper	•	©	©	Ď	©	Ď	©	©	^
PP Synthetic Paper	Ď	Ď	Ď	Ď	Ď	Ď	Ď	Ď	Ď
Synthetic Cloth	•	^	^	Ď	Ď	^	ď	©	Č
Non-Woven Fabrics	•	^	^	Ď	Ď	^	ď	©	Ö
PET	•	•	Ď	Ď	Ď	Ď	ď	Ď	•
PVC	Ď	Ď	Ď	Ď	Ď	Ď	©	Ď	^
Aluminium Foil Paper	•	^	Ö	Ď	©	Ď	©	©	•
Fluorescent Paper	•	©	•	Ď	©	©	©	©	•
Laser Rainbow film	•	Ď	Ö	Ď	Ď	Ď	ď	Ď	^

Notice: 1. " indicates perfect; 2. " undicates good; 3. " number indicates bad; 4. After surface coated and perm, the printing performance of film materials will be improved obviously.



Guide Of Adhesive Application

Adhesive Choose:

There are a lot of adhesive types, and sticking to different adherend, their performances are different. The following Form 1& Form 2 for your reference.

Form ①

101111 🛈						
Types	Rubber Crylic Acid Hot Melt Water Base		Crylic Acid Solvent			
Specification	Permanent	Permanent	Permanent	Removable		
Low-Temp	•	•	Ö	•		
High-Temp	•	Ö	•	•		
Peel Adhesion	Ö	•	•	•		
Holding Power	Ď	Ď	•	^		

ΝI	Ot:	ICO.
ľ	υu	CC.

1. " 👸 " indicates perfect;

2. " (C) "indicates good;

3. " ∧ "indicates bad.

Form (2)						
Types	Rubber Hot Melt	Crylic Acid Water Base	Crylic Acid Solvent			
3,1	Permanent	Permanent	Permanent	Removable		
Glass Bottle	Ö	rä ©		^		
Flat Metal Surface	Ö	^	•	©		
Cardboard Box	Ö	Ö	•	^		
PP	Ö	©	•	^		
PE	Ö	^	Ö	^		
Wood Board	•	Ö	Ö	^		
Plywood	Ö	Ö	Ö	^		
Paintcoat	Ö	©	Ö	^		
Textile	•	^	^	^		

We can provide professional product solutions based on customer demands!



Contact Us

Name:

Frank Zhang

Phone&WhatsApp&WeChat:

+86 139 255 90196

Email:

Company Website

kjnew07@kjn86.com

www.kjn86.com

Corporate Address:

广东省东莞市南城街道蛤地新农路31号

NO.31 XINGNONG ROAD, NANCHENG STREET, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA



Thank you!