



危险物品 DANGEROUS GOODS

航空运输危险性鉴别报告

Identification and Classification Report for Air Transport of Goods

报告编号:

PEKGZ202411270558YY560001

Issued No.:

生效日期:

Effective Date:

2025.01.01

委托单位:

江西领芯源科技有限公司

Applicant:

Jiangxi Chief Power Electronics Co., LIMITED

物品名称:

便携式移动电源 BP1500A 1280Wh

Name of Goods:

Portable Power Station BP1500A 1280Wh

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



报告书使用约定

Terms of the Using of the Report

1. 本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定物品的航空运输危险性并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

- 2. 依据鉴别的需要,本公司要求委托人提供真实、完整的样品及资料。
 According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the goods.
- 3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。
 The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.
- 4. 本公司仅对委托方所提供样品的鉴别结果负责。
 DGM China is only responsible for the identification and classification of the sample provided by the applicant.
- 5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。
 This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.
- 6. 未经本公司书面批准,不得复制本报告书。
 The duplicating of this report is prohibited without the written approval of DGM China.
- 7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
 The report is invalid when anything of the following happens illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.
- 8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。
 This report is only valid within the year in which the IATA *Dangerous Goods Regulations* is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室 邮编: 101300

电话: 010-69479673

传真: 010-69479621

网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn



	gg pr	
	-	
Ą,		
a	-	
_	A.	
c	4a i	
а	id J	
V.		

项目编号 Item No. 鉴别目的 Identification Purpose		PEKGZ202411270558	签发日期 Issued Date	2024. 12. 05	
		是否属于航空运输危险物品 Dangerous Goods or not restricted	2024. 12. 01		
	J依据 ion Criteria	IATA DGR 66th, 2025	Identification Date	31/2	
物品名称 Name of -	中文 Chinese	便携式移动电源 BP1500A 1280Wh	1/2	T. C.L.	
Goods	英文 English	Portable Power Station BP1500A 1280	₩h		
	厂家 acturer	江西领芯源科技有限公司 Jiangxi Chief Power Electronics(Co., LIMITED	9 //	
件数 Pieces 运单号 Air waybill No. 目的港 Destination		CHINES 4	本人(本单位)声明: 上	五人代理人声明 述法翰信息博写真家 #	
			本人(本单位)声明:上述运输信息填写真实、海,鉴别报告已获得委托单位的授权使用,实际输的货物情况与本鉴别报告一致。如因信息填写。 误、实际运输的货物情况与本鉴别报告不一致造		
			一的一切后果,由本人(本 赔偿对承运人造成的全部 托运人或托运人代理人签	单位)承担全部责任,并 损失。	

该样品为灰黑色近长方体电池。

型号: BP1500A

尺寸: 374*265*262mm

每包装件中电池/电芯数量: 1 每包装件中电池/电芯净重: 15.98kg

该电池已经做好防短路措施并装入坚固的外包装内。

该锂电池不属于召回电池,不属于废弃和回收电池,并按照DGR3.9.2.6.1(e)规定的质量体系进行制

根据委托方所提供的声明:本报告所述锂离子电池(或电芯)交付运输时,其荷电状态不超过设计 额定容量的30%。

物品信息 Nature of the goods (注: 单块电池的重量约为15.98Kg。)

This sample is black gray almost cuboid battery. Model: BP1500A

Size: 374*265*262mm

Number of batteries / cells per package: 1

Net quantity of batteries/cells per package: 15.98kg

Batteries have been protected so as to prevent short circuits and packed in strong

rigid outer packagings.

The lithium batteries don't belong to batteries returned to the manufacturer for safety reasons, are not waste lithium batteries and not lithium batteries being shipped for recycling or disposal, are manufactured under a quality management program as described in 3.9.2.6.1(e).

Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity.



3				۰
П		r		
5	-	ь	۰	
	3	n		
5	عر	۲	۰	
-		١.		
٦	v.	٨	×	٠
и		n	r	
-	ы	-1		۰

项目编号 Item No.		PEKGZ202411270558					
物品名称		便携式移动电源 BP1500A 1280Wh					
Name of Goods	英文 English	Portable Power Station BP1500A 1280Wh					
	别结论 clusions	该物品为锂离子/聚合物电池,单独包装。额定参考有关资料,根据DGR有关规定,该物质分类This goods is lithium ion/polymer battery battery is of a type proved to meet the R CRITERIA, Part III, sub-section 38.3. According to IATA DGR this substance is c. 9, UN3480.	识别为第9类(或项)危险品,UN3480 ,packed individually.Watt-hour ra equirements of each test in the U). ating is 1280Wh IN MANUAL OF TE	STS AND		
	UN/ID 编号 UN/ID No.	运输专用名 Proper Shipping		类或项 Class or Div. (次要意验性)	Packing		
			Name	Class or Div.			
建议 lggestion	UN/ID No. UN3480	Proper Shipping Lithium ion bat 客货机 Passenger and Cargo Aircraft	Name	Class or Div. (次要危险性) (Subsidiary Risk)	包装等约 Packing Group		
输危险性 建议 Iggestion for ransport	UN/ID No. UN3480	Proper Shipping Lithium ion bat 客货机 Passenger and Cargo Aircraft	teries	Class or Div. (次要危险性) (Subsidiary Risk)	Packing		
建议 iggestion for	UN/ID No. UN3480	Proper Shipping Lithium ion bat 客货机 Passenger and Cargo Aircraft 仅限货机 Cargo Aircraft only	teries Forbidden	Class or Div. (次要危險性) (Subsidiary Risk)	Packing		

制单: 李彦颖

第4页共4页



项目编号: PEKGZ202411270558

物品名称: 便携式移动电源 BP1500A 1280Wh

便携式移动电源 Portable Power Station:

Ented Capacity: 1280Wh

Battery Capacity: 51.2V.25000mAh

AC Imput: 110V—60Hz(1200W Max)

MPPT Input: 10-60V-13A.400W Max(Car Port/Solar energy)

AC x4 Output: 110V—60Hz.1500W(Waveform: Pure Sine Wave)


Type-C1 Output: 5V=3A.9V=3A.12V=3A.15V=3A.20V=5A(100W Max)

Type-C2 Output: 5V=3A.9V=3A.12V=3A.15V=3A.20V=5A(100W Max)

USB A1/A2 Output: 5V=3A.9V=2A.12V=1.5A(Single 18W Max/Double 15W Max)

USB A3/A4 Output: 5V=3A.9V=2A.12V=1.5A(Single 18W Max/Double 15W Max)

DC 5521x4 / Car Charger Output: 12V=10A(120W Max)





包装件 Package:







锂电池/钠离子电池 UN38.3 试验概要 Test Summary

项目编号: PEKGZ202411270558

/		单位信息	Compa	ny Inform	ation		DUDU	
//	江西领荷	芯源科技有限么	文司/Jiang	xi Chief Po	wer Electron	nics Co. I	IMITED	-
委托单位 Consignor	江西领芯源科技有限公司/Jiangxi Chief Power Electronics Co., LIMITED 江西省宜春经济技术开发区宜商大道 133 号/133 Yishang Avenue, Economic Technological Development Zonce Vietner Line						ic ar	
Consignor	rechnological Development Zones, Yichun, Jiangxi Province							
				Mail: 61478	32924@qq.c	om		
生产单位	江西领芯源科技有限公司/Jiangxi Chief Power Electron					nics Co., LIMITED		
生) 单位 Manufacturer	江西省宜春经济技术开发区宜商大道 133 号/133 Yishang Avenue, Econon Technological Development Zones, Yichun, Jiangxi Province							c ar
	电话/Tel: 13316485381 邮箱/Mail: 614782924@gg.com							
测试单位 Test Lab	深圳安博检测股份有限公司/Shenzhen Anbotek ComplianceLaboratory Limited 广东省深圳市宝安区西乡街道后瑞第三工业区 A 栋四楼东/East, 4th Floor, Building A, Hourui Third Industrial Zone, Xixiang Street, Bao 'an District, Shenzhen, Guangdong 电话/Tel: +86-755-26066126 邮箱/Mail: service@anbotek.com 网址/Website: www.anbotek.com							
		电池信息			tion			-
	一	携式移动电源						Y
Name		ble Power Statio	n D	电池/电流			离子电池	R
型号	101101	ole rower Static	ם ווכ	attery/Cell C		Li-i	on Battery	
至 5 Type	1/8 1	BP1500A		商材	July 1997		,	
				Traden				
Normal Voltage	1			额定容量 Rated Capacity		25000mAh		
额定能量						灰黑色近长方体		
Watt-hour rating	1280Wh			外观/Appearance		Approximate Black and Gray Cuboid		
质量/Mass		15.98kg		锂含量/Li Content		不适用 N/A		
		测试信息	Test Ir				<u></u>	-
测试报告编号	400-			测试报告签				_
Test Report Number	1827	70BC20423901	/A	Date of Test Report		2023-01-03		
测试标准 Edition of UN Manual of Tests and Criteria Used	联合国《· UN "Manu	试验和标准手册 al of Tests and (册》(第 Criteria" S	7 版修订 1)	38.3 节	end1/Subs	ection 38.3	1
T.1: 高度模拟	通过	T.2: 温度	E试验	通过	T.3: ‡	 辰动	通过	
Altitude Simulation	Pass	Thermal	Test	Pass	Vibrat		Pass	
T.4: 冲击	通过	T.5: 外部	『短路	通过	T.6: 撞击		通过	
Shock	Pass	External Short Circuit		Pass		Impact/Crush		
T.7: 过度充电	通过	T.8: 强制放电		通过			Pass	
Overcharge	Pass	Forced Dise	charge	Pass		/		
UN38.3.3.1(f)或/or	不扭	頭 N/A	UN38	3.3.3.1(g) 或	/or	-	of Williams	
UN38.3.3.2(d)	1176	2/11 1 1/A		N38.3.3.2(e)		垣用	指MA	
签名	1					XTAX	THE PARTY	
Signatory	Suc	不完一里		签发日期		175	24	1
职务				ssued Date		2024	11-27	*
Title	检	验员				曲	No.	1

此报 有效^其