



Since 1999

One-stop Solution For Fan



Shenzhen Ani Technology Co.,Ltd



www.sz-ani.com



0755-26666569



+86 130 2798 2169



Mike@ani-technology.com




No.130,Huangpu Road,Xinqiao,
Bao'an ,Shenzhen



**LD-633**

- 14 inch fan
- Ball bearing, PP material
- 12V brushless dc motor
- LiFePO4 battery 12.8V 6Ah
- 4 speeds, 3 lighting
- Max power: 8W, max rpm 1150
- Battery charging time 4hours by 24W adapter
- Battery running time 10-73hours
- Type C/solar panel/adapter input
- USB output: 5V1A
- Timer:30-60-90-120-150-180mints
- Digital indicator: speed, timer, battery capacity, expected working hours

**Two input modes****LD-805**

- 16 inch fan
- Ball bearing, PP material
- 12V brushless dc motor
- LiFePO4 battery 12.8V 6Ah
- 4 speeds, 3 lighting
- Max power: 12.5W, max rpm 1200
- Battery charging time 4 hours by 24W adapter
- Battery running time 5.5-49 hours
- Type C/solar panel/adapter input
- USB output: 5V1A
- Timer:30-60-90-120-150-180mints
- Digital indicator: speed, timer, battery capacity, expected working hours

**Two input modes**





LD-500L

- 18 inches brushless motor fan
- DC 5V1A-2A
- AC 110V-240V/ 5W
- Max 1150 RPM
- Max power: 32W
- LED night light
- 5 speeds
- LiFePo4 12V 4.5AH
- Charging time: 4.5h
- Working time: 3.5-10h
- Over Discharge&Overcharge protection
- Have 30min timer
- With remote controller
- Charging display:
Red light flashing when charging,
Stop flashing when fully charged




Two input modes



LD-C001

- Product Name:Twin Window Fan
- 9inch fan ,7inch fan blade
- Product Size : 64*15*34cm
- Extend Size : 104*15*34cm
(20cm extension on Left & Right)
- Product Weight : 2.2kg
- Motor : Brushless DC motor
- Input Voltage : 12V & 18V
- Air circulator function
- Exhaust function
- Wind power level : Three-speed adjustment
- Fan blade wind direction :
Double-row forward
Double-row reverse
- One forward & One reverse
- Operation mode : Push button, remote control




Rechargeable stand fan



LD-801

- 16inch 3 blades rechargeable fan
- Brushless DC motor 12V
- LiFePO4 battery 12.8V 6Ah(3.2V 6Ah*4pcs)
- Charging time 4.5hours by adapter
- Working Time: 7 -40 hours
- 4speeds, speed 1 is natural speed
- Timer,max 2hours
- Swing
- LED Light,3 different brightness
- Power indicator
- Speeds indicator
- 5V USB output
- DC 15V input for solar panel
- Over Discharge&Overcharge protection
- With Remote Controller
- 16V 2A (or 15V 3A)Adapter



Two input modes




Rechargeable stand fan



LD-8618

- 18 Inches 100% copper brushless motor
- AC/DC Operated
- RPM:About 730-1235
- Maximum power: 22W
- Light Source: 15PCS E5630U
- Battery: 12.8V 7200mAh LifePO4 lithium
- 1-8Hour Timing Function
- USB OUTPUT CURRENTS: 1.5A
- DC OUTPUT:12V
- Charging time: 10-12 hours
- Working Hours: 5-20.5 hours
- Fan speed:9 speed choice+NATURAL WIND
- 110 ~ 240 v AC or 15 v DC charging
- With AC charging cable and remote control
- It can charged by 16V solar panels



Two input modes



Rechargeable stand fan



LD-5616H

- 16 Inches 100% copper brushless motor
- AC/DC Operated
- RPM:About 700-1300
- Maximum power: 48W
- Light Source: E2835UW22 18PCS
- Battery: LifePO4 12.8V 6A
- 0.5-8Hour Timing Function
- USB OUTPUT CURRENTS: 1.5A
- DC OUTPUT:12V
- Charging time: 10-12 hours
- Working Hours: 3.5-15 Hours
- Fan speed:9 speed choice+NATURAL WIND
- 110 ~ 240 v AC or 15V DC charging
- Remote control and 2 12V bulbs
- It can charged by 16V solar panels



Two input modes



Rechargeable stand fan



LD-200H

- 16 Inches 5 blades, brushless motor
- AC/DC operation
- 110-240V 50/60Hz
- 5 speed choose/with remote control
- Metal grill/ABS+PP
- 6.4V4-6 LiFePo4 battery
- USB 5V for mobile charge
- Max power:20W
- Working time:3-15hours
- Charging time:10-12hours
- With 9V10/20W solar panel and 6V3W LED bulb



W116

- 16 Inch 5 blades rechargeable
- Voltage/Frequency: 110-240V 50/60Hz
- Motor: 6V brushless motor
- Speed: 9 speed choose
- Material: ABS +PP
- Battery:6V4.5Ah Lead acid battery
- Max power:25W
- Over Discharge&Overcharge protection
- Working time:3.5-10H
- Charging time:12-15H
- With 2pcs led bulbs and 9V10W solar panel
- Remote control/Bluetooth player
- USB MP3/TF card

Accessories



Rechargeable stand fan

ANiY®



LD-300A

- 16 Inch 5 blades rechargeable
- 24 pcs LED night light
- AC/DC operation
- Metal grill
- can use mobile charging
- Input voltage:AC110-240V 50/60Hz
- 12V5AH(12V7AH is optional)
- DC 15V jack for solar charge
- Max.power:32W
- 110-240V AC or 15V DC power source for recharge
- Over Discharge&Overcharge protection
- have 30min timer
- with remote controller

LD-300B

- 16 Inch 5 blades rechargeable stand fan
- 24 pcs LED night light
- AC/DC operation
- Metal grill
- can use mobile charging
- Input voltage:AC110-240V 50/60Hz
- 12V5AH(12V7AH is optional)
- DC 15V jack for solar charge
- Max.power:32W
- 110-240V AC or 15V DC power source for recharge
- Over Discharge&Overcharge protection
- have 30min timer
- with remote controller

Accessories



DC fan

ANiY®



LD-7411-M

- Power:30-40W
- Voltage:18V
- Motor:Brushless DC motor
- Voltage of motor: DC 18V
- Blade size: 14 inch fan blade
- Timer : 6 h
- Remote control :Yes
- Oscillation:Yes
- Auto power off:Yes
- Silence wind,sleep wind,natural wind,Strong wind
- 80cm cable length cigarette lighter
- New front mesh ,black matte mesh grill
- Height adjust screw matte black
- Base small cover matte black
- Customized color box
- Max speed 750rpm



Two input modes



FOUR KINDS OF WIND



DC fan



LD-722

- 16 inch DC solar stand fan
- Motor: Brushless DC motor 12V / 24V
- Max Power : 11W $\pm$ 1w or OEM
- Air speed: 3 and max 4.5m $\pm$ 0.5m/s
- RPM: max1130 rpm $\pm$ 50 rpm
- Button: 4 (0-1-2-3)
- Material: PP
- Blade: 16 inch ox blade 5 pcs or 3 pcs
- Solar energy option
- Oscillation
- Warranty: For motor 24 months
whole item 12 months



LD-723

- 16 inch DC solar stand fan
- Motor: Brushless DC motor 12V
- Air speed: 3 and max 4.5m $\pm$ 0.5m/s
- Max Power : 10W $\pm$ 1w or OEM
- RPM: max1130 rpm $\pm$ 50 rpm
- Button: 4 (0-1-2-3)
- Material: PP
- Blade: 16 inch ox blade 5 pcs or 3 pcs
- Warranty: For motor 24 months ,
whole item 12 months
- Solar energy optional
- Oscillation

Four input modes



Rechargeable table fan



LD-2916

- Blade Size: 16Inch
- Maximum power: 38 Watts
- LED light
- Battery: 12 V 4.5 AH sealed lead-acid battery
0.5 Hour Timing Function
- USB OUTPUT CURRENTS: 500mah
- DC OUTPUT: 12V
- Charging time: 8.5 hours
- Working Hours: 4-15Hours
- Fan speed: 5 speed choice
- 110 ~ 240 v AC or 15 v DC charging
- It can be charged by 16V solar panels



LD-291

- 16inch Rechargeable Half Stand Fan
- AC/DC Operated/With 0.5 hour timer
- With 9 speeds/5V USB Output for mobile phone
- 9V DC Power input/SMD Night Light
- Material: ABS+PP
- Voltage: 110-240V
- Battery/Weight: 6V4.5AH*2pcs Lead-acid Battery
- Working Time: 6-20Hours
- Charging Time: 10-12Hours
- RPM: 1300-1400RPM

Two input modes



Rechargeable table fan



LD-6008

- Blade Size: 8 Inch
- AC/DC Operated
- 100% copper brushed motor
- PRM: About 1326-1857
- Light Source: E2835U 0.2W 26PCS
- USB OUTPUT CURRENT: 500mAh
- Battery: 3.7V 4500mAh 18650 lithium
- Charging Time: 8.5H
- Working Time: 4.5H For High Speed;
7.5H For Low Speed
- Fan speed: 2 speed choice
- 110-240V AC or 6V DC charging
- With 6V3W solar panel and 3V lamp 2PCS

Accessories



Application



Rechargeable table fan




LD-2512

- Blade size: 12Inches
- AC/DC operated
- 100% copper brushed motor
- PRM: 781-1087
- Maximum power: 19W
- 3 speed wind, 3 light brightness
- Battery: Lithium 18650 3.7V 4.8A
- USB output current: 0.5AH
- Charging time: 11H
- Working time: 4.3-7.5H
- Can connect with 9V solar panel and 3V lamp

Two input modes



28cm



Rechargeable table fan



LD-312

- 12 Inch solar rechargeable fan
- Function: night-lights,solar charging, bluetooth speaker,TF,USB,FM Radio,fan
- Blade Size: 12Inches
- Light Sources: 18PCS SMD
- Battery: 6 V 4 AH sealed lead-acid battery
- with over charge and over discharge circuit protection
- 0.5 Hour Timing Function
- USB OUTPUT CURRENT: 500MAH
- Charging time: 12-15 hours
- Working Hours: 3.5-8 Hours
- Maximum power: 10 Watts
- Fan speed:3 speed choice
- 110 ~ 220 v AC or 9 v DC charging
- With AC charging cable
- It can charged by 9V solar panels



LD-008

- 8 Inch Multi-function solar rechargeable fan
- Function: fan,lighting system,night-lights,solar charging,bluetooth speaker,TF,USB,FM Radio
- Blade Size: 6 Inch
- Light Sources: 18PCS SMD
- Battery: 3.7 V 18650 battery (1200MAH*3PCS)
- with over charge and over discharge circuit protection
- USB OUTPUT CURRENT: 500MAH
- Charging time: 6 hours
- Working Hours: FAN 3.5-12 Hours/SPEAKER 9-18 H
- Fan speed:3 speed choice
- 5V DC charging
- with 5V3W Solar panel and 3V lamp



Rechargeable table fan



LD-092T

- Item Name :12inch Rechargeable Solar Table Fan Set
- Function:AC/DC OperatedSolar panel
- With 2 speeds/5V USB Output for mobile phone/9V
- DC Power input/SMD Night Light/ with 2pcs led bulbst
- with 3w 9vsolar panel
- Material :ABS+PP
- Voltage: 110-240V
- Battery: 6V4.2Ah Lead-acid Battery
- Working Time:3-9 Hours
- Charging Time:10-12Hours



LD-316M

- 16 inch Rechargeable Table Fan
- Wall Fan Double Use/Long handle
- AC/DC Operated/With 0.5 hour timer
- With 3 speeds/5V USB Output for mobile phone
- 9V &12V DC Power input/SMD Night Light
- Material :ABS+PP
- Voltage: 110-240V
- Battery/Weight:6V4.5Ah Lead-acid Battery
- Working Time:3-10 Hours
- Charging Time:10-12Hours



Outdoor misting fan



X65

- Material: ABS+PP, dual copper brushless motor
- Lithium 21700-30000mAh
- Spray/RGB lighting/remote/power bank/power display
- Capacity: 2L, DC Input 13.5V/2A
- 4 gears wind, 4 gears spray mode
- Max speed 5.5m/s, RPM 3300
- Timer: 2H. 4H. 8H
- Working time: 12-36H
- Charging time: 15H(5V 2A)
- Spray 3s stop 3s; spray 5s stop 3s; spray 7s stop 5s



Application



Outdoor misting fan




A30

- Material: ABS+100% copper brushless motor 5V-2A, lithium 10000/20000mAh
- Capacity: 10L
- Timer: 2H. 4H. 8H
- 4 gears of speed wind
- Spray/RGB lighting/remote/power bank
- Spray coverage:
- Atomization: 60CM.
- Atomization + maximum wind: 2m
- Spray cooling: 2 minutes-2.7°, 4 8 mint-4°
- Maximum wind speed: 4.6
- Minimum wind speed: 2.8
- Working time: Atomization: 5-9H
- Maximum wind + atomization: 6-7H
- Working time: 12-50H/Charging time: 8H
- Noise decibel value: 40dB.
- Waterproof level: ipX4.



Application




Outdoor misting fan



A36

- Material: ABS+ copper brushless motor+ LED 5V-2A, lithium 10000/20000mAh
- Capacity: 10L
- Spray/RGB lighting/remote/power bank
- 4 gears of speed wind
- 4 gears of spray mode
- Timer: 2H. 4H. 8H
- Max power: 15W
- Working time: 5-30H
- Charging time: 8-12H(5V 2A)
- Automatic left and right shaking
- Manual up and down shaking



Application



Rechargeable outdoor fan



F7322



- 6inch
- power bank 8000mAh lithium battery
- Maximum capacity can increase to 16000mAh/20000mAh
- charging time 4 hours, 2A input
- 4 speeds, 2 lighting
- battery running 4.5~19 hours
- bldc motor, max speed 3000 RPM
- Noise: 38~48db
- Remote function
- Can connect with stands

F7300



- 6inch
- 7200mAh lithium battery
- charging time 4 hours, 2A input
- 4 speeds, 2 lighting
- battery running 4.5~19 hours
- bldc motor, max speed 3000 RPM
- Noise: 38~48db

F7311



- 6inch
- 4000mAh lithium battery
- 2A input, 10W
- 2 speeds, 2 lighting
- battery running 3~10 hours
- Flat, inverted, wall mounted

Rechargeable outdoor fan



LD-8118

- 9 inch 3 blades, brushless motor
- Battery capacity: 1260110/3.7V/40000mAh
- Max Power: 25W, 5V3A input
- Remote control
- 5 gears of wind, 3 gears of light
- 1-100% power digital display
- Timer: 1-8H
- Working time: 14-50H
- Charging time: 15-18H
- 90° shaking from up to down
- 180° shaking from left to right

25.4cm

28cm



Application



Rechargeable outdoor fan



F6611



- power bank 6000mAh lithium battery
- charging time 4 hours, 2A input
- 4 speeds
- battery running 3-15 hours
- Electric rotation: left and right 150°
- Manual rotation: up and down 240°
- Solar panels and led lighting
- Can be connected to an external bracket
- Outer carton: 48.5*48*49cm/18pcs

F8102



- Material : ABS, PP
- Input: 5V 2.4A Type C,
- USB output
- Max Power: 8000mAh
- 4 speeds, 2 brightness
- Hidden hook, electric shaking
- Up & Down 270° Rotate,
- Left & Right 120° Rotate
- Timer : 1/2/4 hours

A21



- Material: ABS+copper motor +LED
- Battery capacity: 10400mAh
- Voltage: 5V-2A
- Type-c input: , USB output
- Working time: Fan 7-24H, lamp 36H
- 4 gears of speed
- 3 gears of LED brightness
- Power display 25%-50%-75%-100%
Power bank, with hook

Rechargeable outdoor fan



D9



- Material: ABS+copper motor+LED
- Battery capacity: 5200mAh
- Input: Type-C/ 5V/3A
- Output: 5V 2A
- 4 gears of speed
- 3 gears of LED brightness
- With solar panel 7V8.5W
- Working time:7-22h
- Timer: 2-4-8H
- Power display 25%-50%-75%-100%

X99



- Material: ABS+copper motor+LED
- Battery capacity: 5200mAh
- Input: Type-C/ 5V/2A
- Output: 5V 2A,6W
- 4 gears of speed
- 3 gears of LED brightness
- With solar panel 5V4W
- Working time:6-36h
- Timer: 2-4-8H
- Power display 25%-50%-75%-100%

X77



- Material: ABS+copper motor +LED
- Battery capacity: 7800mAh
- Single item weight: 0.584kg
- Voltage: 5V-2A
- Working time: 5-25H
- Folding bracket, with hook
- Electric shaking, rotary knob control speed

Rechargeable outdoor fan



LD-8136S



- 7 inch 3 blades, brushless motor
- Battery: 1260110/3.7V/16000mAh
- Max Power: 20W
- 5V2A for input and output
- 8 gears of wind, 3 gears of light
- Timer: 1-2-4-8H
- Working time: 11-40H
- Charging time: 10-12H
- 45°-90° electric shaking
- Rotary switch, remote control, with hook

LD-8166A



- 7 inch 3 blades, brushless motor
- Battery: 1260110/3.7V/20000mAh
- Max Power: 20W
- 5V2A for input and output
- 5 gears of wind, 3 gears of light
- 1-100% power digital display
- Timer: 1-8H
- Working time: 11-40H
- Charging time: 10-12H
- 45°-90° electric shaking
- Remote control, with hook



LD-2031FA

- Volts/Hertz/Power: 100 ~ 240V,50/60Hz,21W
- Material: ABS+PP+PC
- 24 wind speeds
- Automatic left and right swing 120°
- Automatic up and down swing 45°/90°
- Touch button, infrared remote control, intelligent voice control
- 12-hour timing and reservation
- self-selected/circulation/sleep 3 wind
- With atmosphere light
- 3 adjustable heights
- With adapter and display screen
- Memory function



LD-1837FA

- Volts/ Hertz/ Power: 220V,50Hz , 38W
- Blade size: φ180mm 3 blades
- Net weight: 5.3 kg
- Material: PP+ABS
- Product size: W341xD341xH563 ~1036mm
- Outer box size: L600*W305*H380
- 3 wind speeds
- Automatic left and right swing 70°
- Manual up and down swing 90°
- Mechanical knob control
- 3 adjustable heights
- Memory function



LD-2988E

- 11.5" DC Stand Circulator
- 100~240V, 50/60Hz, 24W
- DC 24V
- 7blades, ABS material
- 12 wind speed
- 3 height adjustable
- Memory function,LED display
- Mode optional: Normal/Natural
- Auto-oscillation left 25°/right 30°
- Oscillating up 20°/down 5° by manual
- Timer: 12H



LD- 3060FA

- 12" DC Stand Circulator
- 100~240V, 50/60Hz, 24W
- 7blades, ABS material
- 12 wind speed
- Height adjustable
- Memory function, 4 LED display
- 8 hours timerand preset function
- Touch/Remote control
- With adapterand digital display
- Auto-oscillation left & right 60°/120°
- Auto-oscillation up & down 90
- 4 modes: Normal wind/baby wind/ circulation wind/Eco wind

LD-23A2R-Y



- Model: 9-inch floor-standing air circulation fan
- Material: ABS
- Power: 36W
- Remote/Voice control
- 12 wind speed
- Maximum speed about 7.5m/s
- 8-hour timed on/off
- 100° left and right automatic shaking
- Automatic elevation angle of 90°
- Temperature sensing frequency conversion, negative ion function, 3D shaking

LD-30N1R



- Model: 12-inch table fan
- Material: ABS
- Power: 21W
- Touch button
- DC motor
- Remote/Voice control
- 12 wind speed levels
- Maximum speed about 4.8m/s
- 12-hour timer shutdown
- 60°, 90°, 120° automatic shaking
- Manual elevation angle 90°

LD-8308



- 9 inch metal fan
- Brushed motor
- Rotary button, 3 gears of light
- 360° manual up and down adjustment
- DC 13.5V-2.5A
- USB 5V-2A output
- Max Power 15W
- 25%-50%-75%-100% capacity display
- 21700-3.7V 12000mAh lithium
- Working time 6-25H
- Charging time 2-3H(13.5V 1.5A)

LD-14RF



- 14 inch metal fan
- 1200RPM max
- DC 12V
- 10inch aluminium fan blade
- brushless dc motor
- USB output
- with charging and battery capacity indicator
- 15600mAh lithium battery

LD-12RF



- 12 inch metal fan
- 1500RPM max
- DC 12V
- 10inch aluminium fan blade
- brushless dc motor
- USB output
- with charging and battery capacity indicator
- 15600mAh lithium battery

**LD-706**

- 10 inch metal dc table fan
- Blade :9inch
- 3 leaves ,aluminium blades
- DC brushless 12V1A adapter
- Power:6W
- rpm:1500
- Speed :3.3M/S
- Current:0.5 A
- Grill mesh diameter 10 inch
- Shiny paint ,black
- DC plug ,two speeds
- Warranty: For motor 24 months
Whole item 12 months
- Packing:6pcs/carton:62*42*32cm

DC-4UF

- 4inch USB fan
- DC5V 2.5W 2600 (r/min) ;
- USB cable 1.2m;
- Aluminium or plastic fan blade;
- 1 speed ,pure copper motor;
- Energy saving;
- 360 degree moving;

DC-6UF

- 6inch USB fan
- *DC 5V 3.6W 2100(r/min);
- USB cable 1.2m;
- Aluminium or plastic fan blade;
- 1 speed ,pure copper motor;
- Energy saving ;
- 360 degree moving;

**JS101**

- 8" folderable table fan
- LED display LED night light
- 4000mAh rechargeable battery
- Input: 5V by Type-C, Remote control
- RAW material: ABS+PP
- 3 speeds
- 120°Swing
- 3hours,6hours,9hours timer
- Power indicator Speed indicator
- Charging time:2-3H

LD-521

- 8 inch ABS material
- Charging:DC 5V-1A
- Power:2~4W
- Li-ion battery 18650 2000mAh
- 3 speeds
- RPM:1100-1600rpm
- Charging time:4 hours



Waist Fan



Vehicle Fan



LD-8011



- 10 gears fan/digital/display
- Input: DC5V-2A/Type-C
- Power: 7W(MAX)
- Battery capacity: 3.7V/4000mAh
- Working time: 6-7H
- Charging time: 8-10H(5V2A)
- Product size: 70X51X88MM

LD-8052



- 10 gears fan/light/digital display
- USB output can charge with mobile phone
- Input: DC5V-3A/Type-C
- Power: 7W(MAX)
- LED pwer: 1W
- Battery capacity: 124065/3.7V/8000mAh
- Working time: 6-7H
- Charging time: 5-6H(5V3A)
- Product size: 99X80X91MM

LD-8062



- 10 gears fan/light/digital display/dual motor
- USB output can charge with mobile phone
- Input: DC5V-3A/Type-C
- Power: 15W(MAX)
- LED pwer: 1W
- Battery capacity: 105568/3.7V/15000mAh
- Working time: 6-7H
- Charging time: 8-10H(5V3A)
- Product size: 159X78X96MM

F4207



- 360° Rotate
- Input : 5V/2A
- PP material, 3 wind speed

F4502



- 360° Rotate
- 270° Foldable
- Input : 5V USB, 12V/24V cigarette lighter
- PP material, 2 wind speed

LD-8012



- 10 gears fan/light/digital display
- Input: DC5V-3A/Type-C
- Power: 7W(MAX)
- LED pwer: 1W
- Battery capacity: 124065/3.7V/8000mAh
- Working time: 6-7H
- Charging time: 5-6H(5V3A)
- Product size: 112X82X98MM

LD-8022



- 10 gears fan/light/digital display/dual motor
- Input: DC5V-3A/Type-C
- Power: 15W(MAX)
- LED pwer: 1W
- Battery capacity: 105568/3.7V/15000mAh
- Working time: 6-7H
- Charging time: 8-10H(5V3A)
- Product size: 169X80X98MM

LD-8082



- 10 gears fan/light/digital display/dual motor
- USB output can charge with mobile phone
- Input: DC5V-3A/Type-C
- Power: 15W(MAX)
- Battery capacity: 21700/3.7V/16000mAh
- Working time: 6-7H
- Charging time: 8-10H(5V3A)
- Product size: 138X71X85MM

F7101



- Power: 5W
- Material: ABS PP
- Application: Instrument console
- 3 adjustable speeds
- Manual 360° oscillation

F7201



- Dual brushless DC motor
- Power: 5W
- Material: ABS PP
- Application: Instrument console
- 3 adjustable speeds
- Manual 360° oscillation
- Memory function, RGB light



F6603



F5501



F5502



- Base : 360° Rotate
- Fan head : 270° Rotate
- Neck : 360° Rotate
- 180° Foldable
- Input : 5V USB, 12V/24V cigarette lighter
- 3M Tape enclosed
- Color: 5V black & white, 12V black & yellow, 24V black & red
- Speed: 3 speeds/5V, 1 speed/12V&24V
- Cable: 1.3M




BLF64A12B13

- 12V motor
- max 1.7A
- rpm 1350 ,VSP&PWM
- safty range 9-30V
- Ball bearing

BLF55Z12B09

- 18V motor
- Safty range 9-18V
- Ball bearing
- Max RPM 1350



BLF64A12B12

- 12V motor
- max 1.7A
- rpm 1350,VSP&PWM
- safty range 9-30V
- Ball bearing

