


Aluminum Sheet / Plates 铝板

Thickness: ≥5mm (6061), ≥8mm (others), Can be cut to any sizes.
 5mm(6061)及8mm(其他)以上零切



Grade 牌号	Thickness (mm) 厚度													Size 规格
6082-T6	1	1.5	2	3	4	5	6	8	10	12	15	16	18	1250*2500 1500*3000
	20	22	25	28	30	35	40	45	50	55	60	65	70	
	75	80	85	90	100	110	120							
6063-T6	1	2	3	4	5	6	8	10	12	15	16	18	20	1250*2500 1500*3000
	22	25	28	30	35	40	45	50	55	60	65	70	80	
	90	100	110	120										
6061-T6	1	1.2	1.5	2	2.5	3	4	5	6	6.35	8	10	12	1250*2500 1500*3000
	12.7	14	15	16	18	20	22	25	28	30	32	35	40	
	45	48	50	55	60	65	70	75	80	85	90	95	100	1500*3000 2000*5000 2500*5000 2200*6000
	105	110	115	120	125	130	135	140	145	150	155	160	170	
	180	190	200	210	220	230	240	250	260	270	280	290	300	
	310	320	330	340	350	360	370	380	390	400	410	420	430	
	440	450												
8	10	12	14	15	16	18	20	22	25	30	35	40	1525*3660 2000*5000 2200*6000 2800*6000	
45	50	55	60	65	70	75	80	85	90	95	100	110		
120	130	140	150	160	170	180	190	200						
7050-T651	12	15	18	20	25	30	35	40	45	50	55	60	65	1525*3660
	70	75	80	85	90	95	100	105	110	115	120	125	130	
7050-T7451	20	25	30	35	40	45	50	55	60	65	70	75	80	1525*3660
	90	100	110	120										
7A04-T6	1	1.5	2	2.5	3	4	5	6	8	10	12	15	18	1250*2500 1500*3000
	20	22	25	28	30	35	40	45	50	55	60	65	70	
	75	80	85	90	95	100	110	120	130	140	150	160	180	
7A09-T6	1	1.5	2	2.5	3	4	5	6	8	10	12	15	18	1250*2500 1500*3000
	20	22	25	28	30	35	40	45	50	55	60	65	70	
	75	80	85	90	95	100	110	120	130	140	150	160	170	
7075-T6	1	1.5	2	2.5	3	4	5	6	8	10	12	14	15	1250*2500
	16	18	20	22	25	28	30	35	40	45	50	8	10	
	12	14	15	16	18	20	22	25	28	30	32	35	40	1500*3000 1525*3660 2000*4000
	45	50	55	60	65	70	75	80	85	90	95	100	105	
	110	115	120	125	130	140	150	160	170	180	190	200	210	
	220	230	240	250	260									
7075-T651	8	10	12	14	15	16	18	20	22	25	28	30	32	1525*3660 2000*4020
	35	40	45	50	55	60	65	70	75	80	85	90	95	
	100	105	110	115	120	125	130	140	150	160	170	180	190	
	200	210	220	230	240	250	260							
7075-T652 锻板 Forging Plate	250	260	270	280	290	300	310	320	330	340	350	360	380	1525*3660
	400	420	450	460	470	480	490	500						

NOTE:

Inventory specifications for reference only, they change all the time, better contact us for more information.
 库存实时变动, 仅供参考, 请与我们联系为准!


Aluminum Rod / Round Bar 铝棒

φ ≥ 30mm, Can e cut to any size 直径30mm以上支持任意零切



Grade 牌号	Diameter (mm) 直径													Length 长度
5A05-H112	20	30	40	50	60	70	80	90	100	110	120	130	140	2000-4000
	150	160	170	180	190	200								
5A06-H112	8	10	12	15	20	25	30	35	40	45	50	60	70	2000-4000
	80	90	100	110	120	130	140	150	160	170	180	190	200	
	210	220	230	240	250	260	270	280	290	300	310	320	330	
	340	350												
6063-T6/T6511	5	6	7	8	10	12	13	15	16	18	20	22	25	2500 3000
	28	30	32	35	40	45	50	55	60	65	70	75	80	
	85	65	70	75	80	85	90	95	100	110	120	130	140	
	150	160	170	180	190	200	220	250						
6061-T6/T6511	5	6	8	10	12	14	15	16	18	20	22	25	26	2500 3000 4000
	28	30	32	35	36	38	40	42	45	46	48	50	52	
	55	58	60	65	70	75	80	85	90	95	100	105	110	
	115	120	125	130	135	140	145	150	155	160	165	170	175	
	180	185	190	195	200	205	210	215	220	225	230	240	250	
	260	270	280	290	300	310	320	330	340	350	360	370	380	
	390	400	410	420	430	440	450	460	470	480	490	500	510	
6082-T6/T6511	20	22	25	26	28	30	32	35	38	40	45	50	55	2000-4000
	60	65	70	72	75	80	82	85	90	95	100	105	110	
	115	120	125	130	135	140	145	150	155	160	165	170	175	
	180	185	190	195	200	210	220	230	240	250	260	270	280	
	290	300	310	320	330	340	350	360	370	380				
6101-T6	10	15	20	25	30	35	40	50	60	70	80	90	100	2000-4000
	110	120												
7075-T6/T6511	8	9	10	12	15	16	18	20	25	30	35	40	45	2500 3000 4000
	50	52	55	58	60	65	70	75	80	85	90	95	100	
	105	110	115	120	125	130	135	140	145	150	155	160	165	
	170	175	180	185	190	195	200	205	210	215	220	225	230	
	240	250	255	260	270	280	290	300	310	320	330	340	350	
	360	370	380	390	400	410	420	430	440	450	460	470	480	
7075-T652	450	460	480	500	550	600	700			(Forging Rod 锻棒)				3000
7A04-T6	10	15	20	25	30	40	50	60	70	80	90	100	110	2000-4000
	120	130	140	150	160	170	180	190	200	210	220	230	240	
	250	260	270	280	290	300	310	320	330	340	350	360	370	
7A09-T6	10	15	20	25	30	40	50	60	70	80	90	100	110	2000-4000
	120	130	140	150	160	170	180	190	200	210	220	230	240	
	250	260	270	280	290	300	310	320	330	340	350			


Aluminum Flat / Square Bar 铝排

6061 T6, Length : 2500/3000mm 长度

Section Thickness * Width (mm) 截面厚度*宽度

2*20	2*25	2*40	2*50	>	3*20	3*25	3*30	3*40	>	4*20	4*25	4*30
4*40	4*50	>	5*5	5*10	5*15	5*20	5*25	5*30	5*35	5*40	5*50	5*50
5*60	5*70	5*80	5*90	>	6*12	6*15	6*20	6*25	6*30	6*35	6*40	6*45
6*50	6*55	6*60	6*60	6*70	6*80	6*90	6*100	6*110	6*120	6*130	6*150	6*170
>	8*8	8*10	8*13	8*15	8*20	8*25	8*30	8*35	8*40	8*45	8*50	8*50
8*55	8*60	8*65	8*70	8*80	8*90	8*100	8*110	8*120	8*130	8*140	8*150	8*170
8*200	>	10*10	10*12	10*15	10*20	10*25	10*30	10*35	10*40	10*45	10*50	10*55
10*60	10*65	10*70	10*75	10*80	10*85	10*90	10*100	10*110	10*120	10*130	10*140	10*150
10*150	10*160	10*170	10*180	10*200	10*250	>	12*12	12*15	12*20	12*25	12*25	12*30
12*40	12*45	12*50	12*55	12*60	12*60	12*65	12*70	12*75	12*80	12*85	12*80	12*100
12*110	12*120	12*130	12*140	12*150	12*160	12*170	12*180	12*200	>	15*15	15*20	15*25
15*30	15*30	15*32	15*35	15*40	15*45	15*50	15*55	15*60	15*65	15*70	15*75	15*80
15*85	15*90	15*95	15*100	15*110	15*120	15*125	15*130	15*140	15*150	15*160	15*170	15*180
15*200	15*250	>	16*16	16*20	16*25	16*32	16*40	16*45	16*50	16*55	16*60	16*65
16*70	16*75	16*80	16*85	16*90	16*95	16*100	16*110	16*120	16*130	16*140	16*150	16*160
16*180	16*200	>	18*18	18*30	18*40	18*50	18*60	18*70	18*80	18*90	18*100	18*110
18*120	18*130	>	20*20	20*25	20*30	20*35	20*40	20*45	20*50	20*55	20*60	20*65
20*70	20*75	20*80	20*85	20*90	20*95	20*100	20*105	20*110	20*120	20*130	20*140	20*150
20*160	20*180	20*200	>	22*22	22*26	22*55	22*65	22*100	>	25*25	25*30	25*35
25*40	25*45	25*50	25*55	25*60	25*65	25*70	25*75	25*80	25*85	25*90	25*95	25*100
25*105	25*110	25*120	25*130	25*140	25*150	25*160	25*180	25*185	25*200			
>	30*30	30*35	30*40	30*45	30*50	30*55	30*60	30*65	30*70	30*75	30*80	30*85
30*90	30*95	30*100	30*110	30*120	30*130	30*140	30*150	30*160	30*170	30*180	30*200	
>	32*32	>	35*35	35*40	35*45	35*50	35*55	35*60	35*65	35*70	35*75	35*80
35*85	35*90	35*95	35*100	35*110	35*120	35*125	35*130	35*140	35*150	35*160	35*170	35*180
35*200	>	38*38	>	40*40	40*45	40*50	40*55	40*60	40*65	40*70	40*75	40*80
40*85	40*90	40*95	40*100	40*110	40*120	40*130	40*135	40*140	40*150	40*160	40*180	40*200
>	45*45	45*50	45*55	45*60	45*65	45*70	45*75	45*80	45*85	45*90	45*95	45*100
45*110	45*120	45*130	45*140	45*150	45*160	45*200	45*200					
>	50*50	50*55	50*60	50*65	50*70	50*75	50*80	50*85	50*90	50*95	50*100	50*110
50*120	50*130	50*140	50*145	50*150	50*200	>	55*55	55*60	55*65	55*70	55*75	55*80
55*85	55*90	55*95	55*100	55*110	55*120	55*135	55*150	>	60*60	60*65	60*70	60*75
60*80	60*85	60*90	60*95	60*100	60*110	60*120	60*125	60*130	60*150	60*160	60*180	
>	65*65	65*70	65*75	65*80	65*85	65*90	65*100	65*110	65*120			
>	70*70	70*75	70*80	70*85	70*90	70*100	70*110	70*120	70*130			
>	75*75	75*80	75*85	76*90	75*95	75*120						
>	80*80	80*85	80*90	80*100	80*110	80*120	80*130	80*140	80*150			
>	85*85	85*100	>	90*90	90*100	90*110	>	95*95	95*100			
>	100*100	100*120	100*150	>	105*105	>	110*110	>	115*115			
>	120*120	125*125	130*130	135*135	140*140	150*150	160*160	180*180	185*185	190*190	200*200	

Aluminum Extruded Round Tube

挤压铝管




Length :3000-6000mm 长度

OD mm	WT	Grade	OD mm	WT	Grade	OD mm	WT	Grade	OD mm	WT	Grade
外径	壁厚	牌号	外径	壁厚	牌号	外径	壁厚	牌号	外径	壁厚	牌号
8	1	6063-T5	32	5	6063-T5	55	2	6063-T5	80	25	6061-T6
8	2	6063-T5	32	6	6063-T5	55	3	6063-T5	80	30	6061-T6
10	1	6063-T5	35	2	6063-T5	55	5	6063-T5	82	8	6061-T6
10	2	6063-T5	35	3	6063-T5	55	7.5	6061-T6	85	5	6061-T6
12	1	6063-T5	35	5	6063-T5	55	10	6061-T6	85	10	6061-T6
12	2	6063-T5	35	7	6061-T6	55	15	6061-T6	85	15	6061-T6
12	3	6063-T5	38	1	6063-T5	60	2	6063-T5	85	20	6061-T6
14	1	6063-T5	38	2	6063-T5	60	2	6061-T6	85	25	6061-T6
14	2	6063-T5	38	3	6063-T5	60	3	6063-T5	85	27.5	6061-T6
14	3	6063-T5	38	3	6061-T6	60	4	6063-T5	90	2	6063-T5
16	1	6063-T5	38	4	6063-T5	60	4	6061-T6	90	3	6063-T5
16	1.5	6063-T5	38	5	6063-T5	60	5	6063-T5	90	5	6061-T6
16	2	6063-T5	38	7	6061-T6	60	5	6061-T6	90	10	6061-T6
16	3	6063-T5	40	1	6063-T5	60	6	6061-T6	90	15	6061-T6
18	1	6063-T5	40	2	6063-T5	60	8	6061-T6	90	20	6061-T6
18	2	6063-T5	40	3	6063-T5	60	10	6061-T6	90	25	6061-T6
18	3	6063-T5	40	4	6063-T5	60	15	6061-T6	90	30	6061-T6
20	2	6063-T5	40	5	6063-T5	60	20	6061-T6	95	10	6061-T6
20	2	6061-T6	40	7.5	6061-T6	65	3	6063-T5	95	15	6061-T6
20	3	6063-T5	40	10	6061-T6	65	5	6061-T6	95	25	6061-T6
20	4	6063-T5	40	12.5	6061-T6	65	5	6063-T5	100	3	6063-T5
20	5	6063-T5	42	3	6063-T5	65	10	6061-T6	100	3	6061-T6
20	5	6061-T6	42	4	6063-T5	65	15	6061-T6	100	5	6061-T6
22	2	6063-T5	42	5	6063-T5	65	20	6061-T6	100	10	6061-T6
22	3	6063-T5	42	5	6061-T6	70	2	6063-T5	100	15	6061-T6
25	1	6063-T5	45	2	6063-T5	70	3	6063-T5	100	20	6061-T6
25	2	6063-T5	45	3	6063-T5	70	4	6063-T5	100	25	6061-T6
25	2	6061-T6	45	4	6063-T5	70	5	6063-T5	100	30	6061-T6
25	2.5	6063-T5	45	5	6063-T5	70	5	6061-T6	105	3	6063-T5
25	3	6063-T5	45	6.5	6061-T6	70	10	6061-T6	105	5	6063-T5
25	4	6063-T5	45	10	6061-T6	70	15	6061-T6	105	10	6061-T6
25	5	6063-T5	45	17.5	6061-T6	70	20	6061-T6	105	15	6061-T6
25	5	6061-T6	48	2	6063-T5	70	25	6061-T6	110	3	6063-T5
28	1	6063-T5	48	3	6063-T5	75	3	6063-T5	110	5	6061-T6
28	2	6063-T5	48	4	6063-T5	75	5	6061-T6	110	10	6061-T6
28	3	6063-T5	50	1.5	6063-T5	75	5	6063-T5	110	15	6061-T6
28	3	6061-T6	50	2	6063-T5	75	10	6061-T6	110	20	6061-T6
30	2	6063-T5	50	2	6061-T6	75	15	6061-T6	110	25	6061-T6
30	2	6061-T6	50	3	6063-T5	75	20	6061-T6	110	30	6061-T6
30	3	6063-T5	50	4	6063-T5	75	25	6061-T6	115	10	6061-T6
30	5	6063-T5	50	4	6061-T6	76	3	6063-T5	115	15	6061-T6
30	5	6063-T5	50	5	6063-T5	80	2	6063-T5	115	20	6061-T6
30	5	6061-T6	50	6	6061-T6	80	3	6063-T5	120	3	6061-T6
30	10	6061-T6	50	7.5	6061-T6	80	5	6061-T6	120	5	6061-T6
32	2	6063-T5	50	10	6061-T6	80	10	6061-T6	120	10	6061-T6
32	2	6061-T6	50	15	6061-T6	80	15	6061-T6	120	15	6061-T6
32	3	6063-T5	52	11	6061-T6	80	20	6061-T6	120	20	6061-T6

Aluminum Extruded Round Tube


挤压铝管


Length :3000-6000mm 长度

OD mm	WT	Grade	OD mm	WT	Grade	OD mm	WT	Grade	OD mm	WT	Grade
外径	壁厚	牌号	外径	壁厚	牌号	外径	壁厚	牌号	外径	壁厚	牌号
120	25	6061-T6	165	25	6061-T6	210	30	6061-T6	270	15	6061-T6
120	30	6061-T6	170	5	6061-T6	210	35	6061-T6	270	20	6061-T6
120	40	6061-T6	170	10	6061-T6	210	40	6061-T6	270	30	6061-T6
125	10	6061-T6	170	15	6061-T6	210	45	6061-T6	270	35	6061-T6
125	15	6061-T6	170	20	6061-T6	210	50	6061-T6	270	40	6061-T6
125	20	6061-T6	170	30	6061-T6	215	31.5	6063-T6	270	50	6061-T6
125	25	6061-T6	170	40	6061-T6	220	5	6061-T6	280	20	6061-T6
130	5	6061-T6	170	50	6061-T6	220	10	6061-T6	280	30	6061-T6
130	10	6061-T6	172	31.5	6063-T6	220	15	6061-T6	280	40	6061-T6
130	15	6061-T6	175	15	6061-T6	220	20	6061-T6	280	45	6061-T6
130	20	6061-T6	175	20	6061-T6	220	25	6061-T6	280	50	6061-T6
130	25	6061-T6	180	5	6061-T6	220	30	6061-T6	290	10	6061-T6
130	30	6061-T6	180	10	6061-T6	220	35	6061-T6	290	20	6061-T6
130	40	6061-T6	180	15	6061-T6	220	40	6061-T6	290	30	6061-T6
131	6	6061-T6	180	20	6061-T6	220	45	6061-T6	290	35	6061-T6
135	10	6061-T6	180	25	6061-T6	220	50	6061-T6	290	40	6061-T6
140	5	6061-T6	180	30	6061-T6	220	60	6061-T6	290	50	6061-T6
140	10	6061-T6	180	40	6061-T6	230	10	6061-T6	300	10	6061-T6
140	15	6061-T6	180	50	6061-T6	230	15	6061-T6	300	15	6061-T6
140	20	6061-T6	185	25	6061-T6	230	20	6061-T6	300	20	6061-T6
140	25	6061-T6	186	23	6061-T6	230	25	6061-T6	300	30	6061-T6
140	30	6061-T6	190	5	6061-T6	230	30	6061-T6	300	40	6061-T6
140	40	6061-T6	190	10	6061-T6	230	40	6061-T6	300	50	6061-T6
140	50	6061-T6	190	15	6061-T6	230	45	6061-T6	310	20	6061-T6
145	15	6061-T6	190	20	6061-T6	230	50	6061-T6	310	30	6061-T6
145	20	6061-T6	190	25	6061-T6	240	10	6061-T6	310	40	6061-T6
150	5	6061-T6	190	30	6061-T6	240	20	6061-T6	310	50	6061-T6
150	10	6061-T6	190	35	6061-T6	240	30	6061-T6	320	10	6061-T6
150	15	6061-T6	190	40	6061-T6	240	35	6061-T6	320	20	6061-T6
150	20	6061-T6	190	50	6061-T6	240	40	6061-T6	320	25	6061-T6
150	25	6061-T6	200	5	6061-T6	240	45	6061-T6	320	30	6061-T6
150	30	6061-T6	200	10	6061-T6	240	50	6061-T6	320	40	6061-T6
150	35	6061-T6	201	11	6061-T6	250	10	6061-T6	320	50	6061-T6
150	40	6061-T6	200	15	6061-T6	250	20	6061-T6	330	40	6061-T6
150	50	6061-T6	200	20	6061-T6	250	25	6061-T6	340	40	6061-T6
155	10	6061-T6	200	25	6061-T6	250	30	6061-T6	350	40	6061-T6
155	20	6061-T6	200	30	6061-T6	250	35	6061-T6	356	10.5	6061-T6
155	25	6061-T6	200	35	6061-T6	250	40	6061-T6	360	40	6061-T6
160	5	6061-T6	200	40	6061-T6	250	50	6061-T6	370	40	6061-T6
160	10	6061-T6	200	45	6061-T6	254	12.7	6061-T6	380	40	6061-T6
160	15	6061-T6	200	50	6061-T6	260	10	6061-T6	390	40	6061-T6
160	20	6061-T6	200	60	6061-T6	260	20	6061-T6	400	40	6061-T6
160	25	6061-T6	210	5	6061-T6	260	30	6061-T6	360	10	6063-T6
160	30	6061-T6	210	10	6061-T6	260	35	6061-T6	376	8	6063-T5
160	35	6061-T6	210	15	6061-T6	260	40	6061-T6	393	18	6063-T6
160	40	6061-T6	210	20	6061-T6	260	50	6061-T6	400	10	6061-T6
160	50	6061-T6	210	25	6061-T6	270	10	6061-T6	514	7	6063-T6

Seamless Pipe 无缝管

Length : 520-6000mm 长度



6061T6 OD * WT (mm) 外径*壁厚

90*5	95*10	95*10	100*15	100*20	100*25	105*15	105*20	105*25	110*15	110*20	110*30	115*15
115*20	115*25	115*30	120*10	120*15	120*20	120*25	120*40	125*10	125*20	125*25	130*10	130*15
130*20	130*30	130*40	135*10	135*15	135*20	135*25	135*30	140*10	140*15	140*20	140*30	140*40
145*10	145*15	145*20	145*30	150*10	150*15	150*20	150*25	150*30	150*40	150*50	155*10	155*15
155*20	155*25	155*30	160*10	160*15	160*20	160*25	160*30	160*40	160*50	165*10	165*15	165*20
165*25	165*30	170*10	170*15	170*20	170*25	170*30	170*40	170*50	175*10	175*15	175*20	175*25
175*30	180*10	180*15	180*20	180*25	180*30	180*40	180*50	185*10	185*15	185*20	185*25	185*30
190*15	190*20	190*25	190*30	190*40	190*50	195*10	195*15	195*20	195*25	195*30	200*20	200*25
200*30	200*40	200*50	200*60	210*25	210*40	210*50	210*60	220*30	220*40	220*50	220*60	230*20
230*30	230*40	230*50	230*60	240*20	240*30	240*40	240*50	240*60	250*30	250*40	250*50	250*60
260*30	260*40	260*50	260*60	270*30	270*40	270*50	270*60	280*20	280*40	280*50	280*60	290*40
290*50	290*60	300*30	300*40	300*50	300*60	310*40	310*50	310*60	320*40	320*50	320*60	330*30
330*40	330*50	330*60	340*30	340*40	340*50	340*60	350*30	350*40	350*50	350*60	360*30	360*40
360*50	360*60	370*30	370*40	370*50	370*60	380*30	380*40	380*50	380*60	390*30	390*40	390*50
390*60	400*30	400*40	400*50	400*60	400*100	410*30	410*40	410*50	410*60	420*30	420*40	420*50
420*60	430*30	430*30	430*40	430*50	430*60	440*30	440*30	440*40	440*50	440*60	450*30	450*30
450*40	450*40	450*50	450*60	460*30	460*40	460*50	460*60	470*30	470*40	470*50	470*60	480*30
480*40	480*50	490*30	490*40	490*50	490*60	500*30	500*40	500*50	500*60	500*100	510*30	510*40
510*50	510*60	520*30	520*40	520*50	520*60	530*30	530*40	530*50	530*60	540*30	540*40	540*50
540*60	550*30	550*40	550*50	550*60								

2024T4 / 2A12 T4 OD * WT (mm) 外径*壁厚

30*5	35*5	38*4	40*5	40*10	45*5	45*10	50*5	50*10	50*15	55*5	55*10	55*15
60*5	60*10	60*15	65*5	65*10	65*15	70*5	70*10	70*15	75*5	75*10	75*15	75*20
80*5	80*10	80*15	80*20	85*5	85*10	85*15	85*20	90*5	90*10	90*15	90*20	90*30
95*10	95*15	100*5	100*10	100*15	100*20	100*25	100*30	105*10	105*15	105*20	110*5	110*10
110*15	110*20	110*25	110*30	115*10	115*15	115*20	120*5	120*10	120*15	120*20	120*25	120*30
130*10	130*15	130*20	130*25	130*30	135*10	140*10	140*15	140*20	140*25	140*30	140*35	140*40
150*10	150*15	150*20	150*25	150*30	150*40	150*50	160*10	160*15	160*20	160*30	160*40	160*50
170*10	170*15	170*20	170*30	170*40	170*50	175*10	180*10	180*15	180*20	180*30	180*40	180*50
190*10	190*20	190*30	190*40	190*50	200*10	200*15	200*20	200*25	200*30	200*40	200*50	210*20
210*25	210*30	210*40	210*50	220*20	220*25	220*20	220*30	220*40	220*50	230*20	225*25	230*30
230*30	230*40	230*50	240*20	240*30	240*40	240*50	250*25	250*30	250*40	250*50	260*25	260*30
260*40	260*50	270*40	270*50	280*40	280*50							

7075 T6 OD * WT (mm) 外径*壁厚

100*20	100*25	105*20	110*20	110*25	110*30	115*15	115*20	120*15	120*20	120*25	120*30	130*15
130*20	130*25	130*30	140*10	140*15	140*20	140*25	140*30	150*10	150*20	150*25	150*30	150*40
150*50	160*10	160*15	160*20	160*30	160*40	160*50	170*10	170*15	170*20	170*30	170*40	170*50
180*20	180*30	180*40	190*20	190*30	190*40	190*50	200*20	200*30	200*40	200*50	210*20	210*30
210*50	220*20	220*30	220*40	230*20	230*30	230*40	230*50	240*30	270*35	340*30		


NOTE:

Aluminum tube molds continues to increase, please contact us for more information.

铝管模具不断增加, 请联系我们, 获得更新信息。

Rectangle/Square Tube 方管

6063 T5 / 6061 T6 Length :3000-6000mm 长度




A * B * T (mm)

20*20*1	20*20*2	20*20*3	20*30*2	20*30*3	20*40*2	20*40*3	20*50*2	25*25*1	25*25*2
25*25*3	25*50*2	30*30*2	30*30*3	30*40*2	30*40*3	30*50*2	30*50*3	30*50*4.5	30*60*2
30*60*3	40*40*1	40*40*2	40*40*3	40*40*4	40*40*5	40*60*2	40*60*3	40*60*4	40*80*2
40*80*3	40*80*4	50*50*1	50*50*2	50*50*2.5	50*50*3	50*50*4	50*50*5	50*50*6	50*70*5
50*80*5	60*60*3	60*60*4	60*60*5	60*60*6	70*70*5	80*80*3	80*80*4	80*80*5	80*80*6
80*80*8	90*90*9	100*50*2	100*50*3	100*50*5	100*80*10	100*100*3	100*100*5	100*100*8	100*100*10
120*120*5	120*120*6	120*120*9	150*100*7	150*100*10	150*150*10	150*150*12	160*160*6.3	182*100*10	200*100*3
200*120*12	200*200*3	200*200*10	200*200*20	250*250*10	250*250*12	300*50*3			

Aluminum Angle Bar 角铝

6063 T5 / 6061 T6 Length :3000-6000mm 长度




A * B * T (mm)

20*20*1	20*20*1.5	20*20*2	20*20*3	20*30*1.5	20*30*3	20*40*3	20*40*4	20*50*2	25*25*1
25*25*2	25*25*3	25*25*4	30*30*2	30*30*3	30*30*4	30*30*5	25*40*3	30*40*2	30*40*3
30*60*3	40*40*2	40*40*3	40*40*4	40*40*5	40*60*3	50*50*2	50*50*3	50*50*4	50*50*5
50*50*5	50*50*10	50*50*15	50*70*5	50*100*5	60*60*3	60*60*5	60*60*5	60*60*6	60*60*6
60*60*10	70*70*3	70*70*5	70*70*7	80*80*8	80*80*10	90*90*15	100*100*8	100*100*10	100*100*10
110*50*12	120*120*11	120*120*12	120*120*12	150*100*10	150*150*15	150*150*15	155*90*9.5	180*180*20	180*180*20
200*100*8	200*100*10	200*100*15							

Aluminum Hexagonal Bar 六角铝棒

6061 T6 Length :3000mm 长度



S (mm) 对边

S 8	S 10	S 12	S 14	S 17	S 19	S 20	S 22	S 24	S 27
S 30	S 32	S 34	S 36	S 38	S 40	S 42	S 46	S 50	S 52
S 55	S 60	S 65	S 70						

Aluminum Sublimation Blanks 600x1200 mm 热转印铝板

Thickness	Available Colors 可供颜色	
0.45 mm	Glossy White/Silver/Golden, Pearl White/Silver/Golden, Brushed Silver/Golden/Copper, Mirror Golden/Silver	
0.65 mm	Glossy White/Silver/Golden, Pearl White/Silver/Golden,	
1 mm	Glossy White/Silver/Golden, Pearl White/Silver/Golden	

Aluminum Checkered Plate 花纹铝板


Grade 牌号	1060,3003,5052	
Thickness 厚度:	1~6mm	
Size 尺寸 mm:	1220*2440,1500*3000	
Pattern 花纹:	5 bars 5筋; diamond 指针; bean 豌豆, etc.	

CUSTOMIZED SERVICES 定制服务

Al Forge Pipe/Ring 锻管锻环




Aluminum Disc 铝圆片




Aluminum Wide Rod 铝线




Aluminum Coil 铝卷



Coated /Anodized Coil 彩卷/氧化卷



Aluminum Strip 铝分条




Aluminum Foil 铝箔



Anodized Plate 氧化铝板



Aluminum Profile 定制型材




PROCESSING SERVICES 加工服务

Laser Cutting 激光切



Bending 折弯



CNC Machining 机加工



Waterjet Cutting 水切



Perforation 冲孔





Anodizing 阳极氧化

OTHER MATEL 其它金属材料

Titanium Matel 钛

Titanium 钛 ▶
Titanium Plates 钛板
Titanium Bars 钛棒



◀ Titanium 钛
Titanium Pipes 钛管
Titanium Wire rods 钛线




Magnesium Matel 镁

Magnesium 镁 ▶
Plates 镁板
Bars 镁棒



Steel 钢

Stainless Steel 不锈钢 ▶
SS Plates 不锈钢板
SS Bars 不锈钢棒
SS Pipes 不锈钢管



◀ Carbon Steel 碳钢
Plates 板材
Bars 棒材
Pipes 管材

Please contact us for detailed sizes 请联系我们获得尺寸详情