



Honeyson

Honeyson

Zhongshan City Heson Electric Co., Ltd

E-mail: sales08@honeyson.cn/ferny.yang@honeyson.cn

Contact phone/wechat/whatsapp: 86-19928252519 / 86-13822722752

Website: <https://honeysonelectric.com>

To meet you in global hotels ,Designed for performance
Crafted for hospitality

Export Date:[15,12,2025]



Honeyson

Rooted in craftsmanship and guided by innovation, Honeyson designs and manufactures a comprehensive range of in-room essentials –including kettles, hair dryers, minibars, safety box, ironing stations, hospitality trays, etc.

Each product is built with precision, combining reliable performance, safety, and refined aesthetics to elevate guest comfort and enhance the hotel experience.

With years of experience serving global hospitality brands, we continue to create solutions tailored to the needs of hotels.



About Honeyson

Honeyson is a dedicated maker and supplier of hotel electrical appliances and guestroom amenities.

With a strong focus on quality, practicality, and long-term durability, we support hotels in delivering excellence in every detail of hospitality.

Backed by our own manufacturing capabilities and a deep understanding of hotel operations, we aim to be a reliable partner for hospitality professionals worldwide.



Honeyson Milestones

2010 >

Founded “Honeyson” and launched hotel appliance production.

2011 >

Developed the first double-wall electric kettle;
Granted a patent for the built-in base tray design.

2012-2014 >

Participated in major global trade-shows, introducing Honeyson to the international market.

2015 >

Established the Guangzhou subsidiary for overseas service;
Products supplied to more than 50 countries.

2016 >

Expanded OEM service;
Developed and launched minibar and safe box product lines.

2017 >

Strengthened cooperation with international hotel groups.

2018 >

Established the Foshan subsidiary for overseas service;
Obtained patents for 15 independently developed products.

2019 >

Provided hospitality supplies for the 7th CISM Military World Games.

2020 >

Provided hospitality supplies for Expo 2020 Dubai.

2021 >

Provided hospitality supplies for the 14th National Games in Xi'an, China.

2022 >

Provided hospitality supplies for the 2022 FIFA World Cup;
Exported products to over 100 countries;
OEM supplier for numerous global brands;
Developed and launched high-speed hairdryer products;
Entered the commercial kitchen equipment field and invested in blender manufacturing;
Obtained multiple international certifications;
Extended OEM/ODM service capability.

2023 >

Provided hospitality supplies for the 19th Asian Games in Hangzhou;
Commercial blenders exported to over 30 countries - and still expanding.

2024 >

Provided hospitality guestroom products for the 33rd Summer Olympic Games in Paris.

2025 >

Established the KCE Kitchen brand, marking Honeyson's entry into the professional commercial kitchen equipment sector.




Project Showcase

◆ Saudi Arabia- Jeddah Hilton



◆ Vietnam-Wydhm Quang Binh



◆ Vietnam Wyndham Quang Binh



◆ Four Seasons Hotel Taipei



OUR MARKET

Honeyson has a sales presence in more than 100 countries and regions worldwide.



With stable manufacturing capacity and flexible OEM options, the range can be tailored to suit different hotel requirements.

Its efficient boiling, controlled heating, and durable service life support consistent performance throughout long-term guestroom use.



K106



- Features:**
- 2-layer cool touch
 - Auto shut-off & boil-dry protection
 - Concealed heating element
 - 360° cordless base
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Black/White/Khaki
1200W-1400W
1.0L
0.8kg
Food-grade 304 stainless steel + PP shell

Dimensions:
Length- 160mm , Width- 130mm , Height- 205mm

H1262



- Features:**
- 2-layer cool touch
 - Water level indicators
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Black/White
1000-1200W
0.6L
Food-grade 304 stainless steel + PP shell
Net weight - 0.72kg

Dimensions:
Length- 190mm , Width- 122mm , Height- 180mm

K107

K812



- Features:**
- 3-layer cool touch
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Mat grey
1200-1400W
1.0L
Food-grade 304 stainless steel
Net weight - 0.95kg

Dimensions:
Length- 136mm , Width- 180mm , Height- 220mm



- Features:**
- 2-layer cool touch
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Shinning grey
1000-1200W
0.8L
Food-grade 304 stainless steel
Net weight - 0.85kg

Dimensions:
Length- 200mm , Width- 138mm , Height- 200mm

K81



- Features:**
- 2-layer cool touch
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - Seamless structure
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Black/White (matte)
1000-1200W
0.8L
Food-grade 304 stainless steel + PP shell
Net weight - 0.86kg

Dimensions:
Length- 180mm , Width- 135mm , Height- 210mm

K108

H1263



- Features:**
- Auto shut-off & boil-dry protection
 - Concealed heating element
 - 360° cordless base
 - Power indicator light
- Specification:**
- Silver
1200W-1400W
1.0L
0.8kg
Food-grade 304 stainless steel

Dimensions:
Length- 155mm , Width- 128mm , Height- 185mm



- Features:**
- Metal appearance
 - Water level indicators
 - Auto shut-off & boil-dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Brushed silver
1000-1200W
0.6L
Food-grade 304 stainless steel
Net weight -0.69kg

Dimensions:
Length- 190mm , Width- 122mm , Height- 180mm

K85



- Features:**
- 3-layer cool touch, metal exterior (safe handling & high-end decor)
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element, seamless structure
 - 360° cordless base with cable storage
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified
- Specification:**
- Golden/Silver
1000-1200W
0.8L
Food-grade 304 stainless steel
Net weight - 0.94kg

Dimensions:
Length- 180mm , Width- 135mm , Height- 210mm

H1208



- Features:**
- Stylish appearance
 - Auto shut-off & boil-dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Brushed silver/Gun
800-1000W
0.8L
Food-grade 304 stainless steel
Net weight - 0.7kg

Dimensions:
Length- 195mm , Width- 155mm , Height- 210mm

H1268



- Features:**
- 2-layer cool touch exterior
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element, seamless structure
 - 360° cordless base with cable storage
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Black/White/khaki (matte)
1000-1200W
0.8L
Food-grade 304 stainless steel + PP shell
Net weight - 0.78kg

Dimensions:
Length- 200mm , Width- 122mm , Height- 200mm

H1261



- Features:**
- Metal appearance
 - Auto shut-off & boil-dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Brushed silver
1000-1200W
0.6L
Food-grade 304 stainless steel
Net weight - 0.62kg

Dimensions:
Length- 170mm , Width- 120mm , Height- 185mm

H1205



- Features:**
- Metal appearance
 - Auto Shut-Off & Boil-Dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° Cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, IECEE

Specification:
Brushed silver
1000-1200W
1.2L
Food-grade 304 stainless steel
Net weight - 0.8kg

Dimensions:
Length- 190mm , Width- 165mm , Height- 220mm

H1206



- Features:**
- 2-layer cool touch exterior
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, IECEE

Specification:
Black/Silver
1000-1200W
1.2L
Food-grade 304 stainless steel
Net weight - 0.91kg

Dimensions:
Length- 190mm , Width- 165mm , Height- 220mm

H1015



- Features:**
- 360° cordless design for easy use
 - Food-grade stainless steel interior
 - Concealed heating element
 - Automatic switch-off & dry-boil protection
 - Indicator light operation
 - Cool-touch exterior

Specification:
1.0L
1200-1400W
Food-grade 304 stainless steel
Net weight- 0.75kg

Dimensions:
Length- 200mm , Width- 130mm , Height- 210mm

K66



- Features:**
- 360° cordless kettle base
 - SUS304 stainless steel inner body
 - Automatic switch-off & dry boil protection
 - LED indicator
 - Cool-touch PP housing

Specification:
Black
1000-1200W
0.6L
Food-grade 304 stainless steel
Net weight- 0.75kg

Dimensions:
Length- 167.5mm , Width- 117.5mm , Height- 179.5mm



K89



- Features:**
- 2-layer cool touch exterior
 - Water level indicators
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Black
1000-1200W
0.8L
Food-grade 304 stainless steel + PP shell
Net weight - 0.78kg

Dimensions:
Length- 200mm , Width- 122mm , Height- 200mm

K102



- Features:**
- LED temperature display on heating base
 - Auto shut-off & boil-dry protection
 - Cool metal handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base with cable storage
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
White/Black(matte)/Grey
1200-1400W
1.0L
Food-grade 304 stainless steel
Net weight - 1.17kg
Full Handle

Dimensions:
Length- 200mm , Width- 170mm , Height- 270mm

K83



- Features:**
- 2-layer cool touch exterior (safe handling)
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element, seamless structure
 - 360° cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, IECEE

Specification:
Black/Khaki/Orange (matte)
1350-1600W
0.8L
Food-grade 304 stainless steel
Net weight - 0.84kg

Dimensions:
Length- 190mm , Width- 135mm , Height- 180mm

K88



- Features:**
- 2-layer cool touch exterior
 - Blue LED indicator light (working status visible)
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element, seamless structure
 - 360° cordless base with cable storage
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Black/White (matte)
1000-1200W
0.8L
Food-grade 304 stainless steel + PP shell
Net weight - 0.78kg

Dimensions:
Length- 200mm , Width- 122mm , Height- 200mm

H1012



- Features:**
- 2-layer cool touch exterior (safe handling)
 - Auto shut-off & boil-dry protection
 - Wide lid opening (easy cleaning)
 - Concealed heating element, seamless structure
 - 360°cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black (matt)
1000-1200W
1.0L
Food-grade 304 stainless steel
Net weight - 0.82kg

Dimensions:
Length- 205mm , Width- 135mm , Height- 210mm

K105



- Features:**
- Soft + cool touch, 2-layer structure (cool touch exterior for safe handling)
 - Auto shut-off & boil-dry protection
 - Concealed heating element
 - 360° cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black
1200-1400W
1.0L
0.85kg
Food-grade 304 stainless steel + PP shell

Dimensions:
Length- 200mm , Width- 140mm , Height- 210mm

K87



- Features:**
- Slender gooseneck design, matte black finish
 - Auto Shut-Off & Boil-Dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - 360° cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Matte black (Black/White available)
1200-1400W
0.8L
Food-grade 304 stainless steel
Net weight - 1.0kg

Dimensions:
Length- 260mm , Width- 160mm , Height- 220mm

H1266



- Features:**
- Auto shut-off & boil-dry protection
 - Concealed heating element
 - 360° cordless base
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black
1500-1800W
1.2L
Food-grade 304 stainless steel
Net weight - 0.85kg

Dimensions:
Length- 210mm , Width- 135mm , Height- 215mm

H1206-1



- Features:**
- Metal appearance design, with water level indicator
 - Auto Shut-Off & Boil-Dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Concealed heating element
 - 360° cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, IECEE, RoHS

Specification:
Brushed silver (Silver available)
1000-1200W
1.0L
Food-grade 304 stainless steel
Net weight - 0.78kg

Dimensions:
Length- 155mm , Width- 128mm , Height- 185mm

H1701



- Features:**
- Vintage design with high glossy finish
 - Water level indicator, large water temperature gauge
 - Auto Shut-Off & Boil-Dry protection
 - Wide lid opening (easy cleaning)
 - SWIVEL BASE, 360° cordless base with cable storage
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Blue/Ivory
1850W
1.7L
Food-grade 304 stainless steel
Net weight - 0.95kg

Dimensions:
Length- 205mm , Width- 205mm , Height- 245mm

H1202



- Features:**
- Metal appearance design.
 - Cool plastic handle,remaining safe and anti-scald.
 - Concealed heating element
 - 360° cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black
1350-1600W
1.2L
0.67kg
Food-grade 304 stainless steel

Dimensions:
Length- 200mm , Width- 145mm , Height- 220mm

H0881S



- Features:**
- Cool plastic handle remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning
 - Concealed heating element
 - 360° Cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Brushed silver
1000-1200W
0.8L
Food-grade 304 stainless steel
Net weight - 0.64kg

Dimensions:
Length- 195mm , Width- 155mm , Height- 210mm

H0880S



- Features:**
- 2-Layer structure, cool touch exterior (safe handling)
 - Auto Shut-Off and Boil-Dry protection (maximum safety)
 - Wide lid opening design (easy cleaning)
 - Concealed heating element
 - 360° Cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black/Ivory
1000-1200W
0.8L
Food-grade 304 stainless steel
Net weight - 0.74kg

Dimensions:
Length- 195mm , Width- 155mm , Height- 210mm

H1013



- Features:**
- Metal appearance
 - 2 water level indicators
 - Auto shut-off & boil-dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Removable & washable filter
 - Concealed heating element
 - 360° cordless base (cable storage)
 - Power indicator light
 - CE, CB, LFGB, RoHS, IECEE certified

Specification:
Brushed silver
1800-2100W
1.0L
Food-grade 304 stainless steel
Net weight- 0.75kg

Dimensions:
Length- 200mm , Width- 140mm , Height- 210mm

H1202B



- Features:**
- Metal appearance
 - Water level indicator
 - Auto Shut-Off & Boil-Dry protection
 - Cool plastic handle (anti-scald)
 - Wide lid opening (easy cleaning)
 - Removable & washable filter
 - 360° cordless base (cable storage)
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Brushed silver
1800-2100W
1.2L
Food-grade 304 stainless steel
Strix
(guaranteed lifespan, fast boiling, low noise)
Net weight-0.84kg

Dimensions:
Length- 200mm , Width- 138mm , Height- 200mm

H2002



- Features:**
- 2-Layer structure, cool touch exterior (safe handling)
 - Auto Shut-Off and Boil-Dry protection (maximum safety)
 - Cool plastic handle (safe & anti-scald)
 - Wide lid opening design (easy cleaning)
 - Concealed heating element, seamless structure
 - 360° Cordless base with cable storage compartment
 - Power indicator light
 - Certifications: CE, CB, LFGB, RoHS, IECEE

Specification:
Black/Ivory
1350-1600W
1.2L
Food-grade 304 stainless steel + PP shell
Net weight - 0.76kg

Dimensions:
Length- 200mm , Width- 155mm , Height- 220mm

LK-7906A



- Features:**
- 360 degree rotation cordless pyramid kettle
 - Boil dry protection -automatically switches off
 - Illuminated power indicator
 - 304 Stainless steel housing

Specification:
Black/Ivory
1500W
1L

Honeyson



- A quiet and direct solution for in-room coffee.
Consistent brewing and simple operation make it easy for guests to prepare a cup at any time.





Honeyson



HS-203



Features:
Pratical design for easy organisation and storage of Nespresso compatible capsule.
Removable water tank and drip tray for easy clean up.
Available capacity for espresso or coffee lungo.
Energy saving function: Auto turn off in 5 minute.

Specification:
Black
1100W
600ml
Compatible capsule: only Nespresso
Type Of PUMP: ULKA Ep4

Dimensions:
Length- 320mm , Width- 80mm , Height- 221mm





HS-202B/HS-202W



Features:
Pratical design for easy organisation and storage of Nespresso compatible capsule.
Removable water tank and drip tray for easy clean up.
Available capacity for espresso or coffee lungo.
Energy saving function: Auto turn off in 5 minute.

Specification:
Black/White
1400W
700ml

Dimensions:
Length- 300mm , Width- 120mm , Height- 230mm



EASY 3-STEPS

Lift open, insert capsule, press to dispense





Hospitality Tray Sets

Tray sets bring order and convenience to the guestroom beverage area, keeping items organized and easy to access. Durable materials and clear layouts help hotels present amenities neatly and efficiently.

Honeyson

STAINLESS STEEL DRIP TRAY



Expertly Engineered to Stand the Test of Time

Our electrical product guarantee underpins this guiding philosophy.

We take a comprehensive approach to construction, materials selection, and durability testing, ensuring that we deliver market-leading products to our clients. With a deep understanding of customer requirements, we enforce rigorous quality control protocols across every stage of in-factory production, guaranteeing that our offerings consistently meet the stringent standards we have established for ourselves.



Honeyson

A TRAY



- Features:**
- Melamine compact tray
 - Fits various kettles
 - Black/ivory available
 - Easy to clean, water & burn resistant

Color:
Black/Ivory

| Specification: | | |
|----------------|---------------|---------------|
| Main Tray: | Tea Box: | Service Tray: |
| Length- 345mm | Length- 130mm | Length- 345mm |
| Width- 315mm | Width- 100mm | Width- 138mm |
| Height- 22mm | Height- 40mm | Height- 20mm |

B TRAY




- Features:**
- Melamine compact tray
 - With built-in heating base
 - Available in black and ivory colours
 - Easy to clean, water resistant & burn resistant

Color:
Black/Ivory

| Specification: | | |
|----------------|---------------|---------------|
| Main Tray: | Tea Box: | Service Tray: |
| Length- 383mm | Length- 155mm | Length- 335mm |
| Width- 308mm | Width- 115mm | Width- 132mm |
| Height- 22.5mm | Height- 50mm | Height- 11mm |

C TRAY



- Features:**
- Compact welcome tray made of Melamine
 - Fits different model kettles
 - Available in black and ivory colours
 - Easy to clean

Color:
Black/Ivory

| Specification: | |
|----------------|---------------|
| Main Tray: | Tea Box: |
| Length- 385mm | Length- 155mm |
| Width- 308mm | Width- 115mm |
| Height- 22.5mm | Height- 50mm |
| Service Tray: | |
| Length- 335mm | |
| Width- 132mm | |
| Height- 11mm | |

D TRAY



- Features:**
- Material: Melamine
 - Integrated space for kettle base
 - Easy to clean
 - Water resistant

Color:
Black

Specification:
Length- 395mm
Width- 200mm
Height- 26mm

I TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - 2 indentations for sachets and spoons
 - Easy to clean
 - Water resistant

Color:
Black

Specification:
Length- 358mm
Width- 260mm
Height- 30mm

H TRAY



- Features:**
- Material: Melamine
 - Integrated space for kettle base
 - Easy to clean & water resistant
 - Burn resistant, anti-stain finish

Color:
Black

Specification:

Main Tray:
Length- 462mm
Width- 369mm
Height- 62mm

Service Tray:
Length- 429mm
Width- 183mm
Height- 29mm

Tea Box:
Length- 195mm
Width- 146mm
Height- 40mm

J TRAY



- Features:**
- Material: Melamine
 - Integrated space for kettle base
 - Indentations for sachets, spoon, 2 bottles of water and 2 mugs
 - Easy to clean
 - Water resistant
 - Burn resistant

Color:
Black

Specification:
Length- 420mm
Width- 300mm
Height- 30mm

G-1 TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - Easy to clean
 - Water resistant

Color:
Black

Specification:
Length- 443mm
Width- 227mm
Height- 36mm

G TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - Easy to clean
 - Water resistant

Color:
Black

Specification:
Length- 443mm
Width- 227mm
Height- 36mm

K TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - Indentations for sachets, spoons, 2 bottles of water and 2 mugs
 - Easy to clean
 - Water resistant

Color:
Black

Specification:
Length- 405mm
Width- 270mm
Height- 40mm

N42M



- Features:**
- Material: Melamine
 - Integrated space for kettle base
 - Indentations for sachets, spoons, capsule and cups
 - Easy to clean
 - Water resistant
 - Burn resistant, anti-stain finish

Color:
Black

Specification:
Length- 420mm
Width- 310mm
Height- 28mm

E TRAY



- Features:**
- Material: Melamine
 - Available sizes: large, medium, small
 - Easy to clean
 - Water resistant
 - Burn resistant

Color:
Black

Specification:

E1:
Length- 395mm
Width- 280mm
Height- 24mm

E2:
Length- 350mm
Width- 250mm
Height- 21mm

E3:
Length- 292mm
Width- 210mm
Height- 18mm

N42



- Features:**
- Material: Beech wood
 - Integrated space for kettle base
 - Indentations for sachets, spoons, capsule and cups
 - Easy to clean
 - Strong lacquer to minimize scratches and stains

Color:
Nature/Black

Specification:

Length- 420mm
Width- 315mm
Height- 25mm



M TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - Easy to clean
 - Water resistant
 - Organized and efficient large storage
 - Space saving

Color:
Black / White

Specification:
Length- 267mm
Width- 190mm
Height- 80mm

C-1S/C-1L TRAY



C-1S/B-1S: Single layer effect



C-1L/B-1L: Double layer with leather wrapped

- Features:**
- Material: ABS
 - Available in black and ivory colours
 - Wooden grain to avoid stains
 - Easy to clean
 - Water resistant
 - Burn resistant

Color:
Black/Ivory

Specification:
C-1S/C-1L:
Length- 300mm
Width- 150mm
Height- 30mm

B-1S/B-1L:
Length- 150mm
Width- 115mm
Height- 50mm

P TRAY



- Features:**
- Material: ABS
 - Integrated space for kettle base
 - 3 indentations for sachets and spoon
 - Easy to clean
 - Water resistant

Color:
Black/White/Khaki

Specification:
Length- 350mm
Width- 204mm
Height- 50mm

S TRAY



Features:

- Material: Beech wood
- Anti-theft: cable can be secured on the tray
- Integrated space for kettle base
- 2 indentations for sachets and spoons
- Easy to clean
- Strong lacquer to minimize scratches and stains

Color:
Mahogany

Specification:
Length- 400mm
Width- 200mm
Height- 30mm

W TRAY



Features:

- Material: Beech wood
- Integrated space for kettle base
- 2 indentations for sachets and spoons
- Easy to clean
- Strong lacquer to minimize scratches and stains

Color:
Nature

Specification:
Length- 363mm
Width- 240mm
Height- 33mm

L12 TRAY



Features:

- Material: Durable faux leather (PU, MDF)
- Suitable for all commonly used style coffee machines
- Removable drawer to hold capsules & tea or coffee bag
- Large Drawer Tray
- 4 compartments
- Holder dimension: W-195 D-275 H-45mm

Color:
Black

Specification:
Length- 315mm
Width- 415mm
Height- 78mm



L13 TRAY



Features:

- Specially with drawer running device
- Made of durable faux leather (PU)
- Enough space to put coffee machine, kettle, saucer etc.
- Non-slip footing
- Tray size and drawer layout can be customized as per customer need

Color:
Black

Specification:
Length- 518mm
Width- 345mm
Height- 115mm



T TRAY



Features:

- Material: ABS
- Integrated space for kettle base
- Easy to clean
- Water resistant

Color:
Black

Specification:
Length- 240mm
Width- 240mm
Height- 30mm

T-1 TRAY



Features:

- Material: ABS
- Integrated space for kettle base
- Easy to clean
- Water resistant

Color:
Black

Specification:
Length- 240mm
Width- 240mm
Height- 30mm

VS-I TRAY




Features:

- Material: ABS
- Integrated space for kettle base
- 2 indentations for sachets and spoons
- Easy to clean

Color:
Black/Grey

Specification:
Length- 370mm
Width- 240mm
Height- 30.5mm

R TRAY



Features:

- Material: ABS, durable lifespan
- Available for different kettles
- Waterproof and high-resistance

Color:
Black/Khaki

Specification:
R1:
Length- 390mm
Width- 260mm
Height- 30mm
R2:
Length- 160mm
Width- 70mm
Height- 55mm



Its stable performance and durable construction maintain reliability in settings where steady output is required throughout the day.



The commercial blender supports beverage and food-prep needs in hotel service areas, delivering stable performance through repeated use. Its strong motor and durable build help staff work efficiently with reduced noise and minimal maintenance.

Honeyson





HS-8006R



- Features:**
- 3HP constant speed motor, more durable and quiet
 - 2L PC unbreakable jar,5.5mm thickness specialdesigned for heavy duty purpose
 - Touch screen control, easy operation
 - 5 pre-set programs(each program can be DiY into6 cycles, total 30 DrY cycles)
 - Individual power on/off button for better protection8)
 - 400-28000RPM variable speed

Specification:
Black
1800W
2L

Dimensions:
Length- 227mm , Width- 264mm , Height- 465mm

HS-9008



- Features:**
- Cold-forged steel, integrated molding
 - Rust-resistant, durable, with Japanese double bearings and double oil seals
 - Noise Enclosure Thickness: 9 mm
 - Motor Speed: Up to 20,000 RPM

Specification:
Black
1500W
1.5L

Dimensions:
Length- 225mm , Width- 240mm , Height- 440mm

HS-7000



- Features:**
- Powerful chip system design, 4 preset smart programs
 - IMD coating technology key panel, moisture-proof and waterproof
 - All stainless steel, wear and high temperature resistance.

Specification:
Black
1500W
2L

Dimensions:
Length- 185mm , Width- 220mm , Height- 460mm

HS-380



- Features:**
- Pure copper high speed motor , power cord: 1.05m.
 - Food grade #304 stainless steel blades, sharp and multi-angle
 - Anti-skid and shockproof base design
 - housing color:black or silver
 - Variable speed control

Specification:
Black
2200W
4L

Dimensions:
Length- 210mm , Width- 230mm , Height- 540mm

HS-9007



- Features:**
- 7 preset programs, customizable programs.
 - Cold forged steel integrated molding,rust resistantdurable double bearing double oil seal.
 - Noise enclosure thicknessgMM,the minimum working noisecan be as lowr as 60db,
 - Full waterproof,patented sealing technolo-gyof imported materials from Japan

Specification:
Black
1500W
1.5L
Pure copper heavy duty motor

Dimensions:
Length- 224mm , Width- 212mm , Height- 46mm

HS-BL9002



- Features:**
- Waterproof buttons,7 preset programs, customizable programs.
 - Cold forged steel integrated molding. rust resistant durable double bearing double oil seal.
 - Cold running brushless motor, peak horsepower up to 4HP.

Specification:
Black
1500W
1.5L

Dimensions:
Length- 264mm , Width- 226mm , Height- 432mm

MS-2



- Features:**
- Professional single head commercial milk shakemachine
 - Pure cooper high speed motor
 - Anti-skid and shockproof base design
 - Equipped overloaded protector and PTCthermostat
 - Variety speed for different drink mixing

Specification:
Black
180W
0.8L

Dimensions:
Length- 166mm , Width- 186mm , Height- 554mm
Length- 390mm , Width- 270mm , Height- 620mm
Length- 600mm , Width- 270mm , Height- 620mm



The hair dryer functions as a steady and ready-to-use element within the guestroom, supporting daily grooming with controlled airflow and reliable operation.

Its stable performance and balanced handling suit the repeated use typical of hotel stays, integrating naturally into the room's overall comfort provisions.





F2




Features:
·Foldable handle,space-saving, easy to store
·Ionic function makes the hair more soft
·Three temperature settings + two speed settings

Specification:
Black
1800-2100W
Removable nozzle and air filter for easy cleaning

Dimensions:
Length- 215mm
Width- 92mm
Height- 265mm

F13



Features:
·Safety switch,special design for hotel use
·Three temperature including cold setting
·Slim styling nozzle for precise styling
·Foldable handle,space-saving,easy to store
·With loop for hang-up option

Specification:
Black
1800-2100W

Dimensions:
Length- 180mm
Width- 75mm
Height- 210mm

F8




Features:
·Three temperature including cold setting
·Air speed: 16m/s
·UV resistant Abs
·Safety switch
·Over-heating protection
·Double motor design, high wind speed, high power.

Specification:
Black
1600W

Dimensions:
Length- 235mm
Width- 83mm
Height- 200mm

F19



Features:
·2 gears of wind speed + 3 temperature settings
·Air speed: 16m/s
·Stainless steel material, high-end luxury
·Safety switch
·Over-heating protection
·Long life AC motor

Specification:
Black
1600W

Dimensions:
Length- 210mm
Width- 82mm
Height- 230mm

F25



Specification:
·1800W BLDC motor, 110,000 RPM
·With one-touch cool shot
·Hot / Warm / Cool / Cycle
·Smart NTC temperature control
·Mini, lightweight body
·Negative ion care
·Self-cleaning, detachable filter
·Metal housing finish

Dimensions:
Length- 97mm
Width- 67mm
Height- 210mm

F20



Features:
·Overheat protection
·CE/CB /GCC/Rohs approved
·30 million negative ion makes the hair more soft automatically,switch on automatically
·Intelligent heat control helps to protect hair shine

Specification:
Black/White
1600W
2 precise speed settings and 4 heat settings

Dimensions:
Length- 95mm
Width- 65mm
Height- 245mm

F12



Features:
·ON /OFF button
·Two temperature/heat settings
·Foldable handle,space-saving, easy to store
·With loop for hang-up option
·Lustrous black finish in high quality

Specification:
Black
1200W

Dimensions:
Length- 130mm
Width- 65mm
Height- 155mm

F6



Features:
·Safty button, special function for hotel use
·Three temperatures including cold setting
·Foldable handle, space-saving, easy to store
·With loop for hang-up optior
·Shining black finish in high quality

Specification:
Black
1400-1800W

Dimensions:
Length- 155mm
Width- 77mm
Height- 200mm

F9

● F23 ●




Features:

- Safety switch or On/off button for option
- Three temperature including cold setting
- Foldable handle
- Straight power cord with chrome finished rear cover
- Automatic power off when over heating
- Shining black finish in high quality

Specification:
Black
1800W

Dimensions:
Length- 180mm
Width- 80mm
Height- 205mm



Features:

- AC motor
- 2 concentrator nozzles and 1 diffuse
- 2 speed settings and 3 heat settings
- Cool shot function
- Durable multi-step switch

·Automatic overheating protection system
·High-temperature resistant PA housing

Specification:
Black

Dimensions:
Length- 230mm
Width- 55mm
Height- 210mm

F22WM

● ○



Features:

- Wall mounted,with base
- Three speed setting
- Hammer style handle
- Safety switch
- Overheat protection
- Wind speed:17m/s(21000rpm)

Specification:
Black/White
1600-1800W

Dimensions:
Length- 130mm
Width- 75mm
Height- 200mm

F21

● ○



Features:

- Three speed setting
- Foldable handle
- Overheat protection
- Wind speed:17m/s(21000rpm)

Specification:
Black/White
1600-1800W

Dimensions:
Length- 126mm
Width- 78mm
Height- 200mm

D08

● ○



Features:

- 2 speeds hot wind
- Air speed:14m/s
- Safety switch
- Over-heating protection

Specification:
Black/White
1600W

Dimensions:

| | |
|--|---|
| Base: Length- 112mm Width- 145mm Height- 120mm | Dryer body: Length- 150mm Width- 75mm Height- 200mm |
|--|---|

F22

● ○



Features:

- Three speed setting
- Hammer style handle
- Safety switch
- Overheat protection
- Wind speed: 17m/s(21000 rpm)

Specification:
Black/White
1600-1800W

Dimensions:
Length- 130mm
Width- 75mm
Height- 200mm

Features:

D11

● ○



Features:

- 2 speeds+3 temperatures
- Air speed:16m/s
- Safety switch
- Over-heating protection

Specification:
Black/White
1800W

Dimensions:

| | |
|--|---|
| Base: Length- 134mm Width- 165mm Height- 130mm | Dryer body: Length- 160mm Width- 75mm Height- 190mm |
|--|---|

D01A

D01B-1



Features:
·Wall mounted hair dryer which will be easy for manag ement;
·Imported motor, stable quality and lower noise,
·Low repair rate;
·High- Low two speed for option;
·Automatically off if over-heat.

Specification:
White
1300W

Dimensions:
Base: Length- 180mm
Width- 100mm
Height- 170mm
Dryer body: Length- 125mm
Width- 70mm
Height- 180mm



Features:
·2 speed hot wind
·Safety switch
·Over heating protection

Specification:
White
1300W

Dimensions:
Base: Length- 180mm
Width- 100mm
Height- 170mm
Dryer body: Length- 125mm
Width- 70mm
Height- 180mm

D02B-1

D10



Features:
·2 speed hot wind
·Safety switch
·Over heating protection

Specification:
White
1300W

Dimensions:
Base: Length- 90mm
Width- 120mm
Height- 120mm
Dryer body: Length- 125mm
Width- 70mm
Height- 180mm



Features:
·2 air speeds+3 temperatures settings
·Air speed: 16m/s
·stainless steel material, high-end luxury
·Safety switch
·Over-heating protection

Specification:
Black
1600W

Dimensions:
Base: Length- 112mm
Width- 145mm
Height- 120mm
Dryer body: Length- 210mm
Width- 82mm
Height- 230mm

D07-1/D07-2



Features:
·Safety switch
·Over heating protection
·Two speed hot wind + cool wind for option

Specification:
Black/White
1600W

Dimensions:
Base: Length- 110mm
Width- 140mm
Height- 190mm
Dryer body: Length- 155mm
Width- 77mm
Height- 200mm



The ironing station offers guests a stable and familiar setup for everyday garment care. Its straightforward structure and reliable heat support regular use in the guestroom.



HS-05



- Features:**
- Hotel steam master, safe and powerful
 - Safe auto shut-off system:
 - horizontal position after 30 seconds
 - vertical position after 8 minutes
 - Ceramic soleplate
 - ON and READY indicator light
 - Dry/steam/spray/blast/anti-drip/self-clean functions

Specification:
Black
1800W
Length-292mm , Width-121mm ,
Height-145mm

HS-06



- Features:**
- Hotel steam master, safe and powerful
 - Safe auto shut-off system horizontal position after 30 seconds vertical position after 8 minutes
 - Ceramic soleplate
 - Dry/steam/spray/blast/anti-drip/self-clean functions
 - ON and READY indicator light

Specification:
White Grey
1800W
Length-292mm , Width-121mm ,
Height-145mm

HS-16



- Features:**
- Hotel steam master, safe and powerful
 - Safe auto shut-off system horizontal position after 30 seconds vertical position after 8 minutes
 - Ceramic soleplate
 - Dry/steam/spray/blast/anti-drip
 - ON and READY indicator light

Specification:
Black/Blue
1600W
Length-292mm , Width-121mm ,
Height-145mm

HS-23



- Features:**
- Adjustable Temperature for different fabrics
 - Dry/Spray/Steam/Burst steam/ Self-cleaningAnti-calc/Anti-drip/Auto shut-off
 - Dialthermostat control
 - Temperature pilot light
 - Soft handle
 - CE,CB, GCC, ROHS Approved

Specification:
Black
2200W
Length-287mm , Width-120mm ,
Height-145mm

HS-08



- Features:**
- Dry/adjustable temperature settings for different fabrics/over heat safety protection
 - Temperature pilot light
 - Non-stick soleplate
 - Auto-shut off
 - horizontalposition after30 seconds verticalposition after 8 minutes

Specification:
White Grey
1000W
Length-265mm , Width-103mm ,
Height-132mm

CYM-001



- Features:**
- Steam output: 25 ± 3 g/min
 - Portable and compact design
 - Powerful steam output for efficient wrinkle removal
 - 360 ml large water tank for extended use
 - Stable heating with 1500-1700W power
 - Designed for long service life

Dimensions:
Length- 292mm , Width- 121mm
Height- 145mm





IB05



Features:
Surface treatment: powder coating
Thickness of felt:7mm
Total max height:85cm,7 gears adjustable height
Packing: each pc shrink wrapped,4pcs/ctn

Specification:
Black/White
110 x 33cm

IB05-3&5



Ironing holder hanging to wardrobe
Compatible with HS-05,HS-06
black
Sizc: W 13.5xD 13xH 29.5cm

IB05-1



Features:
compact mesh frame board,fits into small areas
easy to use, adjustable in height
matt black legs for extra stability
Surface treatment: powder coating
Thickness of felt:7mm
Total max height:85cm,7 gears adjustable height

Specification:
Black/White
110 x 33cm

IB12



Ironing solutions
This is the hang-in-wardrobestyle which includes a board, an organiser and an iron. It isspace saving and easy in use. Compatible with Hs-05/06/16/23/08 22 x 20cm

IB01



Features:
Surface treatment: powder coating
Thickness of felt:10mm
7 gears adjustable in height
compact mesh frame board
Fits into small areas
Packing: each pc shrink wrapped,4pcs/ctn

Specification:
Black/White
Panel Dimensions: 92 x 30cm
Overall Dimensions: 120 x 30cm

IB02-5



Wall mounted type ironing holder
Apply to hang ironing board
Compatible with Hs-05/06/23/16
white /Black
35 x 13.5cm



IB01-1



Features:
Surface treatment: powder coating
Thickness of felt:8mm
7 gears adjustable in height
compact mesh frame board
Fits into small areas
Packing: each pc shrink wrapped,4pcs/ctn

Specification:
Black
90 x 30cm



IB22
Wall mounted type ironing holder
Apply to hang ironing board
Compatible with Hs-05/06/16/23/08
black
1pc in a polybag.10pcs/ctn

IB09



Features:
Durable welded frame with a heavy-duty mesh top
Black powder-coated steel for a sleek, long-lasting finish
Flame-retardant cover with a soft cotton blend surface
Thick 8mm foam padding enhances comfort and efficiency
Secure elastic straps and non-slip feet ensure a firm ironing experience

Specification:
Black
120 x 40cm

IB03



Features:
Surface treatment: powder coating
Thickness of felt:10mm
85cm,7 gears adjustable height
Leg tube dia:28mm&32mm
Packing: each pc shrink wrapped,4pcs/ctn

Specification:
Silver grey
110 x 33cm



IB03-3&5
Ironing holder with anti-theft spare part
Apply to hang ironing board into hotel wardrobe
Compatible with HS-05,HS-06
silver
W14xD13xH42cm

IB10



Features:
Sturdy welded frame with a heavy-gauge mesh top
Tubular steel frame with a black powder-coated finish
Heavy-dutyflame-retardant cover made with mostly cotton material
Thick fiber padding ensures smooth and easy ironing
Elastic straps provide a secure, non-slip fit
Safety lock for secure fold-up and easy storage



Specification:
Black
110 x 40cm

IB05&IB04-5



Features:
Surface treatment:powder coating
Thickness offelt:7mm
Total max height:85cm,7 gears adjustable height
Packing: each pc shrink wrapped,4pcs/ctn
Leg tube dia:28mm&32mm

Specification:
Black
110 x 33cm



IB04-5
Ironing holder hanging to wardrobe
black
W13xD14xH42cm



The minibar keeps beverages at a consistent, pleasant temperature throughout the stay.

Quiet running and reliable cooling make it a discreet part of the room, always ready without drawing attention. Its steady performance keeps refreshments perfectly chilled, enhancing comfort throughout the guest's stay.





HS-25BP



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
25L
220-240V 50/60Hz 50W
ECO Temp: 6.5-15°C

Dimensions:
Width- 380mm
Depth- 370mm
Height- 490mm

HS-25BP-G



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
25L
220-240V 50/60Hz 50W
ECO Temp: 10-18°C

Dimensions:
Width- 380mm
Depth- 370mm
Height- 490mm

HS-30A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 48W
ECO Temp: 6-12°C

Dimensions:
Width- 420mm
Depth- 400mm
Height- 485mm

HS-30G



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 48W
ECO Temp: 10-18°C

Dimensions:
Width- 420mm
Depth- 400mm
Height- 485mm

SEMI-CONDUCTOR MINI BAR

BC-20A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
20L
220-240V 50/60Hz55W
ECO Temp: 4.5-15°C

Dimensions:
Width- 400mm
Depth- 422mm
Height- 352mm

BC-20BF



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
20L
220-240V 50/60Hz 55W
ECO Temp: 10-15°C

Dimensions:
Width- 400mm
Depth- 422mm
Height- 352mm

HS-42A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
42L
220-240V 50/60Hz 48W
N.W.:10.2kg

Dimensions:
Width- 420mm
Depth- 420mm
Height- 515mm

HS-42G



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
42L
220-240V 50/60Hz 48W
ECO Temp: 12-15°C

Dimensions:
Width- 420mm
Depth- 420mm
Height- 515mm



BC-30C



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 50W
ECO Temp: 6.5-15°C

Dimensions:
Width- 420mm
Depth- 395mm
Height- 490mm

BC-30C-G



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 50W
ECO Temp: 10-18°C

Dimensions:
Width- 420mm
Depth- 395mm
Height- 490mm

BC-40CP(BC-42A)



Features:
·Automatically evaporating drain water
·Reversible door design
·Internal LED light

Specification:
Black
40L
220-240V 50/60Hz 48W
ECO Temp: 10-18°C

Dimensions:
Width- 420mm
Depth- 420mm
Height- 575mm

BC-40CP-G(BC-42B)



Features:
·Margic shelf design, convenient for storing different size of drinks
·Reversible door design
·Internal LED light

Specification:
Black
40L
220-240V 50/60Hz 48W
ECO Temp: 5-15°C

Dimensions:
Width- 420mm
Depth- 420mm
Height- 575mm

THERMO ABSORPTION MINI BAR

BC-25A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
25L
220-240V 50/60Hz 50W
ECO Temp: 5-15°C

Dimensions:
Width- 380mm
Depth- 370mm
Height- 490mm

BC-25A-G



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
25L
220-240V 50/60Hz 50W
ECO Temp: 10-18°C

Dimensions:
Width- 380mm
Depth- 370mm
Height- 490mm

CB-20SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
20L
220-240V 50/60Hz 58W
ECO Temp: 6-15°C

Dimensions:
Width- 360mm
Depth- 390mm
Height- 430mm

SC-20SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
20L
220-240V 50/60Hz 58W
ECO Temp: 12-16°C

Dimensions:
Width- 360mm
Depth- 390mm
Height- 440mm

CB-30SA



Features:
·No compressor,no vibration, no CFC, No noise
·Reversible door design
·Internal LED light
·Reqfrigeration:R600a

Specification:
Black
30L
100V-127V,220V-240V 63W
ECO Temp: 6-15°C

Dimensions:
Width- 385mm
Depth- 420mm
Height- 475mm

SC-30SA



Features:
·No compressor,no vibration, no CFC, No noise
·Reversible door design
·Internal LED light
·Reqfrigeration:R600a

Specification:
Black
30L
100V-127V,220V-240V 63W
ECO Temp: 12-16°C

Dimensions:
Width- 385mm
Depth- 420mm
Height- 485mm

CB-35SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
35L
220-240V 50/60Hz 63W
ECO Temp: 8°C

Dimensions:
Width- 383mm
Depth- 455mm
Height- 485mm

SC-35SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
35L
220-240V 50/60Hz 63W
ECO Temp: 12°C

Dimensions:
Width- 383mm
Depth- 455mm
Height- 485mm



COMPRESSOR FRIDGE

CB-40SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
40L
220-240V 50/60Hz 55W
ECO Temp: 5-12°C

Dimensions:
Width- 400mm
Depth- 420mm
Height- 560mm

SC-40SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
40L
220-240V 50/60Hz 63W
ECO Temp: 12-17°C

Dimensions:
Width- 400mm
Depth- 415mm
Height- 570mm

BC-30L



Features:
·Temperature 0-10 degree
·Refrigerant: R600a

Specification:
Black
30L
220-240V 50/60Hz 50W
100-120V 50W

Dimensions:
Width- 425mm
Depth- 420mm
Height- 490mm

SC-30L



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 70W
Noise:40dB
ECO Temp: 0-10°C

Dimensions:
Width- 405mm
Depth- 415mm
Height- 493mm

BC-40A




Features:
·Compressor cooling system
·Temperature range: 0-10°C
·R600a eco-friendly refrigerant
·Low noise level: 45 dB
·Manual thermostat with auto defrost

Specification:
Black
40L
220-240V 50/60Hz 70W
1.68 kWh / 24h

Dimensions:
Width- 405mm
Depth- 415mm
Height- 585mm

SC-42L



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
42L
220-240V 50/60Hz 75W
Noise:40dB
ECO Temp: 0-10°C

Dimensions:
Width- 405mm
Depth- 415mm
Height- 585mm



DRAWER STYLE

BC-50L



Features:
·temperature 0-10 degree
·Color: siver or black for option 2 glass shelves
·Refrigerant: R600a

Specification:
Silver
50L
220V-240V,50Hz-60Hz 50W
100-120V 50W

Dimensions:
Width- 445mm
Depth- 480mm
Height- 520mm

SC-50L



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
50L
220-240V 50/60Hz 75W
Noise:40dB
ECO Temp: 0-10°C

Dimensions:
Width- 445mm
Depth- 465mm
Height- 520mm

CB-21SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
21L
220-240V 50/60Hz 63W
ECO Temp: 8°C

Dimensions:
Width- 385mm
Depth- 455mm
Height- 375mm

CB-45SA



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
45L
220-240V 50/60Hz 58W
Energy: F grade,0.6kwh/24h
ECO Temp: 6-15°C

Dimensions:
Width- 490mm
Depth- 455mm
Height- 425mm

BC-75L



Features:
·Net fridge compartment: 70Lwith temperature 0-10 degree
·Net freezer compartment: 5L with temperature -3degree

Specification:
silver
75L
220V-240V,50Hz-60Hz 50W
100-120V 55W

Dimensions:
Width- 445mm
Depth- 480mm
Height- 760mm

SC-75L




Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
75L
220-240V 50/60Hz 75W
ECO Temp: 0-10°C

Dimensions:
Width- 445mm
Depth- 470mm
Height- 760mm

XC-50A



Features:
·No compressor,no noise,no freon
·Automatically evaporating drain water;
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
50L
220-240V 50/60Hz 80W
ECO Temp: 0-8°C

Dimensions:
Width- 380mm
Depth- 370mm
Height- 490mm



XC-18B



Features:
·No mechanical movem-ent in cooling parts, long life
·Using electronic thermostat & IC chip control, auto

Specification:
Black
18L
220-240V 50/60Hz 65W
ECO Temp: 5-12°C

Dimensions:
Width- 370mm
Depth- 350mm
Height- 400mm

ABSORPTION MINI BAR

XC-25A



Features:
·No mechanical movement in cooling parts, long life
·Internal LED light

Specification:
Black
25L
220-240V 50/60Hz 65W
ECO Temp: 0-8°C

Dimensions:
Width- 400mm
Depth- 400mm
Height- 450mm

XC-25B



Features:
·No mechanical movement in cooling parts, long life
·Internal LED light

Specification:
Black
25L
220-240V 50/60Hz 65W
ECO Temp: 5-12°C

Dimensions:
Width- 420mm
Depth- 400mm
Height- 500mm

XC-30A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 65W
Energy:G grade,0.61kwh/24h
ECO Temp: 0-8°C

Dimensions:
Width- 400mm
Depth- 420mm
Height- 480mm

XC-30B



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
30L
220-240V 50/60Hz 65W
Energy:G grade,0.76kwh/24h
ECO Temp: 5-12°C

Dimensions:
Width- 400mm
Depth- 415mm
Height- 480mm

XC-40A




Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
40L
220-240V 50/60Hz 65W
Energy: 0.62kwh/24h
ECO Temp: 0-8°C

Dimensions:
Width- 400mm
Depth- 440mm
Height- 550mm

XC-40B



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
40L
220-240V 50/60Hz 65W
Energy: 0.78kwh/24h
ECO Temp: 5-12°C

Dimensions:
Width- 400mm
Depth- 435mm
Height- 550mm

XC-60A



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
60L
220-240V 50/60Hz 80W
Energy: 1.0kwh/24h
ECO Temp: 0-8°C

Dimensions:
Width- 485mm
Depth- 500mm
Height- 560mm

XC-60B



Features:
·Automatically evaporating drain water
·Internal LED light
·Insulation:Cyclopentane

Specification:
Black
60L
220-240V 50/60Hz 80W
Energy: 1.15kwh/24h
ECO Temp: 5-12°C

Dimensions:
Width- 485mm
Depth- 495mm
Height- 560mm

The safe box provides a secure place for guests to store personal belongings.

Clear controls and a firm structure make it easy to use and dependable for daily hotel needs.



E2042A



Specification:

- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA
- 3-6 digit quest code
- 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042G



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA.
- User management: 3-6 digit guest code.
- Hotelmanagement:6 digit override master code/mechanical key override

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042B



Specification:

- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA
- 3-6 digit quest code
- 6 digit override master code/override mechanical key
- 5 minutes freeze system in case of wrong code for 4 times.

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

2042F-8



Specification:

- Digital display,electronic keypad
- User management: 3-6 digit quest code
- Hotelmanagement: 6 digit override master code/mechanical key override
- Pre-drilled mounting holes
- 15 minutes freeze system in case of wrong
- code for 4 times,meanwhile password hiding function for option

Dimensions:

Width- 420mm
Depth- 360mm
Height- 190mm

E2042U



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042MJ



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042H



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042M



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA
- 5 minutesfreeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2042BJ



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2043



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 3 times
- Audit trail 200 records

Dimensions:

Width- 420mm
Depth- 350mm
Height- 200mm

E2042V



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low batteryindicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2043C



Specification:

- Side Opening(standard: Right Hinge)
- Audit Trail: Records up to 200 entries.
- ESD Anti-static:>6000V.
- Lock Mechanism: Solid steel double bolt lock for maximum security and durability.
- Buttons:ADA silicone buttons with blind contacts
- Display: LED screen (Blue digital).

Dimensions:

Width- 445mm
Depth- 380mm
Height- 200mm

E2043B



Specification:

- Solid, arc-welded heavy-gauge steel construction.powder coatingfinish.
- 18mm solid steel bolt for maximum security and durability.
- Low battery level alert
- 5 minutes freeze system in case of wrong code for 3 times.
- Audit Trail 200 record

Dimensions:

Width- 420mm
Depth- 370mm
Height- 200mm

E2317



Specification:

- Digital display, electronic keypad
- Fully automatic electronic lock;
- Three ways to open the box:
- User password(3-6 digits);
- Hotel management code to facilitate management;
- Pre-drilled mounting holes

Dimensions:

Width- 230mm
Depth- 170mm
Height- 170mm

CT-2048MJ



Specification:

- Solid, arc-welded heavy-gauge steel construction.Orange peel powder coating finish
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes
- User management: 3-6 digit guest code.

Dimensions:

Width- 370mm
Depth- 420mm
Height- 200mm

CT-2048BJ



Specification:

- Solid, arc-welded heavy-gauge steel construction.Orange peel powder coating finish
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes
- Powered by 4 x AA. Automatic low battery level alert. (battery not included)

Dimensions:

Width- 370mm
Depth- 420mm
Height- 200mm

D1541N



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA.
- 5 minutes freeze system in case of wrong code for 3 times

Dimensions:

Width- 410mm
Depth- 350mm
Height- 150mm

D1541MJ



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA
- 5 minutesfreeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 410mm
Depth- 350mm
Height- 150mm

D1541BJ



Specification:

- Solid,arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA
- 5 minutes freeze system in case of wrong code for 4 times
- Audit trail 1000 records

Dimensions:

Width- 410mm
Depth- 350mm
Height- 150mm

E4035B



Specification:

- Equipped with decoding functionality
- Flash memory capable of storing up to 200 records
- EU CE certified and RoHS compliant
- ESD anti-static protection exceeding 6000V
- Features ADA-compliant silicone buttons with tactile markings for the visually impaired

Dimensions:

Width- 400mm
Depth- 350mm
Height- 150mm

E4035C



Specification:

- Upward-opening with single pneumatic bar
- Flash memory capable of storing up to 200 records
- ESD anti-static protection exceeding 6000V
- Accommodates upto 15-inch tablet computers
- Comes with amechanical key

Dimensions:

Width- 400mm
Depth- 350mm
Height- 150mm

E2043D



Specification:

- Side opening(standard: Right Hinge)
- Decoding Function included
- Flash Memory (stores up to 200 records)
- EU CE Certification Compliant, RoHS Compliant;
- ESD Anti-static >6000V; solid steel Double Bolt Locking Mechanism

Dimensions:

Width- 445mm
Depth- 380mm
Height- 200mm

E4035



Specification:

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes
- Powered by 4 x AA.
- 5 minutes freeze system in case of wrong code for 3 times
- can fit 15" laptop

Dimensions:

Width- 400mm
Depth- 350mm
Height- 150mm

CEU



Specification:

- A reinforced hotel safe with electronic PIN access and CEU audit support, offering secure emergency opening and reliable management control.






A focused mirror for close-up grooming tasks, appointed to support accuracy and comfort in the guestroom. Its defined magnification and stable form offer dependable clarity for daily use.

HT-66A/HT-66




Specification:
Dia:6",8"
3 x magnification,
Double side




HT-67A/HT-67




Specification:
Dia:6",8"
3 x magnification,
Double side




HS-519




Specification:
Dia:8"
Thickness:20mm
LED:60000 hrs
Votage:110V/220V
3 x magnification,
double side




HS-529




Specification:
Dia:8.5"
Thickness:55mm
Votage:110V/220V
LED:60000 hrs
3 x magnification,
Double side



HS-509/HS-509A




Specification:
Dia: 8.5"/8"
LED:60000 hrs
Votage:110V/220V
3 x magnification,
single side




HS-M0618




Specification:
Dia:8"
3 X MAGNIFICATION



HS-539




Specification:
size:200x200mm
LED:60000 hrs
Votage:110V/220V
3 x magnification,
single side



HS-559




Specification:
size:212 x132mm
LED:60000 hrs
Votage:110V/220V
3 x magnification,
single side



HS-M1808




Specification:
Dia:9"
3 X MAGNIFICATION
Thickness:20mm
LED:WITH LED



HS-M0820




Specification:
Dia:8"
Double Side
3 x magnification
LED lighted mirror
with 3 colors light



HS-M6018




Specification:
Dia:6",8"
3 X MAGNIFICATION



HT-726A/HT-726



Specification:
Dia:6",8"
3 x magnification,
Double side



H-01



Features:
·LCD Size:61*25mm
·Max Capacity:200KG
·Graduation:0.1kg/0.2lb/0.2lb
(1lb,≥20st)
·2*AAA batteriescan fit in
·Built-in high precision induction
system;
·Low battery and overload indication

Specification:
Glass/White

Dimensions:
Length- 305mm
Width- 245mm
Height- 25mm

H-02



Features:
·Dimension:312*285*23mm
·LCD Display Size: 73*33mm
·Material:6mm tempered glass
·Max Capacity: 180KG/396LB
·Unit:KG /LB
·Built-in high precision induction
system;
·Auto on/off function;
·Low battery and overload indication
·Operated by 2xAAA batteries

Specification:
Black

Dimensions:
Length- 312mm
Width- 285mm
Height- 23mm



H-03



- Features:**
- 5mm toughened glass weighing platform
 - Built-in high precision induction system;
 - KG and LB selector
 - Auto on/Auto off function;
 - Low battery and overload indication
 - Operated by 1 lithium cell battery

Specification:
Silver
180KG/396LB
LCD Size: 61*25mm

Dimensions:
Length- 312mm
Width- 285mm
Height- 20mm

H-04



- Features:**
- With 5MM Tempered Glass With S/S Platform
 - Blue Backlight
 - Built in high precision induction sensor
 - Low Battery/Overload Indication
 - Automatic Zero Restting

Specification:
Glass
Tempered Glass, Stainless Steel,ABS..
Max Weight
180KG/396LB
2 *1.5V AAA Batteries(Not included)

Dimensions:
Length- 300mm
Width- 300mm
Height- 23mm

H05



- Features:**
- Full Glass platform
 - Equipped with 4 high precision sensors system.
 - Capacity:180kg.
 - Graduation: 0.1kg
 - LED display ,SIZE:80*30mm
 - Automatic switch on/off
 - Low Battery/Overload indication
 - Battery: 2*1.5V AAA (do not provide)

Specification:
Black

Dimensions:
Length- 300mm
Width- 300mm
Height- 24.5mm

GL-D1M



- Features:**
- LCD Size: 73*33mm with blue backlight
 - Material:6mm tempered glass.
 - Max Weight: 180KG/396LB
 - Equipped with High Presion Strain
 - Gauge Sensors System
 - Low Battery /Overload indication.
 - KG and LB selector
 - Operated by 2xAAA batteries

Specification:
Glass

Dimensions:
φ- 330mm
Height- 35mm

HS-D3A



- Features:**
- battery-free(Magic engine system, just simply push or step onto the power button to generate power for weighing)
 - Four high-precision sensor
 - Low battery (LO) and overload indication (Err)

Specification:
Black
180KG/396LB
LCD size:81*42mm
KG/LB

Dimensions:
Length- 280mm
Width- 280mm
Height- 30mm

GL-D1102



- Features:**
- Tempered Glass platform
 - Equipped with high precision sensors
 - Low Battery/Overload indication.
 - Automatic Zero Restting.
 - Tempered Glass,ABS
 - Power supply: 1*lithium button cell (do not provide)

Specification:
Glass
LCD display size:61*25mm
Division: 100G
Max Weight: 180KGS

Dimensions:
Length- 280mm
Width- 280mm
Height- 23mm



GPX-110X



- Specification:**
- Material:stainless steel
 - Stylish design for guest room usage
 - Stainless steel and powder coated finishing
 - Swing lid for tidy look
 - Rubber rim at the bottom for floor protection
 - Thickness: 0.4mm
 - Capacity: 10L
 - Silver/Black

Dimensions:
φ 200 x 310mm

RB-01



Specification:

- 10L double wall waste bin, round shape
- Outer: wrapped with PU leather (color and leather style are optional)
- Powder coated metal inner insert
- With chrome ring on top(Ring color can be customized)
- Capacity: 10L

Dimensions:
φ 225 x H270mm

OB-02



Specification:

- 10L double wallr waste bin,oval shape
- Outer: wrapped with PU leather(color and leather style are optional)
- Powder coated metalinner insert
- With chrome ring on top(Ring color can be customized)
- Capacity: 10L

Dimensions:
Width- 225mm
Depth- 195mm
Height- 270mm

RD-17



Specification:

- Outer: wrapped with PU leather
- Inside with 2 plastic buckets
- Capacity:2X6L
- Color: optional color

Dimensions:
Length- 280mm
Width- 197mm
Height- 370mm

RD-18



Specification:

- Double layer
- Round shape
- Outer: wrapped with PU leather
- Inside with 2 plastic buckets
- Capacity:2X5L
- Color: optional color

Dimensions:
φ250xH375mm

RD-12



Specification:

- Outer: warpped with PU leather
- Inside with powder coated metal bucket
- Option:2 or 3 buckets
- Bottom:245x245mm
- Color: optional, customization is provided

Dimensions:
Length- 292mm
Width- 292mm
Height- 305mm

RD-13



Specification:

- Powder coated finishing
- Inside with 2 compartments for sorting garbage storage
- Rubber protection at base
- Waterproof and rust resistant
- Material of inner containers: polypropylene
- Printed with sorting guidance symbols
- Capacity: 10L

Dimensions:
φ 225 x 270mm

RD-15



Specification:

- Double layer
- Metal powder coated finishing

Dimensions:
Length- 270mm
Width- 210mm
Height- 288mm

RD-17A



Specification:

- Double layer
- Inside with 2 plastic buckets
- Outer: stainless steel in shiny finish
- Material: 410 stainless steel
- Capcity:2 x6L
- Silver

Dimensions:
Length- 275mm
Width- 175mm
Height- 365mm

RD-14



Specification:

- Double layer
- Outer: wrapped with PU leather
- Different colors and styles for leather are availble
- Powder coated metalinner inserts
- Capacity:2X8L

Dimensions:
Length- 295mm
Width- 235mm
Height- 300mm

RD-17B



Specification:

- Double layer
- inside with 2 plastic buckets
- Metal powder coating
- Capcity:2 x6L
- Black

Dimensions:
Length- 275mm
Width- 175mm
Height- 365mm

RB-107A/RB-107B



RB-107A



RB-107B

Specification:

- Bin with 3 compartments for sorting garbage storage
- Easy to clean and waterproof
- Metal powder coated in black color &410 stainless steel body
- Rubber rim at the bottom for better floor protection
- Unique design for sorting garbage
- RB-107A:Black/RB-107B:Shining

Dimensions:
RB-107A: φ 225 x H308mm
RB-107B: φ 225 x H308mm



RB-108A/RB-108B



RB-108A



RB-108B

- Specification:**
- With 2 compartments for sorting garbage storage
 - Easy to clean and waterproof
 - Metal powder coated in black color & 410 stainless steel body
 - Rubber rim at the bottom for better floor protection

·RB-108A:Black/RB-108B:Shining

Dimensions:
RB-108A: ϕ 225 x H308mm
RB-108B: ϕ 225 x H308mm

WD-A1 SERIES



- Specification:**
- #410 Stainless steel material
 - Fire safe construction design
 - Plastic liner for easy cleaning
 - Buffer closing device
 - Capacity: 5L/7L/9L/12L
 - Silver matte

Dimensions:
5L- 235 x 185 x 260mm
7L- 235 x 185 x 345mm
9L- 272 x 265 x 315mm
12L- 272 x 265 x 395mm

JF-SK



- Specification:**
- #410 Stainless Steel, durable and built to last.
 - Fire-Safe Design, enhanced safety with fire-safe construction.
 - Easy-Clean Liner, removable plastic liner for quick cleaning.
 - Soft-Close Mechanism, quiet and smooth closing.
 - Capacity: 5L/7L/8L/10L/12L

Dimensions:
5L- 203 x H280mm
7L- 203 xH320mm
8L- 225 x H340mm
10L- 250 x H340mm
12L- 250 x H390mm

HPX-23



- Specification:**
- Pedal dust bin
 - Buffer closing device
 - Capacity: 7L/10L/15L/18L
 - black, white, shining, mat

Dimensions:
7L- W240 x L140 x H310mm
10L- W240 x L140 x H350mm
15L- W270 x L180 x H380mm
18L- W270 x L180 x H450mm

HS-Q5



- Specification:**
- #410 Stainless steel material(0.4mm)
 - plastic liner for easy cleaning
 - Capacity: 5 litres

Dimensions:
Length- 205mm
Width- 205mm
Height- 290mm

WD-ST



- Specification:**
- #410 Stainless steel material
 - Fire safe construction design
 - Plastic liner for easy cleaning
 - Buffer closing device
 - Capacity:5L/7L/8L/10L

Dimensions:
5L- 203 x 203 x 280mm
7L- 203 x 203 x 320mm
8L- 225 x 225 x 340mm
10L- 250 x 250 x 340mm

MR-01



Specification:
·Double layer
·Material: Metal + paint finish
·Rubber floor protection ring at the bottom
·Capacity: 10L
·Black

Dimensions:
Φ 225 x 260mm

RB-11



Specification:
·Outer:wrapped with Pu leather
·Inner:powder coated metal bucket
·Top size :24x24x 30cm;
·Bottom size:18x18x30cm
·Color: optional

Dimensions:
Width- 240mm
Depth- 240mm
Height- 300mm

HDX-101



Specification:
·Double wall to conceal the bag and hold in place
·Easy to clean and water repellent
·color: shinny, shinny black,mat black, orange
·Capacity:10L

Dimensions:
Φ 225 x 300mm

GPX-110B



Specification:
·Material:Stainless Steel
·Mirror finished/Satin finished/
Powder coating
·Color :Matte

Dimensions:
Φ 380 x H730mm

HPX-22



Specification:
·Pedal dust bin
·Round shape
·Buffer closing device
·Capacity: 5L/8L/12L
black, white, shining, mat

Dimensions:
5L- Φ 245 x 295mm
8L- Φ 265 x 295mm
12L - Φ 315 x 365mm

HDX-103



Specification:
·Double wall to conceal the bag and hold in place
·Rubber rim at bottom for floor protection
·Color: shinny, shinny black,mat black, orange
·Capacity: 12L

Dimensions:
Length- 260mm
Width- 180mm
Height- 300mm

HDX-102



Specification:
·Double wall to conceal the bag and hold in place
·Easy to clean and water repellent
·Color: golden, shiny black, mat black, shining
·Capacity: 8L

Dimensions:
Length- 235mm
Width- 190mm
Height- 330mm

HDX-105



Specification:
·Double wall to conceal the bag and hold in place
·Finish: shinny, shinny black
·Rubber rim at bottom for floor protection

Dimensions:
Length- 210mm
Width- 210mm
Height- 355mm

H-9018/H-9019/H-9020



9018/3L



9019/5L



9020/7L

Specification:
·Material: 410 stainless steel+ PP plastic
·Packing quantity: 4 pieces per carton
·Capacity:3L/5L/7L

Dimensions:
H-9018/3L- W168 x H260 mm
H-9019/5L- W203 x H282 mm
H-9020/7L- W208 x H320 mm



Alarm Clock

Alarm Clock

BT 508



- Features:**
- V5.0
 - A2DP, AVRCP, HFP, HSP
 - Over 10 meters(30 feet) about 6 hours calls&music (middle volume)
 - Port: AUX-in, Micro sD card, TYPE C,DC5V1A
 - Capacity: DC3.7v 2000mAh
 - Charging power supply: DC5V2A/9V2A
 - Fast charge:support Qc3.0/QC2.0
 - Output power: 5V/9V,1A==2A 10W backward compatible 5W,7.5W,10W automatic identification matching
- Specification:**
- Black
- 5W
- about 385 grams
- Wireless Spectrum:2.402-2.480GHZ,ISM
- Dimensions:**
- Width- 130mm, Depth- 90mm, Height- 68.5mm



BT 509



- Features:**
- Product size:11.4'4.5*8.7cm
 - Digital Alarm Clock with Buzzer and Radio
 - Alarm Sound 12 Hour Time System.
 - You can choose buzzer or radio as the alarm sound
 - Voltage is AC110V-220V 50-60Hz, the cable length is 1.5M,
 - 2 AAA batteries for back up power
- Specification:**
- Black
- Dimensions:**
- Width- 430mm, Depth- 350mm, Height- 200mm





SN-0005



- Features:**
- Compatibilited with multiple of mainstream switches;
 - Speed dial button(+8、 +5、 +3、 +0);
 - 14 digits memory;
 - Dual tones electronic ringing,adjustable speaker volume;
 - Hand-free call volume multilevel adjustable,
 - Automatic take-up function/Auto re-dial;
 - Desk and wall mountable.

Specification:
Black/Beige

Dimensions:
Length- 200mm
Width- 200mm
Height- 75mm

SN-0001B



- Features:**
- Compatibilited with multiple of mainstream switches;
 - Speed dial button(+10、 +5、 +3、 +0);
 - 14 digits memory;
 - Dual tones electronic ringing and volume 2 levels adjustable;
 - Hand-free call volume multilevel adjustable,
 - Automatic take-up function/Auto re-dial;
 - Desk and wall mountable.

Specification:
Black/Beige

Dimensions:
Length- 220mm
Width- 150mm
Height- 80mm

SN-0009



- Features:**
- Compatibilited with multiple of mainstream switches;
 - Flash time adjustble to fit for different exchange,standard flash time is 600ms.
 - Dual tones electronic ringing,adjustable speaker volume;
 - Hand-free call volume multilevel adjustable;
 - Speed dial button(+10、 +5、 +3、 +0);
 - Automatic take-upfunction/Auto re-dial;
 - 14 digits memory.

Specification:
Black/Beige

Dimensions:
Length- 234mm
Width- 170mm
Height- 80mm

SN-0009B



- Features:**
- 12 bit LcD display, actual time and date display
 - Compatibilited with multiple of mainstream switches;
 - Flash time adjustble to fit for different exchange,standard flash time is 600ms,
 - Dual tones electronic ringing,adjustable speaker volume;
 - Hand-free call volume multilevel adjustable,
 - Speed dial button(+10、 +5、 +3、 +0);
 - 14 digits memory;
 - Automatic take-up function/Auto re-dial.

Specification:
Black/Beige

Dimensions:
Length- 234mm
Width- 170mm
Height- 80mm

SN-0016



- Features:**
- Compatibilited with multiple of mainstream switches;
 - Flash time adjustable to fit for different exchange standard flash time is 600ms.
 - Dual tones electronic ringing,adjustable speaker volume;
 - Hand-free call volume multilevel adjustable,
 - Speed dial button(+10、 +5、 +3、 +0);
 - Service key store number up to 32 bits;
 - 14 digits memory;
 - Automatic take-up function/Auto re-dial;
- Dimensions:**
- Length- 173mm
Width- 128mm
Height- 134mm

SN-0018



- Features:**
- 12 bit LCD display, actual time and date display ;
 - Compatibilited with multiple of mainstream switches;
 - Flash time adjustable to fit for different exchange,standardflashtimeis 600ms ;
 - Dual tones electronic ringing,adjustable speaker volume;
 - Hand-free call volume multilevel adjustable,
 - Speed dial button(+6、 +4、 +0);
 - Service key store number up to 32 bits;
 - Automatic take-up function/Auto re-dial.
- Dimensions:**
- Length- 204mm
Width- 114mm
Height- 103mm

SN-0019



- Features:**
- Adjustable ringer control (High / Low)
 - Hearing-aid compatible handset
 - Mute function for private calls
 - Flash key with 600 ms timing
 - Redial last dialed number
 - Wall-mounted or desktop use
- Dimensions:**
- Length- 205mm
Width- 61mm
Height- 119mm

VOIP TELEPHONE



- Features:**
- Support 100 Megabit Ethernet -adaptive 10/100 MBPS network port,provide high-speed network transmission;
 - POE power supply/adapter power supply;
 - Compatible with the mainstream IP PBX/ soft switch /IMS platform based on SIP, like Asterisk,Broadsoft,3CX, Elastix,Zycoo;
 - IP access:staticlp settings/DHCP/PPPo
- Dimensions:**
- Length- 220mm
Width- 162mm
Height- 105mm

SN-0011



- Features:**
- Soft humanized ring;
 - Desk or wall mountable;
 - Lighting-proof,moustureproof and waterproof;
- Specification:**
- Black/Beige
- Dimensions:**
- Length- 210mm
Width- 60mm
Height- 65mm

SN-0012



- Features:**
- Efficient useful ring-coming light;
 - Adjustable Ringer control;
 - SOS emergency call key ;
 - Lighting-proof,moustureproof and waterproof;
- Specification:**
- Black/Beige
- Dimensions:**
- Length- 225mm
Width- 90mm
Height- 85mm



HS604567



Specification:
·Stainless steel luggage rack
·#stainless steel with back rest
·Tube dia.:1.0mm
·less damage to the walls due to the design
·5 black durable straps
·Plastic foot cap-floor protectors
·Easy fold up
·5pcs/ctn, ctn size:62*45*72cm

·silver / rose golden / black

Dimensions:
Length- 600mm
Width- 450mm
Height- 670mm

HS605558



Specification:
·Foldable wooden luggage rack
·Wooden luggage rack with back rest
·Material: rubber wood
·Available for black or mahogany color

Dimensions:
Length- 600mm
Width- 550mm
Height- 580mm

HS604553



Specification:
·Stainless steel luggage rack
·#stainless steel without back rest
·Tube dia.:1.0mm
·less damage to the walls due to the design
·5 black durable straps
·Plastic foot cap-floor protectors
·Easy fold up
·5pcs/ctn,ctn size:62*45*55cm

·silver / rose golden / black

Dimensions:
Length- 600mm
Width- 450mm
Height- 530mm

HS614767



Specification:
·Solid stainless steel luggage rack
·Solid stainless steel luggage rack
·Stainless steel
·Frame with back rest,
·Thickness:0.8MM
·4 black durable starps easy fold up
·color: Silver

Dimensions:
Length- 610mm
Width- 470mm
Height- 670mm

K018A



Specification:
·Wooden luggage rack with back rest
·Material:rubber wood
·Available for brown color

Dimensions:
Length- 600mm
Width- 480mm
Height- 670mm

HS555070/HS604251



HS 555070



HS 604251

Specification:
·Stainless steel luggage rack
·Strong metal frame, back rest for option
·plastic feet cap -floor protectors
·4 black durable straps
·Easy fold up
·color: silver

Dimensions:
HS555070
Length- 550mm
Width- 500mm
Height- 700mm

Hs604251
Length- 600mm
Width- 420mm
Height- 510mm

K020



Specification:
·Foldable wooden luggage rack
·Material: rubber wood
·Bearing:100kg
·Brown color

Dimensions:
Length- 600mm
Width- 450mm
Height- 500mm

K015




Specification:
·Nature color
·Material: rubber wood

Dimensions:
Length- 600mm
Width- 400mm
Height- 580mm



FLASHLIGHT

HSF-01



Specification:
·Material: Aluminum alloy shell, anti-slip rubber handle
·Bulb type: 13 LEDS
·Battery: 3 AA
·Product weight: 325g

Dimensions:
180x60x55mm
(Φ45xΦ26x175 mm)

Charger



Specification:
·Input: AC 100~240V, 0.1A, 50~60HZ
·Output: DC 4.5V±0.5, 300mA MAX
·With charging indicator

HSF-03



Specification:
·Material: ABS with anti-fall rubber protection
·Light Source: 3 high-intensity LEDs
·Battery Type: 2D batteries
·Product Weight: 220 g

Color options :Black/red

Dimensions:
230 x 60 x 65 mm

HSF-02



Specification:
·Material: ABS
·Light Source: 1 LED/ 6 LED
·Battery Type: 4 × AAA
·Product Weight: 80 g

Color Options: Black/Silver

Dimensions:
135 x 40 x 38 mm

HSF-04



Specification:
·Bulb type: 1LED
·Material: Plastic
·Product Weight: 270g
·Color: Red/White/Black for option

Dimensions:
48x54x210mm

HSF-05



Specification:
·Bulb type: 1LED
·Battery: 2*D(inside ,can not be re moved)
·Product Weight: 270g
·Color: Black

Dimensions:
48x54x210mm



L-01/L-02



Specification:
·Material: Aluminum+Zinc Alloy
·Light Bulb:E27*7W
·Plug: Optional
·220V

Dimensions:
Short arm 250mm /360mm

L-06



Specification:
·Light Bulb:E27W
·Plug: British plug
·220V

Dimensions:
Short arm 360mm /390mm

L-03



Specification:
·Light 5w,CT 3000K
·220-240V
·Materia: Metal + Marble base
·Plug: British /VDE plug for option
·Gold/Black

Dimensions:
180x60x600 mm

L-05



Specification:
·LED desk lamp
·LED Color:3 colors
·Material:Aluminum Alloy + ABS
·Light Source:LED
·Light Color:Warm White.warm
·Packing:24pcs
·Switch:Touch Switch
·Inner box :43.3*11.5*4cm
·Color: black or white for option

Dimensions:
390x108x30 mm



WOODEN HANGER

Natural wood color/**Dimensions:** 445 x 20mm



S2021



S2022



S5008





S5009

Natural wood color/**Dimensions:** 445 x 20mm



WOODEN HANGER

Walnut/**Dimensions:** 445 x 20mm



WOODEN HANGER

Natural wood color and Walnut/**Dimensions:** 445 x 45mm



WOODEN HANGER

Natural wood color and Walnut/**Dimensions:** 445 x 12mm



WOODEN HANGER

Dimensions: 445 x 30mm



WOODEN HANGER

Dimensions: 445 x 55mm



WOODEN HANGER

Dimensions: 350 x 13 x 30mm



WOODEN HANGER

Dimensions: 350 x 12mm



ANTI-THEFT HANGER

Dimensions: 445 x 240 x 12mm



SATIN HANGER

Dimensions: 380 x 115mm




ABS HANGER

Dimensions: 440 x 220 x 30mm



Dimensions: 440 x 220 x 30mm



Clothes Brush



Description:
·Wooden handle with firm bristles for easy garment touch-up.
·Color in natural or black.

Size:
38 cm

Shoehorn



Description:
·Long wooden shoehorn for easy wear, in natural or black.

Size:
38 cm



Tissue box



Model:VS-C
Material:ABS

Dimensions:
Length- 203mm
Width- 123mm
Height- 68mm

Amenity drawer tray



Model:VS-H
Material:ABS

Dimensions:
Length- 227mm
Width- 227mm
Height- 77mm

Tissue box



Model:VS-G
Material:ABS

Dimensions:
Length- 136mm
Width- 136mm
Height- 132mm





ACRYLIC COLLECTION



LEATHER COLLECTION



LEATHER COLLECTION





XL-22



Dimensions:
Length- 1100mm
Width- 650mm
Height- 1930mm

XL-23



Dimensions:
Length- 1050mm
Width- 610mm
Height- 1900mm

XL-3



Dimensions:
Length- 1100mm
Width- 650mm
Height- 1860mm

XL-4



Dimensions:
Length- 1100mm
Width- 650mm
Height- 1860mm

XL-1C



Dimensions:
Length- 1050mm
Width- 610mm
Height- 1860mm

XL-2B



Dimensions:
Length- 480mm
Width- 360mm
Height- 1200mm

XL-2



Dimensions:
Length- 480mm
Width- 360mm
Height- 1200mm

XL-6A



Dimensions:
Length- 1050mm
Width- 610mm
Height- 880mm



MC-F038




Dimensions:
Length- 1420mm
Width- 460mm
Height- 1200mm

HS-F004



Dimensions:
Length- 900mm
Width- 460mm
Height- 1050mm

C-38A



Dimensions:
Length- 1430mm
Width- 460mm
Height- 1200mm

C-82A



Dimensions:
Length- 1460mm
Width- 460mm
Height- 1200mm

C-9B



Dimensions:
Length- 950mm
Width- 600mm
Height- 900mm

C-9A



Dimensions:
Length- 920mm
Width- 560mm
Height- 910mm

C113



Dimensions:
Length- 900mm
Width- 650mm
Height- 850mm

C-43



Dimensions:
Length- 950mm
Width- 560mm
Height- 840mm



LK-7118H-2

Specification:
304 stainless steel+PC
Capacity:350ml x 2
Output :2ml
Color :Satin Finished+Clarity

Dimensions:
Length- 216mm
Width- 100mm
Height- 241mm

LK-7118H



Specification:
304 stainless steel+PC
Capacity:350ml
Output :2ml
Color :Satin Finished+Clarity

Dimensions:
Length- 122mm
Width- 100mm
Height- 241mm

LK-7118H-3



Specification:
304 stainless steel+PC
Capacity:350ml x 3
Output :2ml
Color :Satin Finished+Clarity

Dimensions:
Length- 309mm
Width- 100mm
Height- 241mm

HS-7116A



Specification:
ABS
Capacity:300ml
Ctn size: 43.5 x 37.5 x 47cm
Qty/ctn:50pcs
N.W/G.W.: 11kg/13.37kg

Dimensions:
Length- 63mm
Width- 75mm
Height- 215mm

HS-7116A-2



Specification:
ABS
Capacity:300ml x 2
Ctn size: 44.2 x 34.3 x 47cm
Qty/ctn:24pcs
N.W/G.W.: 12kg/14.1kg

Dimensions:
Length- 130mm
Width- 75mm
Height- 215mm

HS-7116B



Specification:
ABS
Capacity:300ml
Ctn size: 43.5 x 37.5 x 47cm
Qty/ctn:50pcs
N.W/G.W.: 11kg/13.37kg

Dimensions:
Length- 63mm
Width- 75mm
Height- 215mm

HS-7116B-2



Specification:
ABS
Capacity:300ml x 2
Ctn size: 44.2 x 34.3 x 47cm
Qty/ctn:24pcs
N.W/G.W.: 12kg/14.1kg

Dimensions:
Length- 130mm
Width- 75mm
Height- 215mm

LK-7901A



Specification:
ABS + PET
Capacity:300ml

Dimensions:
Length- 65mm
Width- 90mm
Height- 197mm

LK-7902A



Specification:
ABS + PET
Capacity:300ml x 2
Packing Size:55.2 x 49.5 x 40cm
Qty/ctn:40pcs
N.W/G.W.: 10.3kg/14.27kg

Dimensions:
Length- 129mm
Width- 90mm
Height- 197mm

LK-7903A



Specification:
ABS + PET
Capacity:300ml x 3
Packing Size:61.5 x 49.5 x 40cm
Qty/ctn:30pcs
N.W/G.W.: 11.5kg/15.45kg

Dimensions:
Length- 193mm
Width- 90mm
Height- 197mm

LK-7905A



Specification:
ABS + PET
Capacity:500ml
Packing Size: 10.2*7.3*22.3cm
Qty/ctn:80pcs
N.W/G.W.: 14.08kg/19.5kg

Dimensions:
Length- 68mm
Width- 96mm
Height- 212mm

LK-7906A



Specification:
ABS + PET
Capacity:500ml x 2
Packing Size:15.1*10.2*22.3cm
Qty/ctn:40pcs
N.W/G.W.: 15.1kg/19.7kg

Dimensions:
Length- 146mm
Width- 96mm
Height- 212mm

LK-7907A



Specification:
ABS + PET
Capacity:500ml x 3
Packing Size:23*10.2*22.3cm
Qty/ctn:20pcs
N.W/G.W.: 11.4kg/15.5kg

Dimensions:
Length- 225mm
Width- 96mm
Height- 212mm