

Honeyson®

ZHONGSHAN CITY HESON ELECTRIC CO., LTD.



DESIGN & MANUFACTURE

FOR HOSPITALITY PRODUCTS

Honeyson Milestones

2010

CREATION OF HONEYSON.

2018

ESTABLISHED FOSHAN
SUBSIDIARY FOR OVERSEA
SERVICE;
OBTAINED PATENTS FOR 15
AUTONOMOUS PRODUCTS.

2011

DEVELOPED THE 1ST
DOUBLE-WALL ELECTRIC KETTLE;
OBTAINED PATENT FOR BUILT-IN
BASE TRAY.

2019

UNDERTOOK THE HOSPITALITY
SUPPLIES FOR THE 7TH CISM
MILITARY WORLD GAMES.

2012-
2014

ATTENDED IN GLOBAL
TRADESHOWS, PROCEED
HONEYSON TO THE WORLD.

2020

UNDERTOOK THE HOSPITALITY
SUPPLIES FOR EXPO 2020 DUBAI.

2021

UNDERTOOK THE HOSPITALITY
SUPPLIES FOR THE 14TH NATIONAL
GAMES IN XI'AN.

2015

SET UP GUANGZHOU
SUBSIDIARY FOR OVERSEA
SERVICE.
BEEN SUPPLIED MORE
THAN 50 COUNTRIES.

2022

UNDERTOOK THE HOSPITALITY SUPPLIES FOR THE
2022 FIFA WORLD CUP.
BEEN EXPORTED TO MORE THAN 100 COUNTRIES;
OEM FOR GLOBAL BRANDS OVER DOZENS.
DEVELOPED AND LAUNCHED SUPER-SONIC
HAIRDRYER PRODUCT.

2016

DEVELOPED OEM SERVICE.
DEVELOPED AND LAUNCHED
MINIBAR AND SAFEBOX
PRODUCTS.

NEW ADVENTURE---INVESTED IN COMMERCIAL KITCHEN
INDUSTRY&FOCUS ON COMMERCIAL BLENDER;
OBTAINED INTERNATIONAL CERTIFICATES;
PROVIDING OEM/ODM SERVICE

2017

WORK UP COOPERATION
RELATIONSHIP WITH
INTERNATIONAL HOTEL
CHAIN GROUPS.

2023

UNDERTOOK THE HOSPITALITY
SUPPLIES FOR THE 19TH ASIAN
GAMES IN HANGZHOU.

COMMERCIAL BLENDERS EXPORTED
TO OVER 30 COUNTRIES AND STILL
GROWING...




Kettle: K85
Mini bar: CB-40SA



Safe box: CT-2048MJ
Hair dryer: F17



Kettle: H06043
Tray: I



Kettle: H1268
Mini bar: HS-42G



Kettle: H1263
Tray: M



Steam iron: HS-05
Board: IB-05



Kettle: H2002
Tray: F



Kettle: H1208
Tray: W

Your preference is a true pleasure and privilege.

Honeyson is trusted and approved in over 120 countries.



20⁺

EXCLUSIVE PATENTS.

14⁺

YEARS OF INDUSTRY-LEADING HOTEL
SUPPLIES EXPERIENCE

100⁺

DISTRIBUTED ACROSS MORE
THAN 100 COUNTRIES

7

GENERAL SAMPLES GUARANTEED
TO BE READY WITHIN 7 DAYS.

3600⁺

TRUSTED CUSTOMERS WORLDWIDE.

ELECTRIC KETTLES

BEAULIEU

1.0L compact 2-layer cool touch kettle

Power supply: 1200W-1400W (220V-20V, 50Hz-60Hz)
Capacity: 1 Litre
Material: Food grade 304 stainless steel + PP shell
Controller: Chinese branded, guaranteed lifespan, fast boiling

- Product highlights:
- 2-layer structure, cool touch exterior for safe handling
 - Auto shut off and boil-dry protection, providing maximum safety
 - Concealed heating element
 - 360 cordless base
 - Power indicator light
 - Approved certification: CE,CB,LFGB,Rohs,IECEE

Model	Specifications	Color
K106	L160xW130xH205mm	Black/White/Khaki



LUNERA

1.0L compact stainless steel kettle

Power supply: 1200W-1400W (220V-20V, 50Hz-60Hz)
Capacity: 1 Litre
Material: Food grade 304 stainless steel
Controller: Chinese branded, guaranteed lifespan, fast boiling

- Product highlights:
- Auto shut off and boil-dry protection, providing maximum safety
 - Concealed heating element
 - 360 cordless base
 - Power indicator light

Model	Specifications	Color
K108	L155xW128xH185mm	Silver



METEORITE

0.8L Compact 2-Layer Cool Touch kettle

Power supply: 1000W-1200W (220V-240V, 50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.85kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: shinning grey

- Product highlights:
- 2-layer stainless steel structure, cool touch,
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K812	L200xW138xH200mm	Shinning grey



MARS

1.0L Compact 2-Layer Cool Touch kettle

Power supply: 1200W-1400W (220V-240V ,50Hz-60Hz)
Capacity: 1.0 litre
Material: Food-grade 304 stainless steel
Net weight:0.95kg
Controller: Chinese branded ,guaranteed lifespan,fast boiling.
Color option:mat grey

- Product highlights:
- 2-layer stainless steel structure, cool touch.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K107	L136xW180x220mm	Mat grey



PATENTED



BEGONIA

0.6L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.6 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.72kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/White

Product highlights:

- 2-Layer structure,cool touch exterior for safe handling.
- With water level indicators
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Wide lid opening design for easy cleaning.
- Concealed heating element.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE.

Model	Specifications	Color
H1262	L190xW122xH180mm	Black/White

HYACINTH

1.0L Compact 304 stainless steel kettle

Power supply: 1800W-2100W (220V-240V ,50Hz-60Hz)
Capacity: 1.0 litre
Material: Food-grade 304 stainless steel
Net weight:0.75 kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

Product highlights:

- Metal appearance design.
- With 2 water level indicators .
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Cool plastic handle, remaining safe and anti-scald.
- Wide lid opening design for easy cleaning.
- Removable and washable filter.
- Concealed heating element.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1013	L200xW140x210mm	Brushed silver



CAMELLIA

0.6L Compact 304 stainless steel kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.6 litre
Material: Food-grade 304 stainless steel
Net weight:0.69kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

Product highlights:

- Metal appearance design.
- With water level indicators .
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Cool plastic handle, remaining safe and anti-scald.
- Wide lid opening design for easy cleaning.
- Concealed heating element.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE.

Model	Specifications	Color
H1263	L190xW122xH180mm	Brushed silver

PATENTED



OLEANDER

1.2L Compact 304 stainless steel kettle

Power supply: 1800W-2100W (220V-240V ,50Hz-60Hz)
Capacity: 1.2 litre
Material: Food-grade 304 stainless steel
Net weight:0.84kg
Controller: Strix,guaranteed lifespan,fast boiling and low noise.
Color option: Brushed silver

Product highlights:

- Metal appearance design.
- With water level indicator.
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Cool plastic handle, remaining safe and anti-scald.
- Wide lid opening design for easy cleaning.
- Removable and washable filter.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1202B	L210xW152xH195mm	Brushed silver

MAGNOLIA

0.8L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.86 kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/White (matte)

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K81	L180xW135xH210mm	Black/White



QUINCE

0.8L Compact stainless steel cool touch style

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.94kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Golden/Silver

- Product highlights:
- 3-Layer structure,cool touch and outstanding metal exterior for safe handling and high-end decoration design.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K85	L180xW135xH210mm	Golden/Silver



VEGA

0.8L Compact 304 stainless steel kettle

Power supply: 800W-1000W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.7 kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver/Gun

- Product highlights:
- Stylish appearance design.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1208	L195xW155xH210mm	Brushed silver/Gun



AZALEA

0.6L Compact 304 stainless steel kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.6 litre
Material: Food-grade 304 stainless steel
Net weight: 0.62kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

- Product highlights:
- Metal appearance design.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1261	L170xW120xH185mm	Brushed silver



NOVA

0.8L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.78 kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/White/khaki (matte)

Product highlights:

- 2-Layer structure,cool touch exterior for safe handling.
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Wide lid opening design for easy cleaning.
- Concealed heating element.
- Seamless structure.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1268	L200xW122xH200mm	Black/White/khaki



GINKGO

1.2L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 1.2 litre
Material: Food-grade 304 stainless steel
Net weight:0.91kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/Silver/Golden

Product highlights:

- 2-Layer structure,cool touch exterior for safe handling.
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Wide lid opening design for easy cleaning.
- Concealed heating element.
- 360° Cordless base with cable storage compartment.
- Power indicator light
- Approved Certificates & Tests: CE, CB, IECEE .

Model	Specifications	Color
H1206	L190xW165xH220mm	Black/Silver/Golden



CYPRESS

1.2L Compact 304 stainless steel kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 1.2 litre
Material: Food-grade 304 stainless steel
Net weight:0.8kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

Product highlights:

- Metal appearance design.
- Auto Shut-Off and Boil-Dry protection, providing maximum safety.
- Cool plastic handle, remaining safe and anti-scald.
- Wide lid opening design for easy cleaning.
- Concealed heating element.
- 360° Cordless base with cable storage compartment.
- Power indicator light.
- Approved Certificates & Tests: CE, CB, IECEE .

Model	Specifications	Color
H1205	L190xW165xH220mm	Brushed silver



LÉVOIRE

0.8L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.78kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - With water level indicators
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE.

Model	Specifications	Color
K89	L200xW122xH200mm	Black



PATENTED



PATENTED



ROSELLE

1.2L compact 2-layer Anti-scald kettle

Power supply: 1500W-1800W (220V-20V, 50Hz-60Hz)
Capacity: 1.2 Litre
Material: Food grade 304 stainless steel
Net weight:0.85kgs
Controller: Chinese branded, guaranteed lifespan, fast boiling

- Product highlights:
- Auto shut off and boil-dry protection, providing maximum safety
 - Concealed heating element
 - 360 cordless base
 - Power indicator light
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE.

Model	Specifications	Color
H1266	L210xW135xH215mm	Black



HÓFÉNY

0.8L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.78 kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/White (matte)

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Blue LED indicator light around the body ,easy to see the working status
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K88	L200xW122xH200mm	Black/White



VRANUS

1.0L Compact 304 stainless steel kettle

Power supply: 1200W-1400W (220V-240V ,50Hz-60Hz)
Capacity: 1.0 litre
Material: Food-grade 304 stainless steel
Net weight:1.17kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: White/Black(matte)/Grey

- Product highlights:
- Easy view with a LED temperature display on the heating base.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool metal handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Handgrip
K102	L200xW170xH270mm	Full Handle
K103	L200xW170xH270mm	Half Handle



LILAC

0.8L Compact 304 stainless steel kettle

Power supply: 1200W-1400W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:1.0kg
Controller: Chinese branded ,guaranteed lifespan,fast boiling.
Color option: Matte black

- Product highlights:
- Designed with a slender gooseneck and high-end matte black.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
K87	L260xW160xH220mm	Black/White



JOVIAN

0.8 L Compact 304 stainless steel kettle

Power supply: 1350W-1600W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.84kg
Controller: Strix,guaranteed lifespan,fast boiling.
Color option: Black/Khaki (matte)

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, IECEE .

Model	Specifications	Color
K83	L190xW135xH180mm	Black/Khaki/Orange



NEBULA

1.0L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 1.0 litre
Material: Food-grade 304 stainless steel
Net weight:0.82kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black(matt)

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1012	L205xW135xH210mm	Black





ROYAL BLUE

1.7L Pratical double wall 304 stainless steel kettle

Power supply: 1850W (220V-240V ,50Hz-60Hz)
Capacity: 1.7 litre
Material: Food-grade 304 stainless steel
Net weight:0.95kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Blue/Ivory

- Product highlights:
- Vintage design with high glossy finish.
 - Water level indicator.
 - Sharp view with a large water temperature gauge.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - SWIVEL BASE.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
WT3013T	L205xW205xH245mm	Blue/Ivory



CÉLINEAU

1.0L compact 2-layer cool touch kettle

Power supply: 1200W-1400W (220V-20V, 50Hz-60Hz)
Capacity: 1 Litre
Material: Food grade 304 stainless steel + PP shell
Controller: Chinese branded, guaranteed lifespan, fast boiling

- Product highlights:
- Soft + cool touch
 - 2-layer structure, cool touch exterior for safe handling
 - Auto shut off and boil-dry protection, providing maximum safety
 - Concealed heating element
 - 360 cordless base with cable storage compartment
 - Power indicator light
 - Approved certification: CE,CB,LFGB,Rohs,IECEE

Model	Specifications	Color
K105	L200xW140x210mm	Black.



DATURA

1.0 L Compact 304 stainless steel kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 1.0 litre
Material: Food-grade 304 stainless steel
Net weight:0.78kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

- Product highlights:
- Metal appearance design.
 - With water level indicator .
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, IECEE, RoHS, IECEE .

Model	Specifications	Color
H1206-1	L155xW128xH185mm	Silver



CORONA

0.8L Compact 304 stainless steel kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.64kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

- Product highlights:
- Stylish appearance design.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H0881S	L195xW155xH210mm	Brushed silver



PARALLEL

1.2L Compact 2-Layer Anti-scald Kettle

Power supply: 1350W-1600W (220V-240V ,50Hz-60Hz)
Capacity: 1.2 litre
Material: Food-grade 304 stainless steel+PP shell
Net weight:0.76kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/Ivory

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - Seamless structure.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H2002	L200xW155xH220mm	Black/Ivory



GALAXY

0.8L Compact 2-Layer Anti-scald Kettle

Power supply: 1000W-1200W (220V-240V ,50Hz-60Hz)
Capacity: 0.8 litre
Material: Food-grade 304 stainless steel
Net weight:0.74kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Black/Ivory

- Product highlights:
- 2-Layer structure,cool touch exterior for safe handling.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H0880S	L195xW155xH210mm	Black/Ivory



MERIDIAN

1.2L Compact 304 stainless steel kettle

Power supply: 1350W-1600W (220V-240V ,50Hz-60Hz)
Capacity: 1.2 litre
Material: Food-grade 304 stainless steel
Net weight:0.67kg
Controller: Chinese branded,guaranteed lifespan,fast boiling.
Color option: Brushed silver

- Product highlights:
- Metal appearance design.
 - Auto Shut-Off and Boil-Dry protection, providing maximum safety.
 - Cool plastic handle, remaining safe and anti-scald.
 - Wide lid opening design for easy cleaning.
 - Concealed heating element.
 - 360° Cordless base with cable storage compartment.
 - Power indicator light.
 - Approved Certificates & Tests: CE, CB, LFGB, RoHS, IECEE .

Model	Specifications	Color
H1202	L200xW145xH220mm	Brushed silver



COMMERCIAL BLENDER



HS-BL9000

Commercial blender

- Power: 1500w
- Mixing cup: 1500ml, BPA free material
- Control: waterproof buttons, 7 preset programs, customizable programs.
- Cutter set: cold forged steel integrated molding, rust resistant durable double bearing double oil seal.
- Motor: cold running brushless motor, peak horsepower up to 4HP
- Motor life: 6000 hours
- USB Update: Yes, program update anytime, anywhere.
- Noise enclosure thickness: 9MM, the minimum working noise can be as low as 40db.
- Net weight: 9.35KG
- Mushroom head: all stainless steel, wear and high temperature resistance.
- Electric control waterproof: full waterproof filling, patented sealing technology of imported materials from Japan.
- Lot functions: The fifth generation of iot systems.
- The cup body can be antibacterial: optional

Model	Specifications	Color
HS-BL9000	L226xW264xH432mm	Black

HS-BL9002

Commercial blender

- Power: 1500W
- Mixing cup: 1500ml
- Control: waterproof buttons, 7 preset programs,customizable programs.
- Blade assembly: cold forged steel integrated molding,rust resistant durable double bearing double oil seal.
- Motor: cold running brushless motor, peak horsepower up to 4HP.
- Motor life: 6000 hours.
- USB Update: Yes, program update anytime,anywhere.
- Noise enclosure thickness: 9MM, the minimum working noise can be as low as 40db.
- Net weight: 9.5KG
- Drive socket: all stainless steel, wear and high temperature resistance.
- Electric control waterproof: full waterproof filling, patented sealing technology of imported materials from Japan.

Model	Specifications	Color
HS-BL9002	L264xW226xH432mm	Black





HS-8005

Commercial blender

- Power: 1800w
- Mixing cup: 2000ml, BPA free material
- 9840 3HP constant motor, more durable and quiet.
- 2L PC unbreakable jar, 5.5mm thickness special, designed for heavy duty purpose.
- All purpose 6 leaf hardened 304 stainless steel blade, designed for heavy duty.
- Anti-skid and shockproof base design.
- Long life bearing and sealing, water leakage proof.
- Housing color: black/Grey/White.
- Variable speed control.
- Equipped overloaded protector.
- 400-28000RPM variable speed.
- Net weight: 7.75kgs.

Model	Specifications	Color
HS-8005	L230xW265xH465mm	Black



HS-7000

Commercial blender

- Power: 1500w
- Mixing cup: 2000ml
- Control: Powerful chip system design, 4 preset smart programs.
- Blade assembly: cold forged steel integrated molding, rust resistant durable double bearing double oil seal.
- Motor: Super-sensitive high-power powerful motor, stepless speed regulation, instant crushing.
- IMD coating technology key panel, moisture-proof and waterproof.
- Net weight: 5.5KG
- Drive socket: all stainless steel, wear and high temperature resistance.
- Electric control waterproof: full waterproof filling, patented sealing technology of imported materials from Japan.

Model	Specifications	Color
HS-7000	L185xW220xH460mm	Black

HS-8006

Commercial blender

- Power: 1500W
- Mixing cup: 1500ml
- 9840 3HP constant motor, more durable and quiet.
- 2L PC unbreakable jar, 5.5mm thickness special, designed for heavy duty purpose.
- All purpose 6 leaf hardened 304 stainless steel blade, designed for heavy duty.
- Anti-skid and shockproof base design.
- Long life bearing and sealing, water leakage proof.
- Housing color: black/Grey/White.
- variable speed control.
- Equipped overloaded protector.
- 400-28000RPM variable speed.
- Net weight: 7.75kgs.

Model	Specifications	Color
HS-8006	L225xW270xH465mm	White



HS-380

Commercial blender

- Power: 2200W
- Mixing cup: 2500ml/4000ml
- Pure copper high speed motor, power cord: 1.05m.
- 2.5/4 liters PC unbreakable stirring jar
- Food grade #304 stainless steel blades, sharp and multi-angle
- Anti-skid and shockproof base design
- Long life bearing and sealing, water leakage proof.
- housing color: black or silver
- Variable speed control
- Equipped overloaded protector and PTC Thermostat.
- 27000RPM high speed
- Net weight: 5kgs

Model	Specifications	Color
HS-380	L210xW230xH540mm	Black



COMMERCIAL MILK SHAKER



MS-2

Commercial blender

- Power: 180W-280W
- Mixing cup: 800ml
- Professional single head commercial milk shakemachine
- Pure cooper high speed motor
- 800ml stainless steel cup3) Food grade #304 stainless steel shaft
- Anti-skid and shockproof base design
- Equipped overloaded protector and PTCThermostat,
- Variety speed for different drink mixing
- 18000RPM speed
- Weight: 5kg/pc
- Box size: 52*46*63cm(4pcs)
- Weight: 20kg/carton

Model	Specifications	Color
MS-2	L166xW166xH545mm	Black



Size:39*27*62cm
Weight:7kg



Size:60*27*62cm
Weight:10kg




CAPSULE COFFEE MACHINE

HS-202B /HS-202W

coffee machine

- Supply voltage: 220-240V 50Hz / 110-120V 60Hz
- Rated power:1400W
- Pump pressure:19 bar
- Water tank capacity:800ml
- Dimension:W120xD300xH230MM
- Pratical design for easy organisation and storage of Nespresso compatible capsule.
- Color: Elegant white / High-end black
- Removable water tank and drip tray for easy clean up.
- Available capacity for espresso or coffee lungo.
- Energy saving function: Auto turn off in 5 minute.

Model	Specifications	Color
HS-202B /HS-202W	W120xD300xH230MM	Black/White



EASY 3-STEPS

Lift open, insert capsule, press to dispense





WELCOME TRAY

A TRAY

Practical welcome tray

- Compact welcome tray made of Melamine
- Fit different model kettles
- Available in black and ivory colour
- Easy to clean
- water resistant
- Burn resistant

Model	Specifications	Color
Main Tray	345×315× 22mm	Black/Ivory
Service Tray	345×138×20mm	Black/Ivory
Tea Box	130×100×40mm	Black/Ivory





B TRAY

Practical welcome tray

- Compact welcome tray made of Melamine
- Tray with built-in heating base
- Available in black and ivory colours
- Easy to clean
- Water resistant
- Burn resistant

Model	Specifications	Color
Main Tray	383×308×22.5mm	Black/Ivory
Service Tray	335×132×11mm	Black/Ivory
Tea Box	155×115×50mm	Black/Ivory





C TRAY

Practical welcome tray

- Compact welcome tray made of Melamine
- Available of different model kettles
- Available in black and ivory colours
- Easy to clean

Model	Specifications	Color
Main Tray	385×308× 22.5mm	Black/Ivory
Service Tray	335×132×11mm	Black/Ivory
Tea Box	155×115×50mm	Black/Ivory




D TRAY

Compact welcome tray

- Material :Melamine
- Intergrated space for the kettle base
- Easy to clean
- Water resistant

Model	Specifications	Color
D	L395xW200xH26mm	Black




G TRAY

Compact welcome tray

- Material :ABS
- Intergrated space for the kettle base
- Easy to clean
- Water resistant

Model	Specifications	Color
G	L443xW227xH36mm	Black




Main tray specifications

G-1 TRAY

Compact welcome tray

- Material: ABS
- Easy to clean
- Water resistant
- Hole design with flexible kettles

Model	Specifications	Color
G-1	465×225×40mm	Black



Main tray specifications


H TRAY

Luxury melamine tray

- Material :Melamine
- Intergrated space for the kettle base
- Easy to clean & water resistant
- Burn resistant, anti-stain finish



Model	Specifications	Color
Main Tray	462×369×62mm	Black
Service Tray	429×183×29mm	Black
Tea Box	195×146×40mm	Black




E TRAY

Practical welcome tray

- Material :Melamine
- Available sizes: large, medium, small
- Easy to clean
- Water resistant
- Burn resistant



Model	Specifications	Color
E1	L395xW280xH24mm	Black
E2	L350xW250xH21mm	Black
E3	L292xW210xH18mm	Black




I TRAY

Compact welcome tray

- Material :ABS
- Intergrated space for the kettle base
- 2 indentations for sachets and spoons
- Easy to clean
- Water resistant



Model	Specifications	Color
I	L358xW260xH30mm	Black / White



Main tray specifications


J TRAY

Stylish welcome tray

- Material :Melamine
- Intergrated space for the kettle base
- Indentations for sachets ,spoon, 2 bottles of water and 2 mugs
- Easy to clean
- Water resistant
- Burn resistant



Model	Specifications	Color
J	L420xW300xH30mm	Black




Main tray specifications

K TRAY

Stylish welcome tray

- Material :ABS
- Intergrated space for the kettle base
- Indentations for sachets spoons, 2 bottles of water,2 mugs
- Easy to clean
- Water resistant

Model	Specifications	Color
K	L405xW270xH40mm	Black




Main tray specifications

M TRAY

Compact welcome drawer tray

- Material :ABS
- Intergrated space for the kettle base
- Easy to clean
- Water resistant
- Organized and efficient large storange
- Space saving

Model	Specifications	Color
M	L267xW190xH80mm	Black / White




Main tray specifications

N42M

Coffee&Tea high-end welcome tray

- Material :Melamine
- Intergrated space for the kettle base
- Indentations for sachets, spoons, capsule and cups
- Easy to clean
- Water resistant
- Burn resistant, anti-stain finish

Model	Specifications	Color
N42M	L420xW310xH28mm	Black





Main tray specifications

N42

Coffee&Tea High-end welcome tray

- Material: Beech wood
- Intergrated space for the kettle base
- Indentations for sachets, spoons, capsule and cups
- Easy to clean
- Strong lacquer to minimize scratches and stains

Model	Specifications	Color
N42	L420xW315xH25mm	Nature/Black




Main tray specifications

P TRAY

Compact welcome tray

- Material :ABS
- Intergrated space for the kettle base
- 3 indentations for sachets and spoon
- Easy to clean
- Water resistant

Model	Specifications	Color
P	L350xW204xH50mm	Black/White/Khaki




Main tray specifications

R TRAY


Dual color welcome tray

- Made of ABS,durable lifespan
- Available for different kettles
- Waterproofand high-resistance

Model	Specifications	Color
R1	L390xW260xH30mm	Black
R2	L160xW70xH55mm	Black



R1 tray specifications



R2 tray specifications

S TRAY


Elegant wooden welcome tray

- Material: Beech wood
- Anti-theft: cable can be secured on the tray
- Intergrated space for the kettle base
- 2 indentations for sachets and spoons
- Easy to clean
- Strong lacquer to minimize scratches and stains

Model	Specifications	Color
S	L400xW200xH30mm	Mahogany



With security system




Main tray specifications

W TRAY

Compact wooden welcome tray

- Material :Beech wood
- Intergrated space for the kettle base
- 2 indentations for sachets and spoons
- Easy to clean
- Strong lacquer to minimize scratches and stains

Model	Specifications	Color
W	L363xW240xH33mm	Nature



Main tray specifications


T TRAY

Compact welcome tray

- Material :ABS
- Intergrated space for the kettle base
- Easy to clean
- Water resistant



Model	Specifications	Color
T	L240xW240xH30mm	Black



Main tray specifications


T-1 TRAY

Compact welcome tray

- Material :ABS
- Intergrated space for the kettle base
- Easy to clean
- Water resistant



Model	Specifications	Color
T-1	L240xW240xH30mm	Black



Main tray specifications

L12 TRAY

L12 Leather Coffee Tray

- Made of durable faux leather(PU)
- Suitable for all commonly used style coffee machines
- Free to put different models of Honeyson kettle&your own hotel kettles
- Removable drawer to hold capsules & tea or coffee bag
- Non-slip footing
- Large Drawer Tray
- 4 compartments
- Capsule Holder
- Holder dimension:W195*D275*H45mm

Model	Specifications	Color
L12	W315×D415×H78mm	Black






L13 TRAY

L13 Coffee tray with drawer runner

- Specially with drawer running device
- Made of durable faux leather(PU)
- Enough space to put coffee machine , kettle ,saucer etc.
- Non-slip footing
- Tray size and drawer layout can be customized as per customer need

Model	Specifications	Color
L13	W518xD345xH115mm	Black



Service tray specifications



L14 TRAY

L14 Wooden Tray

- Material:Wood
- Freely to match with Honeyson or your hotel kettles
- Drawer with 3 compartments
- Easy to clean

Model	Specifications	Color
L14	W370xD240x105mm	Black



C-1S/C-1L TRAY


Practical welcome tray

- Compact welcome tray made of ABS
- Available in black colours
- Wooden grain avoid scratches
- Easy to clean
- Water resistant
- Burn resistant

Model	Specifications	Color
C-1S/C-1L	385×305×30mm	Black
B-1S/B-1L	150×115×50mm	Black



Main tray specifications



Tea box specifications

HIGH SPEED HAIR DRYER



F18

High speed hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1600W-1800W
- High-speed brushless motor, stable quality and lower noise;
- Durable matt finish
- Over heat protection
- CE / CB /GCC/Rohs approved
- 200 million negative ions makes the hair more soft and supplemagnetic nozzle
- Removable rear cover for easy cleaning
- Professional quality will make the guests feel like they are in a hair salon
- One cold wind button, 3 gears of wind speed; 3 temperatures
- Special function: color changing according to the 3 temperatures: cold in blue color, medium temperature in orange color; high temperature in red color



• Front design • On/off button • Three-speed control • Rear removable

Model	Specifications	Color
F18	130x75x210mm	Silver



The motor of F18 is brush-less machine which is self-developed by Honeyson, the highest rotate rate can reach 110000 Rpm. Through the test of the honeyson's research office, in terms of female, the average of the blow dry hair time is about 1-5 minutes. F18 also have 720-degree air intake design. It can makes F18 with strong wind power, and the highest wind speed can achieve 20m/s, different from traditional hair dryer, it has the recycle cold & hot temperature automatically changing function to avoid hot-hurt during drying.



F20

High speed hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1600W
- Motor: 103000RPM high speed, brushless motor, powerful and lower sound.
- Overheat protection
- CE / CB /GCC/Rohs approved
- 30 million negative ion makes the hair more soft automatically,switch on automatically
- Gentle air concentrator ,magnetic attach.
- Intelligent heat control helps to protect hair shine.

2 precise speed settings and 4 heat settings

Hot, fast drying-- Red
Medium, regular drying--Orange
Cool, constant drying--Blue
Smart drying and disffusing--Breathing light(red&blue)



• NEGATIVE ION • Switch • Rear removable

Model	Specifications	Color
F20	95x65x245mm	Black/White



F2

Hotel hair dryer with spiral cord

- Power supply: 220V-240V 50Hz-60Hz 1800-2100W with overheating protection
- Branded motor, stable quality and lower noise
- Safety switch to make it safer for hotel use
- strong spiral cord with hang-up loop
- foldable handle, space-saving, easy to store
- Ionic function makes the hair more soft
- three temperature settings + two speed settings
- removable nozzle and air filter for easy cleaning
- Shining finish in high quality



• Foldable • Net removable • Ionic button • Coil

Model	Specifications	Color
F2	215x92x265mm	Black

FOLDABLE HAIR DRYER



F13

Hotel hair dryer with safety switch

- Power supply: 220V-240V 50Hz-60Hz 1800W-2100W
- Full function hair dryer for high-end hotel
- Branded motor, stable quality and lower noise;
- Safety switch, special design for hotel use
- Three temperature including cold setting
- Slim styling nozzle for precise styling
- Foldable handle, space-saving, easy to store
- With loop for hang-up option
- Durable matt finish.



• Foldable • Slim nozzle • Safety button • Back design

Model	Specifications	Color
F13	180×75×210mm	Black



F7W

Hotel hair dryer with silver decoration

- Power supply: 220V-240V 50Hz-60Hz 1600W-1800W
- Safety switch for hotel use
- Three temperature + two gears of wind speed
- Foldable handle, space-saving, easy to store
- With loop for hang-up option
- Lustrous silver and black finish in high quality



• silver line decoration • Front design • Safety button • 3 temperature + 2 gears of wind speed

Model	Specifications	Color
F7W	155x85x200mm	Black



F5

Foldable hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1200W
- ON / OFF button
- Three temperatures including cold setting
- Foldable handle, space-saving, easy to store
- With loop for hang-up option
- Lustrous black finish in high quality



• Foldable • Front design • On/off button • Hang-up loop

Model	Foldable Specifications	Color
F5	130x74x200mm	Black



F12

Foldable hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1200W
- ON / OFF button
- Two temperature/heat settings
- Foldable handle, space-saving, easy to store
- With loop for hang-up option
- Lustrous black finish in high quality



• Foldable • two temperature • Hang-up loop

Model	Foldable Specifications	Color
F12	130x65x155mm	Black



F8

Professional hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1600W
- Three temperature including cold setting
- Air speed: 16m/s
- UV resistant ABS
- Safety switch
- Over-heating protection
- Double motor design, high wind speed, high power.



- Slim nozzle
- Safety button
- 1 cool wind + 2 hot wind
- Rear removable

Model	Specifications	Color
F8	235x83x200mm	Black



F19

Professional hair dryer

- Power supply: 220V-249V 50Hz-60Hz 1600W
- 2 gears of wind speed + 3 temperature settings
- Air speed: 16m/s
- Stainless steel material, high-end luxury
- Safety switch
- Over-heating protection
- Long life AC motor



- Front design
- Safety button
- Three speed hot wind for option
- Hook

Model	Specifications	Color
F19	210x82x230mm	Black



F6

Hair dryer for high-end hotel

- Power supply: 220V-240V 50Hz-60Hz 1400W-1600W
- safty button, special function for hotel use
- Three temperatures including cold setting
- Foldable handle, space-saving, easy to store
- With loop for hang-up option
- Shining black finish in high quality



- Foldable
- Safety button
- 1 cool wind + 2 hot wind
- Hang-up loop

Model	Specifications	Color
F6	155x77x200mm	Black



F9

Full function hair dryer for high-end hotel

- Power supply: 220V-240V 50Hz-60Hz 1800W
- Safety switch or On/off button for option
- Three temperature including cold setting
- Foldable handle
- Straight power cord
- With chrome finished rear cover
- Automatic power off when over heating
- Shining black finish in high quality



- Foldable
- Safety button
- 1 cool wind + 2 hot wind
- Hang-up loop

Model	Specifications	Color
F9	180x80x205mm	Black



F21

Foldable handle,
easy to store

- Power supply: 220V-240V
50Hz-60Hz 1600W
- Branded motor, stable quality
and lower noise;
- Safety button, special design for hotel use
- Durable matt finish
- Overheat protection
- One cold ind button, Two hot wind button



• Slim nozzle



• Safety switch



• Front design



• Foldable handle

Model	Specifications	Color
F21	126x78x200mm	Black / White



F22-WM

Wall mounted hair dryer Power

- Power supply: 220V-240V
50Hz-60Hz 1600W
- Wall mounted, with base
- Three speed setting
- Hammer style handle
- Safety switch
- Color : black(matt finish)
- Wind speed: 17m/s (21000 rpm)



• Slim nozzle



• Safety switch




• Front design



• Foldable handle

Model	Specifications	Color
F22-WM	130x75x200mm	Black/White



- Material:ABS
- Size:110x95x70mm

Model	Specifications	Color
Base	130x105x70mm	Black/White



F17B/F17W


Hotel hair dryer in popular Hammer style

- Power supply: 220V-240V 50Hz-60Hz 1600W-1800W
- Branded motor, stable quality and lower noise;
- Safety button, special design for hotel use
- Two speed hot wind+ cool wind
- Front and rear in flower-shape design;
- Durable matt finish
- Over heat protection



• Front design • Slim nozzle • Safety switch • Back design

Model	Specifications	Color
F17B / F17W	130x75x200mm	Black/White/Khaki



- Material:ABS
- Size:130x105x70mm

Model	Specifications	Color
Base	130x105x70mm	Black/White/Khaki

D01B-1

Wall-mounted hair dryer

- 2 speed hot wind
- Safety switch
- Over heating protection
- Power supply: 220V-240V 50Hz-60Hz 1300W



• Front design • Safety button • 2 speed hot wind • Shaver socket for option

Model	Specifications	Color
D01B-1	180x100x170mm(Base) 125x70x180mm(Dryer body)	White



D01A (WITH SHAVER SOCKET 110V & 220V)
D01A-1 (WITH SHAVER SOCKET 220V)



D02B-1

Wall-mounted hair dryer

- 2 speed hot wind
- Safety switch
- Over heating protection
- Power supply: 220V-240V 50Hz-60Hz 1300W



• Front design • Safety button • 2 speed hot wind • On/off button

Model	Specifications	Color
D02B-1	90x120x120mm(Base) 125x70x180mm(Dryer body)	White



D08

Wall-mounted hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1600W
- 2 speeds hot wind
- air speed: 14m/s
- Safety switch
- Over-heating protection



• Front design • 2 speed hot wind • Back design

Model	Specifications	Color
D-08	112x145x120mm(Base) 150x75x200mm(Dryer body)	Black/White



D07-1/D07-2

Wall-mounted hair dryer

- Safety switch
- Over heating protection
- Power supply: 220V-240V 50Hz-60Hz 1600W
- Two speed hot wind + cool wind for option



• 2 speed hot wind • Safety button • Narrow nozzle

Model	Specifications	Color
D07-1/D07-2	110x140x190mm(Base) 155x77x200mm(Dryer body)	White/Black



D07-1 (WITH SHAVER SOCKET 110V & 220V)
D07 (WITH SHAVER SOCKET 220V)



D07-2 (WITHOUT SHAVER SOCKET 110V & 220V)

D11

Wall-mounted hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1800W
- 2 speeds + 3 temperatures
- air speed: 16m/s
- Shaving socket power supply: 110V& 220V
- Safety switch
- Over-heating protection



• Front design • Safety button • 2 speed hot wind • Shaver socket

Model	Specifications	Color
D11	134x85x130mm(Base) 160x75x190mm(Dryer body)	Black/White



D10

Wall-mounted hair dryer

- Power supply: 220V-240V 50Hz-60Hz 1600W
- 2 air speeds + 3 temperatures settings
- Air speed: 16m/s
- stainless steel material, high-end luxury
- Safety switch
- Over-heating protection
- Long life AC motor



• Front design • On/off button • Three speed hot wind for option • Black design

Model	Specifications	Color
D10	112x145x120mm(Base) 210x82x230mm(Dryer body)	Black



ELECTRIC IRON

HS-05

Steam iron

- 220-240V 50-60Hz , 1800W or 110V 60Hz 1000W
- Hotel steam master, safe and powerful
- Safe auto shut-off system:
 - -horizontal position after 30 seconds
 - -vertical position after 8 minutes
- Ceramic soleplate
- Dry/steam/spray/blast/anti-drip/self-clean functions
- ON and READY indicator light

Model	Specifications	Colour
HS-05	L292×W121×H145mm	Black



ELECTRIC IRON

HS-16

Steam iron

- 220-240V 50/60Hz , 1600W
- Hotel steam master, safe and powerful
- Safe auto shut-off system:
 - -horizontal position after 30 seconds
 - -vertical position after 8 minutes
- Ceramic soleplate
- Dry/steam/spray/blast/anti-drip
- ON and READY indicator light

Model	Specifications	Colour
HS-16	L292×W121×H145mm	Black/Blue



HS-06

Steam iron

- 220-240V 50-60Hz , 1800W
- Hotel steam master, safe and powerful
- Safe auto shut-off system:
 - -horizontal position after 30 seconds
 - -vertical position after 8 minutes
- Ceramic soleplate
- Dry/steam/spray/blast/anti-drip/self-clean functions
- ON and READY indicator light

Model	Specifications	Colour
HS-06	L292×W121×H145mm	White/Grey



HS-22

Steam iron

- 220V-240V ,50Hz-60Hz, 2200W
- Adjustable Temperature for different fabrics
- Dry/Spray/Steam/Burst steam/ Self-cleaningAnti-calc/Anti-drip/Auto shut-off
- -horizontal position after 30 seconds
- -vertical position after 8 minutes
- Water tank capacity: 320ML
- Dial thermostat control
- Temperature pilot light
- Soft handle
- Soleplate: Ceramic

Model	Specifications	Colour
HS-22	L290×W122×H150mm	Black

HS-23

Steam iron

- 220-240V 50/60Hz , 2200W or 110V 60Hz 1000W
- Adjustable Temperature for different fabrics
- Dry/Spray/Steam/Burst steam/Self-cleaningAnti-calc/ Anti-drip/Auto shut-off
- horizontal position after 30 seconds
- vertical position after 8 minutes
- Water tank capacity: 400ML
- Dial thermostat control
- Temperature pilot light
- Soft handle
- Soleplate: Ceramic
- Soleplate Size: L220 x W120 mm
- CE, CB, GCC, ROHS Approved

Model	Specifications	Colour
HS-23	L287×W120×H145mm	Black



HS-08

Dry iron

- 220V-240V 50Hz-60Hz,1000W
- Function:Dry/adjustable temperature settings for different fabrics/over heat safety protection/
- Temperature pilot light
- Non-stick soleplate
- Auto-shut off
- -horizontal position after 30 seconds
- -vertical position after 8 minutes

Model	Specifications	Color
HS-08	L265×W103×H132mm	Black / White



IRONING BOARD

IB05-1

Top Ironing Board With Rest Part

- compact mesh frame board, fits into small areas
- easy to use, adjustable in height
- matt black legs for extra stability
- available with or without integrated hanger or separate organiser
- Board size:110x33 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:7mm
- Total max height:85cm, 7 gears adjustable height
- Packing: each pc shrink wrapped,4pcs/ctn
- Leg tube dia:28mm&32mm

Model	Specifications	Color
IB05-1	110x33cm	Black
IB12	22x20cm	Shinning Black



(Iron:HS-05,Iron Board:IB05-1)



IB12

Ironing solutions

This is the hang-in-wardrobe style which includes a board, an organiser and an iron. It is space saving and easy in use.

IRONING BOARD

IB01

Top Ironing Board With Rest Part

- Board size: 92x30 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:10mm
- 7 gears adjustable in height
- Packing: each pc shrink wrapped,4pcs/ctn
- Compact mesh frame board
- Fits into small areas

Model	Specifications	Color
IB01	92x30cm	Silver grey/Black



(Iron:HS-06,Iron Board:IB-01)

IB01-1

Metal Mesh Top Ironing Board

- Board size: 90x30 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:8mm
- 7 gears adjustable in height
- Packing: each pc shrink wrapped,4pcs/ctn
- Compact mesh frame board
- Fits into small areas

Model	Specifications	Color
IB01-1	90x30cm	Black



(Iron:HS-22,Iron Board:IB-01)



IB02-5

- Wall mounted type ironing holder
- Compatible with compatible with
- Color: White/ Black
- Size: H 35 ×W13.5cm



IB22

- Wall mounted type ironing holder
- Apply to hang ironing board
- Color: black
- Pad: 52mm
- Wire: Φ8mm
- 1pc in a polybag, 10pcs/ctn

IB03

Metal Mesh Top Ironing Board

- Board size:110x33 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:10mm
- Total max height:85cm, 7 gears adjustable height
- Packing: each pc shink wrapped,4pcs/ctn
- Leg tube dia:28mm&32mm

Model	Specifications	Color
IB-03	110×33cm	Silver grey



(Iron:HS-06,Iron Board:IB-03,Holder: IB03-3&5)



IB03-3&5

- Ironing holder with anti-theft spare part
- Apply to hang ironing board into hotel wardrobe
- Color: silver
- Size: W14×D13×H42cm

IB05

Metal Mesh Top Ironing Board

- Board size:110x33 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:7mm
- Total max height:85cm, 7 gears adjustable height
- Packing: each pc shink wrapped,4pcs/ctn
- Leg tube dia:28mm&32mm

Model	Specifications	Color
IB05	110×33cm	Black



(Iron: HS-05,Iron Board: IB-05,Holder: IB05-3&5)



IB05-3&5

- Model: IB04-5
- Ironing holder hanging to wardrobe
- Color: black
- Size: W14x13xH42cm

IB05&IB04-5

Metal Mesh Top Ironing Board

- Board size:110x33 cm
- Material: Steel
- Surface treatment: powder coating
- Thickness of felt:7mm
- Total max height:85cm, 7 gears adjustable height
- Packing: each pc shink wrapped,4pcs/ctn
- Leg tube dia:28mm&32mm

Model	Specifications	Color
IB05	110×33cm	Black



(Iron:HS-08,Iron Board:IB-05,Holder:IB04-5)



IB04-5

- Model: IB04-5
- Ironing holder hanging to wardrobe
- Color: black
- Size: W13xD14xH42cm

IB09


Ironing Board with rectangular leg&Round leg combination

- Built with a sturdy 5 cm wide rectangular leg for exceptional stability.
- Durable welded frame with a heavy-duty mesh top.
- Black powder-coated steel for a sleek, long-lasting finish.
- Flame-retardant cover with a soft cotton blend surface.
- Thick 8mm foam padding enhances comfort and efficiency.
- Secure elastic straps and non-slip feet ensure a firm ironing experience.
- Adjustable height with 7 levels, designed for different users and environments.
- Safety lock mechanism for easy folding and secure storage.

Model	Board Specifications	Color
IB09	109×38cm	Black



Upgraded thicker workmanship one piece & elastic



5 cm wide rectangular leg



7 Adjustable Height

IB10

Ironing Board with retractable rest part

- Sturdy welded frame with a heavy-gauge mesh top.
- Tubular steel frame with a black powder-coated finish.
- Retractable iron rest that conveniently slides under the board for extra storage space in hotel wardrobes.
- Heavy-duty flame-retardant cover made with mostly cotton material.
- Thick fiber padding ensures smooth and easy ironing.
- Elastic straps provide a secure, non-slip fit.
- Safety lock for secure fold-up and easy storage.
- Non-slip end caps on legs to prevent movement during use.
- Adjustable height to suit different users.
- Space-saving foldable design when not in use.

Model	Board Specifications	Color
IB10	110×40cm	Black



Upgraded thicker workmanship one piece & elastic



Anti slip Legs



7 Adjustable Height



SEMI-CONDUCTOR MINI BAR



BC-20A

Thermo-electric Mini Bar

- Capacity: 20L
- ECO Temp: 4.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option:Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-20A	W400xD422xH352mm	Black



BC-20BF

Thermo-electric Mini Bar

- Capacity: 20L
- ECO Temp: 10-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-20BF	W400xD422xH352mm	Black

SEMI-CONDUCTOR MINI BAR



BC-30A

Thermo-electric Mini Bar

- Capacity: 30L
- ECO Temp: 6.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-30A	W400xD396xH480mm	Black



BC-30AF

Thermo-electric Mini Bar

- Capacity: 30L
- ECO Temp: 10-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option : Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-30AF	W400xD396xH480mm	Black

SEMI-CONDUCTOR MINI BAR



BC-40A

Thermo-electric Mini Bar

- Capacity: 40L
- ECO Temp: 6.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-40A	W400xD420xH530mm	Black



BC-40G

Thermo-electric Mini Bar

- Capacity: 40L
- ECO Temp: 10-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 55W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-40G	W400xD420xH530mm	Black

SEMI-CONDUCTOR MINI BAR



HS-25BP

Thermo-electric Mini Bar

- Capacity: 25L
- ECO Temp: 6.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option:Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
HS-25BP	W380xD370xH490mm	Black



HS-25BP-G

Thermo-electric Mini Bar

- Capacity: 25L
- ECO Temp: 10-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
HS-25BP-G	W380xD370xH490mm	Black

SEMI-CONDUCTOR MINI BAR



HS-30A

Thermo-electric Mini Bar

- Capacity: 30L
- ECO Temp: 6-12℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 48W
- Energy: 0.5kwh/24h

Model	Specifications	Color
HS-30A	W420xD400xH485mm	Black



HS-30G

Thermo-electric Mini Bar

- Capacity: 30L
- ECO Temp: 10-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option : Black,white
- 220-240V 50/60Hz 48W
- Energy: 0.5kwh/24h

Model	Specifications	Color
HS-30G	W420xD400xH485mm	Black

SEMI-CONDUCTOR MINI BAR



HS-42A

Thermo-electric Mini Bar

- Capacity: 42L
- ECO Temp: 6.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- N.W.:10.2kg
- Color option: Black,white
- 220-240V 50/60Hz 48W

Model	Specifications	Color
HS-42A	W420xD420xH515mm	Black



HS-42G

Thermo-electric Mini Bar

- Capacity: 42L
- ECO Temp: 13-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- N.W.:11.4kg
- Color option: Black,white
- 220-240V 50/60Hz 48W

Model	Specifications	Color
HS-42G	W420xD420xH515mm	Black

THERMO ABSORPTION MINI BAR



BC-25A

Thermo Absorption Mini Bar

- Capacity: 25L
- ECO Temp: 5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option:Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-25A	W380xD370xH490mm	Black



BC-25A-G

Thermo Absorption Mini Bar

- Capacity: 25L
- ECO Temp: 10-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-25A-G	W380xD370xH490mm	Black

THERMO ABSORPTION MINI BAR



BC-30C

Thermo Absorption Mini Bar

- Capacity: 30L
- ECO Temp: 6.5-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-30C	W420xD395xH490mm	Black



BC-30C-G

Thermo Absorption Mini Bar

- Capacity: 30L
- ECO Temp: 10-18℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option : Black,white
- 220-240V 50/60Hz 50W
- Energy: 0.5kwh/24h

Model	Specifications	Color
BC-30C-G	W420xD395xH490mm	Black

THERMO ABSORPTION MINI BAR



BC-40CP(BC-42A)

Thermo absorption mini bar

- Capacity: 40L
- ECO Temp: 5-15 ℃
- 220-240V 50/60Hz 48W
- Automatically evaporating drain water
- Margic shelf design, convenient for storing different size of drinks
- Reversible door design
- Internal LED light
- Insulation: Cyclopentane

Model	Specifications	Color
BC-40CP(BC-42A)	W420xD420xH575mm	Black



BC-40CP-G(BC-42B)

Thermo absorption mini bar

- Capacity: 40L
- ECO Temp: 10-18 ℃
- 220-240V 50/60Hz 48W
- Automatically evaporating drain water
- Margic shelf design, convenient for storing different size of drinks
- Reversible door design
- Internal LED light
- Insulation: Cyclopentane

Model	Specifications	Color
BC-40CP-G(BC-42B)	W420xD420xH575mm	Black

THERMO ABSORPTION MINI BAR



CB-20SA

Silent Mini Bar

- Capacity: 20L
- ECO Temp: 6-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option:Black,white
- 220-240V 50/60Hz 58W
- Energy: D grade, 0.17kwh/24h

Model	Specifications	Color
CB-20SA	W360xD390xH430mm	Black



SC-20SA

Silent Mini Bar

- Capacity: 20L
- ECO Temp: 12-16℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 58W
- Energy: D grade, 0.17kwh/24h

Model	Specifications	Color
SC-20SA	W360xD390xH440mm	Black

THERMO ABSORPTION MINI BAR



CB-30SA

Silent mini bar

- No compressor, no vibration, no CFC, No noise
 - Capacity: 30L
 - ECO Temp: 6-15 ℃
 - Automatically evaporating drain water
 - Reversible door design
 - Internal LED light
 - Regfrigeration:R600a
 - Insulation: Cyclopentane
 - Aluminium Inner
 - 100V-127V, 220V-240V 63W
- Energy: D grade, 0.17kwh/24h

Model	Specifications	Color
CB-30SA	W385xD420xH475mm	Black



SC-30SA

Silent mini bar

- No compressor, no vibration, no CFC, No noise
 - Capacity: 30L
 - ECO Temp: 12 -16℃
 - Automatically evaporating drain water
 - Reversible door design
 - Internal LED light
 - Regfrigeration:R600a
 - Insulation: Cyclopentane
 - Aluminium Inner
 - 100V-127V, 220V-240V 63W
- Energy: D grade, 0.17kwh/24h

Model	Specifications	Color
SC-30SA	W385xD420xH485mm	Black

COMPRESSOR FRIDGE



SC-30L

Compressor mini bar

- Capacity: 30L
- ECO Temp: 0-10℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 70W
- Noise:40dB

Model	Specifications	Color
SC-30	W405xD415xH493mm	Black



SC-42L

Compressor Mini Bar

- Capacity: 42L
- ECO Temp: 0-10℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 75W
- Noise:40dB

Model	Specifications	Color
SC-42L	W405xD415xH585mm	Black

COMPRESSOR MINI BAR



SC-50L

Compressor Mini Bar

- Capacity: 50L
- ECO Temp: 0-10℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 75W
- Noise:40dB

Model	Specifications	Color
SC-50L	W445xD465xH520mm	Black



SC-75L

Compressor Mini Bar

- Capacity: 75L
- ECO Temp: 0-10℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 75W

Model	Specifications	Color
SC-75L	W445xD470xH760mm	Black

COMPRESSOR MINI BAR



BC-30L

Compressor Mini Bar with freezer compartment

- 220V-240V, 50Hz-60Hz 50W, 100-120V 50W
- Net Capacity: 30L
- temperature 0-10 degree
- Refrigerant: R600a
- Color: white, silver or black for option

Model	Specifications	Color
BC-30L	W425xD420xH490mm	Silver



BC-50L

Compressor Mini Bar with freezer compartment

- 220V-240V, 50Hz-60Hz 50W, 100-120V 50W
- Net Capacity: 50L
- temperature 0-10 degree
- Color: siver or black for option 2 glass shelves
- Refrigerant: R600a

Model	Specifications	Color
BC-50L	W445xD480xH520mm	Silver

COMPRESSOR MINI BAR



BC-75L

Compressor Mini Bar

- 220V-240V, 50Hz-60Hz 50W, 100-120V 55W
- Net Capacity: 75L
- Net fridge compartment: 70L with temperature 0-10 degree
- Net freezer compartment: 5L with temperature -3degree
- Color: silver
- Refrigerant: R600a

Model	Specifications	Color
BC-70L	W445xD480xH760mm	Silver

DRAWER STYLE



XC-50A

Absorption Mini Bar

- No compressor, no noise, no freon
- Capacity: 50L
- ECO Temp: 0-8℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 80W

Model	Specifications	Color
XC-50A	W550xD500xH430mm	Black

DRAWER STYLE



CB-21SA

Thermo Absorption Mini Bar

- No compressor, no vibration, no CFC, No noise
- Capacity: 21L
- ECO Temp: 8℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 63W
- Energy: E grade, 75kwh/annum

Model	Specifications	Color
CB-21SA	W385xD455xH375mm	Black



CB-45SA

Thermo absorption Mini Bar

- Capacity: 45L
- ECO Temp: 6-15℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- 220-240V 50/60Hz 58W
- Energy: F grade, 0.26kwh/24h

Model	Specifications	Color
CB-45SA	W490xD455xH425mm	Black

ABSORPTION MINI BAR



XC-30A

Silent Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 30L
- ECO Temp: 0-8℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 65W
- Energy: G grade, 0.61kwh/24h

Model	Specifications	Color
XC-30A	W400xD420xH480mm	Black



XC-30B

Silent Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 30L
- ECO Temp: 5-12℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 65W
- Energy: G grade, 0.76kwh/24h

Model	Specifications	Color
XC-30B	W400xD415xH480mm	Black

ABSORPTION MINI BAR



XC-40A

Absorption Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 40L
- ECO Temp: 0-8℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 65W
- Energy: 0.62kwh/24h

Model	Specifications	Color
XC-40A	W400xD440xH550mm	Black



XC-40B

Absorption Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 40L
- ECO Temp: 5-12℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 65W
- Energy: 0.78kwh/24h

Model	Specifications	Color
XC-40B	W400xD435xH550mm	Black

ABSORPTION MINI BAR



XC-60A

Silent Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 60L
- ECO Temp: 0-8℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 80W
- Energy: 1.0kwh/24h

Model	Specifications	Color
XC-60A	W485xD500xH560mm	Black



XC-60B

Silent Mini Bar

- No compressor, no noise, no vibration, no freon, environmental friendly
- Capacity: 60L
- ECO Temp: 5-12℃;
- Automatically evaporating drain water;
- Internal LED light;
- Insulation: Cyclopentane
- Color option: Black,white
- 220-240V 50/60Hz 80W
- Energy: 1.15kwh/24h

Model	Specifications	Color
XC-60B	W485xD495xH560mm	Black



SAFE BOX



E2042A

- Solid, arc-welded heavy-gauge steel construction.
- finish or Sand texture powder coating finish
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.

Model	Specifications	Color
E2042A	W420xD370xH200mm	Black



E2042B

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management:3-6 digit guest code.
- Hotel management:6 digit override master code/override mechanical key
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit Trail 100 records.
- With backlit keypad

Model	Specifications	Color
E2042B	W420xD370xH200mm	Black



2042F-8

- Digital display, electronic keypad;
- Fully automatic electronic lock;
- Three ways to open the box:
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- Pre-drilled mounting holes.
- LCD display screen.
- 15 minutes freeze system in case of wrong code for 4 times, meanwhile password hiding function for option;
- Body finish : Sand texture powder coating finish, Black
- Panel color : black

Model	Specifications	Color
2042F-8	W420xD360xH190mm	Black



E2042G

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.

Model	Specifications	Color
E2042G	W420xD370xH200mm	Black



E2042H

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.

Model	Specifications	Color
E2042H	W420xD370xH200mm	Black



E2042M

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management:3-6 digit guest code.
- Hotel management:6 digit override master code/override mechanical key
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail 1000 records.
- With backlit keypad

Model	Specifications	Color
E2042M	W420xD370xH200mm	Black



E2042U

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit Trail 1000 records

Model	Specifications	Color
E2042U	W420xD370xH200mm	Black



E2042V

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.

Model	Specifications	Color
E2042V	W420xD370xH200mm	Black



E2042BJ

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail 1000 records

Model	Specifications	Color
E2042BJ	W420xD370xH200mm	Black



E2042MJ

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail 1000 records

Model	Specifications	Color
E2042MJ	W420xD370xH200mm	Black



E2043

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery level alert
- Powered by 4 x AA.
- LED display screen.
- User management: 4-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 3 times.
- Audit trail 200 records

Model	Specifications	Color
E2043	W430xD350xH200mm	Black



E2043B

- Solid, arc-welded heavy-gauge steel construction.powder coating finish.
- 18mm solid steel bolt for maximum security and durability.
- Low battery level alert
- LED display screen.
- User management :4-6 digit guest code.
- Hotel management:6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 3 times.
- Audit Trail 200 record

Model	Specifications	Color
E2043B	W420xD370xH200mm	Black



D1541N

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 3 times.

Model	Specifications	Color
E2043B	W410xD350xH150mm	Black



E4035

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA.
- LED display screen.
- User management: 4-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 3 times.
- Audit trail 1000 records
- can fit 15" laptop

Model	Specifications	Color
E2043	W400xD350xH150mm	Black



D1541MJ

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail 1000 records

Model	Specifications	Color
D1514MJ	W410xD350xH150mm	Black



D1541BJ

- Solid, arc-welded heavy-gauge steel construction.
- 18mm solid steel bolt for maximum security and durability.
- Low battery indicator
- Powered by 4 x AA.
- LED display screen.
- User management: 3-6 digit guest code.
- Hotel management: 6 digit override master code/mechanical key override
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail 1000 records

Model	Specifications	Color
D1541BJ	W410xD350xH150mm	Black



E2043C

- Side Opening (Standard: Right Hinge)
- Audit Trail: Records up to 200 entries.
- ESD Anti-static: >6000V.
- Lock Mechanism: Solid steel double bolt lock for maximum security and durability.
- Buttons: ADA silicone buttons with blind contacts.
- Display: LED screen (Blue digital).
- Security Codes: 4-6 digit user code, 6 digit master code, and universal mechanical key.
- Auto-lock Feature: Automatically locks the box after three incorrect password entries.
- One-button Locking: Locks with a single button press within 5 minutes to prevent forgetfulness.
- Power Source: 4 x AA batteries.
- Low Battery Alert: Automatic notification when battery level is low.

Model	Specifications	Color
E2043C	W445xD380xH200mm	Black



E2043D

- Side Opening (Standard: Right Hinge)
- Decoding Function Included
- Flash Memory (Stores up to 200 records)
- EU CE Certification Compliant, RoHS Compliant;
- ESD Anti-static >6000V; Solid Steel Double Bolt Locking Mechanism
- ADA Silicone Buttons with Braille Markings
- LED Display Screen (Blue Numerical)
- Each Unit Comes with Batteries and Carpets
- Includes Mechanical Key; Keys are Batch-matched
- 6-digit Password (Can be set between 4-6 digits);
- Box Automatically Locks after 3 Incorrect Password Entries
- One-button Self-locking Feature (To prevent customers from forgetting to lock the safe) (Locks with a single button press within 5 minutes)
- Low Battery Alert;
- Password Feedback Feature;
- Administrator Password Configuration Option.

Model	Specifications	Color
E2043D	W445xD380xH200mm	Black



E4035B

- Upward-opening with single pneumatic bar
- Equipped with decoding functionality
- Flash memory capable of storing up to 200 records
- EU CE certified and RoHS compliant;
- ESD anti-static protection exceeding 6000V;
- solid steel double bolt locking mechanism
- Features ADA-compliant silicone buttons with tactile markings for the visually impaired
- Includes a blue LED display screen for easy viewing
- Accommodates up to 15-inch tablet computers
- Each unit includes batteries and carpeting
- Comes with a mechanical key;
- batch-matched keys provided according to each order batch
- Utilizes a 6-digit password system (configurable between 4-6 digits);
- automatically locks after 3 incorrect password attempts
- Includes a one-button self-locking feature (activates within 5 minutes to prevent accidental unlocking)
- Features a low battery alert, supports operation in both Chinese and English languages, and includes a password feedback function
- Option to set an administrator password for enhanced security

Model	Specifications	Color
E4035B	W400xD350xH150mm	Black



E4035C

- Upward-opening with single pneumatic bar
- Equipped with decoding functionality
- Flash memory capable of storing up to 200 records
- ESD anti-static protection exceeding 6000V;
- solid steel double bolt locking mechanism
- Features ADA-compliant silicone buttons with tactile markings for the visually impaired
- Includes a blue LED display screen for easy viewing
- Accommodates up to 15-inch tablet computers
- Each unit includes batteries and carpeting
- Comes with a mechanical key;
- batch-matched keys provided according to each order batch
- Utilizes a 6-digit password system (configurable between 4-6 digits);
- automatically locks after 3 incorrect password attempts
- Includes a one-button self-locking feature (activates within 5 minutes to prevent accidental unlocking)
- Features a low battery alert, supports operation in both Chinese and English languages, and includes a password feedback function
- Option to set an administrator password for enhanced security

Model	Specifications	Color
E4035C	W400xD350xH150mm	Black



CT-2048MJ

- Solid, arc-welded heavy-gauge steel construction. Orange peel powder coating finish
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA. Automatic low battery level alert. (battery not included)
- LED display screen.
- 3-6 digit guest code.
- 6 digit override master code/override mechanical key
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail function(100 last records, device 1%free)

Model	Specifications	Color
CT-2048MJ	W370xD420xH200mm	Black



CT-2048BJ

- Solid, arc-welded heavy-gauge steel construction. Orange peel powder coating finish
- 18mm solid steel bolt for maximum security and durability.
- Pre-drilled mounting holes.
- Powered by 4 x AA. Automatic low battery level alert. (battery not included)
- LED display screen.
- 3-6 digit guest code.
- 6 digit override master code/override mechanical key
- 5 minutes freeze system in case of wrong code for 4 times.
- Audit trail function(100 last records, device 1%free)
- Inside LED light strip

Model	Specifications	Color
CT-2048BJ	W370xD420xH200mm	Black



E2317

- Digital display, electronic keypad;
- Fully automatic electronic lock;
- Three ways to open the box:
- User password (3-6 digits);
- Hotel management code to facilitate management;
- Mechanical key;
- Pre-drilled mounting holes.
- LCD display screen.
- 15 minutes freeze system in case of wrong code for 4 times, meanwhile password hiding function for option;
- Body finish : Sand texture powder coating finish, Black
- Panel color : black

Model	Specifications	Color
E2317	W230xD170xH170mm	Black






MAGNIFYING MIRROR


HT-67A/HT-67

Dia: 6",8"
3 x magnification,
Double side




HT-726A/HT-726

Dia: 6",8"
3 x magnification,
Double side




HT-66A/HT-66

Dia: 6",8"
3 x magnification,
Double side




HS-529

Dia: 8.5"
Thickness: 55mm
Voltage: 110V/220V
LED: 60000 hrs
3 x magnification,
Double side




HS-519

Dia: 8"
Thickness: 20mm
LED: 60000 hrs
Votage: 110V/220V
3 x magnification,
double side




HS-509/HS-509A

Dia: 8.5"/8"
LED: 60000 hrs
Votage: 110V/220V
3 x magnification,
single side





HS--M1808

Dia: 9"
3X MAGNIFICATION
Thickness: 20mm
LED: WITH LED




HS--M0618

Dia: 8"
3X MAGNIFICATION




HS-539

size: 200 x 200mm
LED: 60000 hrs
Votage: 110V/220V
3 x magnification,
single side




HS-559

size: 212 x132mm
LED: 60000 hrs
Votage: 110V/220V
3 x magnification,
single side



HS-M6018

Dia: 8"
3X MAGNIFICATION



HS-M0820

Dia:8"
Double Side
3 x magnification
LED lighted mirror
with 3 colors light





WEIGHING SCALE



H-01

- LCD Size: 61*25mm
- Max Capacity: 200KG
- Graduation:0.1kg/0.2lb/0.2lb(1lb,≥20st)
- Power Supply:2*AAA batteriescan fit in. (Do not provide)
- Built-in high precision induction system;
- 6mm toughened glass weighing platform;
- Auto on/ Auto off function;
- Low battery and overload indication;

Model	Specifications	Color
H-01	L305×W245×H25mm	Glass/White

H-02

- Dimension:312*285*23mm
- LCD Display Size: 73*33mm
- Material:6mm tempered glass
- Max Capacity: 180KG/396LB
- Unit:KG / LB
- Built-in high precision induction system;
- Auto on/ off function;
- Low battery and overload indication;
- Operated by 2xAAA batteries

Model	Specifications	Color
H-02	L312xW285xH23mm	Black





H-05

- Full Glass platform
- Equipped with 4 high precision sensors system.
- Capacity:180kg.
- Graduation: 0.1kg
- LED display ,SIZE:80*30mm
- Automatic switch on/off
- Units : kg
- Low Battery / Overload Indication.
- Battery: 2*1.5V AAA (do not provide)

Model	Specifications	Color
GL-FD205	L300xW300xH24.5mm	Black

GL-D1M

- Dimension: $\Phi 330 \times 35$ (mm)
- LCD Size: 73*33mm with blue backlight
- Material:6mm tempered glass.
- Max Weight: 180KG/396LB
- Equipped with High Presion Strain Gauge Sensors System
- Low Battery / Overload Indication.
- KG and LB selector
- Automatic Zero Resttting & Automatic Switch Off.
- Operated by 2xAAA batteries

Model	Specifications	Color
GL-D1M	$\Phi 33 \times H35$ mm	Glass



H-03

- Dimension:312*285*20mm
- LCD Size: 61*25mm
- Max Capacity: 180KG/396LB
- 5mm toughened glass weighing platform;
- Built-in high precision induction system;
- KG and LB selector
- Auto on/ Auto off function;
- Low battery and overload indication;
- Operated by 1 lithium cell battery

Model	Specifications	Color
H-03	L312xW285xH20mm	Silver

H-04

- With 5MM Tempered Glass With S/S Platform
- Blue Backlight.
- Built in high precision induction sensor
- With 73*33mm Digits LCD Display.blacklight
- Low Battery / Overload Indication.
- Unit:kg/lb/st
- Automatic Zero Resttting.
- Material: Tempered Glass, Stainless Steel,ABS.
- Max Weight: 180KG / 396LB
- Power Source: 2 *1.5V AAA Batteries(Not Included)

Model	Specifications	Color
H-04	L300xW300xH23mm	Stainless Steel





HS-D3A

- Power:battery-free(Magic engine system, just simply push or step onto the power button to generate power for weighing)
- Four high-precision sensor
- Capacity:180KG/396LB
- LCD size:81*42mm
- Unit: KG/LB
- Low battery (LO) and overload indication (Err)

Model	Specifications	Color
HS-D3A	L280xW280xH30mm	Black



HS-1102

- Dimension: 300*300*23mm
- LCD display size:61*25mm
- Material: 5mm tempered glass
- Max Capacity: 180 KG/396LB
- Unit:KG / LB
- Equipped with high precision sensors
- Low Battery and Overload Indication.
- Automatic Zero Resetting.
- Operated by 1 lithium cell battery

Model	Specifications	Color
HS-1102	L300xW300xH23mm	Black

GL-D1102

- Tempered Glass platform
- Equipped with high precision sensors
- LCD display size:61*25mm
- Low Battery / Overload Indication.
- Automatic Zero Restting.
- Material: Tempered Glass,ABS
- Division: 100G
- Max Weight: 180KGS
- Power Supply: 1*lithium button cell(do not provide)

Model	Specifications	Color
GL-D1102	L280xW280xH23mm	Glass





TELEPHONE

SN-0001B

- Compatibilited with multiple of mainstream switches;
- Speed dial button(+10、 +5、 +3、 +0);
- 14 digits memory;
- Dual tones electronic ringing and volume 2 levels adjustable;
- Hand-free call volume multilevel adjustable;
- Automatic take-up function/Auto re-dial;
- Desk and wall mountable.

Model	Specifications	Color
SN-0001B	L220×W150×H80mm	Black/Beige



SN-0005

- Compatibilited with multiple of mainstream switches;
- Speed dial button(+8、 +5、 +3、 +0);
- 14 digits memory;
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Automatic take-up function/Auto re-dial;
- Desk and wall mountable.

Model	Specifications	Color
SN-0005		Black/Beige



SN-0009

- Compatibilited with multiple of mainstream switches;
- Flash time adjustable to fit for different exchange,standard flash time is 600ms.
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+10、+5、+3、+0);
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
SN-0009		Black/Beige



SN-0016

- Compatibilited with multiple of mainstream switches;
- Flash time adjustable to fit for different exchange, standard flash time is 600ms.
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+10、+5、+3、+0);
- Service key store number up to 32 bits;
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
SN-0016		Black



SN-0009B

12 bit LCD display, actual time and date display.

- Compatibilited with multiple of mainstream switches;
- Flash time adjustable to fit for different exchange,standard flash time is 600ms.
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+10、+5、+3、+0);
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
SN-0009B		Black/Beige



SN-0016B

12 bit LCD display, actual time and date display.

- Compatibilited with multiple of mainstream switches;
- Flash time adjustable to fit for different exchange, standard flash time is 600ms.
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+10、+5、+3、+0);
- Service key store number up to 32 bits;
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
SN-0016B		Black



SN-0018

- 12 bit LCD display, actual time and date display.
- Compatibilited with multiple of mainstream switches;
- Flash time adjustable to fit for different exchange,standard flash time is 600ms.
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+6、 +4、 +0);
- Service key store number up to 32 bits;
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
SN-0018	L204×W114×H103mm	Black



ACE-8901

- Compatibilited with multiple of mainstream switches;
- Low-power memory: when the phone is switch-off, the built-in battery is enabled automatically, so that the storage data will not be lost;
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+8、 +5、 +3、 +0);
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
ACE-8901		Black



VOIP TELEPHONE

- Support 100 Megabit Ethernet - adaptive 10/100 MBPS network port, provide high-speed network transmission;
- POE power supply/adapter power supply;
- Compatible with the mainstream IP PBX/ soft switch /IMS platform based on SIP,like Asterisk, Broadsoft, 3CX, Elastix, Zycoo;
- IP access: static IP settings / DHCP / PPPo

Model	Specifications	Color
VoIP telephone		Black



ACE-8902

- Compatibilited with multiple of mainstream switches;
- Low-power memory: when the phone is switch-off, the built-in battery is enabled automatically, so that the storage data will not be lost;
- Dual tones electronic ringing,adjustable speaker volume;
- Hand-free call volume multilevel adjustable;
- Speed dial button(+8、 +5、 +3、 +0);
- Automatic take-up function/Auto re-dial;
- 14 digits memory;

Model	Specifications	Color
ACE-8902		Silver/Black

SN-0011

- Soft humanized ring;
- Desk or wall mountable;
- Lighting-proof,moustureproof and waterproof;

Model	Specifications	Color
SN-0011	L210×W60×H65mm	Black/Beige



SN-0012

- Efficient useful ring-coming light;
- Adjustable Ringer control;
- SOS emergency call key ;
- Lighting-proof,moustureproof and waterproof;

Model	Specifications	Color
SN-0012	L225×W90×H85mm	Black/Beige



SN-8903

- Efficient useful ring-coming light;
- Adjustable Ringer control;
- SOS emergency call key ;
- Lighting-proof,moustureproof and waterproof;

Model	Specifications	Color
SN-8903		Black



PEDAL DUST BIN

WD-A1 SERIES

- #410 Stainless steel material
- Fire safe construction design
- Plastic liner for easy cleaning
- Color: Silver matte
- Buffer closing device

Model	Specifications	Capacity
WD-A1-5L	235x185x260mm	5L
WD-A1-7L	235x185x345mm	7L
WD-A1-9L	272x265x315mm	9L
WD-A1-12L	272x265x395mm	12L



WD-ST SERIES

- #410 Stainless steel material
- Fire safe construction design
- Plastic liner for easy cleaning
- Buffer closing device

Model	Specifications	Capacity
WD-ST-5L	203x203x280mm	5L
WD-ST-7L	203x203x320mm	7L
WD-ST-8L	225x225x340mm	8L
WD-ST-10L	250x250x340mm	10L

PEDAL DUST BIN

H-8019/8020

- #410 Stainless Steel, durable and built to last.
- Fire-Safe Design, enhanced safety with fire-safe construction.
- Easy-Clean Liner, removable plastic liner for quick cleaning.
- Polished finish.

Model	Specifications	Capacity
H-8019	∅ 205 x H285mm	5L
H-8020	∅ 252 x H395mm	12L



JF-SK SERIES

- #410 Stainless Steel, durable and built to last.
- Fire-Safe Design, enhanced safety with fire-safe construction.
- Easy-Clean Liner, removable plastic liner for quick cleaning.
- Soft-Close Mechanism, quiet and smooth closing.

Model	Specifications	Capacity
JF-SK-3L	165 x H255mm	3L
JF-SK-5L	203 x H280mm	5L
JF-SK-7L	203 x H320mm	7L
JF-SK-8L	225 x H340mm	8L
JF-SK-10L	250 x H340mm	10L
JF-SK-12L	250 x H390mm	12L

PEDAL DUST BIN

HPX-23

- Pedal dust bin
- Color: black, white, shining, mat
- Available in 7L/10L/15L/18L
- Buffer closing device

Model	Specifications	Capacity
HPX-23	W240xL140xH310mm	7L
	W240xL140xH350mm	10L
	W270xL180xH380mm	15L
	W270xL180xH450mm	18L



HPX-22

- Pedal dust bin
- Round shape
- Color: black, white, shining, mat
- Available in 5L/8L/12L
- Buffer closing device

Model	Specifications	Capacity
HPX-22	∅ 245X295mm	5L
	∅ 265X295mm	8L
	∅ 315X365mm	12L



LEATHER BIN

RB-01

- 10L double wall waste bin, round shape
- Outer: wrapped with PU leather (color and leather style are optional)
- Powder coated metal inner insert
- With chrome ring on top(Ring color can be customized)

Model	Specifications	Capacity
RB-01	∅ 225x270mm	10L



MR-01

- Double layer
- Material: Metal + paint finish
- Capacity : 10L
- Rubber floor protection ring at the bottom

Model	Specifications	Color
MR-01	∅ 225x260mm	Black



OB-02

- 10L double wallr waste bin,oval shape
- Outer: wrapped with PU leather(color and leather style are optional)
- Powder coated metal inner insert
- With chrome ring on top(Ring color can be customized)

Model	Specifications	Capacity
OB-02	W225xD195xH270mm	10L

LEATHER BIN

RB-09

- Leather dustbin for high-end hotel use
- Outer:wrapped with PU leather
- Inner:plastic bucket
- Color: optional

Model	Specifications	Color
RB-09	L600×W450×H670mm	Optional



RB-11

- Outer:wrapped with PU leather
- Inner:powder coated metal bucket
- Color: optional
- Top size :24x24x 30cm;
- Bottom size: 18x18x30cm

Model	Specifications	Color
RB-11	W240xD240xH300mm	Optional



RB-10

- Outer: warpped with PU leather (color and leather style are optional.)
- Color: optional
- Capacity: 10L

Model	Specifications	Color
RB-10	W200xD200xH310mm	Optional



DUST BIN WITH SWING LID



GPX-110X

- Material:stainless steel
- Capacity: 10L
- Thickness: 0.4mm
- Stylish design for guest room usage
- Stainless steel and powder coated finishing
- Swing lid for tidy look
- Rubber rim at the bottom for floor protection

Model	Specifications	Color
GPX-110X	φ 200x310mm	Silver/Black

GPX-110B

- Material : Stainless Steel
- Size: φ 38*73cm
- Color : Matte
- Mirror finished/Satin finished/Powder coating

Model	Specifications	Color
GPX-110B	φ 380xH730mm	Matte



RECYCLE & SORTING DUSTBIN

RD-12

- Outer: warpped with PU leather
- Inside with powder coated metal bucket
- Option:2 or 3 buckets
- Color: optional, customization is provided
- Size: H305mm
- Bottom:245x245mm
- Top:292x292mm

Model	Specifications	Color
RD-12	L292×W292×H305mm	Optional



RD-13

- Powder coated finishing
- Inside with 2 compartments for sorting garbage storage
- Size: 225*270MM
- Capacity: 10L
- Rubber protection at base
- Waterproof and rust resistant
- Material of inner containers:polypropylene
- Printed with sorting guidance symbols

Model	Specifications	Color
RD-13	φ 225x270mm	Black

RECYCLE & SORTING DUSTBIN

RD-14

- Double layer
- Outer: wrapped with PU leather
- Different colors and styles for leather are avaible
- Powder coated metal inner inserts
- Capacity: 2X8L

Model	Specifications	Color
RD-14	L295xW235xH300mm	optional



RD-17

- Outer: wrapped with PU leather
- Inside with 2 plastic buckets
- Color: optional color
- Capacity: 2X6L

Model	Specifications	Color
RD-17	L280x W197 xH370mm	optional

RD-18

- Double layer
- Round shape
- Outer: wrapped with PU leather
- Inside with 2 plastic buckets
- Color: optional color
- Capacity: 2X5L

Model	Specifications	Color
RD-18	φ250xH375mm	optional



DUSTBIN

HDX-101

- Double wall to conceal the bag and hold in place
- Capacity: 10L
- color: shinny, shinny black,mat black, orange
- Easy to clean and water repellent

Model	Specifications	Capacity
HDX-101	φ 225X300mm	10L



HDX-102

- Double wall to conceal the bag and hold in place
- Capacity: 8L
- Color: golden, shiny black, mat black, shining
- Easy to clean and water repellent

Model	Specifications	Capacity
HDX-102	L235xW190xH330mm	8L

DUSTBIN

HDX-103

- Double wall to conceal the bag and hold in place
- Capacity: 12L
- Color: shinny, shinny black,mat black, orange
- Rubber rim at bottom for floor protection

Capacity	Specifications	Capacity
HDX-103	L260xW180xH300mm	12L



HDX-105

- Double wall to conceal the bag and hold in place
- Size: L210xW210xH355
- Finish: shinny, shinny black
- Rubber rim at bottom for floor protection

Capacity	Specifications	Color
HDX-105	L210xW210xH355mm	Matt

RECYCLE BIN

RD-15

- Double layer
- Size: L270XW210XH288mm
- Metal powder coated finishing

Model	Specifications	Color
RD-15	L270xW210xH288mm	Black



RD-17B

- Double layer
- Inside with 2 plastic buckets
- Metal powder coating
- Capacity: 2 x 6L

Model	Specifications	Color
RD-17B	L275x W175 xH365mm	Black

RD-17A

- Double layer
- Inside with 2 plastic buckets
- Outer: stainless steel in shiny finish
- Material: 410 stainless steel
- Capacity: 2 x 6L

Model	Specifications	Color
RD-17A	L275x W175 xH365mm	Silver



RECYCLE BIN

RB-107A/RB-107B

- Bin with 3 compartments for sorting garbage storage
- Easy to clean and waterproof
- Metal powder coated in black color & 410 stainless steel body
- Rubber rim at the bottom for better floor protection
- Unique design for sorting garbage

Capacity	Specifications	Color
RB-107A	φ 225xH308mm	Black
RB-107B	φ 225xH308mm	Shining



RB-108A/RB-108B

- With 2 compartments for sorting garbage storage
- Easy to clean and waterproof
- Metal powder coated in black color & 410 stainless steel body
- Rubber rim at the bottom for better floor protection

Capacity	Specifications	Color
RB-108A	φ 225xH308mm	Black
RB-108B	φ 225xH308mm	Shining

LUGGAGE RACK

HS604567

Stainless steel luggage rack

- #stainless steel with back rest
- Tube dia.: 1.0mm
- less damage to the walls due to the design
- 5 black durable straps
- Plastic foot cap-floor protectors
- Easy fold up
- 5pcs/ctn, ctn size:62*45*72cm

Model	Specifications	Color
H604567	L600×W450×H670mm	silver / rose golden / black



HS604553

Stainless steel luggage rack

- #stainless steel without back rest
- Tube dia.: 1.0mm
- less damage to the walls due to the design
- 5 black durable straps
- Plastic foot cap-floor protectors
- Easy fold up
- 5pcs/ctn, ctn size:62*45*55cm

Model	Specifications	Color
HS604553	L600×W450×H530mm	silver / rose golden / black



HS555070/HS604251

Stainless steel luggage rack

- Strong metal frame, back rest for option
- plastic feet cap - floor protectors
- 4 black durable straps
- Easy fold up
- color: silver

Model	Specifications	Color
HS555070	L550×W500×H700mm	Silver
HS604251	L600×W420×H510mm	Silver



HS614767

Solid stainless steel luggage rack

- Solid stainless steel luggage rack
- Size: 61x47x67cm
- Stainless steel
- Frame with back rest,
- Thickness: 0.8MM
- 4 black durable starps easy fold up

Model	Specifications	Color
HS614767	L610×W470×H670mm	Silver

HS605558

Foldable wooden luggage rack

- Wooden luggage rack with back rest
- Size: L600*W550*H580mm
- Material: rubber wood
- Available for black or mahogany color

Model	Specifications	Color
HS605558	L600×W550×H580mm	Mahogany/Black



K018A

- Wooden luggage rack with back rest
- Size: L600*W450*H670mm
- Material: rubber wood
- Available for brown color

Model	Specifications	Color
K018A	L600×W480×H670mm	Brown

K020

Foldable wooden luggage rack

- Size: L600*W450*H500mm
- Brown color
- Material: rubber wood
- Bearing:100kg

Model	Specifications	Color
K020	L600×W450×H500mm	Brown



K015

- Size: L600*W400*H580mm
- Nature color
- Material: rubber wood

Model	Specifications	Color
K015	L600×W400×H580mm	Nature

※ Bespoke production or customized sizes are availabe on all of the luggage rack

ALARM CLOCK

BT508

- Bluetooth Version: V5.0
- Bluetooth Profiles: A2DP, AVRCP, HFP, HSP
- Bluetooth Range: Over 10 meters (30 feet)
- Wireless Spectrum: 2.402-2.480GHz, ISM
- Charge Cable: TYPE C
- Working Time: about 6 hours calls&music (middle volume)
- Capacity: DC3.7v 2000mAh
- Speaker size: φ45mm
- Output: 5W
- Passive Vibrating Diaphragm: φ40mm x1
- Port: AUX-in, Micro SD card, TYPE C, DC5V1A
- Charging power supply: DC5V2A / 9V2A
- Output power: 5V/9V, 1A==2A 10W backward compatible 5W, 7.5W, 10W automatic identification matching
- Fast charge: support QC3.0 / QC2.0
- Product weight: about 385 grams

Model	Specifications	Color
BT-508	W130xD90xH68.5mm	Black



Color options

BT509

- Product size: 11.4*4.5*8.7cm
- Digital Alarm Clock with Buzzer and Radio
- Alarm Sound 12 Hour Time System.
- You can choose buzzer or radio as the alarm sound
- Voltage is AC110V-220V 50-60Hz, the cable length is 1.5M,
- 2 AAA batteries for back up power

Model	Specifications	Color
BT509	W430xD350xH200mm	Black

FLASH LIGHT

HSF-01

Material: Aluminum alloy shell, anti-slip rubber handle
Bulb type: 13 LEDs
Battery: 3 AA
Product Size: 185x60x55 mm(Φ45xΦ26x175 mm)
Product weight: 325g



HSF-02S

Material: ABS
Bulb type: 6 LEDs
Battery: 4 AAA
Product Size: 153x40x42 mm
Color: Black & Silver & Red



HSF-02

Material: ABS
Bulb type: 1LED
Battery: 4 AAA
Product Size: 135x40x38 mm
Product Weight: 80g



HSF-03

Material: ABS, Anti-fall rubber
Bulb type: 3 large LEDs
Battery: 2D (Not Included)
Product Size: 230x60x65 mm
Product Weight: 220g



HOTEL TABLE LAMP

L-03

- Size: 18*6*60cm
- Light 5W , CT 3000K
- Input Voltage: 220-240V
- Materia: Metal + Marble base
- Plug: British /VDE plug for option
- Color: Gold/Black



L-01/L-02

- Size: Short arm 250mm /360mm
- Material: Aluminum+Zinc Alloy
- Light Bulb: E27*7W
- Plug: Optional
- Input Voltage(V): 220V



L-05

- LED desk lamp
- LED Color: 3 colors
- Material: Aluminum Alloy + ABS
- Light Source: LED
- Size: 39*10.8*3cm
- Light Color: Warm White, warm
- Packing: 24pcs
- Switch: Touch Switch
- Color: black or white for option
- Inner box : 43.3*11.5*4cm



LEATHERETTE COLLECTION



Classic & Commercial Style



Our leatherette accessory can be designed
in any color & size according to the hotel designs

ACRYLIC COLLECTION



Classic & Commercial Style

ACRYLIC COLLECTION



We offer bespoke solution to make the right fits with the design of any hotel room.

SERVICE AMENITY



Tissue box

Model:VS-G
Size:L136*W136*H132mm
Color : Ivory&Gray / Ivory



Tissue box

Model:VS-C
Size:L203*W123*H68mm
Color : Ivory&Gray / Ivory



Amenity drawer tray

Model:VS-H
Size:L277*W227*H77mm
Color : Ivory&Gray / Ivory



Tissue box

Model:VS-G
Size:L136*W136*H132mm
Color : Black&Gray / Black



Tissue box

Model:VS-C
Size:L203*W123*H68mm
Color : Black&Gray / Black



Amenity drawer tray

Model:VS-H
Size:L277*W227*H77mm
Color : Black&Gray / Black



LUGGAGE TROLLEY



XL-22
SIZE:(L)1100X(W)650X(H)1930



XL-23
SIZE:(L)1050X(W)610X(H)1900



XL-3
SIZE:(L)1100X(W)650X(H)1860



XL-1C
SIZE:(L)1050X(W)610X(H)1860

LUGGAGE CART



XL-2B
SIZE:(L)480X(W)360X(H)1200



XL-2
SIZE:(L)480X(W)360X(H)1200



XL-6
SIZE:(L)1050X(W)610X(H)880



XL-6A
SIZE:(L)1280X(W)660X(H)950

HOUSEKEEPING TROLLEY



MC-F038
SIZE:(L)1420X(W)460X(H)1200



HS-F004
SIZE:(L)900X(W)460X(H)1050



C-38A
SIZE:(L)1430X(W)460X(H)1200



C-82A
SIZE:(L)1460X(W)460X(H)1200

LINEN TROLLEY



C-9B
SIZE:(L)950X(W)600X(H)900



C-9A
SIZE:(L)920X(W)560X(H)910



MC-F048
SIZE:(L)900X(W)650X(H)850



C-43
SIZE:(L)950X(W)560X(H)840

WOODEN HANGER



METAL HANGER



ANTI-THEFT HANGER



SATIN HANGER



ABS HANGER



SOAP DISPENSER

LK-7118H

Capacity:350ml
Output :2ml
Color :Satin Finished+Clarity
Main Material:304 stainless steel+PC
ProductSize:L122xW100xH241mm



LK-7118L

Capacity :280ml
Output:2ml
Color :Satin Finished+Clarity
Main Material : 304 stainless steel+PC
Product Size:L122xW100xH218mm



LK-7118H-2

Capacity:350mlx2
Output :2ml
Color :Satin Finished+Clarity
Main Material:304 stainless steel+PC
ProductSize:L216xW100xH241mm



LK-7118L-2

Capacity:280mlx2
Output :2ml
Color :Satin Finished+Clarity
Main Material:304 stainless steel+PC
ProductSize:L216xW100xH218mm



LK-7118H-3

Capacity:350mlx3
Output :2ml
Color :Satin Finished+Clarity
Main Material:304 stainless steel+PC
ProductSize:L309xW100xH241mm



LK-7118L-3

Capacity:280mlx3
Output :2ml
Color :Satin Finished+Clarity
Main Material:304 stainless steel+PC
ProductSize:L309xW100xH218mm



SOAP DISPENSER

HS-7116A

Capacity:300ml
Material: ABS
Product Size: L63*W75*H215mm
Ctn size: 43.5*37.5*47cm
Qty/ctn:50pcs
N.WIG.W.: 11kg/13.37kg



HS-7116A-2

Capacity:300mlx2
Material: ABS
Product Size: L130*W75*H215mm
Ctn size: 44.2*34.3*47cm
Qty/ctn:24pcs
N.W./G.W.: 12kg/14.1kg



HS-7116B

Capacity:300ml
Material: ABS
Product Size: L63*W75*H215mm
Ctn size: 43.5*37.5*47cm
Qty/ctn:50pcs
N.WIG.W.: 11kg/13.37kg



HS-7116B-2

Capacity:300mlx2
Material: ABS
Product Size: L130*W75*H215mm
Ctn size: 44.2*34.3*47cm
Qty/ctn:24pcs
N.W./G.W.: 12kg/14.1kg



LK-7902A

Capacity:300mlx2
Material: ABS+PET
ProductSize:L129xW90xH197mm
Packing Size:55.2x49.5x40cm
Qty:40pcs
N.WIG.W.: 10.3kg/14.27kg



LK-7903A

Capacity:300mlx3
Material: ABS+PET
ProductSize:L193xW90xH197mm
Packing Size:61.5x49.5x40cm
Qty:30pcs
N.WIG.W.: 11.5kg/15.45kg



WORLD-CLASS COMPETITIONS AND HOSPITALITY PROJECT OVERVIEW



2019 Wuhan Military Games




2021 Xi'an National Games



2023
The 19th Asian Games Hangzhou



Expo 2020 Dubai



The 2022 Qatar World Cup



The 2024 Paris Olympics



Fishermans Village
with Sea Views,
Downings, Ireland



HOTEL MONTECITO SOFIA



Chasse Hotel



Lesvion Hotel



lancaster hotel



Grand Cititel
Hanoi Hotel



Blanc Smith Hotel



Hotel Arissa



Empyrean Dhaka City Centre



FTE Ba Dinh Hotel



Best Western Hotel
am Kastell



ARTHAMA HOTELS
MAKASSAR

Honeyson®

FACTORY ADDRESS

NO.39,XING CHANG ROAD,JI CHANG VILLAGE, DONG FENG TOWN
ZHONGSHAN CITY, GUANGDONG, CHINA

GUANGZHOU BRANCH

702,NO.233,HANXI AVENUE WEST, SHIBI STREET,
PANYU DISTRICT, GUANGZHOU, CHINA

FOSHAN BRANCH

ROOM 5003,BLOCK 18TH,WANKE JINYU BINJIANG,
NO.13 DESHENG ZHONG ROAD,DA LIANG TOWN,
SHUNDE DISTRICT,FOSHAN CITY, GUANGDONG, CHINA

Zhongshan City Heson Electric Co.,Ltd

E-mail: sales08@honeyson.cn /ferny.yang@honeyson.cn
Contact phone/wechat/whatsapp:86-19928252519 / 86-13822722752
Website: <https://honeysonelectric.com>



Website



Wechat