

DONGTALENT ROPE

PROFESSIONAL
ROPEMANUFACTURER



Company: Linyi Dongtalent Plastics Co., Ltd
ADD: Block B OCC Building, Beicheng New District
Linyi City, Shandong Province, China
MB. 86-15553920719
Web: www.dongtalent.com
E-mail: bellaliu@dtltrope.com

Dongtalent
PROFESSIONAL ROPE
MANUFACTURER

Concentrate Power
Connect Possibility



Concentrate Power
Connect Possibility



Contents

01

Company Profile
03-04

02

Company Structure
05-06

03

Company Culture
07

04

Brand Advantage
08-14

05

Product Exhibition
15-46

06

Package Exhibition
47-48

COMPANY PROFILE

Set sail for the deep blue journey

Established in 2016 and located in Linyi—one logistics center of China, Linyi Dongtalent Plastic Products Co., Ltd. is a modern company focusing on the production, research, development and export of high-quality ropes. Its products are widely used in fishing, marine, aquaculture, packaging, agriculture, gardening and other fields. Sophisticated production equipment, advanced R&D technology, strictly controlled product quality and sincere customer service help us grow stronger and enable us to be like a giant ship moving forward steadily in the rough sea.

8 / YEAR

Professional
experience

100+

overseas
market

Concentrate Power

Connect Possibility

Rope Manufacturer





MARKET MAP

Dongtalent moves forward and pursues innovation enabling itself to expand its market share.

Its business covers more than

100 overseas

countries and regions

COMPANY CULTURE

Being brave to explore and expand its market share



Vision

To be a pioneer in the global rope industry



Mission

To connect the world and create a better future



Values

Innovation: Continuous innovation surpassing standards
Integrity: Keep your word and be sincere in your promises
Unity: Unity and collaboration to generate efficient income
Pragmatism: Seeking truth and being pragmatic, pursuing excellence
Perseverance: Firm belief and perseverance

Concentrate Power

Connect Possibility

Rope Manufacturer

CORE POSITIVE

Rock-solid strength manifesting brand advantages

- 1 Hardcore quality
- 2 Advanced equipment
- 3 Strict certification
- 4 Cutting-edge technology
- 5 Sincere service

POSITIVE

Hardcore quality

We carefully select high-quality raw materials from around the world, and our products have stable quality, good performance, high strength, wear resistance, corrosion resistance, strong flexibility, long service life and high applicability.

Advanced equipment

By introducing advanced production equipment from home and abroad, we work hard to improve product quality and production efficiency, build a super factory, and step up momentum for high-quality development.



Dongtalent

Concentrate Power

Connect Possibility

Rope Manufacturer

FACTORY EQUIPMENT



TECHNICAL ADVANTAGES



Strict certification

All technological innovation, strict management of production process, and improvement of product quality are a contributor to the high quality of our products. These products comply with domestic industry standards and ISO international standards. We can provide SGS, CE, GS and other certifications on customer demand.

Cutting-edge technology

We have increased financial investment and established a high-quality and professional scientific research team. At the same time, we have filed application for patent and promoted product technological upgrades. All these efforts provide a strong support for improving the quality and efficiency of the industry.

Sincere Service

Concentrate Power

Connect Possibility

Rope Manufacturer

Dongtalent meticulously provides customers with efficient and practical solutions, and has won the recognition and trust of the market with its advanced products and sincere service.



Concentrate Power

Connect Possibility

Rope Manufacturer

Dongtalent Rope



PROFESSIONAL ROPE
MANUFACTURER


1.1 Polysteel Rope

Polysteel rope as know as Super Danline Rope, is a co-polymer rope with 30% high breaking strength than regular poly rope. Polysteel fiber is made from extruded filaments resulting in a rope that is superior to both polypropylene rope and polyethylene rope. It is a high technology product which has much better UV resistant and excellent strength.



Feature

- Approximately **30%** stronger than polypropylene/polyethylene rope
- **20-30%** lighter than nylon with less stretch
- Excellent UV protection
- Superior abrasion resistance
- No loss of strength when wet
- Stores wet
- Rot and mildew resistant
- Floats in water
- Easily spliced



1.2 PP Danline Rope

PP danline rope is made from polypropylene danline fiber which uses 100% virgin raw materials. It is very economical and practical, with high quality and good pulling force, wear resistance, light resistance. It is an economical rope suitable for a variety of uses such as fishing, anchoring and dock line, and is also used for a variety of commercial purposes.

Feature

- Premium grade
- Economical and versatile
- Specific gravity: **0.91**
- It floats and can be stored wet or dry
- Elongation: **21%** at break
- Melting point: **165°C**
- Good resistance to solvents and chemical UV stabilized



Material: PP(polypropylene)

Size: 4mm -60mm

Structure: 3/4 strand

Color: white, blue, red, or as customer's request

Packing: coil, roll, hank/bundle, reel



1.3 PE Color Rope

Durable polyethylene rope can be a versatile and reliable option for various applications due to its strength, durability, and resistance to UV rays, water, and abrasion.

Feature

- Premium grade
- Economical and versatile
- Specific gravity: **0.96**
- It floats and can be stored wet or dry
- Elongation: **26%** at break
- Melting point: **135°C**
- Good resistance to solvents and chemical UV stabilized



Material: PP(polypropylene)

- **Size:** 4mm-50mm
- **Structure:** 3/4 strand
- **Color:** white, blue, red, or as customer's request
- **Packing:** coil, roll, hank/bundle, reel



1.4 3 Strand Multifilament Rope

The multifilament rope is a type of rope that is comprised of multiple smaller filaments twisted together to form a strong and flexible rope. This type of construction provides excellent strength and resistance to abrasion, making it suitable for a wide range of applications, including marine and industrial use.

Material: PP(polypropylene)

- **Size:** 4mm-50mm
- **Structure:** 3/4 strand
- **Color:** white, blue, or as customer's request
- **Packing:** coil, roll, hank/bundle, reel



1.5 Polyester/Polyolefin Dual Fiber Rope

Pp mixed Polyester is one of the most popular ropes. It's superior to pure polyester or polypropylene only, lighter weight than polyester and stronger break strength than polypropylene, this rope is smooth, non-rotational and excellent coefficient of friction.

Material: polypropylene, polyester

Size: 4-60mm

Structure: 3/4 strand

Color: white or color

Packing: coil/Roll, spool, hank/bundle, reel



SIZE			PP Danline Rope (ISO 2307-2010)		PE Rope (ISO 2307-2010)		PP-Multi Rope (ISO 2307-2010)		Nylon Rope (ISO 1140)		Polyester Rope (ISO 1141)		PP&Polyester Mixed Rope (ISO 10556)	
Dia	Dia	Cir	WEIGHT	MBL	WEIGHT	MBL	WEIGHT	MBL	WEIGHT	MBL	WEIGHT	MBL	WEIGHT	MBL
(mm)	(inch)	(inch)	(kgs/220m)	(kgs or tons)	(kgs/220m)	(kgs or tons)	(kgs/220m)	(kgs or tons)	(kgs/220m)	(kgs or tons)	(kgs/220m)	(kgs or tons)	(kgs/220m)	(kgs or tons)
4	5/32	1/2	1.32	215kgf	1.78	200kgf	1.32	200kgf	2.31	320kgf	2.60	295kgf	1.71	239kgf
5	3/16	5/8	2.45	320	2.66	300	2.45	290	3.60	500	4.10	400	2.95	344
6	7/32	3/4	3.75	600	4.00	400	3.75	380	4.95	750	6.00	565	4.43	590
7	1/4	7/8	5.10	750	5.50	550	5.10	530	6.70	1,020	8.20	770	6.10	756
8	5/16	1	6.60	1,060	7.20	700	6.60	680	8.80	1,350	10.00	1,020	7.60	1,048
9	11/32	1-1/8	8.10	1,190	9.00	890	8.10	890	11.20	1,700	13.50	1,270	9.70	1,214
10	3/8	1-1/4	9.90	1,560	10.80	1,090	9.90	1,050	13.60	2,080	16.70	1,530	11.95	1,551
12	1/2	1-1/2	14.30	2,210	15.80	1,540	14.30	1,500	19.60	3,000	24.20	2,270	17.30	2,228
14	9/16	1-3/4	20.00	3,050	21.00	2,090	20.00	2,030	27.00	4,100	32.60	3,160	23.80	3,083
16	5/8	2	25.30	3,785	28.00	2,805	25.30	2,755	35.00	5,305	43.00	4,105	30.61	3,885
18	3/4	2-1/4	32.50	4.82	35.00	3.50	32.50	3.20	44.00	6.70	54.00	5.15	39.00	4.92
20	13/16	2-1/2	40.00	5.80	44.00	4.30	40.00	4.15	54.00	8.30	67.00	6.40	48.10	5.98
22	7/8	2-3/4	48.40	6.96	53.40	5.10	48.40	4.95	66.00	10.00	81.00	7.60	58.20	7.15
24	1	3	57.00	8.13	65.00	6.10	57.00	5.85	78.00	12.00	96.00	9.10	68.70	8.42
26	1-1/16	3-1/4	67.00	9.41	72.00	7.41	67.00	6.70	92.00	14.00	113.00	10.70	81.00	9.80
28	1-1/8	3-1/2	78.00	10.70	86.00	8.20	78.00	7.80	107.00	15.80	131.00	12.20	94.00	11.15
30	1-1/4	3-3/4	89.00	12.22	101.00	9.50	89.00	9.00	122.00	17.80	150.00	13.70	107.30	12.66
32	1-5/16	4	101.00	13.50	115.00	10.70	101.00	10.20	139.00	20.00	171.00	15.70	122.00	14.16
34	1-3/8	4-1/4	115.00	14.40	130.00	11.60	115.00	11.20	156.00	22.00	192.00	17.40	138.10	15.30
36	1-7/16	4-1/2	129.00	16.93	145.00	13.40	129.00	12.80	176.00	24.90	216.00	19.40	155.10	17.67
38	1-9/16	4-3/4	142.00	17.70	160.00	14.30	142.00	13.90	195.00	27.40	243.00	21.60	172.30	18.87
40	1-5/8	5	158.00	20.51	173.00	16.30	158.00	15.80	218.00	30.00	267.00	24.00	190.70	21.56
42	1-11/16	5-1/4	176.00	21.40	191.00	17.20	176.00	16.70	238.00	32.90	295.00	26.10	211.70	22.81
44	1-3/4	5-1/2	194.00	24.64	209.00	19.60	194.00	18.50	264.00	35.80	323.00	28.50	233.00	25.80
46	1-7/8	5-3/4	211.00	25.30	230.00	20.60	211.00	19.70	310.00	38.90	354.00	30.90	254.00	26.98
48	1-15/16	6	229.00	28.61	253.00	22.80	229.00	21.90	312.00	42.00	385.00	33.60	276.00	30.10
50	2	6-1/4	248.00	29.30	275.00	24.30	248.00	23.40	339.00	45.40	418.00	36.30	299.00	31.40
52	2-1/8	6-1/2	268.00	33.11	297.00	26.40	268.00	25.50	365.00	48.90	451.00	39.20	323.00	34.94
54	2-3/16	6-3/4	290.00	33.70	320.00	28.20	290.00	27.30	393.00	52.40	483.00	41.90	348.00	36.16
56	2-1/4	7	312.00	37.76	345.00	30.40	312.00	29.50	425.00	56.00	524.00	44.80	375.60	39.87
58	2-5/16	7-1/4	335.00	38.60	370.00	33.20	335.00	32.30	454.00	59.90	563.00	47.20	403.40	41.18
60	2-3/8	7-1/2	359.00	43.29	396.00	37.40	359.00	33.50	486.00	63.90	601.00	49.90	431.60	45.27



Dongtalent Rope



PROFESSIONAL ROPE
MANUFACTURER

Concentrate Power

Connect Possibility

Rope Manufacturer

2.0 Lead Core Rope

The multifilament rope is a type of rope that is comprised of multiple smaller filaments twisted together to form a strong and flexible rope. This type of construction provides excellent strength and resistance to abrasion, making it suitable for a wide range of applications, including marine and industrial use.



Material: polypropylene
polyester, nylon, lead

Size: 4-60mm

Structure: 8/16/24/32 strand braided or 3/4 twisted

Color: White or color

Packing: coil/Roll, spool, hank/bundle, reel



3.0 Mooring Rope

Material: UHMWPE, polypropylene, polyethylene, polyester, nylon

Size: 40-150mm

Structure: 6/8/12/16/24/32 strand

Color: white or color

Packing: coil, reel



PP Multifilament Rope



HMPE Rope



Nylon Rope



4.0 Tiger/Mark Rope Mooring Rope

Material: PE (polypropylene)

Size: 6-20mm

Structure: 3/4 strands

Color: black, yellow or as customer's request

Packing: coil/roll, hank, bundle, reel



PRODUCT EXHIBITION

5.0 KP Rope

Material: PE monofilament fiber + polyester yarn

Size: 3-30mm

Structure: 3/4 strands

Color: yellow or as customer's request

Packing: coil/roll, hank, bundle, reel



Dongtalent
Rope 东泰力特

PROFESSIONAL ROPE
MANUFACTURER

Braided Rope

6.1 Braided Rope

Material: polypropylene, polyester, nylon

Size: 1.5-38mm

Structure: 8/16/24/32 strand

Color: white or color

Packing: coil/roll, spool, hank/bundle, reel



6.2 Solid Braided Rope

Material: polypropylene, polyester, nylon

Size: 4-38mm

Structure: 12 strand

Color: white or color

Packing: coil/roll, spool, hank/bundle, reel



6.3 Hollow Braided Rope

Material: polypropylene, polyethylene

Size: 3-38mm

Structure: 8/16 strand

Color: white or color

Packing: coil/roll, spool, hank/bundle, reel



SIZE	PP Braided Rope (ISO 2307-2010)		Nylon Rope (ISO 2307-2010)		Polyester Rope (ISO 2307-2010)		PP Rope (ISO 2307-2010)		Polyester Rope (ISO 1141)	
	Dia (mm)	Linear Density (g/m)	MBL (kgs or tons)	Linear Density (g/m)	MBL (kgs or tons)	Linear Density (g/m)	MBL (kgs or tons)	Linear Density (g/m)	MBL (kgs or tons)	Linear Density (g/m)
4	7.50	200kgf	11.00	320kgf	11.80	295kgf	6.00	215kgf	8.00	200kgf
5	12.00	300	16.50	500	18.60	400	11.50	320	12.00	300
6	17.00	400	24.00	750	27.00	565	17.00	600	18.00	400
7	25.00	550	32.00	1,020	36.50	770	23.00	750	25.00	550
8	30.00	700	40.00	1,350	48.00	1,020	30.00	1,060	32.50	700
9	38.00	890	50.00	1,700	62.00	1,270	37.00	1,190	40.50	890
10	48.00	1,090	62.00	2,080	76.00	1,590	45.00	1,560	49.50	1,090
12	68.00	1,540	90.00	3,000	110.00	2,270	65.00	2,210	72.00	1,540
14	95.00	2,090	125.00	4,100	148.00	3,180	90.00	3,050	95.00	2,090
16	125.00	2,80Ts	160.00	5,30Ts	195.00	4,10Ts	115.00	3,78Ts	128.00	2,8Ts
18	155.00	3.50	205.00	6.70	245.00	5.15	150.00	4.82	160.00	3.50
20	190.00	4.30	250.00	8.30	303.00	6.40	180.00	5.80	200.00	4.30
22	230.00	5.10	305.00	10.00	367.00	7.60	220.00	6.96	240.00	5.10
24	270.00	6.10	360.00	12.00	437.00	9.10	260.00	8.13	295.00	6.10
26	320.00	7.00	430.00	14.00	512.00	10.70	300.00	9.41	325.00	7.00
28	370.00	8.20	500.00	15.80	595.00	12.20	360.00	10.70	390.00	8.20
30	425.00	9.50	570.00	17.80	682.00	13.70	400.00	12.22	460.00	9.50
32	480.00	10.70	650.00	20.00	778.00	15.70	460.00	13.50	525.00	10.70
34	550.00	11.60	720.00	22.00	875.00	17.40	530.00	14.40	590.00	11.60
36	615.00	13.40	820.00	24.90	982.00	19.40	595.00	16.93	660.00	13.40
40	760.00	16.30	1000.00	30.00	1215.00	24.00	720.00	20.51	785.00	16.30
44	930.00	19.20	1200.00	35.80	1468.00	28.50	880.00	24.64	950.00	19.20
48	1100.00	22.80	1420.00	42.00	1750.00	33.60	1050.00	28.61	1150.00	22.80
52	1280.00	26.40	1650.00	48.90	2050.00	39.20	1220.00	33.11	1350.00	26.40
56	1490.00	30.40	1950.00	56.00	2380.00	44.80	1420.00	37.86	1570.00	30.40
60	1720.00	34.40	2230.00	63.90	2730.00	49.90	1630.00	43.29	1800.00	34.40

7.0 PE Twine

Material: HDPE

Size: 1-3mm

Structure: 3 strand

Color: red, green, blue or as customer's request

Packing: coil/roll, spool, hank/bundle, reel



8.0 Nylon Monofilament Yarn

Material: nylon

Size: 0.5-5mm

Color: white or color

Packing: hank/bundle, reel



PRODUCT EXHIBITION

9.0 Fishing Twine

Material: polypropylene,
polyester, nylon

Size: 210D/3 PLY-210D/120PLY

Color: white or color

Packing: 50g/spool-2500g/spool




Dongtalent
Rope 东泰力特

PROFESSIONAL ROPE
MANUFACTURER

Fishing Net

10.1 Multifilament Net




Knotless Fishing Net

Nylon Fishing Net

10.2 PE Net



10.3 Nylon Monofilament Fishing Net



11 Float




12.1 Fishing Hook

Size: 1#-20#



12.2 Needle

Size	Dimension/cm
1#	12*1
2#	17*1
3#	21*2
4#	21*2.5



13 Fishing Light

Type1: One battery with two signer globe with different colors



Type2: Two battery with three signer globe with different colors



图片模糊需要提供图片

14 PP Packing Ball

Material: PP(polypropylene)

Size: 50-500G/Ball

Color: red,blue, yellow or as customer's request

Packing: coil/roll, ball



16 PE Packing Rope

Material: PE(polyethylene)

Size: 23/28mm

Color: red, blue, yellow or as custom's request

Packing: coil/roll



15 PP Baler Twine

Material: PP(polypropylene)

Size: 2.4-4mm

Color: red, blue, yellow or as customer's request

Packing: coil/roll, reel



17 PP Splitfilm Rope

Material: PP(polypropylene)

Size: 4-60mm

Structure: 3/4 strands

Color: white,blue or as per custom's request

Packing: coil/roll, hank, bundle, reel



18 Jute Rope

Material: Jute

Size: 6-20mm

Structure: 3/4 strand

Color: nature or color

Packing: coil/roll, spool, hank/bundle, reel



20 Cotton Rope

Material: Cotton

Size: 4-60MM

Structure: 3/4 strand

Color: nature or color

Packing: coil, roll, spool, bundle, reel



19 Sisal Rop

Material: Sisal Rope

Size: 6-20MM

Structure: 3/4 strand

Color: nature or color

Packing: coil, roll, spool, bundle, reel





REEL



COIL



CARTON



WOVEN



BUNDLE



BALL