

Dance Floor Led Display

Guangzhou JunChen Display Technology Co., Ltd.

Address: 303A, No. 6-2 ,Yagang Middle Road, ShiMen Street, Baiyun District Guangzhou City, Guangdong Province, China.

Contact: Junchen Tel/whatsapp/Mob: +86 18818901997 Webiste: www.jcdisplay.com

Certificate - Сертификат - 證明書 - 證明明書 - 證明서 - Certificate

Shenzhen ZKT Technology Co., Ltd.
 3/F, No. 101, Building B, No. 6, Tongwei Community Industrial Avenue,
 Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-25063014978C

Holder : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Manufacturer : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Trade Mark : N/A

Product : LED COB DISPLAY

Model(s) : p1.25
 P0.6, P0.7, P0.9, P1.25, P1.53, P1.56, P1.86, P1.876, P1.95, P2,
 P2.5, P2.604, P2.976, P3, P3.076, P3.175, P3.91, P3.91-7.82,
 P2.6-5.8, P4, P4.81, P4.75, P5, P5.33, P5.9, P6, P6.67, P8, P10,
 P10.4, P12.5, P16.626, P16, P20, P25, P31.25, P50

Test Standard : EN 55012:2016/A1:2020/A1:2020, EN 55035:2017/A1:2020,
 EN IEC 61000-5-2:2019/A1:2021/AC:2024,
 EN 61000-3-3:2013/A1:2019/A2:2021,
 EN 61000-4-2:2009, EN IEC 61000-4-3:2020,
 EN 61000-4-6:2015, EN 61000-4-5:2014/A1:2017,
 EN IEC 61000-4-6:2023, EN 61000-4-8:2010,
 EN IEC 61000-4-11:2020

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-25063014978C.

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Directives to be observed.
 ☎ +86-400 000 9970 ☎ +86-755-22339888 ☎ zkt@zkt-tech.com ☎ www.zkt-tech.com

Certificate - Сертификат - 證明書 - 證明明書 - 證明서 - Certificate

Shenzhen ZKT Technology Co., Ltd.
 3/F, No. 101, Building B, No. 6, Tongwei Community Industrial Avenue,
 Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-25063014977C

Holder : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Manufacturer : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Trade Mark : N/A

Product : LED COB DISPLAY

Model(s) : P1.25
 P0.6 P0.7 P0.9 P1.25 P1.53 P1.56 P1.86 P1.876 P1.95 P2 P2.5
 P2.604 P2.976 P3 P3.076 P3.175 P3.91 P3.91-7.82 P3.91-8.2 P4
 P4.81 P4.75 P5 P5.33 P5.9 P6 P6.67 P8 P10 P10.4 P12.5 P15.626
 P16 P20 P25 P31.25 P50

Test Standard : EN IEC 62365-1:2024/A1:2024

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Low Voltage Directive 2014/35/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-25063014977C.

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Directives to be observed.
 ☎ +86-400 000 9970 ☎ +86-755-22339888 ☎ zkt@zkt-tech.com ☎ www.zkt-tech.com

Certificate - Сертификат - 證明書 - 證明明書 - 證明서 - Certificate

Shenzhen ZKT Technology Co., Ltd.
 3/F, No. 101, Building B, No. 6, Tongwei Community Industrial Avenue,
 Fuhai Street, Bao'an District, Shenzhen, China

SUPPLIER'S DECLARATION OF CONFORMITY

Certificate Number: ZKT-25063014979C

Certificate's Holder : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Manufacturer : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Trade Mark : N/A

Product : LED COB DISPLAY

Model(s) : p1.25
 P0.6, P0.7, P0.9, P1.25, P1.53, P1.56, P1.86, P1.876, P1.95, P2,
 P2.5, P2.604, P2.976, P3, P3.076, P3.175, P3.91, P3.91-7.82,
 P2.6-5.8, P4, P4.81, P4.75, P5, P5.33, P5.9, P6, P6.67, P8, P10,
 P10.4, P12.5, P15.626, P16, P20, P25, P31.25, P50

Test Standard : FCC Part 15 B,
 ANSI C63.4:2014

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of FCC standard. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-25063014979C.

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Directives to be observed.
 ☎ +86-400 000 9970 ☎ +86-755-22339888 ☎ zkt@zkt-tech.com ☎ www.zkt-tech.com

Certificate - Сертификат - 證明書 - 證明明書 - 證明서 - Certificate

Shenzhen ZKT Technology Co., Ltd.
 3/F, No. 101, Building B, No. 6, Tongwei Community Industrial Avenue,
 Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-25063014980C

Certificate's Holder : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Manufacturer : Guangzhou JunChen Display Technology Co.,Ltd
 209-213, No. 59 Yagang Middle Road, Baiyun District,
 Guangzhou City

Trade Mark : N/A

Product : LED COB DISPLAY

Model(s) : p1.25
 P0.6 P0.7 P0.9 P1.25 P1.53 P1.56 P1.86 P1.876 P1.95 P2 P2.5
 P2.604 P2.976 P3 P3.076 P3.175 P3.91 P3.91-7.82 P3.91-8.2 P4
 P4.81 P4.75 P5 P5.33 P5.9 P6 P6.67 P8 P10 P10.4 P12.5 P15.626
 P16 P20 P25 P31.25 P50

Test Method : IEC 62321-5:2015, IEC 62321-4:2019/A1:2017, IEC 62321-6:2013, IEC 62321-6:2015, IEC 62321-7:1-2015, IEC 62321-7:2-2017, IEC 62321-8:2017

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/1012. It is possible to use CE Marking to demonstrate the conformity with the Directive. It is only valid in connection with the test report number: ZKT-25063014980C.

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant. Directives to be observed.
 ☎ +86-400 000 9970 ☎ +86-755-22339888 ☎ zkt@zkt-tech.com ☎ www.zkt-tech.com



Product Introduction

The LED floor tile screen is based on the LED display screen, the hardness of the material is increased, and the material is waterproof and pressure-resistant.


The LED floor tile display is equipped with a pressure sensor, a capacitive sensor or an infrared sensor. When a person moves on the floor tile screen, the sensor can sense the person's position and feed back the trigger information to the main controller, and then the main controller outputs the corresponding display effect after logic judgment.






Product Introduction

For example, with the help of infrared sensors, it is possible to track people's movement trajectory, and to present real-time picture effects following the activities of the human body, so as to realize the effects of actors and audience walking by, water ripples under their feet, and flowers blooming.




Product Parameters

Items	P2.976	P3.91	P4.81
Pixel Pitch	2.976mm	3.91mm	4.81mm
LED Type	SMD1515	SMD2121	SMD1921
Pixel Pitch	2.976mm	3.91mm	4.81mm
Pixel Density(m2)	112896Pixel/m ²	65536Pixel/m ²	43264Pixel/m ²
Color Temperature	6500-9500k		
Power Consumption	350w/m ² ~550W/m ²		
Module size(mm)	250x250mm		
Cabinet Size(mm)	500X500mm / 500X1000mm		
Cabinet Material	Iron		
Cabinet Weight	35kg/m ²		
Brightness(nits)	1200cd/m ²		
Refresh Rate	1920-3840hz		
Viewing Angle	160°/160°(H/V)		
Scan Mode	1/28s	1/16s	1/13s
IP Rating	IP34		
Working Temperature	-30~60°C		
Working Humidity	10%~90%RH		
Operating Temperature	-40°C~+60°C		
Life Span	≥100,000Hours		



Product Features

- Real-time Interactive Multi-touch
- High-Efficiency Installation & Maintenance
- Strong Load-Bearing Capacity
- Support Staggered Splicing





Product Details

The cabinet have 2 size:500*500mm and 500*1000mm




1: 500*500mm




2: 500*1000mm


Product Details



Acrylic mask



Acrylic mask protect led lamp not be damaged when walking on it, it is matte, so we can see the content clearly. Besides, it is to clean.



Project Case



Project Case



Project Case



Project Case





Installation Method



Fixed installation: build the steel structure on the ground, then install the box on the structure and finally install the acrylic panel.




Floor Support Installation: Align the floor support with the screw holes on the cabinet, then use the floor support to secure the floor tile screen, which is convenient and quick to install and easy to remove.



The height of the fixed and floor-supported floor tile screen is about 13cm-17cm from the ground.

Control Method

You can choose SD card, WIFI and PC to remote control with various of control method.



Service

Quality: we have a strict quality control system.
All displays will undergo aging tests for 24hours at least.

Logo : your logo can be printed on the cabinet

Package: support for wooden package and flight case both.

MOQ: we accept sample order in small sqm , such as 2sqm , 4sqm.

Warranty: 3 years , free spare parts & free technical support

Lead time: 12 days after initial payment deposited

Payment method: TT, Western Union

