SUZHOU LEXSONG ELECTROMECHANICAL EQUIPMENT CO. LTD.

Room 536 Ori Mansion, No. 328 XingHu Street, Suzhou Industrial Park, China sales@lexsong-ev.com +86 137 7167 0476

Offer Sheet

Period of Validity: Jun.30, 2025

Payment Terms: "T/T 30% down payment at order, T/T 70% to be paid before the delivery" Or Irrevocable L/C at sight Lead time: Four Weeks after getting your down payment or original L/C

Warranty time: 3 years for lithium battery, 1 year for other components (except rapid-worn parts), from shipping date

System 1.5204.9AS2 System 279506 A System 1.5206.9AS2 System 279506 is based on 6 units in a 20°T container in SKD, if 1-2, USD400.0Bunit will be added. If less than 3-5units, USS200.0bunit will be added 1.5206.0Bunit will be			
Above price is based on 6 units in a 20'ft container in SKD, If 1-2, USD400.00/unit will be added. If leas than 3-5-units, USS200.00/unit will be added. Sky Components Statey 72V100AH Lithium Battery Motor 5KW (6.7HP) AC Motor (releaf) Controller Vanatar 400A Controller Performance 72 (and the controller Vanatar 400A Controller Performance 72 (and the controller Vanatar 400A Controller Performance 73 (and the controller Vanatar 400A Controller Performance 74 (and the controller Vanatar 400A Controller Vanatar 400A Controller Performance Vanatar 40 (and the controller Vanatar 400A Controller Vanatar 400A Controller Performance Vanatar 40 (and the controller 40	Model	LS2043ASZ	Below photos are just for reference!
USS200.00unit will be added Key Components Battery			The final product should subject to the
Motor SKW (6.7HP) AC Motor (reted) Controller Parformance Parformance Passenger capacity Range (loaded) based on flat road at a speed of 26/min (m) Max. paged Assumption (1998) Assumption (19	Above price is based on 6 units in	a 20'ft container in SKD, if 1-2, USD400.00/unit will be added. If less than 3-5units,	
Battery 72/100AH Librium Battery Motor SKW (67-Pt) AC Motor (rated) Controller Vanstar 400A Controller Passenger capacity Parformance Passenger capacity Range (loaded) based on flat road at a speed of 20km²h (km²) Max. Speed of 20km²h (k			
SKW (6.7HP)AC Motor (rated)	Key Components		
Controller Vandar 400A Controller Performance Passenger capacity 6 Range (Gaded) based on flat road at a speed of 20km/h (km)* Max. depending for the speed of 20km/h (km)* Max. speed			
Performance Passenger capacity Range (loaded) based on flat road at a speed of 20kmh (km)* Max. speed of 20kmh (km)* Max. dimbing ability (loaded) About 1			
Passenger capacity 6 6 8 7 8 7 8 7 8 7 8 1 8 1 8 1 8 1 8 1 8 1	4	Vanstar 400A Controller	
Range (loaded) based on fall road at a speed of 20kmh (train)* Max speed Minimum turning radius (m) Max climbing ability (loaded) Charging Time (hr) Max movement after brake at speed of 20kmh Max loading weight Min ground clearance (mm) Body and Frame Front wheel tread (mm) Body PP plastic front body + PP plastic rear body Windshield Organic glass Windshield, hinged, tinted Colf loaned sponge cushion * microfiber leather in diamond pattern * plastic armrests * plastic back cover Lincolor box over the subset with locks Colf Spand Spand (spand) All LED lights. 2 Front Light (each combines with H/L beam headlight, front turn signal), with DC-DC converter (converting loady or Heading) this diadoct, emergency light in diadoct, mere plastic, many signals, DRL), 2 Taillights (each combines with H/L beam headlight, front turn signal), with DC-DC converter (converting front 72V to 12V), electric horn. All LED lights. 2 Front Light (each combines with H/L beam headlight, front turn signal), and middle player (radio, bluetoth, MP3, SD card, USB, video, etc.) Dispaces a product of the plastic connection and powder costing light, and middle player (radio, bluetoth, MP3, SD card, USB, video, etc.) Dispaces a product of the plastic connection and powder costing light, and middle player (radio, bluetoth, MP3, SD card, USB, video, etc.) Dispaces a product of the plastic connection above screen Christian and Suspension Single-stage rack and pilion steering system, automatic rocker compensating function Single-stage rack and pilion steering system, automatic rocker compensating function Single-stage rack and pilion steering system, automatic rocker compensating function Single-stage rack and pilion steering decired park brake + regenerative brake Single-stage ra	Performance		
at a speed of 20km/h (km)* Max speed 32km/k (20mph) (aglastable) Minimum furning radius (n) Max. climbing ability (baded) 25% Charging Time (hr) Max. movement after brake at speed of 20km/h Max. tolading weight A8. (budge (1058libs) Net weight Dimensions Overall dimensions (mm) Min. ground clearance (mm) 3600x1340x1999 (142x55x7ein) Min. ground clearance (mm) 170 (67n) Wheelbase (mm) 2440 (96in) Front wheel tread (mm) Boddy and Frame Front wheel tread (mm) PP plantic front body x PP plantic rest and particular to a control of the p	Passenger capacity	6	Print.
at a speed of ZURMY ((m)*) Max speed of Minimum turning radius (m) 4.5 (177in) Max movement after brake at speed of ZURM* (20mph) (adjustable) Minimum turning radius (m) 4.6 (177in) Max movement after brake at speed of ZURM* (20mph) (adjustable) Max loading weight Max loading weight Max loading weight 4.60xg (1058lbb) Max loading weight Max loading weight 560xg (1278bb) Dimensions Coverall dimensions (mm) Min. ground clearance (mm) Min. ground clearance (mm) Min. ground clearance (mm) Min. ground dearance (mm) **Range will verified and ground provided dearance dearance dearance dearance dearance dearance dearance d	Range (loaded) based on flat road	>00 120 (EG 25 75miles)	
Minimum turning radius (m) Max. climbing ability (loaded) 25% Charging Time (hr) Max. movement after brake at speed of 26km/h Max. movement after brake at speed of 26km/h Max. toolding weight 40kgs (1058lbs) Net weight 50kgs (1278bs) Dimensions Overall dimensions (mm) 3600x1340x1990 (142x53x78in) Min. ground clearance (mm) 170 (6.7h) Wheelbase (mm) 960 (38lh) Rear wheel tread (mm) Proof wheel tread (mm) 1000 (39ln) Body and Frame Frame Welded steel framework to be treated in galvanization and powder coating Body and Frame Frame Welded steel framework to be treated in galvanization and powder coating Body and Prame Frame Prame Welded steel framework to be treated in galvanization and powder coating Body and Prame Frame Organic glass will wish with the steel of the steel	at a speed of 20km/h (km)*	>90-120 (56.25-75ffilles)	
Max. Industry depending on temperary speed of 20km/h Max. Novement after brake at speed of 20km/h Max. Loading weight	Max. speed	32km/h (20mph) (adjustable)	
Charging Time (ht) Max. movement after brake at speed of 20km/h Max. movement after brake at speed of 20km/h Max. loading weight Max. loading weight S00x 140x 150kg (1278bs) Dimensions Overall dimensions (mm) Min. ground clearance (mm) Wheelbase (mm) Front wheel tread (mm) Rear wheel tread (mm) Body and Frame Welded steel framework to be treated in galvanization and powder coating Body Roof PP Injection (Black) or vacuum plastic Windshield Organic glass Windshield, highed, tinted Backrest and cushion Backrest and cushion PP plastic Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armests + plastic back cover 2. point seathett I. Profit or rubber Doshboard PP plastic Glove box With lock Glove box With lock Glove box Mith loc	Minimum turning radius (m)	4.5 (177in)	
Max. loading weight Salvage (1058lbs) Dimensions Coverall dimensions (rmn) Min. ground clearance (mm) Wheelbase (rmn) Min. ground clearance (mm) Wheelbase (rmn) Min. ground clearance (mm) Wheelbase (rmn) Max. year (mm) Max. year (mm) Min. ground clearance (mm) Min. ground clearance (mm) Wheelbase (rmn) Min. ground clearance (mm) Wheelbase (rmn) Max. year (mm) Min. ground clearance (mm) Wheelbase (rmn) Wheelbase (rmn) Min. ground clearance (mm) Wheelbase (rmn) Min. ground clearance (mm) Min. ground clearance (mm) Wheelbase (rmn) Min. ground clearance (mm) Wheelbase (rmn) Weeldad steel framework to be treated in galvanization and powder coating Society Cody Min. ground (Bandy) or vecuum plantic Wordshield Organic glass Windshield, Indeed, trinted Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seathet 1. tubber Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seathet 1. tubber Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests Plastic Golf Bag holder & Sweater basket Side rim All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines the trake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines to trake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Speakers All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals indicator, gear position light, and multimedia player (radio, blueboth, MP3, SD card, USB, video, etc.) Sy Speakers 2. pos Speakers Single-stage rack and pinion ste			
speed of 20km/h Max. Loading weight		6-7hr	
speed of Zukmyn Net weight 550kgs (1278bs) Dimensions Overall dimensions (mm) 3600x1340x1990 (142x53x78in) Min. ground clearance (mm) 170 (67m) Wheelbase (mm) 750 (18m) Rear wheel tread (mm) 960 (38in) Rear wheel tread (mm) 800y 97 (19m) Per plastic front body + PP plastic rear body Windshield Organic glass Windshield, hinged, tinted Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 1 Nelber (19m) 2- point seatbett 1 Nelber (19m) 1 Nelber (19m		≤4m	
Net veight 580kgs (1278bs) Dimensions Overall dimensions (mm) 3600x1340x1990 (142x53x78in) Min. ground clearance (mm) 170 (6.7m) Wheelbase (mm) 2440 (96in) Front Wheel tread (mm) 900 (36in) Roar wheel tread (mm) 900 (36in) Body and Frame Frame Weided steel framework to be treated in galvanization and powder coating Body PP plastic front body + PP plastic rear body Windshield Organic glass Windshield, hinged, tinted Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seatbelt Very companies of the plastic plastic plastic plastic plastic plastic back cover 2- point seatbelt Very companies of the plastic plast	1 *		grade, payload and driving style
Dimensions			
Overlall dimensions (mm) Min. ground clearance (mm) Min. ground clearance (mm) 170 (6 7th) Wheelbase (mm) 2440 (96in) Front wheel tread (mm) 800 (38in) Rear wheel tread (mm) Body and Frame Frame Welded steel framework to be treated in galvanization and powder coating Body PP plastic front body + PP plastic rear body Windshield Organic glass Windshield, hinged, tinted Colf foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover Lighting seathelt Floor Goff Bag holder & Sweater basket Side rim Lighting system and horn DRL), 2 Taillights(each combines with H/L beam headlight, front turn signals, with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer Jogital Meter+Multimedia player Combo Difful Meter+Multimedia player Combo Steering and Suspension Steering and Suspension Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function France and en interpretation of the plant of the properties of the plant o		580kgs (1278bs)	
Min. ground clearance (mm) Wheelbase (mm) 2440 (96in) Front wheel tread (mm) 960 (38in) Rear wheel tread (mm) Body and Frame Frame Welded steel framework to be treated in galvanization and powder coating Body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic front body + PP plastic rear body Roof PP plastic back cover 2- point seatbelt 1 Floor Inubber Bexerage holders 4 cups drink holders, each side two with lock Golf Bag holder & Sweater basket Side trian Plastic Side rear win willror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. PReversing buzzer 12V Digital Meter+Multimedia player Combo 10.1* touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, turn signal indicator, turn signal indicator, gear position light, and multimedia player (readio, bluetooth, MP3, SD card, USB, video, etc.) USB Port SV Speakers 2 p.S Speakers 2 p.C Backup Camera connect to above screen Charger Chian origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Head of the provided park brake + regenerative brake Accelerator Stepless speed change Front independent and rear trailing arm+ shock absorber Fraer axie two stage deceleration, motor direct driving Integrated, Gear ratio 12, 6er.1			
Wheelbase (mm)	. ,		
Front wheel tread (mm) Body and Frame Frame Welded steel framework to be treated in galvanization and powder coating Body PP plastic front body + PP plastic rear body Roof PP injection (Black) or vacuum plastic Windshield Organic glass Windshield, Iniged, tinted Organic glass Windshield, Thinged, tinted Backrest and cushion Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seatbelt Floor Lubber Dashboard PP plastic Beverage holders 4 cups drink holders, each side two with lock Golf Bag holder & Sweater basket Side triam Plastic Side triam Plastic Side triam Plastic Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Sy Speakers 2 pos Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering and Suspension Steering and Suspension Steering asystem Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Aeveel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stoppers on system Front independent and rear trailing arm+ shock absorber Front independent and rear trailing arm+ shock absorber Front independent and rear trailing arm+ shock absorber Diriving mode Rear axle integrated, Gear ratio 12.76:1			
Rear wheel tread (mm) Body and Frame Frame Frame Frame Welded steel framework to be treated in galvanization and powder coating Body PP plastic front body + PP plastic rear body Windshield Organic glass Windshield, hinged, tinted Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seatbelt 1. Plastic Dashboard PP plastic Beverage holders 4 cups drink holders, each side two Glove box With lock Golf Bag holder & Sweater basket Plastic Side trim Plastic Side trim Plastic Side trim Plastic Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo USB Port 5V Speakers 2 2 Doss Backup Camera Connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Frake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stopenson system Front independent and rear trailing arm+ shock absorber Diriving mode Rear axie two stage deceleration, motor direct driving Integrated, Gear ratio 12.76:1		1 /	
Body and Frame Welded steel framework to be treated in galvanization and powder coating Body PP plastic front body + PP plastic rear body PP plastic front body + PP plastic rear body PP plastic front body + PP plastic rear body PP plastic front body + PP plastic rear body PP plastic PP p			
Frame		1000 (39in)	
PP plastic front body + PP plastic rear body			
Prinjection (Black) or vacuum plastic			
Windshield Organic glass Windshield, hinged, tinted Backrest and cushion Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 2- point seatbelt 1 Thory Tubber Dashboard PP plastic Beverage holders 4 cups drink holders, each side two dillows with lock Golf Bag holder & Sweater basket Plastic Side trim Plastic Side trim Plastic Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Talllights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port 5V Speakers 2 pcs Backup Camera Connect to above screen China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Siepless speed change Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Integrated, Gear ract to 12,76:11			
Backrest and cushion Cold foamed sponge cushion + microfiber leather in diamond pattern + plastic armrests + plastic back cover 1. Floor Dashboard PP plastic Beverage holders 4 cups drink holders, each side two with lock Golf Bag holder & Sweater basket Side trim Plastic Side trim Plastic Side tran Plastic Sid			
### Plastic back cover 2- point seatbelt 1	vvinasniela		
2- point seatbelt Floor Ploshboard PP plastic Beverage holders Glove box Glove box With lock Glore box With lock Glore box With lock Glore are view mirror Fleictric system Lighting system and horn Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Rear axile Integrated, Gear ratio 12, 76:1 A cups drink holders, each side two With lock Glove box With lock A cups drink holders, each side two With lock Beach wo With lock Beach wo With lock Beach with lock With lock Beach with LED light LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, brath lum signal), with DC-DC converter (converting from 72V to 12V), electric bron. 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port System 5V Speakers 2 pcs Sheering and Suspension Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system Front independent and rear trailing arm+ shock absorber Front independent and rear trailing arm+ shock absorber Diriving mode Rear axile Integrated, Gear ratio 12, 776.1	Backrest and cushion		
Floor rubber Dashboard PP plastic Beverage holders 4 cups drink holders, each side two Glove box with lock Golf Bag holder & Sweater basket Plastic Side trim Plastic Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera connect to above screen Charger Chira origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Diriving mode Rear axie Integrated, Gear ratio 12.76:1		+ plastic back cover	
Dashboard Beverage holders 4 cups drink holders, each side two Glore box With lock Golf Bag holder & Sweater basket Side trim Plastic Side rear view mirror Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines of brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port SV Speakers 2 pcs Backup Camera Connect to above screen Charger Chiar origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1			
Beverage holders Glove box Glove box With lock Golf Bag holder & Sweater basket Plastic Side trim Plastic Side trim Plastic Side rear view mirror Flectric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V I0.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator,gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axile Integrated, Gear ratio 12, 76: 1			
Glove box with lock Golf Bag holder & Sweater basket Plastic Side train Plastic Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port 5V Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Integrated, Gear ratio 12.76:1			
Golf Bag holder & Sweater basket Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system A-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1			
Side trim Side rear view mirror Two pieces per cart, with LED light Electric system All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system A-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Integrated, Gear ratio 12.76:1	4		
Side rear view mirror Two pieces per cart, with LED light			
All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer			
All LED lights, 2 Front Light (each combines with H/L beam headlight, front turn signals, DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Connect to above screen Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1	4	Two pieces per cart, with LED light	
Lighting system and horn DRL), 2 Taillights(each combines 1 brake light with 1 turn signal), with DC-DC converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Connect to above screen Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1	Electric system		
converter (converting from 72V to 12V), electric horn. Reversing buzzer 12V Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port 5V Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailling arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1			
Reversing buzzer Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port SV Speakers 2 pcs Backup Camera Connect to above screen China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Single-stage rack and pinion steering system, automatic rocker compensating function Brake system A-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1	Lighting system and horn		
Digital Meter+Multimedia player Combo 10.1" touch screen, With speedometer, mileage, battery gauge, battery voltage, current, headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port 5V Speakers 2 pcs Backup Camera Connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1		converter (converting from 72V to 12V), electric horn.	
Digital Meter+Multimedia player Combo headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1	Reversing buzzer	12V	
Digital Meter+Multimedia player Combo headlight indicator, emergency light indicator, turn signal indicator, gear position light, and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port Speakers 2 pcs Backup Camera Connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle Integrated, Gear ratio 12.76:1		10.1" touch screen. With speedometer, mileage, hattery gauge, hattery voltage, current	
and multimedia player (radio, bluetooth, MP3, SD card, USB, video, etc.) USB Port 5V Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
USB Port 5V Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1	Combo		
Speakers 2 pcs Backup Camera connect to above screen Charger China origin, input 110V-240V-50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
Backup Camera connect to above screen Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
Charger China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard Steering and Suspension Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1		·	4
Steering and Suspension Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
Steering system Single-stage rack and pinion steering system, automatic rocker compensating function Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1		China origin, input 110V-240V~50Hz-60Hz, output 72V, 13/15A onboard	4
Brake system 4-wheel hydraulic disc brake + automatic electrical park brake + regenerative brake Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
Accelerator Stepless speed change Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			
Suspension system Front independent and rear trailing arm+ shock absorber Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			1
Driving mode Rear axle two stage deceleration, motor direct driving Rear axle Integrated, Gear ratio 12.76:1			1
Rear axle Integrated, Gear ratio 12.76:1			4
			4
TYTICEL CLIPTE 12AT ALUMINUM WIESEL 25 ME (25 10.0-127			-
	wineer a Tyle	TEAT GIGHTHUM WHEEL 1 ZU THE (ZU TU.U-1Z)	1



*Range will vary depending on temperature, grade, payload and driving style





Standard Body Color (customized color is available with extra cost)	Mysterious Blue	Beeswax Yellow	Zinnober Red	Bright Green	Pearl White	Dreamy Violet	Icy Blue	Concrete Grey
	White	Black	Brown			All the color sho	wed here is jus	st for reference!
Standard Seat Color (customized color is available)			The Rossell	Y		The real color of	f the car may lo	ook different as
	16.6					showed here!		

Container loading qty	Disassembled(with top basket, front basket, front brush guard)	Disassembled (without top basket, with front basket and front brush guard)
Qty/20'	4 units	4 units
Qty/40'	10 units	12 units
Qty/40'HQ	15 units	16 units

Item	Optional Accessories Description	Picture
1	Laminated Glass windshield(with DOT)	THOUSE THE STATE OF THE STATE O
2	Electric Wiper (work with laminated glass windshield only)	
3	3-point Seatbelt (with DOT)	
4	Front Brush Guard	
5	Front Basket	
6	Top Basket	
7	Golf Bag Holder	
8	2-Tone Seat	
9	Foldable armrest on backrest	
10	Backrest with headrest	
11	Backrest cover in wooden finish	
12	Backrest cover in carbon fiber finish	
13	Dashboard in wooden finish	
14	Dashboard in carbon fiber finish	

15	Steering wheel in wooden finish	
16	Inner rear view mirror	
17	Rear under seat ice bucket	
18	Enclosure (Rain cover)	
19	Push to start button	COME
20	Under Roof LED light	
21	Under Chassis LED light	
22	12V Plug	
23	Solar Panel (400W)	
24	14' Wheel	
25	Nerf Bar (Side Foot Step)	
26	Subwoofer (DSP)	
27	27" Sound bar	